

# Larraitz Arriola

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1671061/publications.pdf>

Version: 2024-02-01

82  
papers

7,609  
citations

36303

51  
h-index

58581

82  
g-index

82  
all docs

82  
docs citations

82  
times ranked

14797  
citing authors

#	ARTICLE	IF	CITATIONS
1	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Caseâ€“Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019, 149, 1985-1993.	2.9	24
2	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019, 139, 2835-2845.	1.6	103
3	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599â€“912 current drinkers in 83 prospective studies. <i>Lancet</i> , The, 2018, 391, 1513-1523.	13.7	858
4	Estimating Global Burden of Disease due to congenital anomaly: an analysis of European data. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2018, 103, F22-F28.	2.8	122
5	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , 2018, 39, 397-406.	2.2	209
6	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. <i>BMJ: British Medical Journal</i> , 2018, 361, k934.	2.3	70
7	Trends in congenital anomalies in Europe from 1980 to 2012. <i>PLoS ONE</i> , 2018, 13, e0194986.	2.5	106
8	The changing epidemiology of Ebsteinâ€™s anomaly and its relationship with maternal mental health conditions: a European registry-based study. <i>Cardiology in the Young</i> , 2017, 27, 677-685.	0.8	39
9	Parity, breastfeeding and risk of coronary heart disease: A pan-European caseâ€“cohort study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1755-1765.	1.8	58
10	Use of hierarchical models to analyze European trends in congenital anomaly prevalence. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2016, 106, 480-488.	1.6	3
11	No association between fish consumption and risk of stroke in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain): a 13A8-year follow-up study. <i>Public Health Nutrition</i> , 2016, 19, 674-681.	2.2	15
12	Lamotrigine use in pregnancy and risk of orofacial cleft and other congenital anomalies. <i>Neurology</i> , 2016, 86, 1716-1725.	1.1	59
13	A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016, 8, 341ra76.	12.4	100
14	Prevalence of microcephaly in Europe: population based study. <i>BMJ</i> , The, 2016, 354, i4721.	6.0	57
15	Work, household, and leisure-time physical activity and risk of mortality in the EPIC-Spain cohort. <i>Preventive Medicine</i> , 2016, 85, 106-112.	3.4	32
16	Life-course social position, obesity and diabetes risk in the EPIC-Spain Cohort. <i>European Journal of Public Health</i> , 2016, 26, 439-445.	0.3	7
17	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016, 31, 255-266.	5.7	49
18	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016, 39, 572-581.	8.6	65

#	ARTICLE	IF	CITATIONS
19	The association of substituting carbohydrates with total fat and different types of fatty acids with mortality and weight change among diabetes patients. <i>Clinical Nutrition</i> , 2016, 35, 1096-1102.	5.0	21
20	Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 136, 372-381.	5.1	72
21	Congenital anomalies associated with trisomy 18 or trisomy 13: A registry-based study in 16 European countries, 2000-2011. <i>American Journal of Medical Genetics, Part A</i> , 2015, 167, 3062-3069.	1.2	68
22	Alcohol consumption and the risk of renal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 1953-1966.	5.1	32
23	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. <i>Diabetes</i> , 2015, 64, 3028-3036.	0.6	98
24	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , 2015, 101, 613-621.	4.7	284
25	Epidemiology of congenital diaphragmatic hernia in Europe: a register-based study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2015, 100, F137-F144.	2.8	229
26	Selective serotonin reuptake inhibitor antidepressant use in first trimester pregnancy and risk of specific congenital anomalies: a European register-based study. <i>European Journal of Epidemiology</i> , 2015, 30, 1187-1198.	5.7	67
27	Long term trends in prevalence of neural tube defects in Europe: population based study. <i>BMJ</i> , The, 2015, 351, h5949.	6.0	180
28	Association between different obesity measures and the risk of stroke in the EPIC Spanish cohort. <i>European Journal of Nutrition</i> , 2015, 54, 365-375.	3.9	32
29	Holt Oram syndrome: a registry-based study in Europe. <i>Orphanet Journal of Rare Diseases</i> , 2014, 9, 156.	2.7	45
30	Gene-Lifestyle Interaction and Type 2 Diabetes: The EPIC InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2014, 11, e1001647.	8.4	180
31	Hirschsprung's disease prevalence in Europe: A register based study. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2014, 100, 695-702.	1.6	52
32	Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. <i>Diabetes Care</i> , 2014, 37, 3164-3171.	8.6	57
33	Major congenital anomalies in babies born with Down syndrome: A EUROCAT population-based registry study. <i>American Journal of Medical Genetics, Part A</i> , 2014, 164, 2979-2986.	1.2	57
34	Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. <i>Diabetologia</i> , 2014, 57, 63-72.	6.3	54
35	Seasonality of congenital anomalies in Europe. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2014, 100, 260-269.	1.6	14
36	Cross-sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. <i>Obesity</i> , 2014, 22, E127-34.	3.0	20

#	ARTICLE	IF	CITATIONS
37	Epidemiology of multiple congenital anomalies in Europe: A EUROCAT population-based registry study. Birth Defects Research Part A: Clinical and Molecular Teratology, 2014, 100, 270-276.	1.6	64
38	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. BMJ Open, 2014, 4, e005245-e005245.	1.9	81
39	Prevalence, prenatal diagnosis and clinical features of oculo-auriculo-vertebral spectrum: a registry-based study in Europe. European Journal of Human Genetics, 2014, 22, 1026-1033.	2.8	118
40	Common Genetic Variants Highlight the Role of Insulin Resistance and Body Fat Distribution in Type 2 Diabetes, Independent of Obesity. Diabetes, 2014, 63, 4378-4387.	0.6	153
41	Prenatal diagnosis and epidemiology of multicystic kidney dysplasia in Europe. Prenatal Diagnosis, 2014, 34, 1093-1098.	2.3	21
42	Fraser Syndrome: Epidemiological Study in a European Population. American Journal of Medical Genetics, Part A, 2013, 161, 1012-1018.	1.2	46
43	The association of pattern of lifetime alcohol use and cause of death in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Epidemiology, 2013, 42, 1772-1790.	1.9	117
44	Recent Decrease in the Prevalence of Congenital Heart Defects in Europe. Journal of Pediatrics, 2013, 162, 108-113.e2.	1.8	39
45	Unfavourable life-course social gradient of coronary heart disease within Spain: a low-incidence welfare-state country. International Journal of Public Health, 2013, 58, 65-77.	2.3	6
46	Alcohol drinking and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. Annals of Epidemiology, 2013, 23, 93-98.	1.9	18
47	Risk of type 2 diabetes according to traditional and emerging anthropometric indices in Spain, a Mediterranean country with high prevalence of obesity: results from a large-scale prospective cohort study. BMC Endocrine Disorders, 2013, 13, 7.	2.2	34
48	Twenty-year trends in the prevalence of Down syndrome and other trisomies in Europe: impact of maternal age and prenatal screening. European Journal of Human Genetics, 2013, 21, 27-33.	2.8	282
49	Physical Activity and Risk of Cerebrovascular Disease in the European Prospective Investigation Into Cancer and Nutrition-Spain Study. Stroke, 2013, 44, 111-118.	2.0	38
50	Validity of self-reported prevalent cases of stroke and acute myocardial infarction in the Spanish cohort of the EPIC study. Journal of Epidemiology and Community Health, 2013, 67, 71-75.	3.7	56
51	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis. Neurology, 2013, 80, 829-838.	1.1	138
52	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Carcinogenesis, 2012, 33, 361-367.	2.8	55
53	Long-Term Risk of Incident Type 2 Diabetes and Measures of Overall and Regional Obesity: The EPIC-InterAct Case-Cohort Study. PLoS Medicine, 2012, 9, e1001230.	8.4	147
54	Lower educational level is a predictor of incident type 2 diabetes in European countries: The EPIC-InterAct study. International Journal of Epidemiology, 2012, 41, 1162-1173.	1.9	127

#	ARTICLE	IF	CITATIONS
55	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1445-1453.	4.7	71
56	Alcohol consumption and mortality in individuals with diabetes mellitus. <i>British Journal of Nutrition</i> , 2012, 108, 1307-1315.	2.3	8
57	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 382-390.	4.7	183
58	A Risk Model for Lung Cancer Incidence. <i>Cancer Prevention Research</i> , 2012, 5, 834-846.	1.5	93
59	Association of alcohol dehydrogenase polymorphisms and life-style factors with excessive alcohol intake within the Spanish population (EPIC-Spain). <i>Addiction</i> , 2012, 107, 2117-2127.	3.3	11
60	HbA1c Measured in Stored Erythrocytes Is Positively Linearly Associated with Mortality in Individuals with Diabetes Mellitus. <i>PLoS ONE</i> , 2012, 7, e38877.	2.5	11
61	Consumption of fried foods and risk of coronary heart disease: Spanish cohort of the European Prospective Investigation into Cancer and Nutrition study. <i>BMJ: British Medical Journal</i> , 2012, 344, e363-e363.	2.3	69
62	Spectrum of congenital anomalies in pregnancies with pregestational diabetes. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2012, 94, 134-140.	1.6	97
63	Olive oil intake and mortality within the Spanish population (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , 2012, 96, 142-149.	4.7	137
64	Validity of a short questionnaire to assess physical activity in 10 European countries. <i>European Journal of Epidemiology</i> , 2012, 27, 15-25.	5.7	185
65	Social Inequalities and Mortality in Europe – Results from a Large Multi-National Cohort. <i>PLoS ONE</i> , 2012, 7, e39013.	2.5	113
66	Identification and molecular characterization of <i>Cryptosporidium</i> and <i>Giardia</i> in children and cattle populations from the province of Álava, North of Spain. <i>Science of the Total Environment</i> , 2011, 412-413, 101-108.	8.0	41
67	Saturated fat intake and alcohol consumption modulate the association between the APOE polymorphism and risk of future coronary heart disease: a nested case-control study in the Spanish EPIC cohort. <i>Journal of Nutritional Biochemistry</i> , 2011, 22, 487-494.	4.2	27
68	Paper 6: EUROCAT member registries: Organization and activities. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2011, 91, S51-S100.	1.6	107
69	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>British Journal of Nutrition</i> , 2011, 106, 1581-1591.	2.3	130
70	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 826-835.	4.7	112
71	Associations Between General and Abdominal Adiposity and Mortality in Individuals With Diabetes Mellitus. <i>American Journal of Epidemiology</i> , 2011, 174, 22-34.	3.4	78
72	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Mutagenesis</i> , 2011, 26, 657-666.	2.6	20

#	ARTICLE	IF	CITATIONS
73	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2404-2415.	5.1	68
74	Second-hand Smoke, Cotinine Levels, and Risk of Circulatory Mortality in a Large Cohort Study of Never-Smokers. <i>Epidemiology</i> , 2010, 21, 207-214.	2.7	35
75	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010, 21, 657-669.	1.8	57
76	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 127, 442-451.	5.1	223
77	Common cholesteryl ester transfer protein gene variation related to high-density lipoprotein cholesterol is not associated with decreased coronary heart disease risk after a 10-year follow-up in a Mediterranean cohort: Modulation by alcohol consumption. <i>Atherosclerosis</i> , 2010, 211, 531-538.	0.8	20
78	Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009, 65, 378-385.	5.3	111
79	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 785-794.	1.8	48
80	Adherence to the Mediterranean Diet and Risk of Coronary Heart Disease in the Spanish EPIC Cohort Study. <i>American Journal of Epidemiology</i> , 2009, 170, 1518-1529.	3.4	272
81	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007, 36, 66-76.	1.9	81
82	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006, 27, 2250-2257.	2.8	123