

Nuno F Castro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1672919/publications.pdf>

Version: 2024-02-01

810
papers

51,768
citations

1893
102
h-index

3182
186
g-index

835
all docs

835
docs citations

835
times ranked

13881
citing authors

#	ARTICLE		IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in RunA2. European Physical Journal C, 2022, 82, 1.	3.9	6	
2	Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14	
3	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2	
4	Diversity and patterns of marine non-native species in the archipelagos of Macaronesia. Diversity and Distributions, 2022, 28, 667-684.	4.1	23	
5	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8	
6	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10	
7	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23	
8	Measurement of the energy response of the ATLAS calorimeter to charged pions from W^{\pm} events in RunA2 data. European Physical Journal C, 2022, 82, 1.	3.9	4	
9	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5	
10	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7	
11	Measurement of the energy asymmetry in $t\bar{t}$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2	
12	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV . European Physical Journal C, 2022, 82, 1.	3.9	12	
13	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4	
14	Use of a generalized energy Mover's distance in the search for rare phenomena at colliders. European Physical Journal C, 2021, 81, 1.	3.9	21	
15	Catches, sales and discards: Small-scale fisheries in a Portuguese Marine park. Regional Studies in Marine Science, 2021, 42, 101643.	0.7	1	
16	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37	
17	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12	
18	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38	

#	ARTICLE	IF	CITATIONS
19	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
20	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13, \text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	17
21	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	19
22	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	6
23	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
24	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
25	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18
26	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
27	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^-$ and $e^+e^- \rightarrow u\bar{u}$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	40
28	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
29	A continuous integration and web framework in support of the ATLAS publication process. <i>Journal of Instrumentation</i> , 2021, 16, T05006.	1.2	0
30	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^- \rightarrow b\bar{b}$ and $e^+e^- \rightarrow WW$ final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	26
31	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	23
32	Measurements of $W+W^- \rightarrow 1 \text{ jet}$ production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
33	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	46
34	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
35	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a \tilde{l}_μ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	27
36	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12

#	ARTICLE	IF	CITATIONS
37	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\bar{W}$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
38	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
39	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
40	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82
41	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	13
42	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3
43	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	64
44	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
45	Search for dark matter produced in association with a single top quark in proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	9
46	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
47	Finding new physics without learning about it: anomaly detection as a tool for searches at colliders. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	39
48	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
49	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
50	Deep Learning for the classification of quenched jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
51	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
52	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
53	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
54	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4

#	ARTICLE	IF	CITATIONS
55	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
56	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	28
57	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
58	Measurement of b-quark fragmentation properties in jets using the decay $B^\pm \rightarrow J/\psi K^\pm$ in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	3
59	Dark Matter benchmark models for early LHC Run-2 Searches: Report of the ATLAS/CMS Dark Matter Forum. <i>Physics of the Dark Universe</i> , 2020, 27, 100371.	4.9	126
60	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
61	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	24
62	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	32
63	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	34
64	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	11
65	Search for the $HH \rightarrow b\bar{b} b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
66	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	12
67	Transferability of deep learning models in searches for new physics at colliders. <i>Physical Review D</i> , 2020, 101, .	4.7	19
68	Novel interpretation strategy for searches of singly produced vectorlike quarks at the LHC. <i>Physical Review D</i> , 2020, 101, .	4.7	18
69	Measurements of top-quark pair spin correlations in the emu channel at $\sqrt{s} = 13 \text{ TeV}$ using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	22
70	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	41
71	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	36
72	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19

#	ARTICLE	IF	CITATIONS
73	Novel flavour-changing neutral currents in the top quark sector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3
74	Search for $\overline{t}t$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
75	Reconstruction and identification of boosted di- \tilde{l} systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
76	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	93
77	Search for top squarks in events with a Higgs or Z boson using 139fb^{-1} of pp collision data at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
78	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30
79	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	29
80	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	36
81	Study of interference effects in the search for flavour-changing neutral current interactions involving the top quark and a photon or a Z boson at the LHC. <i>European Physical Journal Plus</i> , 2020, 135, 1.	2.6	5
82	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
83	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8\text{-}13\text{TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
84	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	49
85	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
86	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	21
87	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	8
88	Measurement of WZ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13\text{-}14$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	41
89	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	30
90	Polychaete annelids as live bait in Portugal: Harvesting activity in brackish water systems. <i>Ocean and Coastal Management</i> , 2019, 181, 104890.	4.4	10

#	ARTICLE	IF	CITATIONS
91	Search for scalar resonances decaying into $\tilde{l}^{\pm}/\tilde{q}^{\pm}$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	15
92	Measurement of the cross-section and charge asymmetry of W bosons produced in proton+proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
93	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	13
94	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton+proton collision data at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	77
95	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	3
96	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+dijet events in proton+proton collisions at a centre-of-mass energy of $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	22
97	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	27
98	Search for top-quark decays t \rightarrow Hq with 36 fb $^{-1}$ of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	19
99	Measurement of VH, $H \rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
100	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02$ s = 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
101	Performance of top-quark and W-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	42
102	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s}=13$ TeV in ATLAS. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	14
103	A Roadmap for HEP Software and Computing R&D for the 2020s. <i>Computing and Software for Big Science</i> , 2019, 3, 1.	2.9	85
104	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017.	1.2	37
105	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 58.	3.9	61
106	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	39
107	In situ calibration of large-radius jet energy and mass in 13 TeV proton+proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
108	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	46

#	ARTICLE	IF	CITATIONS
109	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
110	Measurement of the top quark mass in the $t \rightarrow t\bar{t}$ final state. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	47
111	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	55
112	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25
113	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
114	Measurement of W^{pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	8
115	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
116	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	130
117	Measurements of top-quark pair differential and double-differential cross-sections in the $e\ell + \text{jets}$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	34
118	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb $^{-1}$ of pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	116
119	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
120	Measurement of the W-boson mass in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 110.	3.9	218
121	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s}=s$. <i>European Physical Journal C</i> , 2018, 78, 102.	3.9	13
122	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154.	3.9	52
123	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ and 5.0. <i>European Physical Journal C</i> , 2018, 78, 142.	3.9	59
124	Measurement of quarkonium production in proton-proton collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 171.	3.9	75
125	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s}=13$ TeV with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
126	Search for heavy ZZ resonances in the $\ell^+\ell^-\ell^+\ell^-$ final states using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 293.	3.9	101

#	ARTICLE	IF	CITATIONS
127	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
128	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
129	Search for heavy resonances decaying into WW in the $e\mu$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
130	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
131	Search for WW/WZ resonance production in $\ell\ell qq$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
132	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
133	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
134	Measurement of the $Z\gamma\gamma$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
135	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19
136	Search for Higgs boson pair production in the $\gamma\gamma WW^*$ channel using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
137	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 847.	3.9	16
138	Angular analysis of $B_0 \rightarrow K^+ \pi^- \eta'/\eta$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
139	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 401.	3.9	50
140	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
141	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
142	Search for Higgs boson pair production in the $\gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
143	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
144	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51

#	ARTICLE	IF	CITATIONS
145	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 903.	3.9	181
146	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
147	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	56
148	Machine Learning in High Energy Physics Community White Paper. Journal of Physics: Conference Series, 2018, 1085, 022008.	0.4	94
149	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	3.9	25
150	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
151	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22
152	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
153	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
154	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
155	Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau^\pm \nu_\tau$, in the $\tau^\pm + \text{jets}$ and $\tau^\pm + \text{lepton}$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	59
156	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
157	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
158	Search for exclusive Higgs and Z boson decays to $\tau^+\tau^-$ and $\bar{\tau}\tau$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
159	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
160	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
161	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
162	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79

#	ARTICLE	IF	CITATIONS
163	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
164	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
165	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
166	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
167	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 199.	3.9	132
168	Measurement of the Z/γ polarization in $Z \rightarrow l^+l^-$ events. European Physical Journal C, 2018, 78, 163.	3.9	7
169	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$, $t\bar{t}$, $b\bar{b}$ and $1/2\ell^+\ell^-$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
170	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
171	Measurement of differential cross sections and W^+/W^{\ast} cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
172	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
173	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
174	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
175	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
176	Measurement of the W boson polarisation in $t\bar{t}Z$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
177	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
178	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
179	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
180	High-ET isolated-photon plus jets production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Nuclear Physics B, 2017, 918, 257-316.	3.9	22

#	ARTICLE	IF	CITATIONS
181	Measurement of the prompt $J/\psi \rightarrow \ell^+\ell^-$ pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
182	Search for triboson $W^{pm} W^{pm} W^{mp} W \pm W \pm W$ production in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
183	Changes in trophic ecology of fish assemblages after no take Marine Protected Area designation in the southwestern coast of Portugal. Ocean and Coastal Management, 2017, 137, 144-153.	4.4	5
184	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
185	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
186	Measurements of electroweak $W_{jj} \rightarrow W jj$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
187	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
188	Measurements of integrated and differential cross sections for isolated photon pair production in pp collisions at $\sqrt{s}=8 \text{ TeV}$. Physical Review D, 2017, 95, 092003.	4.7	15
189	Measurement of the cross section for inclusive isolated-photon production in pp collisions at $\sqrt{s}=8 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 473-493.	4.7	15
190	Measurement of multi-particle azimuthal correlations in pp , $p\bar{A} + \bar{A}p$ and low-multiplicity $Pb\bar{A} + \bar{A}Pb$ collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
191	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
192	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	3.9	28
193	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
194	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s}=8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
195	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
196	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
197	Measurement of the $Z Z$ production cross section in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ using the $Z Z \rightarrow \ell^+\ell^-\ell^+\ell^-$ and $Z Z \rightarrow \ell^+\ell^-\ell^+\ell^-$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
198	Probing the $W tb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
199	Trade of live bait in Portugal and risks of introduction of non-indigenous species associated to importation. <i>Ocean and Coastal Management</i> , 2017, 146, 121-128.	4.4	17
200	Measurements of $\tilde{t}(2S)$ and $X(3872) \rightarrow J/\psi + \ell\bar{\ell}$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	33
201	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
202	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	3.9	79
203	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	3.9	489
204	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.	3.9	71
205	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 361.	3.9	47
206	Precision measurement and interpretation of inclusive $W^+ W^+$, $W^- W^-$ European Physical Journal C, 2017, 77, 367.	3.9	145
207	Measurement of jet fragmentation in Pb+Pb and pp collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 379.	3.9	51
208	Search for dark matter at $s = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 393.	3.9	80
209	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
210	Changes in fish assemblage structure after implementation of Marine Protected Areas in the south western coast of Portugal. <i>Ocean and Coastal Management</i> , 2017, 135, 103-112.	4.4	9
211	Search for direct top squark pair production in final states with two leptons in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 898.	3.9	50
212	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
213	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $s = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
214	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
215	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
216	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23

#	ARTICLE	IF	CITATIONS
217	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	38
218	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
219	Measurement of WW/WZ ightarrow ell u q q^prime }\$\$ W W / W Z \rightarrow \ell^{\pm} q \bar{q} production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	3.9	28
220	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	12
221	Searches for the $Z\hat{l}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	30
222	Studies of $Z\hat{l}^3$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
223	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
224	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \hat{l}^3\bar{l}^3$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
225	Study of $WW\gamma$ and $WZ\gamma$. <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
226	Measurements of top quark spin observables in $t\bar{t}\hat{l}^-$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
227	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
228	Top-quark mass measurement in the all-hadronic $t\bar{t}\hat{l}^-$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
229	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28
230	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
231	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $s = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
232	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
233	Measurement of the k_t splitting scales in $Z \rightarrow \ell^{\pm} \ell^{\mp}$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
234	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
235	Evidence for the $H \rightarrow b\bar{b} \rightarrow b\bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
236	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	168
237	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 872.	3.9	32
238	The Laser calibration of the ATLAS Tile Calorimeter during the LHC run 1. <i>Journal of Instrumentation</i> , 2016, 11, T10005-T10005.	1.2	17
239	EFTfitter: a tool for interpreting measurements in the context of effective field theories. <i>European Physical Journal C</i> , 2016, 76, 1.	3.9	25
240	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
241	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
242	Measurement of event-shape observables in $Z \rightarrow e^+ e^-$ and $Z \rightarrow \mu^+ \mu^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
243	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
244	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502.	3.9	61
245	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
246	Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the $t\bar{t}, b\bar{b}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
247	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666.	3.9	73
248	Measurement of the $b\bar{b} \rightarrow b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 670.	3.9	12
249	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	3.9	21
250	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	3.9	23
251	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
252	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 292.	3.9	453

#	ARTICLE	IF	CITATIONS
253	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
254	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
255	Measurement of $W + W^\pm$ production in association with one jet in proton-proton collisions at $s=8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 114-133.	4.1	4
256	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
257	Fish communities' response to implementation of restoring measures in a highly artificialized estuary. Ecological Indicators, 2016, 67, 743-752.	6.3	11
258	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
259	Search for flavour-changing neutral current top-quark decays to $q\bar{Z}$ in $p\bar{p}$ collision data collected with the ATLAS detector at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 12.	3.9	39
260	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 87.	3.9	39
261	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
262	Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in pp collisions at $s = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
263	Study of the rare decays of $B^0 \rightarrow \mu^+ \mu^-$ and $B^0 \rightarrow \mu^+ \mu^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
264	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s}=13$ TeV $p\bar{p}$ collisions. European Physical Journal C, 2016, 76, 517.	3.9	24
265	Search for resonances in diphoton events at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
266	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
267	Measurement of the relative width difference of the $B^0 \rightarrow \mu^+ \mu^-$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
268	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
269	Performance of pile-up mitigation techniques for jets in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 581.	3.9	298
270	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s}=8$ TeV $p\bar{p}$ collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51

#	ARTICLE	IF	CITATIONS
271	Measurement of jet activity in top quark events using the $e^{1/4}$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4
272	Measurement of the transverse momentum and ϕ^* distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 291.	3.9	154
273	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^{\pm} \nu e^{\pm} \nu$ with the ATLAS detector at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
274	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	20
275	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
276	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	17
277	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2016, 18, 073021.	2.9	2
278	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
279	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538.	3.9	115
280	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	3.9	63
281	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653.	3.9	279
282	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
283	Addendum to "Measurement of the $t\bar{t}$ production cross-section using emu $e^{1/4}$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1.	3.9	19
284	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	33
285	Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
286	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
287	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
288	Measurement of the CP-violating phase δ_s and the $B_s^0 \rightarrow J/\psi \pi^+$ decay width difference with $B_s^0 \rightarrow J/\psi \pi^+$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13

#	ARTICLE	IF	CITATIONS
289	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
290	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
291	A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
292	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
293	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
294	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
295	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
296	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
297	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 154.	3.9	62
298	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
299	Probing lepton flavour violation via neutrinoless $\varvec{\text{au}} \rightarrow 3\mu \bar{\nu}_\mu$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
300	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
301	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
302	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
303	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
304	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
305	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
306	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54

#	ARTICLE	IF	CITATIONS
307	Study of the B_c^+ $\rightarrow J/\psi D_s^+ + B_c + \bar{t}J/\psi D_s +$ and $B_c^+ \rightarrow J/\psi D_s^{*+} + B_c + \bar{t}J/\psi D_s^- +$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
308	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow 2\ell^+ 2\ell^-$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ in $p\bar{p}$ collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
309	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
310	Movements of <i>Diplodus sargus</i> (Sparidae) within a Portuguese coastal Marine Protected Area: Are they really protected?. Marine Environmental Research, 2016, 114, 80-94.	2.5	13
311	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $p\bar{p}$ collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
312	Angular distributions of $t\bar{t}H \rightarrow b\bar{b}$ reconstructed events at the LHC. Physical Review D, 2015, 92, .	4.7	15
313	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
314	A search for high-mass resonances decaying to $\tilde{\ell}_1, \tilde{\ell}_2, \tilde{\chi}_1^0$ in $p\bar{p}$ collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
315	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 " interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
316	Search for lepton-flavour-violating $H \rightarrow l^+ l^-$ decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
317	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
318	A search for $t\bar{t} \rightarrow t\bar{t} \rightarrow \tilde{\chi}_1^0 \tilde{\chi}_1^0$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
319	Measurement of the forward-backward asymmetry of electron and muon pair-production in $p\bar{p}$ collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
320	Measurement of charged-particle spectra in $Pb+Pb$ collisions at $s_{NN} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
321	Analysis of events with b -jets and a pair of leptons of the same charge in $p\bar{p}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
322	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	108
323	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
324	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using $p\bar{p}$ collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40

#	ARTICLE	IF	CITATIONS
325	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
326	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71
327	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
328	Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
329	Determination of the top-quark pole mass using $t\bar{t} \rightarrow t\bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	4.7	25
330	Interpretation of vector-like quark searches: heavy gluons in composite Higgs models. Journal of High Energy Physics, 2015, 2015, 1.	4.7	21
331	Measurement of the $t\bar{t} \rightarrow t\bar{t} + W$ and $t\bar{t} \rightarrow t\bar{t} + Z$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
332	Search for flavour-changing neutral current top quark decays $t \rightarrow b\bar{q}q$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
333	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	36
334	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
335	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	116
336	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
337	Search for $W' \rightarrow tb \rightarrow q\bar{q}bb$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	3.9	35
338	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2015, 75, 158.	3.9	17
339	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
340	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW^*$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
341	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
342	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41

#	ARTICLE	IF	CITATIONS
343	Jet energy measurement and its systematic uncertainty in protonâ€“proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
344	Search for invisible particles produced in association with single-top-quarks in protonâ€“proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	3.9	30
345	Search for resonant diboson production in the $\ell\ell q\bar{q}$ final state in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
346	Measurements of the W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
347	Search for dark matter in events with heavy quarks and missing transverse momentum in $p\bar{p}$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
348	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
349	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
350	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
351	Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
352	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
353	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s}=8$ TeV $p\bar{p}$ collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
354	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$, $\tau^\pm \nu_\tau$ in fully hadronic final states using $p\bar{p}$ collision data at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
355	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
356	Performance of the ATLAS muon trigger in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 120.	3.9	62
357	Search for Higgs boson pair production in the $b\bar{b} b\bar{b}$ final state from $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
358	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu \nu \mu$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
359	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
360	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $\ell\ell \ell\ell / \ell\ell u\bar{u} + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60

#	ARTICLE	IF	CITATIONS
361	Measurement of three-jet production cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
362	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
363	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8\text{ TeV}$. European Physical Journal C, 2015, 75, 303.	3.9	70
364	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
365	Observation and measurements of the production of prompt and non-prompt φ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
366	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
367	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
368	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
369	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
370	Measurement of the top quark mass in the $t\rightarrow \text{lepton+jets}$ and $t\bar{t}\rightarrow \text{dilepton}$ channels using $\sqrt{s} = 7\text{ TeV}$ ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
371	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
372	The Lusitanian toadfish as bioindicator of estuarine sediment metal burden: The influence of gender and reproductive metabolism. Ecological Indicators, 2015, 48, 370-379.	6.3	8
373	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1.	3	
374	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. , 2015, 75, 1.	1	
375	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. , 2015, 75, 1.	2	
376	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.	3	
377	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.	3	
378	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82

#	ARTICLE	IF	CITATIONS
379	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
380	A neural network clustering algorithm for the ATLAS silicon pixel detector. Journal of Instrumentation, 2014, 9, P09009-P09009.	1.2	45
381	Studying the Wtb vertex structure using recent LHC results. Physical Review D, 2014, 90, .	4.7	23
382	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
383	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
384	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
385	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $\sqrt{s} = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
386	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
387	Search for nonpointing and delayed photons in the diphoton and missing transverse momentum final state in 8 TeV collisions at the LHC using the ATLAS detector. Physical Review D, 2014, 90, .	4.7	41
388	Measurement of the $t\bar{t}$ production cross-section using $e\bar{\nu}$ events with b -tagged jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
389	Search for WZ resonances in the fully leptonic channel using pp collisions at the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 60-63.		
390	Search for the Standard Model Higgs boson decay to Z with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 64-67.		
391	Fiducial and differential cross sections of Higgs boson production measured in the four-lepton decay channel in pp collisions at the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 70-73.	4.1	11
392	Search for new resonances in W^+ and Z^+ final states in pp collisions at the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 74-77.		
393	Measurement of inclusive jet charged-particle fragmentation functions in Pb+Pb collisions at 2.76 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 320-342.		
394	Search for high-mass dilepton resonances in pp collisions at the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 343-353.		
395	Search for high-mass dilepton resonances in pp collisions at the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 354-364.	7.8	35
396	Search for high-mass dilepton resonances in pp collisions at the ATLAS detector. Physical Review D, 2014, 90, .	4.7	237

#	ARTICLE	IF	CITATIONS
397	ments of Four-Lepton Production at the $\sqrt{s} = 7 \text{ TeV}$ ATLAS Experiment	7.8	51
398	Evidence for Electroweak Production of $Z\gamma\gamma$ Collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector	7.8	123
399	Flavor-tagged time-dependent angular analysis of the $Z\gamma\gamma$ production	4.7	71
400	and extraction of $\sin(2\phi_W)$ from the $Z\gamma\gamma$ production	de	100
401	Search for Scalar Diphoton Resonances in the Mass Range $65-1600 \text{ GeV}$ with the ATLAS Detector	4.7	90
402	Collision Data at $\sqrt{s} = 7 \text{ TeV}$	7.8	168
403	Search for Invisible Decays of a Higgs Boson Produced in Association with a Z boson in ATLAS	7.8	130
404	Measurement of the inclusive isolated prompt photons cross section in $Z\gamma\gamma$ collisions	4.7	58
405	Search for a multi-Higgs-boson cascade in $Z\gamma\gamma$ collisions	4.7	15
406	Measurement of the parity-violating asymmetry parameter η_{CP}	4.7	26
407	Study of heavy-flavor quarks produced in association with top-quark pairs at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector	4.7	52
408	Measurement of the Higgs boson mass from the $Z\gamma\gamma$ decay	4.7	12
409	Search for Dark Matter in Events with a Hadronically Decaying $W\rightarrow Z\gamma\gamma$ Boson and Missing Transverse Momentum in $p\bar{p}$ Collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS Detector	4.7	176
410	Measurement of long-range pseudorapidity correlations and azimuthal harmonics in $s_{NN} = 5.02 \text{ TeV}$ proton-lead collisions with the ATLAS detector	2.9	111
411	Observation of an Excited State with the ATLAS Detector	7.8	182
412	Measurement of event-plane correlations in $Z\gamma\gamma$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector	4.7	134
413	Search for planar-produced third-generation squarks decaying via charm quarks or in compressed supersymmetric scenarios in $Z\gamma\gamma$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector	4.7	126
414	Physical Review D, 2014, 90,	2.9	111

#	ARTICLE	IF	CITATIONS
415	Search for supersymmetry in events with four or more leptons in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ collisions with the ATLAS detector. <i>Physics Letters B</i> , 2014, 732, 47-48.	4.7	48
416	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	66
417	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $s = 7 \text{ TeV}$ in 2010. <i>European Physical Journal C</i> , 2014, 74, 3034.	3.9	58
418	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	172
419	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3134.	3.9	48
420	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $s = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157.	3.9	68
421	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3195.	3.9	46
422	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	41
423	Measurement of the production cross-section of $t\bar{t}(2S) \rightarrow t\bar{t}(\ell^+\ell^- + \nu\bar{\nu})$ in pp collisions at $s = 7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	21
424	Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	131
425	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	38
426	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
427	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	47
428	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
429	Search for Higgs boson decays to a photon and a Z boson in pp collisions at $s = 8 \text{ TeV}$ and 8 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics</i> , 2014, 732, 26-27.	4.7	27
430	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	42
431	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	40
432	The differential production cross section of the $\phi(1020)$ meson in $s = 7 \text{ TeV}$ pp collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895.	3.9	13

#	ARTICLE	IF	CITATIONS
433	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
434	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	3.9	23
435	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
436	Light-quark and gluon jet discrimination in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	3.9	77
437	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
438	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
439	Measurement of the production cross section of prompt J/ψ mesons in association with a $W \pm$ boson in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
440	Measurement of dijet cross-sections in $p p$ collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	36
441	Measurement of the production of a W boson in association with a charm quark in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
442	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
443	Search for top quark decays $t \rightarrow qH$ with $H \rightarrow b\bar{b}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
444	Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
445	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25
446	Search for direct top-squark pair production in final states with two leptons in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
447	Measurement of c_1 and c_2 production with $\sqrt{s} = 7 \text{ TeV}$ pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
448	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	10
449	Search for new particles in events with one lepton and missing transverse momentum in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
450	Search for direct top squark pair production in events with a Z boson, b -jets and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ $p p$ collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55

#	ARTICLE	IF	CITATIONS
451	Operation and performance of the ATLAS semiconductor tracker. <i>Journal of Instrumentation</i> , 2014, 9, P08009-P08009.	1.2	25
452	Standalone vertex finding in the ATLAS muon spectrometer. <i>Journal of Instrumentation</i> , 2014, 9, P02001-P02001.	1.2	15
453	Monitoring and data quality assessment of the ATLAS liquid argon calorimeter. <i>Journal of Instrumentation</i> , 2014, 9, P07024-P07024.	1.2	16
454	Measurement of the ($t\bar{t}$) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at ($\sqrt{s}=7$) and 8 TeV with the ATLAS detector. <i>JHEP</i> , 2014, 74, 1.	2	
455	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	73
456	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	53
457	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	32
458	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	137
459	Measurement of ZZ production in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous ZZZ and ZZ \tilde{l}^3 couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	61
460	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	19
461	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
462	Measurement of k T splitting scales in $W\rightarrow l\nu$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	3.9	19
463	Search for a light charged Higgs boson in the decay channel $H^{\pm}\rightarrow car(s)$ in $t\bar{t}$ events using pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Measurements of angular correlations in Drell-Yan lepton pairs to probe</i> $\sinh(\alpha_s)$. <i>Phys. Lett. B</i> , 2013, 732, 611.	3.9	119
464	Search for displaced muonic lepton jets from light Higgs boson decay in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Phys. Lett. B</i> , 2013, 732, 21.	4.1	21
465	Search for displaced muonic lepton jets from light Higgs boson decay in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Phys. Lett. B</i> , 2013, 732, 222.	4.1	22
466	Searches for heavy long-lived sleptons and R-hadrons with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Phys. Lett. B</i> , 2013, 732, 223.	4.1	23
467	Measurement of the differential cross-section in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Phys. Lett. B</i> , 2013, 732, 224.	4.1	24
468	Searches for heavy long-lived sleptons and R-hadrons with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Phys. Lett. B</i> , 2013, 732, 225.	4.1	25

#	ARTICLE	IF	CITATIONS
469	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.	4.1	307
470	Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 88-119.	4.1	295
471	display="inline"><math xmlns:mml="http://www.w3.org/1998/Math/MathML" accent="true"><mml:mi>t</mml:mi><mml:mover><mml:mo>Â¬</mml:mo></mml:mover></mml:math> resonances in the lepton plus jets final state with ATLAS using <mml:math>\sqrt{s}=8 TeV</mml:math> pp collisions. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
472	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	102
473	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
474	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
475	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
476	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
477	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	3.9	105
478	Multi-channel search for squarks and gluinos in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34
479			

#	ARTICLE	IF	CITATIONS
487	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	15
488	Search for single $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle \hat{Z} \langle / \text{mml:mo} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ production with the ATLAS detector at $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si2.gif" overflow="scroll" } \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{lead} \langle / \text{lead} \rangle \text{collisions} \text{at} \langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si3.gif" overflow="scroll" } \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \text{mathvariant} = \text{"normal"} \langle \text{NN} \rangle \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:math} \rangle$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 720, 13-31.	4.1	11
489	Search for light top squark pair production in final states with leptons and b-jets with the ATLAS detector in $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \times \langle \text{mml:mtext} \rangle \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ protonâ€“proton collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 720, 13-31.	4.1	195
490	Dynamics of isolated-photon plus jet production in pp collisions at $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \times \langle \text{mml:mtext} \rangle \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ protonâ€“proton collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 720, 13-31.	4.1	197
491	Measurement with the ATLAS detector of multi-particle azimuthal correlations in $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msert} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msert} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \times \langle \text{mml:mtext} \rangle \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ with the ATLAS detector. <i>Nuclear Physics B</i> , 2013, 875, 483-535.	2.5	33
492	collisions at $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si2.gif" overflow="scroll" } \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mi} \rangle \text{mathvariant} = \text{"normal"} \langle \text{NN} \rangle \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:math} \rangle$	4.1	169
493	Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in protonâ€“proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 720, 261-279.	4.1	6
494	Search for pair production of heavy top-like quarks decaying to a high-energy photon. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 732, 305-319.	4.1	40
495	Search for prompt lepton-jets in pp collisions at $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \times \langle \text{mml:mtext} \rangle \text{width} = 0.25\text{em} \langle / \text{mml:mtext} \rangle \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 732, 305-319.	4.1	28
496	Search for long-lived, multi-charged particles in pp collisions at $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \times \langle \text{mml:mtext} \rangle \text{using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics}$	4.1	14
497	Search for long-lived, heavy particles in final states with a muon and multi-track displaced vertex in protonâ€“proton collisions at $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \mu \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \times \langle \text{mml:mtext} \rangle \text{using XML Schema}$	4.1	14
498	overflow="scroll" > < mml:msqrt > < mml:mi > s < /mml:mi > < /mml:msqrt > < mml:mo > = < /mml:mo > < mml:mn > 7 < /mml:mn > < mml:mtext > with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 719, 280-298.	4.1	44
499	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	61
500	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in protonâ€“proton collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	45
501	Trophic ecology of a coastal fish assemblage in Portuguese waters. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013, 93, 1151-1161.	0.8	8
502	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \times \langle \text{mml:mtext} \rangle \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ pp collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 718, 841-859.	4.1	24
503	Search for new phenomena in the $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{t}' \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle l \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle l^{1/2} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ final state in pp collisions at $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \text{Search for direct slepton and gaugino production in final states with two leptons and missing transverse momentum with the ATLAS detector in pp collisions at } \langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \text{transverse momentum with the ATLAS detector in pp collisions at } \langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \text{with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics}$	4.1	22
504	overflow="scroll" > < mml:msqrt > < mml:mi > s < /mml:mi > < /mml:msqrt > < mml:mo > = < /mml:mo > < mml:mn > 7 < /mml:mn > < mml:mtext > TeV < /mml:mtext > < /mml:math >. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 718, 879-901.	4.1	37

#	ARTICLE	IF	CITATIONS
505	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	3.9	15
506	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
507	Jet energy resolution in proton-proton collisions at $\sqrt{\text{mathrm}{s}}=7\text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
508	Measurement of the τ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
509	Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s}=7\text{ TeV}$. Physical Review Letters, 2013, 111, 232002.	7.8	57
510	Search for excited electrons and muons in $\sqrt{s}=8\text{ TeV}$ proton-proton collisions with the ATLAS detector. New Journal of Physics, 2013, 15, 093011.	2.9	23
511	Measurement of hard double-parton interactions in W ($\tau^{\pm}\nu$) + 2-jet events at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 033038.	2.9	147
512	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	2.9	15
513	Search for extra dimensions in diphoton events from proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ in the ATLAS detector at the LHC. New Journal of Physics, 2013, 15, 043007.	2.9	41
514	Search for resonant diboson production in the WW/WZ $\tau^{\pm}\nu$ decay channels with the ATLAS detector at $\sqrt{s}=7\text{ TeV}$. Physical Review D, 2013, 87, .	4.7	18
515	Observation of Associated Near-Side and Away-Side Long-Range Correlations in $\tau^{\pm}\nu$ + jets and missing transverse momentum using $\tau^{\pm}\nu$ + jets and missing transverse momentum. Physical Review D, 2013, 87, .	4.7	112
516	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\tau^{\pm}\nu$ + jets and missing transverse momentum. Physical Review D, 2013, 87, .	4.7	112
517	Measurement of upsilon production in $\sqrt{s}=7\text{ TeV}$ $\tau^{\pm}\nu$ + jets and missing transverse momentum. Physical Review D, 2013, 87, .	4.7	78
518	Search for nonpointing photons in the diphoton and $\tau^{\pm}\nu$ collisions at ATLAS. Physical Review D, 2013, 87, .	4.7	16
519	Search for long-lived stopped $\tau^{\pm}\nu$ events with a Photon and Missing Transverse Momentum. Physical Review D, 2013, 87, .	7.8	105
520	Search for long-lived stopped $\tau^{\pm}\nu$ events with a Photon and Missing Transverse Momentum. Physical Review D, 2013, 87, .	4.7	57
521	Search for long-lived stopped $\tau^{\pm}\nu$ events with a Photon and Missing Transverse Momentum. Physical Review D, 2013, 87, .	4.7	35
522	Measurement of charged-particle event shape variables in inclusive $\sqrt{s}=7\text{ TeV}$ proton-proton interactions with the ATLAS detector. Physical Review D, 2013, 88, .	4.7	12

#	ARTICLE	IF	CITATIONS
523	Measurement of Z boson production in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2013, 110, 022301. Measurement of $\langle m_{miss}^2 \rangle$ at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2013, 110, 022301.	7.8	63
524	Measurement of the ratio of Z boson production to gluon fusion production in the ATLAS experiment. <i>Physical Review D</i> , 2013, 87, 072007.	4.7	76
525	Search for microscopic black holes in a like-sign dimuon final state using large track multiplicity with the ATLAS detector. <i>Physical Review D</i> , 2013, 87, 072007.	4.7	14
526	Search for new phenomena in events with three charged leptons at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2013, 87, 072007.	4.7	14
527	Measurements of the azimuthal angle dependence of inclusive jet yields in $\text{Pb} + \text{Pb}$ collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2013, 87, 072007.	4.7	14
528	Search for displaced decays of long-lived neutral particles in the ATLAS detector. <i>Journal of Instrumentation</i> , 2013, 8, P07004-P07004.	4.7	60
529	Characterisation and mitigation of beam-induced backgrounds observed in the ATLAS detector during the 2011 proton-proton run. <i>Journal of Instrumentation</i> , 2013, 8, P07004-P07004.	1.2	59
530	Low-amplitude rotational modulation rather than pulsations in the CoRoT B-type supergiant HD 46769. <i>Astronomy and Astrophysics</i> , 2013, 557, A114.	5.1	13
531	Triggers for displaced decays of long-lived neutral particles in the ATLAS detector. <i>Journal of Instrumentation</i> , 2013, 8, P07015-P07015.	1.2	48
532	Search for Gluinos in Events with Two Same-Sign Leptons, Jets, and Missing Transverse Momentum with the ATLAS Detector in pp Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2012, 108, 241802.	7.8	37
533	Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector. <i>Physical Review D</i> , 2012, 86, 072007.	4.7	3
534	Search for resonant top quark plus jet production in $t\bar{t} + j$ events with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review D</i> , 2012, 86, 072007.	4.7	16
535	Search for a Supersymmetric Partner to the Top Quark in Final States with Jets and Missing Transverse Momentum at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review D</i> , 2012, 86, 072007.	7.8	63
536	Search for Scalar Bottom Quark Pair Production with the ATLAS Detector in pp Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2012, 108, 181802.	7.8	61
537	ATLAS measurements of the properties of jets for boosted particle searches. <i>Physical Review D</i> , 2012, 86, 072007.	4.7	21
538	Search for New Phenomena in $\langle m_{miss}^2 \rangle$ at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2012, 108, 181802.	7.8	46
539	Search for Pair Production of a Heavy Up-Type Quark Decaying to a b -Quark and a τ -Lepton in Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2012, 108, 181802.	7.8	31
540	Search for Pair Production of a Heavy Up-Type Quark Decaying to a b -Quark and a τ -Lepton in Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2012, 108, 181802.	7.8	31

#	ARTICLE	IF	CITATIONS
541	Article of Spin Correlation in $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{t} \langle / \text{mml:mi} \rangle \langle \text{mml:mover}$ display="inline" > $\langle \text{mml:mi} \rangle \text{t} \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ Events from $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{p} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \text{p} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math}$ $\text{xmns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ display="block" > $\langle \text{mml:msub} \rangle \langle \text{mml:mi} \rangle \text{f} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \text{b} \langle / \text{mml:mi} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:math} \rangle$ State in Radiative Transitions to $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \hat{\gamma} \langle / \text{mml:mi} \rangle \langle \text{mml:mo}$ stretchy="false" > $\langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 1 \langle / \text{mml:mn} \rangle \langle \text{mml:mi} \rangle \text{s} \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \text{Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 64$ Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{7} \langle / \text{mml:mi} \rangle \langle \text{mml:mo}$ mathvariant="bold" > $\langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{\epsilon} \langle / \text{mml:mtext} \rangle \langle \text{mml:mtext} \rangle \hat{\epsilon} \langle / \text{mml:mtext} \rangle \langle \text{mml:mi} \rangle \text{T}$ the ATLAS detector. Physical Review D, 2012, 86.	7.8	80
542	Measurement of inclusive jet and dijet production in pp collisions at $s=7\text{ TeV}$ using the ATLAS detector. Physical Review D, 2012, 86.	4.7	135
543	display="block" > $\langle \text{mml:msub} \rangle \langle \text{mml:mi} \rangle \text{f} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \text{b} \langle / \text{mml:mi} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:math} \rangle$ Resonances in Proton-Proton Collisions at $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{s} \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\epsilon} \langle / \text{mml:mo} \rangle \langle / \text{mml:msup} \rangle \langle / \text{mml:math} \rangle$ Quark that Decays into a $\langle \text{mml:math} \rangle$ $\text{Z} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Boson and a Bottom Quark with the ATLAS Detector. Physical Review Letters, 2012, 109, 081801.	7.8	90
544	Underlying event characteristics and their dependence on jet size of charged-particle jet events in pp collisions at $(s)=7\text{ TeV}$ with the ATLAS detector. Physical Review D, 2012, 86.	4.7	45
545	Search for Pair Production of a New $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{b} \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\epsilon}^2 \langle / \text{mml:mo} \rangle \langle / \text{mml:msup} \rangle \langle / \text{mml:math} \rangle$ Decay Channel in pp Collisions at $s=7\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2012, 109, 071801.	7.8	33
546	Search for the Higgs Boson in the $\text{H} \rightarrow \text{WW}(\ast) \rightarrow l^+l^-l^+l^- \rightarrow \text{A}^- \text{A}^-$ Decay Channel in pp Collisions at $s=7\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2012, 108, 111802.	7.8	35
547	Search for a Light Higgs Boson Decaying to Long-Lived Weakly Interacting Particles in Proton-Proton Collisions at $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{s} \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\epsilon} \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{\epsilon} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ the ATLAS Detector. Physical Review Letters, 2012, 108, 251801.	7.8	26
548	Further search for supersymmetry at $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{s} \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\epsilon} \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{\epsilon} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ final states with jets, missing transverse momentum, and isolated leptons with the ATLAS detector. Physical Review D, 2012, 86.	7.8	61
549	Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the standard model with the ATLAS detector. Physical Review D, 2012, 85.	4.7	26
550	Measurement of $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{D} \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle \ast \langle / \text{mml:mo} \rangle \langle \text{mml:mo} \rangle \hat{\pm} \langle / \text{mml:mo} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ production in jets from $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{p} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \text{p} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{7} \langle / \text{mml:mi} \rangle \langle \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{\epsilon} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ the ATLAS Detector. Physical Review Letters, 2012, 108, 251802.	4.7	12
551	Search for the $\text{W} \rightarrow \text{WW}(\ast) \rightarrow l^+l^-l^+l^- \rightarrow \text{A}^- \text{A}^-$ Decay Channel in pp Collisions at $s=7\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2012, 109, 011801.	7.8	117
552	Search for Supersymmetry in Events with Three Leptons and Missing Transverse Momentum in the two-lepton channel at $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{Z} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \text{Z} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ the ATLAS Detector. Physical Review Letters, 2012, 108, 041804.	4.7	23
553	Search for Production of Resonant States in the Photon-Jet Mass Distribution Using pp Collisions at $s=7\text{ TeV}$ Collected by the ATLAS Detector. Physical Review Letters, 2012, 108, 211802.	7.8	12
554	Measurement of the $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{Z} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \text{Z} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Production Cross Section and Limits on Anomalous Neutral Triple Gauge Couplings in Proton-Proton Collisions at $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{7} \langle / \text{mml:mi} \rangle \langle \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{\epsilon} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ the ATLAS Detector. Physical Review Letters, 2012, 108, 041804.	7.8	33
555	Search for Supersymmetry in Events with Three Leptons and Missing Transverse Momentum in the two-lepton channel at $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{W} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \text{q} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ the ATLAS Detector. Physical Review Letters, 2012, 108, 261804.	7.8	33
556	Search for Down-Type Fourth Generation Quarks with the ATLAS Detector in Events with One Lepton and Hadronically Decaying $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle \text{W} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Bosons. Physical Review Letters, 2012, 109, 032001.	7.8	40

#	ARTICLE jets produced in association with a $\langle \text{mml:math} \rangle$	IF	CITATIONS
559	$\text{boson in } \langle \text{mml:math} \rangle$ $\text{collisions at } \langle \text{mml:math} \rangle$	4.7	47
560	A study of the material in the ATLAS inner detector using secondary hadronic interactions. <i>Journal of Instrumentation</i> , 2012, 7, P01013-P01013.	1.2	23
561	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	45
562	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7\text{TeV}$ pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	88
563	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	12
564	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7fb^{-1} of $\sqrt{s} = 7\text{TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	53
565	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	40
566	Search for the Standard Model Higgs boson in the $\text{H} \rightarrow \text{ll}' \nu \bar{\nu}$ decay mode in $\sqrt{s} = 7\text{TeV}$ pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	43
567	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7\text{TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	34
568	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	15
569	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
570	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
571	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	17
572	Time-dependent angular analysis of the decay $B_s \rightarrow \psi \phi$ and extraction of Γ_s^+ and the CP-violating weak phase δ_s by ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, .	4.7	23
573	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7\text{TeV}$ pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	48
574	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	13
575	Search for excited leptons in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, .	4.7	14
576	Measurement of the isolated diphoton cross section in $\langle \text{mml:math} \rangle$ $\text{collisions at } \langle \text{mml:math} \rangle$ $\text{mathvariant="bold">=$ $\langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{â‰‰} \langle \text{mml:mtext} \rangle \text{â‰‰} \langle \text{mml:mtext} \rangle \langle \text{mml:mi} \rangle$	4.7	41

#	ARTICLE	IF	CITATIONS
577	Measurement of the production cross section for $\Lambda_c^0 \rightarrow p\pi^+ \Lambda$ at $\sqrt{s} = 7$ TeV in association with jets in pp collisions at $\sqrt{s} = 7$ TeV. arXiv:1208.1444	4.7	24
578	Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in final states with missing transverse momentum and b -jets with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, .	4.7	31
579	Search for the Standard Model Higgs boson in the diphoton decay channel with the ATLAS detector. <i>Physical Review Letters</i> , 2012, 108, 111803.	4.7	58
580	Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in final states with missing transverse momentum and one isolated lepton in pp collisions using 1 of ATLAS data. <i>Physical Review D</i> , 2012, 85, .	4.7	30
581	Search for the decay of the top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 387-407.	4.7	37
582	Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 714, 180-196.	4.1	12
583	Evidence for the associated production of a Λ_c^0 baryon and a top quark in ATLAS data. <i>Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 716, 1-12.	4.1	14
584	Search for the Standard Model Higgs boson in the diphoton decay channel with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 387-407.	4.1	14
585	Search for the decay of the top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 387-407.	4.1	59
586	Search for the Standard Model Higgs boson in the diphoton decay channel with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 387-407.	4.1	12
587	Search for scalar top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 387-407.	4.1	6
588	Search for the Standard Model Higgs boson in the diphoton decay channel with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 387-407.	4.1	17
589	Search for the Standard Model Higgs boson in the diphoton decay channel with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 387-407.	4.1	14
590	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 716, 1-29.	4.1	6,386
591	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	248
592	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	100

#	ARTICLE	IF	CITATIONS
595	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	13
596	Measurement of τ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	3.9	109
597	A search for t resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2012, 72, 2083.	3.9	25
598	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	37
599	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
600	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
601	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
602	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{\mathbf{s}}=7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	22
603	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
604	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7\text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
605	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	36
606			

#	ARTICLE or the Higgs boson in the $\langle \text{mml:math altimg="si1.gif" overflow="scroll"} \rangle$	IF	CITATIONS
613	Search for diphoton events with large missing transverse momentum in 7 TeV proton-proton collision data with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	4.1	10
614	Search for Direct Top Squark Pair Production in Final States with One Isolated Lepton, Jets, and Missing Transverse Momentum in $\sqrt{s} = 7\text{TeV}$ pp Collisions Using 4.7 fb^{-1} of ATLAS Data. Physical Review Letters, 2012, 109, 211803.	4.1	20
615	Combined search for the Standard Model Higgs boson in $\langle \text{mml:math altimg="si1.gif" overflow="scroll"} \rangle$	75	
616	Collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS Detector. Physical Review Letters, 2012, 109, 261803.	4.7	109
617	Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ with ATLAS. European Physical Journal C, 2012, 72, 1.	3.9	230
618	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
619	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	36
620	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	126
621	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	57
622	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	29
623	Search for a heavy Standard Model Higgs boson in the channel $\langle \text{mml:math altimg="si1.gif" overflow="scroll"} \rangle$	4.1	16
624	Measurement of the cross-section for b-jets produced in association with a Z boson at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	4.1	20
625	Measurement of the cross-section for the production of a W boson in association with b-jets in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	4.1	20
626	Measurements of the electron and muon inclusive cross-sections in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	4.1	20
627	Measurements of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	4.1	20
628	Measurements of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	4.1	20
629	Measurement of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead-lead collisions at $\sqrt{s} = 7\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	4.1	231
630	Search for diphoton events with large missing transverse momentum in 7 TeV proton-proton collision data with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	4.1	20

#	ARTICLE	IF	CITATIONS
631	Search for displaced vertices arising from decays of new heavy particles in 7 TeV pp collisions at ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 478-496.	4.1	39
632	Search for new physics in the dijet mass distribution using 1 fb^{-1} of pp collision data at TeV collected by the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 708, 37-54.		
633	Searches for supersymmetry with the ATLAS detector using final states with two leptons and missing transverse momentum in TeV . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 709, 1-10.	4.1	8
634	Search for first generation scalar leptoquarks in pp collisions at TeV . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 57-63.	4.1	58
635	Combined search for the Standard Model Higgs boson using up to 4.9 fb^{-1} of pp collision data at TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 49-66.		
636	Search for first generation scalar leptoquarks in pp collisions at TeV with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 49-66.		
637	Search for supersymmetry with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 363-382.		
638	Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 709, 322-340.	4.1	17
639	Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in TeV . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 341-353.		
640	Measurement of the triple gauge couplings in proton-proton collisions at TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 354-366.	4.1	21
641	Search for the Standard Model Higgs boson in the decay channel TeV . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 367-379.	4.1	21
642	Search for the Standard Model Higgs boson in the decay channel TeV . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 380-392.		
643	Search for extra dimensions using diphoton events in 7 TeV proton-proton collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 538-556.	4.1	36
644	Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 22-39.		
645	Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 711, 244-263.	4.1	69
646	Search for contact interactions in dilepton events from pp collisions at TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 40-58.		
647	Search for new particles decaying to ZZ using final states with leptons and jets with the ATLAS detector in TeV . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 49-58.	4.1	40
648	Search for new particles decaying to ZZ using final states with leptons and jets with the ATLAS detector in TeV . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 59-67.	4.1	16

#	ARTICLE	IF	CITATIONS
649	Search for FCNC single top-quark production at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 351-369.		
650	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	15

652



#	ARTICLE	IF	CITATIONS
667	Measurement of the differential cross-sections of inclusive, prompt and non-prompt π^{\pm} production in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. http://www.w3.org/1998/Math/MathML altimg="si1.gif" stretchy="false"></mml:mo><mml:mi>7</mml:mi></mml:math> production in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. http://www.w3.org/1998/Math/MathML altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/ja/dtd" stretchy="false"><(mml:mo>1</mml:mo><mml:mn>7</mml:mn><mml:mi>S</mml:mi><mml:mo>1</mml:mo> Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 669	2.5	163
668	Search for heavy long-lived charged particles with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{ TeV}$. http://www.w3.org/1998/Math/MathML altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/ja/dtd" stretchy="false"><(mml:mo>1</mml:mo><mml:mn>1</mml:mn><mml:mi>S</mml:mi><mml:mo>1</mml:mo> Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 669	4.1	41
669	Search for a heavy gauge boson decaying to a charged lepton and a neutrino in 1 fb^{-1} of pp collisions at $\sqrt{s} = 7\text{ TeV}$. http://www.w3.org/1998/Math/MathML altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/ja/dtd" stretchy="false"><(mml:mo>1</mml:mo><mml:mn>1</mml:mn><mml:mi>S</mml:mi><mml:mo>1</mml:mo> Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 669	4.1	21
670	Search for new phenomena with the monojet and missing transverse momentum signature using the ATLAS detector in $\sqrt{s} = 7\text{ TeV}$ proton-proton collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 28-46.	4.1	45
671	Search for the Standard Model Higgs boson in the decay channel $H \rightarrow b\bar{b}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 28-46.	4.1	57
672	Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 294-312.	4.1	22
673	Measurement of the inclusive isolated prompt photon cross-section in pp collisions at $\sqrt{s} = 7\text{ TeV}$. http://www.w3.org/1998/Math/MathML altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" stretchy="false"><(mml:mo>Z</mml:mo><mml:mo>1</mml:mo><mml:mo>3</mml:mo><mml:mo>Z</mml:mo></mml:msup></mml:math>	4.1	23
674	Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 294-312.	4.1	49
675	Measurement of the inclusive isolated prompt photon cross-section in pp collisions at $\sqrt{s} = 7\text{ TeV}$. http://www.w3.org/1998/Math/MathML altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" stretchy="false"><(mml:mo>Z</mml:mo><mml:mo>1</mml:mo><mml:mo>3</mml:mo><mml:mo>Z</mml:mo></mml:msup></mml:math>	4.1	49
676	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2011, 71, 1.	3.9	114
677	A study of the b-quark fragmentation function with the DELPHI detector at LEP I and an averaged distribution obtained at the Z-Pole. European Physical Journal C, 2011, 71, 1.	3.9	33
678	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2011, 71, 1.	3.9	146
679	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	3.9	17
680	Luminosity determination in pp collisions at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	179
681	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 900\text{ GeV}$ and $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	31
682	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7\text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	18
683	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7\text{ TeV}$ proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	3.9	41

#	ARTICLE	IF	CITATIONS
685	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	40
686	Search for diphoton events with large missing transverse energy with 36 pb^{-1} of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	15
687	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	3.9	60
688	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	56
689	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb^{-1} of ATLAS data. European Physical Journal C, 2011, 71, 1.	3.9	14
690	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7\text{-mbox}[{\text{TeV}}]\text{-proton}^{\text{-}}\text{proton}$ collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39
691	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7\text{-mbox}[{\text{TeV}}]$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
692	Measurement of W^3 and Z^3 production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	11
693	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
694	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
695	Search for quark contact interactions in dijet angular distributions in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ measured with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particles and High-Energy Physics, 2011, 693, 325-345.		
696	Measurement of the centrality dependence of $\langle \text{d}N/\text{d}\eta \rangle$ yields and observation of Z production in lead-lead collisions with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particles and High-Energy Physics, 2011, 693, 346-353.	4.1	107
697	Measurement of the production cross-section of W^3 bosons in association with jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ measured with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particles and High-Energy Physics, 2011, 693, 325-345.		
698	Search for massive long-lived highly ionising particles with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 353-370.	4.1	28
699	Search for high mass dilepton resonances in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 353-370.		
700	Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 353-370.	4.1	126
701	Search for new physics in dijet mass and angular distributions in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ measured with the ATLAS detector. New Journal of Physics, 2011, 13, 053044.	4.1	54
702	A search for new physics in dijet mass and angular distributions in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ measured with the ATLAS detector. New Journal of Physics, 2011, 13, 053044.	2.9	116

#	ARTICLE	IF	CITATIONS
703	Charged-particle multiplicities in $\langle pp \rangle$ interactions measured with the ATLAS detector at the LHC. New Journal of Physics, 2011, 13, 053033.	2.9	314
704	Search for the Higgs Boson in the $H \rightarrow WW \rightarrow jjjj$ Decay Channel in $p\bar{p}$ Collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2011, 107, 231801. Search for a Heavy Particle Decaying into an Electron and a Muon with the ATLAS Detector	7.8	23
705	Search for Supersymmetry Using Final States with One Lepton, Jets, and Missing Transverse Momentum with the ATLAS Detector	7.8	15
706	Search for Dilepton Resonances in $\langle pp \rangle$ Collisions. Physical Review Letters, 2011, 106, 111802. Measurement of Dijet Azimuthal Decorrelations in $\langle pp \rangle$ Collisions at $\sqrt{s} = 7 \text{ TeV}$.	7.8	136
707	Search for a Standard Model Higgs Boson in the $H \rightarrow ZZ \rightarrow l^+l^-l^+l^-$ Decay Channel with the ATLAS Detector	7.8	81
708	Physical Review Letters, 2011, 106, 172002.	7.8	61
709	Physical Review Letters, 2011, 107, 221802.	7.8	29
710	Search for Diphoton Events with Large Missing Transverse Energy in 7 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2011, 106, 121803.	7.8	19
711	Measurements of CP-conserving trilinear gauge boson couplings WWV (V_{cb} , j^3, Z) in e^+e^- collisions at LEP2. European Physical Journal C, 2010, 66, 35-56.	3.9	20
712	Study of the dependence of direct soft photon production on the jet characteristics in hadronic Z decays. European Physical Journal C, 2010, 67, 343-366.	3.9	33
713	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	3.9	61
714	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.	3.9	95
715	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	3.9	51
716	Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays. European Physical Journal C, 2010, 70, 875-916.	3.9	23
717	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
718	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	3.9	121
719	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	4.7	18
720	Measurement of the $W \rightarrow l^+l^-$ and $Z \rightarrow l^+l^-$ production cross sections in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	4.7	64

#	ARTICLE	IF	CITATIONS
721	Charged-particle multiplicities in pp interactions at $\sqrt{s} = 900 \text{ GeV}$ measured with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 688, 21-42.		
722	Search for New Particles in Two-Jet Final States in 7 TeV Proton-Proton Collisions with the ATLAS Detector at the LHC. Physical Review Letters, 2010, 105, 161801.	7.8	113
723	Observation of a Centrality-Dependent Dijet Asymmetry in Lead-Lead Collisions at $\sqrt{s_{NN}} = 200 \text{ GeV}$ with the ATLAS Detector at the LHC. Physical Review Letters, 2010, 105, 252303.	7.8	581
724	The ATLAS Collaboration. Nuclear Physics A, 2009, 830, 925c-940c.	1.5	1
725	Inclusive single-particle production in two-photon collisions at LEP II with the DELPHI detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 678, 444-449.	4.1	1
726	Search for one large extra dimension with the DELPHI detector at LEP. European Physical Journal C, 2009, 60, 17-23.	3.9	53
727	A study of $b\bar{b}$ production in e^+e^- collisions at $\sqrt{s} = 130 \text{ GeV}$. European Physical Journal C, 2009, 60, 1-15.	3.9	11
728	Correlations between polarisation states of W particles in the reaction $e^+e^- \rightarrow W^+W^-$ at LEP2 energies 189 GeV . European Physical Journal C, 2009, 63, 611-623.	3.9	1
729	Measurement of the tau lepton polarisation at LEP2. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2008, 659, 65-73.	4.1	0
730	Temperature-dependent quenching of UV fluorescence of N ₂ . Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2008, 597, 75-82.	1.6	11
731	Higgs boson searches in CP-conserving and CP-violating MSSM scenarios with the DELPHI detector. European Physical Journal C, 2008, 54, 1.	3.9	3
732	ATLAS sensitivity to Wtb anomalous couplings in top quark decays. European Physical Journal C, 2008, 53, 689-699.	3.9	45
733	Study of W-boson polarisations and triple gauge boson couplings in the reaction $e^+e^- \rightarrow W^+W^-$ at LEP 2. European Physical Journal C, 2008, 54, 345-364.	3.9	41
734	Measurement of the mass and width of the W boson in e^+e^- collisions at $\sqrt{s} = 161 \text{ GeV}$. European Physical Journal C, 2008, 55, 1.	3.9	52
735	Study of b-quark mass effects in multijet topologies with the DELPHI detector at LEP. European Physical Journal C, 2008, 55, 525-538.	3.9	17
736	Collider aspects of flavor physics at high Q. European Physical Journal C, 2008, 57, 183-307.	3.9	59
737	Di-jet production in $\bar{b}\bar{b}$ collisions at LEP2. European Physical Journal C, 2008, 58, 531-541.	3.9	1
738	Observation of the muon inner bremsstrahlung at LEP1. European Physical Journal C, 2008, 57, 499-514.	3.9	16

#	ARTICLE	IF	CITATIONS
739	The ATLAS Experiment at the CERN Large Hadron Collider. <i>Journal of Instrumentation</i> , 2008, 3, S08003-S08003.	1.2	1,752
740	Study of multi-muon bundles in cosmic ray showers detected with the DELPHI detector at LEP. <i>Astroparticle Physics</i> , 2007, 28, 273-286.	4.3	47
741	Search for pentaquarks in the hadronic decays of the Z boson with the DELPHI detector at LEP. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2007, 653, 151-160.	4.1	5
742	Search for a fourth generation bâ€™-quark at LEP-II at $\sqrt{s} = 196\text{ GeV}$. <i>European Physical Journal C</i> , 2007, 50, 507-518.	3.9	4
743	Probing anomalous Wtb couplings in top pair decays. <i>European Physical Journal C</i> , 2007, 50, 519-533.	3.9	96
744	Investigation of Colour Reconnection in WW events with the DELPHI detector at LEP-2. <i>European Physical Journal C</i> , 2007, 51, 249.	3.9	15
745	Ẑ³* production in e+e- interactions at $\sqrt{s} = 183\text{-}209\text{ GeV}$. <i>European Physical Journal C</i> , 2007, 51, 503-523.	3.9	3
746	Study of triple-gauge-boson couplings ZZZ, ZẐ³ and Ẑ³̂³ at LEP. <i>European Physical Journal C</i> , 2007, 51, 525-542.	3.9	24
747	Study of ATLAS sensitivity to FCNC top decays. <i>European Physical Journal C</i> , 2007, 52, 999-1019. Search for <math altimg="s1.gif" overflow="scroll"> xml�:xcoc="http://www.elsevier.com/xml/xocs/dtd" xml�:xs="http://www.w3.org/2001/XMLSchema" xml�:xi="http://www.w3.org/2001/XMLSchema-instance" xml�="http://www.elsevier.com/xml/ja/dtd" xml�:ja="http://www.elsevier.com/xml/ja/dtd" xml�:mml="http://www.w3.org/1998/Math/MathML" xml�:tb="http://www.elsevier.com/xml/common/table/dtd" altimg="s1.gif" overflow="scroll">	3.9	45
748	<math altimg="s1.gif" overflow="scroll"> xml�:xcoc="http://www.elsevier.com/xml/xocs/dtd" xml�:xs="http://www.w3.org/2001/XMLSchema" xml�:xi="http://www.w3.org/2001/XMLSchema-instance" xml�="http://www.elsevier.com/xml/ja/dtd" xml�:ja="http://www.elsevier.com/xml/ja/dtd" xml�:mml="http://www.w3.org/1998/Math/MathML" xml�:tb="http://www.elsevier.com/xml/common/table/dtd" altimg="s1.gif" overflow="scroll">	4.1	11
749	<math altimg="s1.gif" overflow="scroll"> xml�:xcoc="http://www.elsevier.com/xml/xocs/dtd" xml�:xs="http://www.w3.org/2001/XMLSchema" xml�:xi="http://www.w3.org/2001/XMLSchema-instance" xml�="http://www.elsevier.com/xml/ja/dtd" xml�:ja="http://www.elsevier.com/xml/ja/dtd" xml�:mml="http://www.w3.org/1998/Math/MathML" xml�:tb="http://www.elsevier.com/xml/common/table/dtd" altimg="s1.gif" overflow="scroll">	4.1	3
750	Study of leading hadrons in gluon and quark fragmentation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006, 643, 147-157.	4.1	6
751	Precision electroweak measurements on the Z resonance. <i>Physics Reports</i> , 2006, 427, 257-454.	25.6	974
752	Determination of heavy quark non-perturbative parameters from spectral moments in semileptonic B decays. <i>European Physical Journal C</i> , 2006, 45, 35-59.	3.9	36
753	Single intermediate vector boson production in e + e - collisions * at $\sqrt{s} = 183\text{-}209\text{ GeV}$. <i>European Physical Journal C</i> , 2006, 45, 273-289.	3.9	49
754	Measurement and interpretation of fermion-pair production at LEP energies above the Z resonance. <i>European Physical Journal C</i> , 2006, 45, 589-632.	3.9	39
755	A measurement of the tau hadronic branching ratios. <i>European Physical Journal C</i> , 2006, 46, 1-26.	3.9	7
756	Study of double-tagged t̂³̂³ events at LEPII. <i>European Physical Journal C</i> , 2006, 46, 559-568.	3.9	2

#	ARTICLE	IF	CITATIONS
757	Determination of the b quark mass at the MZ scale with the DELPHI detector at LEP. European Physical Journal C, 2006, 46, 569-583.	3.9	15
758	Search for excited leptons in e+e- collisions at $\sqrt{s} = 189\text{--}209\text{ GeV}$. European Physical Journal C, 2006, 46, 277.	3.9	13
759	A determination of the centre-of-mass energy at LEP2 using radiative two-fermion events. European Physical Journal C, 2006, 46, 295-305.	3.9	7
760	Evidence for an excess of soft photons in hadronic decays of Z0. European Physical Journal C, 2006, 47, 273-294.	3.9	42
761	Search for neutral MSSM Higgs bosons at LEP. European Physical Journal C, 2006, 47, 547.	3.9	592
762	Effect of deformation and annealing on the microstructure and magnetic properties of grain-oriented electrical steels. Journal of Magnetism and Magnetic Materials, 2006, 304, e617-e619.	2.3	11
763	PRESSURE AND TEMPERATURE DEPENDENCE OF THE PRIMARY SCINTILLATION IN AIR. , 2006, , .		0
764	Coherent soft particle production in Z decays into three jets. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 605, 37-48.	4.1	5
765	Photon events with missing energy in e + e- collisions at $\sqrt{s} = 130\text{--}209\text{ GeV}$. European Physical Journal C, 2005, 38, 395-411.	3.9	156
766	Measurement of the energy dependence of hadronic jet rates and the strong coupling α_s from the four-jet rate with the DELPHI detector at LEP. European Physical Journal C, 2005, 38, 413-426.	3.9	11
767	Determination of A FB b at the Z pole using inclusive charge reconstruction and lifetime tagging. European Physical Journal C, 2005, 40, 1-25.	3.9	4
768	Flavour independent searches for hadronically decaying neutral Higgs bosons. European Physical Journal C, 2005, 44, 147-159.	3.9	9
769	Bose-Einstein Correlations in W+ W- events at LEP2. European Physical Journal C, 2005, 44, 161-174.	3.9	10
770	Production of Ξ_c^0 and Ξ_b^- in Z decays and lifetime measurement of Ξ_b^- . European Physical Journal C, 2005, 44, 299-309.	3.9	11
771	Charged particle multiplicity in three-jet events and two-gluon systems. European Physical Journal C, 2005, 44, 311-331.	3.9	5
772	Final results from DELPHI on the searches for SM and MSSM neutral Higgs bosons. European Physical Journal C, 2004, 32, 145-183.	3.9	36
773	b-tagging in DELPHI at LEP. European Physical Journal C, 2004, 32, 185-208.	3.9	53
774	b-tagging in DELPHI at LEP. European Physical Journal C, 2004, 32, 299-301.	3.9	0

#	ARTICLE	IF	CITATIONS
775	Measurement of $ V_{cb} $ using the semileptonic decay $\overline{D}^0 \rightarrow \overline{D}^* \ell^- \nu_\ell$. European Physical Journal C, 2004, 33, 213-232.	3.9	24
776	A precise measurement of the B^+ , B^0 and mean b-hadron lifetime with the DELPHI detector at LEP I. European Physical Journal C, 2004, 33, 307-324.	3.9	8
777	Measurement of the forward-backward asymmetries of $e^+ + e^- \rightarrow Z \rightarrow b\bar{b}$ and $e^+ + e^- \rightarrow Z \rightarrow c\bar{c}$ using prompt leptons. European Physical Journal C, 2004, 34, 109-125.	3.9	8
778	Measurement of the W -pair production cross-section and W branching ratios in $e^+ + e^-$ collisions at $\sqrt{s} = 161$ -209 GeV. European Physical Journal C, 2004, 34, 127-144.	3.9	30
779	Search for SUSY in the AMSB scenario with the DELPHI detector. European Physical Journal C, 2004, 34, 145-156.	3.9	14
780	Search for charged Higgs bosons at LEP in general two Higgs doublet models. European Physical Journal C, 2004, 34, 399-418.	3.9	87
781	Search for $B^0_s - \overline{B^0_s}$ oscillations in DELPHI using high-p t leptons. European Physical Journal C, 2004, 35, 35-52.	3.9	8
782	Study of tau-pair production in photon-photon collisions at LEP and limits on the anomalous electromagnetic moments of the tau lepton. European Physical Journal C, 2004, 35, 159-170.	3.9	118
783	Search for fermiophobic Higgs bosons in final states with photons at LEP 2. European Physical Journal C, 2004, 35, 313-324.	3.9	24
784	Search for supersymmetric particles assuming R-parity non-conservation in $e^+ + e^-$ collisions at $\sqrt{s} = 192$ to 208 GeV. European Physical Journal C, 2004, 36, 1-23.	3.9	25
785	The measurement of α_s from event shapes with the DELPHI detector at the highest LEP energies. European Physical Journal C, 2004, 37, 1-23.	3.9	31
786	A precise measurement of the tau lifetime. European Physical Journal C, 2004, 36, 283-296.	3.9	11
787	Determination of the $e^+ + e^- \rightarrow \gamma\gamma$ cross-section at LEP 2. European Physical Journal C, 2004, 37, 405-419.	3.9	10
788	Searches for neutral Higgs bosons in extended models. European Physical Journal C, 2004, 38, 1-28.	3.9	96
789	Measurement of the $b\bar{b}$ decay form factor. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 585, 63-84.	4.1	28
790	Search for single top production via FCNC at LEP at $\sqrt{s}=189$ -208 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 590, 21-34.	4.1	39
791	Searches for invisibly decaying Higgs bosons with the DELPHI detector at LEP. European Physical Journal C, 2004, 32, 475-492.	3.9	35
792	Search for an LSP gluino at LEP with the DELPHI detector. European Physical Journal C, 2003, 26, 505-525.	3.9	12

#	ARTICLE	IF	CITATIONS
793	Search for supersymmetric particles in light gravitino scenarios and sleptons NLSP. European Physical Journal C, 2003, 27, 153-172.	3.9	26
794	Search for resonant \tilde{l} production at $\sqrt{s} = 183$ to 208 GeV. European Physical Journal C, 2003, 28, 15-26.	3.9	9
795	Search for $B^0_s\bar{B}^0_s$ oscillations and a measurement of $B^0_d\bar{B}^0_d$ oscillations using events with an inclusively reconstructed vertex. European Physical Journal C, 2003, 28, 155-173.	3.9	21
796	A study of the energy evolution of event shape distributions and their means with the DELPHI detector at LEP. European Physical Journal C, 2003, 29, 285-312.	3.9	77
797	ZZ production in $e + e^-$ interactions at $\sqrt{s} = 183$ -209 GeV. European Physical Journal C, 2003, 30, 447-466.	3.9	22
798	Measurement of the $e^+ e^- \rightarrow W^+ W^- \gamma$ cross-section and limits on anomalous quartic gauge couplings with DELPHI. European Physical Journal C, 2003, 31, 139-147.	3.9	32
799	Searches for supersymmetric particles in $e + e^-$ collisions up to 208 GeV and interpretation of the results within the MSSM. European Physical Journal C, 2003, 31, 421-479.	3.9	221
800	The $\eta_c(2980)$ formation in two-photon collisions at LEP energies. European Physical Journal C, 2003, 31, 481-489.	3.9	6
801	A measurement of the branching fractions of the b-quark into charged and neutral b-hadrons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 576, 29-42.	4.1	17
802	Measurement of inclusive $f_1(1285)$ and $f_1(1420)$ production in Z decays with the DELPHI detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 569, 129-139.	4.1	7
803	Search for doubly charged Higgs bosons at LEP2. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 552, 127-137.	4.1	63
804	Inclusive b decays to wrong sign charmed mesons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 561, 26-40.	4.1	3
805	Study of inclusive J/ψ production in two-photon collisions at LEP with the DELPHI detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 565, 76-86.	4.1	37
806	Searches for neutral Higgs bosons in e^+e^- collisions from $\sqrt{s} = 191.6$ to 201.7 GeV. European Physical Journal C, 2002, 23, 409-435.	3.9	9
807	Search for charged Higgs bosons in e^+e^- collisions at $s=189$ –202 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 525, 17-28.	4.1	12
808	Rapidity-alignment and pT compensation of particle pairs in hadronic $Z0$ decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 533, 243-252.	4.1	2
809	Search for technicolor with DELPHI. European Physical Journal C, 2001, 22, 17-29.	3.9	12
810	Project GIGA-High-Speed Experimental IP/WDM Network. , 0, .		5