## Rona Juliette Strawbridge

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1680042/publications.pdf

Version: 2024-02-01

104 papers 25,751 citations

45 h-index 105 g-index

130 all docs

130 docs citations

130 times ranked

32320 citing authors

#	Article	IF	Citations
1	Shared genetic loci for body fat storage and adipocyte lipolysis in humans. Scientific Reports, 2022, 12, 3666.	3.3	3
2	Genome-Wide Association Study Identifies Genetic Loci Associated With Fat Cell Number and Overlap With Genetic Risk Loci for Type 2 Diabetes. Diabetes, 2022, 71, 1350-1362.	0.6	3
3	Genetic analysis of the PCSK9 locus in psychological, psychiatric, metabolic and cardiovascular traits in UK Biobank. European Journal of Human Genetics, 2022, 30, 1380-1390.	2.8	8
4	Quantifying bias in psychological and physical health in the UK Biobank imaging sub-sample. Brain Communications, 2022, 4, .	3.3	42
5	The overlap of genetic susceptibility to schizophrenia and cardiometabolic disease can be used to identify metabolically different groups of individuals. Scientific Reports, 2021, 11, 632.	3.3	8
6	LRIG proteins regulate lipid metabolism via BMP signaling and affect the risk of type 2 diabetes. Communications Biology, 2021, 4, 90.	4.4	12
7	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. Nature Communications, 2021, 12, 24.	12.8	87
8	Sex-stratified genome-wide association study of multisite chronic pain in UK Biobank. PLoS Genetics, 2021, 17, e1009428.	<b>3.</b> 5	37
9	The trans-ancestral genomic architecture of glycemic traits. Nature Genetics, 2021, 53, 840-860.	21.4	341
10	Effects of increased body mass index on employment status: a Mendelian randomisation study. International Journal of Obesity, 2021, 45, 1790-1801.	3.4	4
11	Relationship between Circulating PCSK9 and Markers of Subclinical Atherosclerosis—The IMPROVE Study. Biomedicines, 2021, 9, 841.	3.2	6
12	Phenotypic and genetic associations between anhedonia and brain structure in UK Biobank. Translational Psychiatry, 2021, 11, 395.	4.8	9
13	Genetic Variation in the ASTN2 Locus in Cardiovascular, Metabolic and Psychiatric Traits: Evidence for Pleiotropy Rather Than Shared Biology. Genes, 2021, 12, 1194.	2.4	4
14	Polygenic Risk for Schizophrenia, Brain Structure, and Environmental Risk in UK Biobank. Schizophrenia Bulletin Open, 2021, 2, .	1.7	10
15	The association between C-reactive protein, mood disorder, and cognitive function in UK Biobank. European Psychiatry, 2021, 64, e14.	0.2	21
16	Neutrophil to lymphocyte ratio is not related to carotid atherosclerosis progression and cardiovascular events in the primary prevention of cardiovascular disease: Results from the IMPROVE study. BioFactors, 2021, , .	5.4	9
17	The genomic basis of mood instability: identification of 46 loci in 363,705 UK Biobank participants, genetic correlation with psychiatric disorders, and association with gene expression and function.  Molecular Psychiatry, 2020, 25, 3091-3099.	7.9	48
18	Carotid Intima-Media Thickness. Arteriosclerosis, Thrombosis, and Vascular Biology, 2020, 40, 446-461.	2.4	25

#	Article	IF	Citations
19	Exploring the Role of Contactins across Psychological, Psychiatric and Cardiometabolic Traits within UK Biobank. Genes, 2020, 11, 1326.	2.4	6
20	Sex-specific predictors of PCSK9 levels in a European population: The IMPROVE study. Atherosclerosis, 2020, 309, 39-46.	0.8	29
21	Genetic Predisposition to Coronary Artery Disease in Type 2 Diabetes Mellitus. Circulation Genomic and Precision Medicine, 2020, 13, e002769.	3.6	5
22	Genetic Variants Associated with Non-Alcoholic Fatty Liver Disease Do Not Associate with Measures of Sub-Clinical Atherosclerosis: Results from the IMPROVE Study. Genes, 2020, 11, 1243.	2.4	5
23	Genome-wide association study of adipocyte lipolysis in the GENetics of adipocyte lipolysis (GENiAL) cohort. Molecular Metabolism, 2020, 34, 85-96.	6.5	11
24	Analysis of the genetic variants associated with circulating levels of sgp130. Results from the IMPROVE study. Genes and Immunity, 2020, 21, 100-108.	4.1	11
25	Genome-Wide Association Study of Diabetogenic Adipose Morphology in the GENetics of Adipocyte Lipolysis (GENiAL) Cohort. Cells, 2020, 9, 1085.	4.1	7
26	Genome-wide Association Studies in Ancestrally Diverse Populations: Opportunities, Methods, Pitfalls, and Recommendations. Cell, 2019, 179, 589-603.	28.9	428
27	Associations of autozygosity with a broad range of human phenotypes. Nature Communications, 2019, 10, 4957.	12.8	84
28	Genome-wide association study of multisite chronic pain in UK Biobank. PLoS Genetics, 2019, 15, e1008164.	3.5	144
29	Genetic variation in CADM2 as a link between psychological traits and obesity. Scientific Reports, 2019, 9, 7339.	3.3	45
30	Assessing for interaction between <i>APOE</i> $\hat{l}\mu$ 4, sex, and lifestyle on cognitive abilities. Neurology, 2019, 92, e2691-e2698.	1.1	28
31	Identification of novel genome-wide associations for suicidality in UK Biobank, genetic correlation with psychiatric disorders and polygenic association with completed suicide. EBioMedicine, 2019, 41, 517-525.	6.1	87
32	Identification of novel common variants associated with chronic pain using conditional false discovery rate analysis with major depressive disorder and assessment of pleiotropic effects of LRFN5. Translational Psychiatry, 2019, 9, 310.	4.8	16
33	Novel genome-wide associations for anhedonia, genetic correlation with psychiatric disorders, and polygenic association with brain structure. Translational Psychiatry, 2019, 9, 327.	4.8	56
34	FAM13A and POM121C are candidate genes for fasting insulin: functional follow-up analysis of a genome-wide association study. Diabetologia, 2018, 61, 1112-1123.	6.3	24
35	Genome-wide analysis of self-reported risk-taking behaviour and cross-disorder genetic correlations in the UK Biobank cohort. Translational Psychiatry, 2018, 8, 39.	4.8	57
36	Seasonality of depressive symptoms in women but not in men: A cross-sectional study in the UK Biobank cohort. Journal of Affective Disorders, 2018, 229, 296-305.	4.1	31

#	Article	IF	CITATIONS
37	GWAS and colocalization analyses implicate carotid intima-media thickness and carotid plaque loci in cardiovascular outcomes. Nature Communications, 2018, 9, 5141.	12.8	119
38	Genetics of self-reported risk-taking behaviour, trans-ethnic consistency and relevance to brain gene expression. Translational Psychiatry, 2018, 8, 178.	4.8	29
39	Polygenic risk scores for major depressive disorder and neuroticism as predictors of antidepressant response: Meta-analysis of three treatment cohorts. PLoS ONE, 2018, 13, e0203896.	2.5	37
40	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. Nature Genetics, 2018, 50, 1412-1425.	21.4	924
41	Association of disrupted circadian rhythmicity with mood disorders, subjective wellbeing, and cognitive function: a cross-sectional study of 91â€^105 participants from the UK Biobank. Lancet Psychiatry,the, 2018, 5, 507-514.	7.4	238
42	Shared Genetic Contribution of Type 2 Diabetes and Cardiovascular Disease: Implications for Prognosis and Treatment. Current Diabetes Reports, 2018, 18, 59.	4.2	25
43	Genome-Wide Association Study of Circadian Rhythmicity in 71,500 UK Biobank Participants and Polygenic Association with Mood Instability. EBioMedicine, 2018, 35, 279-287.	6.1	53
44	Loss of Cardioprotective Effects at the <i>ADAMTS7</i> Locus as a Result of Gene-Smoking Interactions. Circulation, 2017, 135, 2336-2353.	1.6	51
45	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. Nature Communications, 2017, 8, 14977.	12.8	169
46	Causal Effect of Plasminogen Activator Inhibitor Type 1 on Coronary Heart Disease. Journal of the American Heart Association, 2017, 6, .	3.7	89
47	An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. Diabetes, 2017, 66, 2888-2902.	0.6	615
48	Novel Blood Pressure Locus and Gene Discovery Using Genome-Wide Association Study and Expression Data Sets From Blood and the Kidney. Hypertension, 2017, 70, .	2.7	123
49	Genome-wide analysis in UK Biobank identifies four loci associated with mood instability and genetic correlation with major depressive disorder, anxiety disorder and schizophrenia. Translational Psychiatry, 2017, 7, 1264.	4.8	69
50	Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. PLoS Medicine, 2017, 14, e1002383.	8.4	341
51	Fast and general tests of genetic interaction for genome-wide association studies. PLoS Computational Biology, 2017, 13, e1005556.	3.2	1
52	Identification of a novel proinsulin-associated SNP and demonstration that proinsulin is unlikely to be a causal factor in subclinical vascular remodelling using Mendelian randomisation. Atherosclerosis, 2017, 266, 196-204.	0.8	3
53	Mapping of 79 loci for 83 plasma protein biomarkers in cardiovascular disease. PLoS Genetics, 2017, 13, e1006706.	3.5	194
54	Effects of Genetic Loci Associated with Central Obesity on Adipocyte Lipolysis. PLoS ONE, 2016, 11, e0153990.	2.5	19

#	Article	IF	CITATIONS
55	PDGFB, a new candidate plasma biomarker for venous thromboembolism: results from the VEREMA affinity proteomics study. Blood, 2016, 128, e59-e66.	1.4	39
56	NLRP3 Inflammasome Expression and Activation in Human Atherosclerosis. Journal of the American Heart Association, 2016, $5$ , .	3.7	220
57	Genetic loci on chromosome 5 are associated with circulating levels of interleukin-5 and eosinophil count in a European population with high risk for cardiovascular disease. Cytokine, 2016, 81, 1-9.	3.2	12
58	Soluble CD93 Is Involved in Metabolic Dysregulation but Does Not Influence Carotid Intima-Media Thickness. Diabetes, 2016, 65, 2888-2899.	0.6	14
59	Analysis with the exome array identifies multiple new independent variants in lipid loci. Human Molecular Genetics, 2016, 25, 4094-4106.	2.9	19
60	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. Nature Genetics, 2016, 48, 1171-1184.	21.4	362
61	Numerous Genes in Loci Associated With Body Fat Distribution Are Linked to Adipose Function. Diabetes, 2016, 65, 433-437.	0.6	50
62	Rare and low-frequency variants and their association with plasma levels of fibrinogen, FVII, FVIII, and vWF. Blood, 2015, 126, e19-e29.	1.4	55
63	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. PLoS Genetics, 2015, 11, e1005378.	3.5	331
64	New genetic loci link adipose and insulin biology to body fat distribution. Nature, 2015, 518, 187-196.	27.8	1,328
65	Genetic studies of body mass index yield new insights for obesity biology. Nature, 2015, 518, 197-206.	27.8	3,823
66	GWAS-identified loci for coronary heart disease are associated with intima-media thickness and plaque presence at the carotid artery bulb. Atherosclerosis, 2015, 239, 304-310.	0.8	31
67	Duffy antigen receptor genetic variant and the association with Interleukin 8 levels. Cytokine, 2015, 72, 178-184.	3.2	9
68	Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. Nature Communications, 2015, 6, 5897.	12.8	173
69	Plasma IL-5 concentration and subclinical carotid atherosclerosis. Atherosclerosis, 2015, 239, 125-130.	0.8	36
70	Directional dominance on stature and cognition inÂdiverse human populations. Nature, 2015, 523, 459-462.	27.8	173
71	Toll-Like Receptor 3 Influences Glucose Homeostasis and $\hat{I}^2$ -Cell Insulin Secretion. Diabetes, 2015, 64, 3425-3438.	0.6	18
72	Sexâ€Specific Effects of Adiponectin on Carotid Intimaâ€Media Thickness and Incident Cardiovascular Disease. Journal of the American Heart Association, 2015, 4, e001853.	3.7	33

#	Article	IF	CITATIONS
73	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. Nature Genetics, 2015, 47, 1415-1425.	21.4	365
74	Exome sequencing followed by genotyping suggests SYPL2 as a susceptibility gene for morbid obesity. European Journal of Human Genetics, 2015, 23, 1216-1222.	2.8	21
75	Analysis of the Role of Interleukin 6 Receptor Haplotypes in the Regulation of Circulating Levels of Inflammatory Biomarkers and Risk of Coronary Heart Disease. PLoS ONE, 2015, 10, e0119980.	2.5	21
76	No Evidence for Genome-Wide Interactions on Plasma Fibrinogen by Smoking, Alcohol Consumption and Body Mass Index: Results from Meta-Analyses of 80,607 Subjects. PLoS ONE, 2014, 9, e111156.	2.5	8
77	Plasma autoantibodies against apolipoprotein B-100 peptide 210 in subclinical atherosclerosis. Atherosclerosis, 2014, 232, 242-248.	0.8	27
78	Low levels of IgM antibodies against phosphorylcholine are associated with fast carotid intima media thickness progression and cardiovascular risk in men. Atherosclerosis, 2014, 236, 394-399.	0.8	23
79	Defining the role of common variation in the genomic and biological architecture of adult human height. Nature Genetics, 2014, 46, 1173-1186.	21.4	1,818
80	A serum 25-hydroxyvitamin D concentration-associated genetic variant in DHCR7 interacts with type 2 diabetes status to influence subclinical atherosclerosis (measured by carotid intima–media) Tj ETQq0 0 0 rgBT	/Osværlock	1 <b>0</b> 4f 50 457
81	Influence of coronary artery disease-associated genetic variants on risk of venous thromboembolism. Thrombosis Research, 2014, 134, 426-432.	1.7	18
82	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. Nature Genetics, 2014, 46, 234-244.	21.4	959
83	A gene-centric study of common carotid artery remodelling. Atherosclerosis, 2013, 226, 440-446.	0.8	9
84	Discovery and refinement of loci associated with lipid levels. Nature Genetics, 2013, 45, 1274-1283.	21.4	2,641
85	Common variants associated with plasma triglycerides and risk for coronary artery disease. Nature Genetics, 2013, 45, 1345-1352.	21.4	754
86	Large-scale association analysis identifies new risk loci for coronary artery disease. Nature Genetics, 2013, 45, 25-33.	21.4	1,439
87	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. Nature Genetics, 2013, 45, 501-512.	21.4	578
88	Serum 25-Hydroxyvitamin D Concentration in Subclinical Carotid Atherosclerosis. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 2633-2638.	2.4	33
89	Sex-stratified Genome-wide Association Studies Including 270,000 Individuals Show Sexual Dimorphism in Genetic Loci for Anthropometric Traits. PLoS Genetics, 2013, 9, e1003500.	3.5	371
90	<i>CARD8</i> gene encoding a protein of innate immunity is expressed in human atherosclerosis and associated with markers of inflammation. Clinical Science, 2013, 125, 401-407.	4.3	26

#	Article	IF	CITATIONS
91	Causal Relevance of Blood Lipid Fractions in the Development of Carotid Atherosclerosis. Circulation: Cardiovascular Genetics, 2013, 6, 63-72.	5.1	36
92	Multiethnic Meta-Analysis of Genome-Wide Association Studies in >100 000 Subjects Identifies 23 Fibrinogen-Associated Loci but No Strong Evidence of a Causal Association Between Circulating Fibrinogen and Cardiovascular Disease. Circulation, 2013, 128, 1310-1324.	1.6	128
93	Abstract 564: Influence of Coronary Artery Disease-Associated Genetic Variants on Risk of Venous Thromboembolism. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, .	2.4	0
94	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. Nature Genetics, 2012, 44, 991-1005.	21.4	746
95	Identification of the <i>BCAR1-CFDP1-TMEM170A</i> Locus as a Determinant of Carotid Intima-Media Thickness and Coronary Artery Disease Risk. Circulation: Cardiovascular Genetics, 2012, 5, 656-665.	5.1	47
96	Apolipoprotein(a) Genetic Sequence Variants Associated With Systemic Atherosclerosis and Coronary Atherosclerotic Burden But Not With Venous Thromboembolism. Journal of the American College of Cardiology, 2012, 60, 722-729.	2.8	149
97	Genome-wide association study for circulating levels of PAI-1 provides novel insights into its regulation. Blood, 2012, 120, 4873-4881.	1.4	90
98	Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. Nature Genetics, 2012, 44, 981-990.	21.4	1,748
99	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. Nature Genetics, 2012, 44, 659-669.	21.4	762
100	Genome-Wide Association Identifies Nine Common Variants Associated With Fasting Proinsulin Levels and Provides New Insights Into the Pathophysiology of Type 2 Diabetes. Diabetes, 2011, 60, 2624-2634.	0.6	335
101	A candidate gene study of the type I interferon pathway implicates IKBKE and IL8 as risk loci for SLE. European Journal of Human Genetics, 2011, 19, 479-484.	2.8	58
102	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. Nature Genetics, 2010, 42, 949-960.	21.4	836
103	Influence of MUC1 genetic variation on prostate cancer risk and survival. European Journal of Human Genetics, 2008, 16, 1521-1525.	2.8	9
104	MUC1 as a Putative Prognostic Marker for Prostate Cancer. Biomarker Insights, 2008, 3, BMI.S666.	2.5	8