

Daniel L Nickrent

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1686146/publications.pdf>

Version: 2024-02-01

87

papers

5,961

citations

101543

36

h-index

79698

73

g-index

93

all docs

93

docs citations

93

times ranked

4896

citing authors

#	ARTICLE	IF	CITATIONS
1	Plastome variation and phylogeny of <i>Taxillus</i> (Loranthaceae). PLoS ONE, 2021, 16, e0256345.	2.5	10
2	Examining the Needle in the Haystack: Evolutionary Relationships in the Mistletoe Genus <i>Loranthus</i> (Loranthaceae). Systematic Botany, 2021, 46, 403-415.	0.5	6
3	Parasitic angiosperms: How often and how many?. Taxon, 2020, 69, 5-27.	0.7	154
4	Macroscale analysis of mistletoe host ranges in the Andean- ^{CPatagonian} forest. Plant Biology, 2019, 21, 150-156.	3.8	14
5	A phylogenetic and biogeographic study of <i>Rafflesia</i> (Rafflesiaceae) in the Philippines: Limited dispersal and high island endemism. Molecular Phylogenetics and Evolution, 2019, 139, 106555.	2.7	19
6	Inflorescence evolution in Santalales: integrating morphological characters and molecular phylogenetics. American Journal of Botany, 2019, 106, 402-414.	1.7	27
7	Morphology, geographic distribution, and host preferences are poor predictors of phylogenetic relatedness in the mistletoe genus <i>Viscum</i> L.. Molecular Phylogenetics and Evolution, 2019, 131, 106-115.	2.7	20
8	The Global Naturalized Alien Flora (Glo ^{scp>NAF</scp>) database. Ecology, 2019, 100, e02542.}	3.2	189
9	Historical biogeography of Loranthaceae (Santalales): Diversification agrees with emergence of tropical forests and radiation of songbirds. Molecular Phylogenetics and Evolution, 2018, 124, 199-212.	2.7	47
10	<i>Thesium nautimontanum</i> , a new species of Thesiaceae (Santalales) from South Africa. PhytoKeys, 2018, 109, 41-51.	1.0	10
11	Genetic Diversity and Structure in the Philippine <i>Rafflesia lagascae</i> Complex (Rafflesiaceae) inform its Taxonomic Delimitation and Conservation. Systematic Botany, 2017, 42, 543-553.	0.5	21
12	Naturalized alien flora of the world. Preslia, 2017, 89, 203-274.	2.8	350
13	Status of the Genera <i>Colpoon</i> , <i>Osyris</i> and <i>Rhoiacarpos</i> in South Africa. Bothalia, 2017, 47, .	0.3	1
14	<i>Lepeostegeres cebuensis</i> (Loranthaceae), a new mistletoe species from Cebu, Philippines. Phytotaxa, 2016, 266, 48.	0.3	3
15	Untangling a vine and its parasite: Host specificity of Philippine <i>Rafflesia</i> (Rafflesiaceae). Taxon, 2016, 65, 739-758.	0.7	27
16	<i>Lacomucinaea</i> , a new monotypic genus in Thesiaceae (Santalales). Phytotaxa, 2015, 224, 173.	0.3	16
17	The status of the mistletoe genus <i>Dufrenoya</i> Chatin (Amphorogynaceae) with a specific focus on Nepal. Flora: Morphology, Distribution, Functional Ecology of Plants, 2015, 215, 75-83.	1.2	1
18	Phylogenetic relationships of Santalales with insights into the origins of holoparasitic Balanophoraceae. Taxon, 2015, 64, 491-506.	0.7	78

#	ARTICLE	IF	CITATIONS
19	Global exchange and accumulation of non-native plants. <i>Nature</i> , 2015, 525, 100-103.	27.8	746
20	Possible Loss of the Chloroplast Genome in the Parasitic Flowering Plant <i>Rafflesia lagascae</i> (Rafflesiaceae). <i>Molecular Biology and Evolution</i> , 2014, 31, 793-803.	8.9	183
21	Genetic diversity and population structure of the mistletoe <i>Tristerix corymbosus</i> (Loranthaceae). <i>Plant Systematics and Evolution</i> , 2014, 300, 153-162.	0.9	6
22	Mt. Banahaw reveals: The resurrection and neotypification of the name <i>Rafflesia lagascae</i> (Rafflesiaceae) and clues to the dispersal of <i>Rafflesia</i> seeds. <i>Phytotaxa</i> , 2013, 131, 35.	0.3	21
23	A Numerical Taxonomic Investigation of $Stipa$; Sect. $Smirnovia$; and $S.$; Sect. $Subsmirnovia$; (Poaceae). <i>Systematic Botany</i> , 2012, 37, 655-670.	0.5	7
24	Evolutionary History of the South American Mistletoe $Tripodanthus$; (Loranthaceae) Using Nuclear and Plastid Markers. <i>Systematic Botany</i> , 2012, 37, 218-225.	0.5	14
25	An amended description of <i>Rafflesia leonardi</i> and a revised key to Philippine <i>Rafflesia</i> (Rafflesiaceae). <i>Phytotaxa</i> , 2011, 24, 11.	0.3	16
26	<i>Rafflesia verrucosa</i> (Rafflesiaceae), a new species of small-flowered <i>Rafflesia</i> from eastern Mindanao, Philippines. <i>Phytotaxa</i> , 2010, 10, 49.	0.3	23
27	Expression of ovule and integument-associated genes in reduced ovules of Santalales. <i>Evolution & Development</i> , 2010, 12, 231-240.	2.0	28
28	658. <i>CYTINUS RUBER</i> . <i>Curtis's Botanical Magazine</i> , 2010, 26, 314-321.	0.3	2
29	A revised classification of Santalales. <i>Taxon</i> , 2010, 59, 538-558.	0.7	211
30	(1986) Proposal to conserve the name <i>Viscum serotinum</i> (<i>Phoradendron serotinum</i>) against <i>V. leucarpum</i> (Viscaceae). <i>Taxon</i> , 2010, 59, 1903-1904.	0.7	2
31	Hondurodendron, a New Monotypic Genus of Aptandraceae from Honduras1. <i>Annals of the Missouri Botanical Garden</i> , 2010, 97, 457-467.	1.3	7
32	On the Brink of Holoparasitism: Plastome Evolution in Dwarf Mistletoes (<i>Arceuthobium</i> , Viscaceae). <i>Journal of Molecular Evolution</i> , 2009, 68, 603-615.	1.8	25
33	Population structure and phylogeography of the mistletoes <i>Tristerix corymbosus</i> and <i>T. aphyllus</i> (Loranthaceae) using chloroplast DNA sequence variation. <i>American Journal of Botany</i> , 2009, 96, 1571-1580.	1.7	31
34	Development and morphology of flowers and inflorescences in <i>Balanophora papuana</i> and <i>B. elongata</i> (Balanophoraceae). <i>American Journal of Botany</i> , 2009, 96, 1055-1067.	1.7	30
35	First Report of the Mistletoe <i>Tristerix verticillatus</i> on <i>Schinus fasciculatus</i> from the Sierra de San Luis, Argentina. <i>Plant Disease</i> , 2009, 93, 317-317.	1.4	2
36	The first mistletoes: Origins of aerial parasitism in Santalales. <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 523-537.	2.7	88

#	ARTICLE	IF	CITATIONS
37	A Molecular Phylogeny of Santalaceae (Santalales). <i>Systematic Botany</i> , 2008, 33, 107-116.	0.5	115
38	Evolutionary relationships in the showy mistletoe family (Loranthaceae). <i>American Journal of Botany</i> , 2008, 95, 1015-1029.	1.7	117
39	Molecular Phylogenetic Relationships of Olacaceae and Related Santalales. <i>Systematic Botany</i> , 2008, 33, 97-106.	0.5	49
40	Mistletoes: Pathology, Systematics, Ecology, and Management. <i>Plant Disease</i> , 2008, 92, 988-1006.	1.4	220
41	Staufferia and Pilgerina: Two New Endemic Monotypic Arborescent Genera of Santalaceae from Madagascar ¹ . <i>Annals of the Missouri Botanical Garden</i> , 2008, 95, 391-404.	1.3	8
42	Floral Gigantism in Rafflesiaceae. <i>Science</i> , 2007, 315, 1812-1812.	12.6	121
43	A Molecular Phylogeny of the Feathery Mistletoe <i>< i>Misodendrum</i></i> . <i>Systematic Botany</i> , 2007, 32, 560-568.	0.5	21
44	Phylogenetic relationships and ecological speciation in the mistletoe <i>< i>Tristerix</i></i> (Loranthaceae): the influence of pollinators, dispersers, and hosts. <i>American Journal of Botany</i> , 2007, 94, 558-567.	1.7	45
45	Cytinaceae are sister to Muntingiaceae (Malvales). <i>Taxon</i> , 2007, 56, 1129-1135.	0.7	25
46	Plant Systematics: A Phylogenetic Approach. <i>Taxon</i> , 2007, 56, 1316.	0.7	0
47	Discovery of the photosynthetic relatives of the "Maltese mushroom" Cynomorium. <i>BMC Evolutionary Biology</i> , 2005, 5, 38.	3.2	66
48	Using Local Seeds in Prairie RestorationData Support the Paradigm. <i>Native Plants Journal</i> , 2005, 6, 25-28.	0.2	35
49	A Morphological Cladistic Analysis of Olacaceae. <i>Systematic Botany</i> , 2004, 29, 569-586.	0.5	33
50	A phylogeny of all species of <i>< i>Arceuthobium</i></i> (Viscaceae) using nuclear and chloroplast DNA sequences. <i>American Journal of Botany</i> , 2004, 91, 125-138.	1.7	45
51	Competitive relationships of <i>Andropogon gerardii</i> (Big Bluestem) from remnant and restored native populations and select cultivated varieties. <i>Functional Ecology</i> , 2004, 18, 451-457.	3.6	99
52	Conservation genetics of two co-dominant grass species in an endangered grassland ecosystem. <i>Journal of Applied Ecology</i> , 2004, 41, 389-397.	4.0	73
53	Phylogenetic inference in Rafflesiales: the influence of rate heterogeneity and horizontal gene transfer. <i>BMC Evolutionary Biology</i> , 2004, 4, 40.	3.2	110
54	Comparative floral structure and systematics in Apodanthaceae (Rafflesiales). <i>Plant Systematics and Evolution</i> , 2004, 245, 119.	0.9	33

#	ARTICLE	IF	CITATIONS
55	Extensive Intraindividual Variation in Plastid rDNA Sequences from the Holoparasite <i>Cynomorium coccineum</i> (Cynomoriaceae). <i>Journal of Molecular Evolution</i> , 2004, 58, 322-332.	1.8	20
56	Genetic Diversity and Competitive Abilities of <i>Dalea purpurea</i> (Fabaceae) from Remnant and Restored Grasslands. <i>International Journal of Plant Sciences</i> , 2002, 163, 979-990.	1.3	53
57	Molecular data place Hydnoraceae with Aristolochiaceae. <i>American Journal of Botany</i> , 2002, 89, 1809-1817.	1.7	102
58	Multigene Phylogeny of Land Plants with Special Reference to Bryophytes and the Earliest Land Plants. <i>Molecular Biology and Evolution</i> , 2000, 17, 1885-1895.	8.9	225
59	Vegetative and reproductive innovations of early land plants: implications for a unified phylogeny. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2000, 355, 769-793.	4.0	199
60	The phylogeny of land plants inferred from 18S rDNA sequences: pushing the limits of rDNA signal?. <i>Molecular Biology and Evolution</i> , 1999, 16, 1774-1784.	8.9	103
61	Phylogenetic relationships of land plants using mitochondrial smallâ€¢subunit rDNA sequences. <i>American Journal of Botany</i> , 1999, 86, 372-386.	1.7	110
62	Random amplified polymorphic DNA variation among remnant big bluestem (<i>Andropogon gerardii</i>) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	3.9	54
63	Molecular Phylogenetic and Evolutionary Studies of Parasitic Plants. , 1998, , 211-241.		136
64	The nuclear ribosomal DNA intergenic spacers of wild and cultivated soybean have low variation and cryptic subrepeats. <i>Genome</i> , 1998, 41, 183-192.	2.0	22
65	Genetic Variability in the Federal Threatened Mead's Milkweed, <i>Asclepias meadii</i> Torrey (Asclepiadaceae), as Determined by Allozyme Electrophoresis. <i>Annals of the Missouri Botanical Garden</i> , 1998, 85, 97.	1.3	30
66	The nuclear ribosomal DNA intergenic spacers of wild and cultivated soybean have low variation and cryptic subrepeats. <i>Genome</i> , 1998, 41, 183-92.	2.0	8
67	Angiosperm Phylogeny Inferred from 18S Ribosomal DNA Sequences. <i>Annals of the Missouri Botanical Garden</i> , 1997, 84, 1.	1.3	365
68	Characterization of Mitochondrial Small-Subunit Ribosomal RNAs from Holoparasitic Plants. <i>Journal of Molecular Evolution</i> , 1997, 45, 631-639.	1.8	26
69	Structural analyses of plastid-derived 16S rRNAs in holoparasitic angiosperms. <i>Plant Molecular Biology</i> , 1997, 34, 731-743.	3.9	31
70	Do nonasterid holoparasitic flowering plants have plastid genomes?. <i>Plant Molecular Biology</i> , 1997, 34, 717-729.	3.9	58
71	Embryonic and host-associated skewed adult sex ratios in dwarf mistletoe. <i>Heredity</i> , 1996, 77, 55-63.	2.6	10
72	A Comparison of Angiosperm Phylogenies from Nuclear 18S rDNA and rbcL Sequences. <i>Annals of the Missouri Botanical Garden</i> , 1995, 82, 208.	1.3	95

#	ARTICLE	IF	CITATIONS
73	A molecular phylogeny of <i>Arceuthobium</i> (Viscaceae) based on nuclear ribosomal DNA internal transcribed spacer sequences. <i>American Journal of Botany</i> , 1994, 81, 1149-1160.	1.7	102
74	High rates of nucleotide substitution in nuclear small-subunit (18S) rDNA from holoparasitic flowering plants. <i>Journal of Molecular Evolution</i> , 1994, 39, 62-70.	1.8	110
75	A Molecular Phylogeny of <i>Arceuthobium</i> (Viscaceae) Based on Nuclear Ribosomal DNA Internal Transcribed Spacer Sequences. <i>American Journal of Botany</i> , 1994, 81, 1149.	1.7	45
76	From field to film: rapid sequencing methods for field-collected plant species. <i>BioTechniques</i> , 1994, 16, 470-5.	1.8	35
77	Genetic relationships in <i>Arceuthobium monticola</i> and <i>A. siskiyouense</i> (Viscaceae): New dwarf mistletoe species from California and Oregon. <i>Biochemical Systematics and Ecology</i> , 1991, 19, 305-313.	1.3	12
78	An overview of the secondary structure of the V4 region of eukaryotic small-subunit ribosomal RNA. <i>Nucleic Acids Research</i> , 1991, 19, 227-235.	14.5	67
79	Allozymic relationships of <i>Arceuthobium campylopodum</i> and allies in California. <i>Biochemical Systematics and Ecology</i> , 1990, 18, 253-265.	1.3	24
80	Electrophoretic evidence for genetic differentiation in two host races of hemlock dwarf mistletoe (<i>Arceuthobium tsugense</i>). <i>Biochemical Systematics and Ecology</i> , 1990, 18, 267-280.	1.3	36
81	Phylogenetic relationships of the Santalales and relatives. <i>Journal of Molecular Evolution</i> , 1990, 31, 294-301.	1.8	47
82	Developmental failure and loss of reproductive capacity in the rare palaeoendemic shrub <i>Dedeckera eurekensis</i> . <i>Nature</i> , 1989, 338, 65-67.	27.8	108
83	Embryo and seed abortion in plants. <i>Nature</i> , 1989, 342, 626-626.	27.8	7
84	GENETIC POLYMORPHISM IN THE MORPHOLOGICALLY REDUCED DWARF MISTLETOES (ARCEUTHOBIUM,) Tj ETQq0.0 0 rgBT ₁₅ /Overlock		
85	Genetic Polymorphism in the Morphologically Reduced Dwarf Mistletoes (<i>Arceuthobium</i> , Viscaceae): An Electrophoretic Study. <i>American Journal of Botany</i> , 1986, 73, 1492.	1.7	4
86	<i>Capsicum tovarii</i> (Solanaceae), a New Species of Pepper from Peru. <i>Brittonia</i> , 1983, 35, 55.	0.2	16
87	Floral scent and pollinators of the holoparasite <i>Pilostyles thurberi</i> (Apodanthaceae). <i>Journal of Pollination Ecology</i> , 0, 12, 31-39.	0.5	8