
## Stefano Guadagni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1689040/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cytoreductive Surgery Followed by Intraperitoneal Hyperthermic Perfusion in the Treatment of Recurrent Epithelial Ovarian Cancer: A Phase II Clinical Study. Tumori, 2001, 87, 120-126.	1.1	77
2	Early gastric cancer: Follow-up after gastrectomy in 159 patients. British Journal of Surgery, 2005, 80, 325-328.	0.3	60
3	Clinical Surveillance After Macroscopically Complete Surgery for Low-Grade Appendiceal Mucinous Neoplasms (LAMN) with or Without Limited Peritoneal Spread: Long-Term Results in a Prospective Series. Annals of Surgical Oncology, 2018, 25, 878-884.	1.5	55
4	Evaluation of the Maruyama Computer Program Accuracy for Preoperative Estimation of Lymph Node Metastases from Gastric Cancer. World Journal of Surgery, 2000, 24, 1550-1558.	1.6	53
5	Causes of Death and Recurrence after Surgery for Early Gastric Cancer. World Journal of Surgery, 1997, 21, 434-439.	1.6	52
6	Multidisciplinary approach of colorectal cancer liver metastases. World Journal of Clinical Oncology, 2017, 8, 190.	2.3	37
7	Short- and Long-Term, 11–22 Years, Results after Laparoscopic Nissen Fundoplication in Obese versus Nonobese Patients. Journal of Obesity, 2017, 2017, 1-9.	2.7	34
8	Pharmacokinetics of Mitomycin C in Pelvic Stopflow Infusion and Hypoxic Pelvic Perfusion with and without Hemofiltration: A Pilot Study of Patients with Recurrent Unresectable Rectal Cancer. Journal of Clinical Pharmacology, 1998, 38, 936-944.	2.0	33
9	Peritoneal Carcinomatosis: Feature of Dissemination a Review. Tumori, 1999, 85, 1-5.	1.1	33
10	Intra-Arterial Hepatic Chemoembolization in Liver Metastases from Neuroendocrine Tumors: A Phase II Study. Journal of Chemotherapy, 2004, 16, 293-297.	1.5	33
11	Hypoxic Pelvic Perfusion With Mitomycin C Using a Simplified Balloon-Occlusion Technique in the Treatment of Patients With Unresectable Locally Recurrent Rectal Cancer. Archives of Surgery, 2001, 136, 105.	2.2	32
12	Irinotecan Hepatic Arterial Infusion Chemotherapy for Hepatic Metastases from Colorectal Cancer: A Phase II Clinical Study. Tumori, 2003, 89, 382-384.	1.1	32
13	Transarterial chemoembolization with DC Bead LUMIâ,,¢ radiopaque beads for primary liver cancer treatment: preliminary experience. Future Oncology, 2017, 13, 2243-2252.	2.4	32
14	Pancreatic enzyme supplementation after gastrectomy for gastric cancer: a randomized controlled trial. Gastric Cancer, 2018, 21, 542-551.	5.3	31
15	Resolution of type 2 diabetes after sleeve gastrectomy: a 2-step hypothesis. Surgery for Obesity and Related Diseases, 2018, 14, 284-290.	1.2	30
16	D1 versus D2 dissection for gastric cancer. Lancet, The, 1995, 345, 1515-1518.	13.7	29
17	Modulated Electrohyperthermia in Integrative Cancer Treatment for Relapsed Malignant Glioblastoma and Astrocytoma: Retrospective Multicenter Controlled Study. Integrative Cancer Therapies, 2019, 18, 153473541881269.	2.0	28
18	Learning Curve, Training Program, and Monitorization of Surgical Performance of Peritoneal Surface Malignancies Centers. Surgical Oncology Clinics of North America, 2018, 27, 507-517.	1.5	27

#	Article	IF	CITATIONS
19	Updates of colorectal cancer liver metastases therapy: review on DEBIRI. Hepatic Oncology, 2020, 7, HEP16.	4.2	27
20	Deliberate hypoxic pelvic and limb chemoperfusion in the treatment of recurrent melanoma. American Journal of Surgery, 2002, 183, 28-36.	1.8	25
21	Oxaliplatin hepatic arterial infusion chemotherapy for hepatic metastases from colorectal cancer: a phase I-II clinical study. Anticancer Research, 2004, 24, 2093-6.	1.1	25
22	Prospective randomized evaluation of preoperative endoscopic vital staining using CH-40 for lymph node dissection in gastric cancer. Annals of Surgical Oncology, 1998, 5, 580-584.	1.5	24
23	MGMT methylation correlates with melphalan pelvic perfusion survival in stage III melanoma patients: a pilot study. Melanoma Research, 2017, 27, 439-447.	1.2	24
24	The Microflora of the Gastric Juice after Billroth I and Billroth II Partial Gastrectomy. Scandinavian Journal of Gastroenterology, 1986, 21, 461-470.	1.5	23
25	Intra-arterial hepatic chemotherapy combined with continuous infusion of 5-fluorouracil in patients with metastatic cholangiocarcinoma. Annals of Oncology, 2002, 13, 1687-1688.	1.2	23
26	Hepatic arterial chemotherapy in combination with systemic chemotherapy compared with hepatic arterial chemotherapy alone for liver metastases from colorectal cancer: results of a multi-centric randomized study. In Vivo, 2006, 20, 707-9.	1.3	23
27	N-nitroso compounds in the gastric juice of normal controls, patients with partial gastrectomies, and gastric cancer patients. , 1996, 63, 226-233.		22
28	Retrograde jejunogastric intussusception: Is endoscopic or surgical management more appropriate?. Surgery Today, 1992, 22, 269-272.	1.5	21
29	Hypoxic pelvic and limb perfusion with melphalan and mitomycin C for recurrent limb melanoma. Melanoma Research, 2003, 13, 51-58.	1.2	21
30	Chemoembolization Adopting Polyethylene Glycol Drug-Eluting Embolics Loaded With Doxorubicin for the Treatment of Hepatocellular Carcinoma. American Journal of Roentgenology, 2017, 209, 430-434.	2.2	21
31	Intra-arterial chemotherapy for unresectable pancreatic cancer. Annals of Oncology, 2000, 11, 569-574.	1.2	20
32	Determination of Ofloxacin, A New Oxazine Derivative in Human Serum, Urine, and Bile by High-Performance Liquid Chromatography. Journal of Liquid Chromatography and Related Technologies, 1986, 9, 2539-2547.	1.0	19
33	Hypoxic abdominal stop-flow perfusion in the treatment of advanced pancreatic cancer: A phase II evaluation/trial. European Journal of Surgical Oncology, 2007, 33, 72-78.	1.0	18
34	Irinotecan Hepatic Arterial Infusion Chemotherapy for Hepatic Metastases from Colorectal Cancer: Results of a Phase I Clinical Study. Tumori, 2001, 87, 388-390.	1.1	17
35	Thyroid Surgery: To Drain or Not to Drain, That Is the Problem - A Randomized Clinical Trial. Orl, 2017, 79, 202-211.	1.1	17
36	A Pilot Study of the Predictive Potential of Chemosensitivity and Gene Expression Assays Using Circulating Tumour Cells from Patients with Recurrent Ovarian Cancer. International Journal of Molecular Sciences, 2020, 21, 4813.	4.1	17

#	Article	IF	CITATIONS
37	Chemoembolization Alone or Associated With Bevacizumab for Therapy of Colorectal Cancer Metastases: Preliminary Results of a Randomized Study. In Vivo, 2020, 34, 683-686.	1.3	17
38	Significance of duplex/colour Doppler sonography in hepatic arterial chemotherapy for patients with liver metastases from colorectal carcinoma. European Journal of Surgical Oncology, 2000, 26, 381-386.	1.0	16
39	Prognostic Factors in Patients With Advanced Pancreatic Adenocarcinoma Treated With Intra-Arterial Chemotherapy. Pancreas, 2008, 36, 56-60.	1.1	16
40	Precision oncotherapy based on liquid biopsies in multidisciplinary treatment of unresectable recurrent rectal cancer: a retrospective cohort study. Journal of Cancer Research and Clinical Oncology, 2020, 146, 205-219.	2.5	16
41	Complete Response of Colorectal Liver Metastases after Intra-Arterial Chemotherapy. Tumori, 2008, 94, 489-492.	1.1	15
42	ls There a New Drug Beyond Floxuridine for Intra-Arterial Hepatic Chemotherapy in Liver Metastases From Colorectal Cancer?. Journal of Clinical Oncology, 2005, 23, 2105-2105.	1.6	14
43	Selected Hypoxic Stop-flow Perfusions: Indication and Limits. Tumori, 2006, 92, 402-406.	1.1	14
44	Septic Complications after Resection for Middle or Low Rectal Cancer: Role of Gut Barrier Function and Inflammatory Serum Markers. Digestive Surgery, 2017, 34, 507-517.	1.2	14
45	Real-life multidisciplinary treatment for unresectable colorectal cancer liver metastases including hepatic artery infusion with chemo-filtration and liquid biopsy precision oncotherapy: observational cohort study. Journal of Cancer Research and Clinical Oncology, 2020, 146, 1273-1290.	2.5	14
46	Benign Granular Cell Tumor of the Breast: A Misleading Disease. Tumori, 1999, 85, 194-198.	1.1	13
47	Advantage of laparoscopic resection for pelvic Schwannoma: Case report and review of the literature. International Journal of Surgery Case Reports, 2018, 45, 38-41.	0.6	13
48	Regional Chemotherapy for Carcinoma of the Lung. Surgical Oncology Clinics of North America, 2008, 17, 895-917.	1.5	12
49	Mitomycin C hypoxic pelvic perfusion for unresectable recurrent rectal cancer: pharmacokinetic comparison of surgical and percutaneous techniques. Updates in Surgery, 2017, 69, 403-410.	2.0	12
50	Polyethylene glycol microspheres loaded with irinotecan for arterially directed embolic therapy of metastatic liver cancer. World Journal of Gastrointestinal Oncology, 2017, 9, 379.	2.0	12
51	Ulcerated ectopic gastric mucosa of the rectum. Gastrointestinal Endoscopy, 1987, 33, 41-43.	1.0	11
52	Surgical Treatment of Retrograde Jejunogastric Intussusception after Temporary Endoscopic Management. Endoscopy, 1991, 23, 243-244.	1.8	11
53	Hepatic Intra-Arterial Chemotherapy (HIAC) of High Dose Mitomycin and Epirubicin Combined with Caval Chemofiltration Versus Prolonged Low Doses in Liver Metastases from Colorectal Cancer: a Prospective Randomized Clinical Study. Journal of Chemotherapy, 2004, 16, 51-54.	1.5	11
54	lrinotecan hepatic arterial infusion chemotherapy for hepatic metastases from colorectal cancer: a phase II clinical study. Tumori, 2003, 89, 382-4.	1.1	11

#	Article	IF	CITATIONS
55	Gastric Juice Nitrite and Bacteria in Gastroduodenal Disease and Resected Stomach. Tumori, 1983, 69, 231-237.	1.1	10
56	Gastric Heterotopia of the Rectum. Endoscopy, 1986, 18, 34-34.	1.8	10
57	Chronic atrophic gastritis and risk of n-nitroso compounds carcinogenesis. Langenbecks Archiv Fur Chirurgie, 1988, 373, 82-90.	0.2	10
58	Hemodynamic variations during thoracic and abdominal stop-flow regional chemotherapy. European Journal of Surgical Oncology, 2004, 30, 377-383.	1.0	10
59	Surgical versus percutaneous isolated pelvic perfusion (IPP) for advanced melanoma: comparison in terms of melphalan pharmacokinetic pelvic bio-availability. BMC Research Notes, 2017, 10, 411.	1.4	10
60	Selected hypoxic stop-flow perfusions: indication and limits. Tumori, 2006, 92, 402-6.	1.1	10
61	Evaluation of Carcinoembryonic Antigen Levels in Gastric Juice, Stomach Mucosa and Plasma in High-Risk and Gastric Cancer Patients. Oncology, 1986, 43, 149-153.	1.9	9
62	Regional plus systemic chemotherapy: an effective treatment in recurrent non-small cell lung cancer. European Journal of Surgical Oncology, 2001, 27, 190-195.	1.0	9
63	A single thyroid nodule revealing early metastases from clear cell renal carcinoma: case report and review of literature. International Journal of Surgery Case Reports, 2017, 34, 96-99.	0.6	9
64	A pilot study of alternative TrkAIII splicing in Merkel cell carcinoma: a potential oncogenic mechanism and novel therapeutic target. Journal of Experimental and Clinical Cancer Research, 2019, 38, 424.	8.6	9
65	Low anterior resection versus abdominoperineal excision: A comparison of local recurrence after curative surgery for ?very low? rectal cancer. Surgery Today, 1992, 22, 313-317.	1.5	8
66	A rare cause of digestive hemorrhage: An aneurysm of the superior pancreaticoduodenal artery rupturing into the duodenal stump of a billroth II partial gastrectomy. Surgery Today, 1992, 22, 273-275.	1.5	8
67	Does Locoregional Chemotherapy Still Matter in the Treatment of Advanced Pelvic Melanoma?. International Journal of Molecular Sciences, 2017, 18, 2382.	4.1	8
68	Laparoscopic treatment of obstructed internal supravesical hernia: A cases series and rewiev of the literature. Annals of Medicine and Surgery, 2018, 36, 58-62.	1.1	8
69	Multidisciplinary palliation for unresectable recurrent rectal cancer: hypoxic pelvic perfusion with mitomycin C and oxaliplatin in patients progressing after systemic chemotherapy and radiotherapy, a retrospective cohort study. Oncotarget, 2019, 10, 3840-3851.	1.8	8
70	Arterial vasculature of the stomach and oncologic gastrectomies. Surgical and Radiologic Anatomy, 1995, 17, 269-276.	1.2	7
71	Melphalan hypoxic perfusion with hemofiltration for melanoma locoregional metastases in the pelvis. Journal of Surgical Research, 2017, 215, 114-124.	1.6	7
72	Circulating tumour cell liquid biopsy in selecting therapy for recurrent cutaneous melanoma with locoregional pelvic metastases: a pilot study. BMC Research Notes, 2020, 13, 176.	1.4	7

#	Article	IF	CITATIONS
73	Intra-arterial hepatic chemotherapy (IAHC) for liver metastases from colorectal cancer: Need of guidelines for catheter positioning, port management, and anti-coagulant therapy. Annals of Oncology, 2001, 12, 1023-1024.	1.2	6
74	Thoracic Stop-Flow Perfusion in the Treatment of Refractory Non Small Cell Lung Cancer. Journal of Chemotherapy, 2004, 16, 40-43.	1.5	6
75	Cytoreductive Surgery and HIPEC in the First-Line and Interval Time Points of Advanced Epithelial Ovarian Cancer. Indian Journal of Gynecologic Oncology, 2017, 15, 11-20.	0.3	6
76	Multiple gastric lipomas: Report of an asymptomatic case found at autopsy. Pathology International, 1997, 47, 575-577.	1.3	5
77	Correspondence. European Journal of Surgical Oncology, 1999, 25, 339-340.	1.0	5
78	Combination of granulocyteâ€macrophage colonyâ€stimulating factor (GMâ€CSF) and erythropoietin (EPO) for the treatment of advanced nonâ€responsive chronic lymphocytic leukemia. European Journal of Haematology, 1999, 63, 325-331.	2.2	5
79	Which is the correlation between carcinoid tumor and Laparoscopic Sleeve Gastrectomy? A case series and literature review. Annals of Medicine and Surgery, 2018, 36, 252-255.	1.1	5
80	Chemoembolization in Conjunction with Bevacizumab: Preliminary Results. Journal of Vascular and Interventional Radiology, 2018, 29, 1236-1239.	0.5	5
81	Dose-finding study of oxaliplatin associated to capecitabine-based preoperative chemoradiotherapy in locally advanced rectal cancer. Oncotarget, 2018, 9, 17906-17914.	1.8	5
82	Dose-finding study of intensive weekly alternating schedule of docetaxel, 5-fluorouracil, and oxaliplatin, FD/FOx regimen, in metastatic gastric cancer. Oncotarget, 2018, 9, 20339-20350.	1.8	5
83	Modulated electro-hyperthermia in stage III and IV pancreatic cancer: Results of an observational study on 158 patients. World Journal of Clinical Oncology, 2021, 12, 1064-1071.	2.3	5
84	Stop-flow in mediastinum and thorax for resistant lymphoma. Hepato-Gastroenterology, 2000, 47, 378-82.	0.5	5
85	N-Nitroso Compounds, Bacteria, and Carcinoembryonic Antigen in the Gastric Stump. Journal of Surgical Research, 1998, 80, 345-351.	1.6	4
86	Mitomycin C in biological fluids: Comparison of disk and cartridge solid-phase extraction and quantitation by HPLC in human plasma and ultrafiltrate. Chromatographia, 1999, 50, 561-564.	1.3	4
87	Stop Flow in abdominal and pelvic cancer relapses. Frontiers in Bioscience - Landmark, 2006, 11, 1284.	3.0	4
88	Palliation with a multimodality treatment including hypoxic pelvic perfusion for unresectable recurrent rectal cancer: outcomes based on a retrospective study. Updates in Surgery, 2018, 70, 441-447.	2.0	4
89	Advanced Merkel cell carcinoma of the lower extremity treated with surgery and isolated pelvic and limb perfusion using Melphalan: A case of unexpected long-term survival. International Journal of Surgery Case Reports, 2019, 61, 4-8.	0.6	4
90	Isolated thoracic perfusion in lung metastases from breast cancer: a retrospective observational study. Updates in Surgery, 2019, 71, 165-177.	2.0	4

#	Article	IF	CITATIONS
91	Multidisciplinary Treatment, Including Locoregional Chemotherapy, for Merkel-Polyomavirus-Positive Merkel Cell Carcinomas: Perspectives for Patients Exhibiting Oncogenic Alternative Δ exon 6–7 TrkAIII Splicing of Neurotrophin Receptor Tropomyosin-Related Kinase A. International Journal of Molecular Sciences, 2020, 21, 8222.	4.1	4
92	Induction Intra-arterial Chemotherapy (IAC) with Epirubicin and Mitoxantrone in Locally Advanced Breast Cancer. , 2011, , 139-149.		4
93	Immune response activation following hyperthermic intraperitoneal chemotherapy for peritoneal metastases: A pilot study. World Journal of Clinical Oncology, 2020, 11, 397-404.	2.3	3
94	N-nitroso compounds and Helicobacter pylori in the gastric remnant. Tumori, 1999, 85, 108-12.	1.1	3
95	<title>Imaging in digestive videoendoscopy</title> . , 1991, , .		2
96	Transarterial chemoembolization alone or followed by bevacizumab for treatment of colorectal liver metastases. Hepatic Oncology, 2022, 9, HEP40.	4.2	2
97	Thoracic stop-flow perfusion in the treatment of refractory malignant pleural mesothelioma: a phase I-II evaluation/trial. In Vivo, 2006, 20, 715-8.	1.3	2
98	Management of Retroduodenal and Intrapancreatic Choledochal Cyst: Report of a Case. Digestive Surgery, 1989, 6, 158-161.	1.2	1
99	Vidéo-endoscopie: au-delà de l'image. Acta Endoscopica, 1990, 20, 115-121.	0.0	1
100	Abdominal and pelvic stop-flow (hypoxic, chemotherapeutic loco-regional treatment): Preliminary report of a phase I study. European Journal of Cancer, 1997, 33, S252.	2.8	1
101	Hepatic intra-arterial and systemic chemotherapy followed by maintenance therapy for the treatment of cholangiocarcinoma. Hepatic Oncology, 2017, 4, 45-53.	4.2	1
102	A Prospective Study of Intraarterial Infusion Chemotherapy in Advanced Wild-Type BRAF Melanoma Patients. Journal of Surgical Research, 2021, 268, 737-747.	1.6	1
103	Effects of Molecularly Targeting Hypoxia in Oncology. , 2009, , 117-135.		1
104	Regional Therapy of Rectal Cancer. , 2007, , 355-365.		1
105	Surgical Treatment of Gastric Cancer: Our Elective Procedures for Desirable Curability. , 1990, , 135-150.		1
106	Thoracic stop-flow perfusion for refractory lymphoma: a phase I-II evaluation trial. In Vivo, 2009, 23, 447-57.	1.3	1
107	Circulating tumour cell gene expression and chemosensitivity analyses: predictive accuracy for response to multidisciplinary treatment of patients with unresectable refractory recurrent rectal cancer or unresectable refractory colorectal cancer liver metastases. BMC Cancer, 2022, 22, .	2.6	1
108	Immune response and locoregional treatments for peritoneal carcinomatosis. International Review of Cell and Molecular Biology, 2022, , 97-116.	3.2	1

#	Article	IF	CITATIONS
109	Determination of 2′-Deoxy-5-Fluorouridine in biological samples using high-performance liquid chromatography. Pharmacological Research Communications, 1988, 20, 288.	0.2	0
110	Pharnacokinetics of intra-arterial nitonycin C with extracorporeal detoxification in humans. Pharmacological Research, 1992, 26, 98.	7.1	0
111	Utilisation de la vidéoendoscopie avec traitement et analyse de l'image dans le diagnostic du cancer gastrique précoce. Acta Endoscopica, 1995, 25, 253-260.	0.0	Ο
112	Bacteria, N-nitroso compounds and carcino-embryonic antigen in the gastric juice of normal controls and patients with partial gastrectomies and gastric cancer. European Journal of Cancer Prevention, 1996, 5, 160.	1.3	0
113	Chronic lymphocytic leukaemia and neuroendocrine cancer. British Journal of Haematology, 1999, 105, 989-992.	2.5	Ο
114	Complete peritonectomy associated with intra peritoneal hyperthermic perfusion in the treatment of Pseudomyxoma Peritonei: experience at the National Cancer Institute of Milan. European Journal of Cancer, 1999, 35, S143.	2.8	0
115	Treatment of advanced ovarian cancer by cytoreductive surgery associated with intra peritoneal hyperthermic perfusion. European Journal of Cancer, 1999, 35, S238.	2.8	0
116	The Role of Hypoxia and Hyperthermia in Chemotherapy. , 2011, , 59-69.		0
117	Intraluminal ileal tumour after right hemicolectomy for cancer: An implantation recurrence or a new cancer? A case report. Annals of Medicine and Surgery, 2017, 23, 17-20.	1.1	Ο
118	High Resected Gastric Volume and poorly controlled DM2 in laparoscopic sleeve gastrectomy. Annals of Medicine and Surgery, 2018, 36, 142-147.	1.1	0
119	A Step Deep on Hyperthermia, Hypoxia and Chemotherapy Interactions. , 2006, , 156-163.		0
120	Hypoxia, Hyperthermia, Chemotherapy: Interactions and Opportunities. , 2009, , 105-116.		0
121	Die Rolle der Hypoxie und Hyperthermie in der Chemotherapie. , 2013, , 55-64.		0
122	Regionale Chemotherapie beim Thoraxwandrezidiv und metastasierten Mammakarzinom. , 2013, , 153-163.		0
123	Beckenperfusion bei Rektumkarzinomen. , 2013, , 249-260.		0
124	New Trends in Electronic Videoendoscopy of the Digestive Tract. , 1990, , 73-77.		0
125	A European Multicentre Retrospective Study in Cancer of the Stomach. , 1990, , 125-133.		0
126	Regional Chemotherapy for Thoracic Wall Recurrence and Metastasized Breast Cancer. , 2016, , 173-186.		0

#	Article	IF	CITATIONS
127	The Role of Hypoxia and Hyperthermia in Chemotherapy. , 2016, , 61-71.		Ο
128	Hypoxic pelvic perfusion with cisplatin and mitomycin C in multidisciplinary palliative treatment of patients with unresectable recurrent rectal cancer: a retrospective study. Minerva Chirurgica, 2019, 74, 304-312.	0.8	0
129	Successful laparoscopic trans-peritoneal repair of an incisional inguinal hernia, resulting from deep lymph node dissection for melanoma: A case report. International Journal of Surgery Case Reports, 2020, 67, 82-85.	0.6	0
130	Hürthle cell adenoma of the thyroid: in 32 consecutive cases. Journal of the Royal College of Surgeons of Edinburgh, 1996, 41, 246-9.	0.1	0
131	Pre-operative angiography in gastric cancer surgery with extended lymphadenectomy. Hepato-Gastroenterology, 1999, 46, 2701-9.	0.5	0
132	Spontaneous liver rupture associated with anticoagulant therapy A case report. Annali Italiani Di Chirurgia, 2017, 6, .	0.1	0
133	Multidisciplinary palliative treatment including isolated thoracic perfusion for progressive malignant pleural mesothelioma: a retrospective observational study. Jbuon, 2019, 24, 1259-1267.	0.3	0