

David H Margulies

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1691735/publications.pdf>

Version: 2024-02-01

134
papers

6,731
citations

57758

44
h-index

66911

78
g-index

163
all docs

163
docs citations

163
times ranked

5266
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | A simple method for polyethylene glycol-promoted hybridization of mouse myeloma cells. <i>Somatic Cell Genetics</i> , 1977, 3, 231-236. | 2.7 | 605 |
| 2 | Structure and Function of Natural Killer Cell Receptors: Multiple Molecular Solutions to Self, Nonself Discrimination. <i>Annual Review of Immunology</i> , 2002, 20, 853-885. | 21.8 | 305 |
| 3 | Enhanced Antigen-Specific Antitumor Immunity with Altered Peptide Ligands that Stabilize the MHC-Peptide-TCR Complex. <i>Immunity</i> , 2000, 13, 529-538. | 14.3 | 297 |
| 4 | The TLR3 signaling complex forms by cooperative receptor dimerization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 258-263. | 7.1 | 255 |
| 5 | Crystal structure of a lectin-like natural killer cell receptor bound to its MHC class I ligand. <i>Nature</i> , 1999, 402, 623-631. | 27.8 | 247 |
| 6 | Structure and expression of a mouse major histocompatibility antigen gene, H-2Ld.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982, 79, 1994-1998. | 7.1 | 227 |
| 7 | Exon shuffling: mapping polymorphic determinants on hybrid mouse transplantation antigens. <i>Nature</i> , 1982, 300, 755-757. | 27.8 | 222 |
| 8 | Abacavir induces loading of novel self-peptides into HLA-B*57. <i>Aids</i> , 2012, 26, F21-F29. | 2.2 | 196 |
| 9 | A targeted glucocorticoid receptor antisense transgene increases thymocyte apoptosis and alters thymocyte development. <i>Immunity</i> , 1995, 3, 647-656. | 14.3 | 175 |
| 10 | Somatic cell hybridization of mouse myeloma cells. <i>Cell</i> , 1976, 8, 405-415. | 28.9 | 148 |
| 11 | Peptide Libraries Define the Fine Specificity of Anti-polysaccharide Antibodies to <i>Cryptococcus neoformans</i> . <i>Journal of Molecular Biology</i> , 1996, 261, 11-22. | 4.2 | 145 |
| 12 | Excess β_2 microglobulin promoting functional peptide association with purified soluble class I MHC molecules. <i>Nature</i> , 1991, 349, 74-77. | 27.8 | 128 |
| 13 | Variable MHC class I engagement by Ly49 natural killer cell receptors demonstrated by the crystal structure of Ly49C bound to H-2Kb. <i>Nature Immunology</i> , 2003, 4, 1213-1222. | 14.5 | 127 |
| 14 | Post-thymectomy autoimmune gastritis: fine specificity and pathogenicity of anti-H/K ATPase- reactive T cells. <i>European Journal of Immunology</i> , 1999, 29, 669-677. | 2.9 | 126 |
| 15 | Inhibition of an allospecific T cell hybridoma by soluble class I proteins and peptides: Estimation of the affinity of a T cell receptor for MHC. <i>Cell</i> , 1989, 56, 47-55. | 28.9 | 114 |
| 16 | Crystal structure of a TAPBPR-MHC I complex reveals the mechanism of peptide editing in antigen presentation. <i>Science</i> , 2017, 358, 1064-1068. | 12.6 | 111 |
| 17 | Structural requirements for class I MHC molecule-mediated antigen presentation and cytotoxic T cell recognition of an immunodominant determinant of the human immunodeficiency virus envelope protein.. <i>Journal of Experimental Medicine</i> , 1989, 170, 2023-2035. | 8.5 | 108 |
| 18 | "Exon-shuffling" maps control of antibody- and T-cell-recognition sites to the NH2-terminal domain of the class II major histocompatibility polypeptide A beta.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985, 82, 2940-2944. | 7.1 | 96 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Structural Basis of the CD8 α β /MHC Class I Interaction: Focused Recognition Orients CD8 β to a T Cell Proximal Position. <i>Journal of Immunology</i> , 2009, 183, 2554-2564. | 0.8 | 92 |
| 20 | A T cell receptor transgenic model of severe, spontaneous organ-specific autoimmunity. <i>European Journal of Immunology</i> , 2001, 31, 2094-2103. | 2.9 | 86 |
| 21 | The natural killer cell receptor Ly-49A recognizes a peptide-induced conformational determinant on its major histocompatibility complex class I ligand. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 11792-11797. | 7.1 | 78 |
| 22 | Peptide exchange on MHC-I by TAPBPR is driven by a negative allosteric release cycle. <i>Nature Chemical Biology</i> , 2018, 14, 811-820. | 8.0 | 74 |
| 23 | Interaction of TAPBPR, a tapasin homolog, with MHC-I molecules promotes peptide editing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E1006-15. | 7.1 | 73 |
| 24 | Identification of the Peptide Binding Motif for HLA-B44, One of the Most Common HLA-B Alleles in the Caucasian Population. <i>Biochemistry</i> , 1995, 34, 10130-10138. | 2.5 | 72 |
| 25 | Three-dimensional structure of H-2Dd complexed with an immunodominant peptide from human immunodeficiency virus envelope glycoprotein 120. <i>Journal of Molecular Biology</i> , 1998, 283, 179-191. | 4.2 | 71 |
| 26 | The Lectin-Like NK Cell Receptor Ly-49A Recognizes a Carbohydrate-Independent Epitope on Its MHC Class I Ligand. <i>Immunity</i> , 1998, 8, 245-254. | 14.3 | 70 |
| 27 | CD300b regulates the phagocytosis of apoptotic cells via phosphatidylserine recognition. <i>Cell Death and Differentiation</i> , 2014, 21, 1746-1757. | 11.2 | 70 |
| 28 | Crystal Structure of Human CD69: A C-Type Lectin-Like Activation Marker of Hematopoietic Cells. <i>Biochemistry</i> , 2000, 39, 14779-14786. | 2.5 | 69 |
| 29 | Minimal requirements for peptide mediated activation of CD8+ CTL. <i>Molecular Immunology</i> , 1994, 31, 1285-1293. | 2.2 | 66 |
| 30 | Binding of the Natural Killer Cell Inhibitory Receptor Ly49A to Its Major Histocompatibility Complex Class I Ligand. <i>Journal of Biological Chemistry</i> , 2002, 277, 1433-1442. | 3.4 | 65 |
| 31 | Functional expression of a transfected murine class II MHC gene. <i>Nature</i> , 1983, 306, 190-194. | 27.8 | 64 |
| 32 | Structural basis of MHC class I recognition by natural killer cell receptors. <i>Immunological Reviews</i> , 2001, 181, 52-65. | 6.0 | 64 |
| 33 | An allosteric site in the T-cell receptor C β domain plays a critical signalling role. <i>Nature Communications</i> , 2017, 8, 15260. | 12.8 | 64 |
| 34 | Interactions of TCRs with MHC-peptide complexes: a quantitative basis for mechanistic models. <i>Current Opinion in Immunology</i> , 1997, 9, 390-395. | 5.5 | 63 |
| 35 | Two intermediate-avidity cytotoxic T lymphocyte clones with a disparity between functional avidity and MHC tetramer staining. <i>International Immunology</i> , 2001, 13, 817-824. | 4.0 | 61 |
| 36 | The Peptide-Receptive Transition State of MHC Class I Molecules: Insight from Structure and Molecular Dynamics. <i>Journal of Immunology</i> , 2012, 189, 1391-1399. | 0.8 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Control of Autoimmunity by Regulatory T Cells. <i>Advances in Experimental Medicine and Biology</i> , 2001, 490, 21-32. | 1.6 | 59 |
| 38 | H α 2-like genes in the Tla region of mouse chromosome 17. <i>Nature</i> , 1982, 295, 168-170. | 27.8 | 58 |
| 39 | T-cell recognition of a chimaeric class II/class I MHC molecule and the role of L3T4. <i>Nature</i> , 1985, 317, 425-427. | 27.8 | 57 |
| 40 | Lipopolysaccharide-Induced CD300b Receptor Binding to Toll-like Receptor 4 Alters Signaling to Drive Cytokine Responses that Enhance Septic Shock. <i>Immunity</i> , 2016, 44, 1365-1378. | 14.3 | 54 |
| 41 | A family of murine NK cell receptors specific for target cell MHC class I molecules. <i>Seminars in Immunology</i> , 1995, 7, 89-101. | 5.6 | 53 |
| 42 | The Role of Molecular Flexibility in Antigen Presentation and T Cell Receptor-Mediated Signaling. <i>Frontiers in Immunology</i> , 2018, 9, 1657. | 4.8 | 51 |
| 43 | Interaction of the NK Cell Inhibitory Receptor Ly49A with H-2Dd. <i>Immunity</i> , 1999, 11, 591-601. | 14.3 | 50 |
| 44 | Measuring interactions of MHC class I molecules using surface plasmon resonance. <i>Journal of Immunological Methods</i> , 1995, 183, 77-94. | 1.4 | 49 |
| 45 | A transgenic mouse model for HLA-B*57:01 α -linked abacavir drug tolerance and reactivity. <i>Journal of Clinical Investigation</i> , 2018, 128, 2819-2832. | 8.2 | 47 |
| 46 | A Single Residue, Arginine 65, Is Critical for the Functional Interaction of Leukocyte-Associated Inhibitory Receptor-1 with Collagens. <i>Journal of Immunology</i> , 2009, 182, 5446-5452. | 0.8 | 39 |
| 47 | Studying interactions involving the T-cell antigen receptor by surface plasmon resonance. <i>Current Opinion in Immunology</i> , 1996, 8, 262-270. | 5.5 | 38 |
| 48 | Avidity of CD8 T cells sharpens immunodominance. <i>International Immunology</i> , 2007, 19, 497-507. | 4.0 | 38 |
| 49 | Phosphorylation of Extracellular Domains of T-Lymphocyte Surface Proteins. <i>Journal of Biological Chemistry</i> , 1996, 271, 25677-25683. | 3.4 | 37 |
| 50 | The cellular environment regulates in situ kinetics of T α cell receptor interaction with peptide major histocompatibility complex. <i>European Journal of Immunology</i> , 2015, 45, 2099-2110. | 2.9 | 37 |
| 51 | Crystal Structure of the Murine Cytomegalovirus MHC-I Homolog m144. <i>Journal of Molecular Biology</i> , 2006, 358, 157-171. | 4.2 | 36 |
| 52 | TCR avidity: it's not how strong you make it, it's how you make it strong. <i>Nature Immunology</i> , 2001, 2, 669-670. | 14.5 | 35 |
| 53 | Potent Neutralization of Staphylococcal Enterotoxin B by Synergistic Action of Chimeric Antibodies. <i>Infection and Immunity</i> , 2010, 78, 2801-2811. | 2.2 | 35 |
| 54 | How the Virus Outsmarts the Host: Function and Structure of Cytomegalovirus MHC-I-Like Molecules in the Evasion of Natural Killer Cell Surveillance. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-12. | 3.0 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Direct Interaction of the Mouse Cytomegalovirus m152/gp40 Immune Evasin with RAE-1 Isoforms. <i>Biochemistry</i> , 2010, 49, 2443-2453. | 2.5 | 31 |
| 56 | Ly49A allelic variation and MHC class I specificity. <i>Immunogenetics</i> , 2001, 53, 572-583. | 2.4 | 30 |
| 57 | Crystal Structure of the Ly49I Natural Killer Cell Receptor Reveals Variability in Dimerization Mode Within the Ly49 Family. <i>Journal of Molecular Biology</i> , 2002, 320, 573-585. | 4.2 | 30 |
| 58 | Spontaneous Organ-Specific Th2-Mediated Autoimmunity in TCR Transgenic Mice. <i>Journal of Immunology</i> , 2004, 172, 2917-2924. | 0.8 | 30 |
| 59 | Structural basis of mouse cytomegalovirus m152/gp40 interaction with RAE1 ^β reveals a paradigm for MHC/MHC interaction in immune evasion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E3578-87. | 7.1 | 30 |
| 60 | Mapping the Ligand of the NK Inhibitory Receptor Ly49A on Living Cells. <i>Journal of Immunology</i> , 2000, 165, 6922-6932. | 0.8 | 29 |
| 61 | Antibodies Directed Against the MHC-I Molecule H-2Dd Complexed with an Antigenic Peptide: Similarities to a T Cell Receptor with the Same Specificity. <i>Journal of Immunology</i> , 2000, 165, 5703-5712. | 0.8 | 29 |
| 62 | An Allosteric Mechanism Controls Antigen Presentation by the H-2Kb Complex. <i>Biochemistry</i> , 1999, 38, 12165-12173. | 2.5 | 28 |
| 63 | Structures of synthetic nanobody-SARS-CoV-2 receptor-binding domain complexes reveal distinct sites of interaction. <i>Journal of Biological Chemistry</i> , 2021, 297, 101202. | 3.4 | 28 |
| 64 | MHC Molecules, T cell Receptors, Natural Killer Cell Receptors, and Viral Immune Evasins—Key Elements of Adaptive and Innate Immunity. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1172, 21-62. | 1.6 | 28 |
| 65 | A Chimeric C57L-Derived Ly49 Inhibitory Receptor Resembling the Ly49D Activation Receptor. <i>Cellular Immunology</i> , 2001, 209, 29-41. | 3.0 | 27 |
| 66 | CD28, Costimulator or Agonist Receptor?. <i>Journal of Experimental Medicine</i> , 2003, 197, 949-953. | 8.5 | 27 |
| 67 | Different Vaccine Vectors Delivering the Same Antigen Elicit CD8+ T Cell Responses with Distinct Clonotype and Epitope Specificity. <i>Journal of Immunology</i> , 2009, 183, 2425-2434. | 0.8 | 27 |
| 68 | MHC Class I/peptide interactions: Binding specificity and kinetics. <i>Journal of Molecular Recognition</i> , 1993, 6, 59-69. | 2.1 | 25 |
| 69 | Rapid Induction of Apoptosis in CD8+ HIV-1 Envelope-Specific Murine CTLs by Short Exposure to Antigenic Peptide. <i>Journal of Immunology</i> , 2002, 169, 6588-6593. | 0.8 | 25 |
| 70 | MHC class I recognition by Ly49 natural killer cell receptors. <i>Molecular Immunology</i> , 2002, 38, 1023-1027. | 2.2 | 25 |
| 71 | Monoclonal Antibodies: Producing Magic Bullets by Somatic Cell Hybridization. <i>Journal of Immunology</i> , 2005, 174, 2451-2452. | 0.8 | 25 |
| 72 | Activating CTL precursors to reveal CTL function without skewing the repertoire by in vitro expansion. <i>European Journal of Immunology</i> , 2001, 31, 3557-3566. | 2.9 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | The Structure of Mouse Cytomegalovirus m04 Protein Obtained from Sparse NMR Data Reveals a Conserved Fold of the m02-m06 Viral Immune Modulator Family. <i>Structure</i> , 2014, 22, 1263-1273. | 3.3 | 23 |
| 74 | Cell surface expression of an in vitro recombinant class II/class I major histocompatibility complex gene product. <i>Cell</i> , 1985, 40, 247-257. | 28.9 | 22 |
| 75 | Functional cell surface expression by a recombinant single-chain class I major histocompatibility complex molecule with acis-active I ² 2-microglobulin domain. <i>European Journal of Immunology</i> , 1994, 24, 2633-2639. | 2.9 | 22 |
| 76 | Cellular Expression and Crystal Structure of the Murine Cytomegalovirus Major Histocompatibility Complex Class I-like Glycoprotein, m153. <i>Journal of Biological Chemistry</i> , 2007, 282, 35247-35258. | 3.4 | 22 |
| 77 | CD8 expression alters the fine specificity of an alloreactive MHC class I-specific T hybridoma. <i>International Immunology</i> , 1992, 4, 455-466. | 4.0 | 19 |
| 78 | Structural and dynamic studies of TAPBPR and Tapasin reveal the mechanism of peptide loading of MHC-I molecules. <i>Current Opinion in Immunology</i> , 2020, 64, 71-79. | 5.5 | 19 |
| 79 | New tricks for old molecules. <i>Nature</i> , 1994, 372, 323-324. | 27.8 | 18 |
| 80 | Chimeric Anti-Staphylococcal Enterotoxin B Antibodies and Lovastatin Act Synergistically to Provide In Vivo Protection against Lethal Doses of SEB. <i>PLoS ONE</i> , 2011, 6, e27203. | 2.5 | 18 |
| 81 | Role of conserved regions of class I MHC molecules in the activation of CD8+ cytotoxic T lymphocytes by peptide and purified cell-free class I molecules. <i>International Immunology</i> , 1993, 5, 1129-1138. | 4.0 | 17 |
| 82 | An affinity for learning. <i>Nature</i> , 1996, 381, 558-559. | 27.8 | 17 |
| 83 | Signals controlling alternative splicing of major histocompatibility complex H-2 class I pre-mRNA. <i>Immunogenetics</i> , 1988, 28, 81-90. | 2.4 | 16 |
| 84 | A structural and molecular dynamics approach to understanding the peptide-receptive transition state of MHC-I molecules. <i>Molecular Immunology</i> , 2013, 55, 123-125. | 2.2 | 16 |
| 85 | Alterations in the HLA-B*57:01 Immunopeptidome by Flucloxacillin and Immunogenicity of Drug-Haptenated Peptides. <i>Frontiers in Immunology</i> , 2020, 11, 629399. | 4.8 | 16 |
| 86 | Immunochemical analysis of a recombinant, genetically engineered, secreted HLA-A2/Q10b fusion protein. <i>Human Immunology</i> , 1991, 32, 125-133. | 2.4 | 15 |
| 87 | Structure and function of murine cytomegalovirus MHC-I-like molecules: how the virus turned the host defense to its advantage. <i>Immunologic Research</i> , 2009, 43, 264-279. | 2.9 | 15 |
| 88 | A T cell receptor V alpha domain expressed in bacteria: does it dimerize in solution?. <i>Journal of Experimental Medicine</i> , 1996, 184, 1251-1258. | 8.5 | 14 |
| 89 | Chaperones and Catalysts: How Antigen Presentation Pathways Cope With Biological Necessity. <i>Frontiers in Immunology</i> , 2022, 13, 859782. | 4.8 | 14 |
| 90 | Exon shuffling: New genes from old. <i>Survey of Immunologic Research</i> , 1985, 4, 146-159. | 0.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Split tolerance to the MHC class I molecule H-2Dd in animals transgenic for its soluble analog. <i>Human Immunology</i> , 1997, 52, 82-94. | 2.4 | 12 |
| 92 | The X-ray crystal structure of a $\sqrt{2.6} \pm 38$ mouse T cell receptor domain at 2.5 Å resolution: alternate modes of dimerization and crystal packing a 1 Edited by I. A. Wilson. <i>Journal of Molecular Biology</i> , 1999, 289, 1153-1161. | 4.2 | 12 |
| 93 | A Novel MHC-I Surface Targeted for Binding by the MCMV m06 Immunevasin Revealed by Solution NMR. <i>Journal of Biological Chemistry</i> , 2015, 290, 28857-28868. | 3.4 | 12 |
| 94 | Effects of Cross-Presentation, Antigen Processing, and Peptide Binding in HIV Evasion of T Cell Immunity. <i>Journal of Immunology</i> , 2018, 200, ji1701523. | 0.8 | 11 |
| 95 | Naked or peptide-clothed MHC?. <i>Nature</i> , 1989, 342, 124-125. | 27.8 | 10 |
| 96 | Plasmacytomas and Hybridomas. , 1980, , 3-17. | | 10 |
| 97 | The in-betweeners: MAIT cells join the innate-like lymphocytes gang. <i>Journal of Experimental Medicine</i> , 2014, 211, 1501-1502. | 8.5 | 9 |
| 98 | MHC α -restricted Ag85B α -specific CD8 ⁺ T α cells are enhanced by recombinant BCG prime and DNA boost immunization in mice. <i>European Journal of Immunology</i> , 2019, 49, 1399-1414. | 2.9 | 9 |
| 99 | T-cell receptors: Feeling out the complex. <i>Current Biology</i> , 1997, 7, R17-R20. | 3.9 | 8 |
| 100 | Competitive Inhibition In Vivo and Skewing of the T Cell Repertoire of Antigen-Specific CTL Priming by an Anti-Peptide-MHC Monoclonal Antibody. <i>Journal of Immunology</i> , 2001, 167, 699-707. | 0.8 | 8 |
| 101 | Availability of autoantigenic epitopes controls phenotype, severity, and penetrance in TCR Tg autoimmune gastritis. <i>European Journal of Immunology</i> , 2008, 38, 3339-3353. | 2.9 | 8 |
| 102 | Structural aspects of chaperone-mediated peptide loading in the MHC-I antigen presentation pathway. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2019, 54, 164-173. | 5.2 | 8 |
| 103 | Molecular Interactions. <i>Immunity</i> , 2003, 19, 772-774. | 14.3 | 7 |
| 104 | Role of β 3 domain of class I MHC molecules in the activation of high- and low-avidity CD8+ CTLs. <i>International Immunology</i> , 2007, 19, 1413-1420. | 4.0 | 7 |
| 105 | Peptides tailored to perfection?. <i>Current Biology</i> , 1992, 2, 211-213. | 3.9 | 6 |
| 106 | A recombinant single-chain HLA-A2.1 molecule, with a cis active β 2-2-microglobulin domain, is biologically active in peptide binding and antigen presentation. <i>Human Immunology</i> , 1996, 49, 28-37. | 2.4 | 6 |
| 107 | Resistance to viral infection by intraepithelial lymphocytes in HIV-1 P18-I10-specific T-cell receptor transgenic mice. <i>Biochemical and Biophysical Research Communications</i> , 2004, 316, 356-363. | 2.1 | 6 |
| 108 | How MHC molecules grab citrullinated peptides to foster rheumatoid arthritis. <i>Journal of Biological Chemistry</i> , 2018, 293, 3252-3253. | 3.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Mouse Cytomegalovirus m153 Protein Stabilizes Expression of the Inhibitory NKR-P1B Ligand Clr-b. <i>Journal of Virology</i> , 2019, 94, . | 3.4 | 6 |
| 110 | bca: an activation-related B-cell gene. <i>Molecular Immunology</i> , 1998, 35, 55-63. | 2.2 | 6 |
| 111 | Post-thymectomy autoimmune gastritis: fine specificity and pathogenicity of anti-H/K ATPase- reactive T cells. <i>European Journal of Immunology</i> , 1999, 29, 669-677. | 2.9 | 5 |
| 112 | Cutting Edge: Inhibition of the Interaction of NK Inhibitory Receptors with MHC Class I Augments Antiviral and Antitumor Immunity. <i>Journal of Immunology</i> , 2020, 205, 567-572. | 0.8 | 3 |
| 113 | MHC: Structure and Function. , 2004, , 29-44. | | 3 |
| 114 | Structure and Function of Molecular Chaperones that Govern Immune Peptide Loading. <i>Sub-Cellular Biochemistry</i> , 2019, 93, 321-337. | 2.4 | 3 |
| 115 | Failure of signaling through a chimeric class I-immunoglobulin molecule expressed on the surface of transfected B lymphoma cells and cells of transgenic mice. <i>Cellular Immunology</i> , 1992, 143, 80-96. | 3.0 | 2 |
| 116 | MHC Class I-Dependent and -Independent NK Cell Specificity. <i>Chemical Immunology and Allergy</i> , 1996, 64, 1-18. | 1.7 | 2 |
| 117 | Estimation of low frequency antigen-presenting cells with a novel RELISPOT assay. <i>Journal of Immunological Methods</i> , 2008, 333, 71-78. | 1.4 | 2 |
| 118 | Antigen-processing and presentation pathways select antigenic HIV peptides in the fight against viral evolution. <i>Nature Immunology</i> , 2009, 10, 566-568. | 14.5 | 2 |
| 119 | Induction of Immune Responses. <i>Current Protocols in Immunology</i> , 2010, 89, 2.0.1. | 3.6 | 2 |
| 120 | Cutting antigenic peptides down to size. <i>Journal of Biological Chemistry</i> , 2019, 294, 18545-18546. | 3.4 | 2 |
| 121 | Engineering soluble major histocompatibility molecules: Why and how. <i>Immunologic Research</i> , 1987, 6, 101-116. | 2.9 | 1 |
| 122 | A Serine/Threonine Phosphorylation Site in the Ectodomain of a T Cell Receptor $\hat{1}^2$ Chain is Required for Activation by Superantigen. <i>Journal of Receptor and Signal Transduction Research</i> , 2003, 23, 33-52. | 2.5 | 1 |
| 123 | Letter to the Editor: Backbone and side chain resonance assignments of a TRAV14-3 mouse T cell receptor domain. <i>Journal of Biomolecular NMR</i> , 2005, 31, 271-272. | 2.8 | 1 |
| 124 | Peptide-Protein Interactions. , 2000, , 115-125. | | 1 |
| 125 | Class I Genes of the major histocompatibility complex. <i>Survey of Immunologic Research</i> , 1983, 2, 271-274. | 0.4 | 1 |
| 126 | Induction of Immune Responses. <i>Current Protocols in Immunology</i> , 2000, 38, 2.0.1. | 3.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Engineering Immune Molecules and Receptors. Current Protocols in Immunology, 2003, 53, 17.0.1. | 3.6 | 0 |
| 128 | Ligand-Receptor Interactions in the Immune System. Current Protocols in Immunology, 2009, 87, 18.0.1. | 3.6 | 0 |
| 129 | Home Schooling of NK Cells. Immunity, 2009, 30, 313-315. | 14.3 | 0 |
| 130 | Engineering Immune Molecules and Receptors. Current Protocols in Immunology, 2009, 87, 17.0.1. | 3.6 | 0 |
| 131 | Induction of Immune Responses. Current Protocols in Immunology, 2009, 85, 2.0.1. | 3.6 | 0 |
| 132 | William E. Paul 1936-2015. Nature Immunology, 2015, 16, 1205-1205. | 14.5 | 0 |
| 133 | Structures of synthetic nanobodies in complex with SARS-CoV-2 spike or receptor-binding domain provide insights for developing therapeutics and vaccines. Acta Crystallographica Section A: Foundations and Advances, 2021, 77, a8-a8. | 0.1 | 0 |
| 134 | Class I MHC/Peptide/Î² 2-Microglobulin Interactions: The Basis of Cytotoxic T-Cell Recognition. , 1993, , 58-64. | | 0 |