

Roger T Webb

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1692470/publications.pdf>

Version: 2024-02-01

174
papers

9,347
citations

70961

41
h-index

48187

88
g-index

185
all docs

185
docs citations

185
times ranked

11601
citing authors

#	ARTICLE	IF	CITATIONS
1	Lack of fit with the neighbourhood social environment as a risk factor for psychosis â€“ a national cohort study. <i>Psychological Medicine</i> , 2023, 53, 866-874.	2.7	2
2	â€“Wasnâ€™t offered one, too poorly to ask for oneâ€™” â€“ Reasons why some patients do not receive a psychosocial assessment following self-harm: Qualitative patient and carer survey. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 398-407.	1.3	13
3	Risk factors for nonfatal self-harm and suicide among adolescents: two nested caseâ€“control studies conducted in the UK Clinical Practice Research Datalink. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 1078-1088.	3.1	5
4	Excess years of life lost to COVID-19 and other causes of death by sex, neighbourhood deprivation, and region in England and Wales during 2020: A registry-based study. <i>PLoS Medicine</i> , 2022, 19, e1003904.	3.9	28
5	Primary care clinical management following self-harm during the first wave of COVID-19 in the UK: population-based cohort study. <i>BMJ Open</i> , 2022, 12, e052613.	0.8	4
6	Urban-Rural Differences in Schizophrenia Risk: Multilevel Survival Analyses of Individual- and Neighborhood-Level Indicators, Urbanicity and Population Density in a Danish National Cohort Study. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	16
7	Suicide and other causes of death among working-age and older adults in the year after discharge from in-patient mental healthcare in England: matched cohort study. <i>British Journal of Psychiatry</i> , 2022, 221, 468-475.	1.7	6
8	SARS-CoV-2 Infection and the Risk of Suicidal and Self-Harm Thoughts and Behaviour: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2022, 67, 813-828.	0.9	5
9	Suicide and self-harm in low- and middle- income countries during the COVID-19 pandemic: A systematic review. <i>PLOS Global Public Health</i> , 2022, 2, e0000282.	0.5	21
10	The impact of the COVID-19 pandemic on presentations to health services following self-harm: systematic review. <i>British Journal of Psychiatry</i> , 2022, 221, 603-612.	1.7	17
11	Management of anxiety disorders among children and adolescents in UK primary care: A cohort study. <i>Journal of Affective Disorders</i> , 2022, 313, 270-277.	2.0	0
12	Paracetamol-related intentional drug overdose among young people: a national registry study of characteristics, incidence and trends, 2007â€“2018. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 773-781.	1.6	11
13	Developmental language disorders and risk of recidivism among young offenders. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 396-403.	3.1	21
14	Effects of the COVID-19 pandemic on self-harm. <i>Lancet Psychiatry</i> , the, 2021, 8, e4.	3.7	27
15	Evaluating the impact of patient and carer involvement in suicide and self-harm research: A mixedâ€“methods, longitudinal study protocol. <i>Health Expectations</i> , 2021, 24, 47-53.	1.1	11
16	Effects of the COVID-19 pandemic on primary care-recorded mental illness and self-harm episodes in the UK: a population-based cohort study. <i>Lancet Public Health</i> , The, 2021, 6, e124-e135.	4.7	201
17	Evidencing the detrimental impact of the COVID-19 pandemic on mental health across Europe. <i>Lancet Regional Health - Europe</i> , The, 2021, 2, 100052.	3.0	1
18	Suicide prevention and COVID-19: the role of primary care during the pandemic and beyond. <i>British Journal of General Practice</i> , 2021, 71, 200-201.	0.7	5

#	ARTICLE	IF	CITATIONS
19	Temporal trends in annual incidence rates for psychiatric disorders and self-harm among children and adolescents in the UK, 2003–2018. <i>BMC Psychiatry</i> , 2021, 21, 229.	1.1	54
20	“Relieved to be seen” patient and carer experiences of psychosocial assessment in the emergency department following self-harm: qualitative analysis of 102 free-text survey responses. <i>BMJ Open</i> , 2021, 11, e044434.	0.8	31
21	Mental health responses to the COVID-19 pandemic: a latent class trajectory analysis using longitudinal UK data. <i>Lancet Psychiatry</i> , 2021, 8, 610-619.	3.7	268
22	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. <i>Lancet Psychiatry</i> , 2021, 8, 579-588.	3.7	455
23	Excess deaths from COVID-19 and other causes by region, neighbourhood deprivation level and place of death during the first 30 weeks of the pandemic in England and Wales: A retrospective registry study. <i>Lancet Regional Health - Europe</i> , 2021, 7, 100144.	3.0	35
24	Risk factors for self-harm repetition in adolescents: A systematic review. <i>Clinical Psychology Review</i> , 2021, 88, 102048.	6.0	28
25	Editorial: Mortality Risk and Related Adverse Outcomes Following Discharge From Inpatient Psychiatric Care. <i>Frontiers in Psychiatry</i> , 2021, 12, 763342.	1.3	0
26	The enduring effect of early life adversities on health trajectories. <i>Lancet Public Health</i> , 2021, 6, e785-e786.	4.7	0
27	Suicide rates among patients subject to community treatment orders in England during 2009–2018. <i>BJPsych Open</i> , 2021, 7, .	0.3	4
28	Exposure to ambient air pollution during childhood and subsequent risk of self-harm: A national cohort study. <i>Preventive Medicine</i> , 2021, 152, 106502.	1.6	6
29	Prevalence of Major Cardiovascular Disease Events Among People Diagnosed With Schizophrenia Who Have Sleep Disturbance, Sedentary Behavior, or Muscular Weakness. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgaa069.	0.9	2
30	The prevalence of severe personality disorder in perpetrators of homicide. <i>Personality and Mental Health</i> , 2021, 15, 49-57.	0.6	5
31	Mental health services: quality, safety and suicide. <i>BMJ Quality and Safety</i> , 2021, , bmjqs-2021-013532.	1.8	5
32	Temporal trends in primary care-recorded self-harm during and beyond the first year of the COVID-19 pandemic: Time series analysis of electronic healthcare records for 2.8 million patients in the Greater Manchester Care Record. <i>EClinicalMedicine</i> , 2021, 41, 101175.	3.2	25
33	The older prisoner health and social care assessment and plan (OHSCAP) versus treatment as usual: a randomised controlled trial. <i>BMC Public Health</i> , 2021, 21, 2061.	1.2	3
34	Association of SARS-CoV-2 Infection With Psychological Distress, Psychotropic Prescribing, Fatigue, and Sleep Problems Among UK Primary Care Patients. <i>JAMA Network Open</i> , 2021, 4, e2134803.	2.8	39
35	Systematic review of the impact of the COVID-19 pandemic on suicidal behaviour amongst health and social care workers across the world. <i>Journal of Affective Disorders Reports</i> , 2021, 6, 100271.	0.9	16
36	Prevalence of comorbid mental and physical illnesses and risks for self-harm and premature death among primary care patients diagnosed with fatigue syndromes. <i>Psychological Medicine</i> , 2020, 50, 1156-1163.	2.7	6

#	ARTICLE	IF	CITATIONS
37	Prevalence of mental illness in primary care and its association with deprivation and social fragmentation at the small-area level in England. <i>Psychological Medicine</i> , 2020, 50, 293-302.	2.7	18
38	Association Between Parental Income During Childhood and Risk of Schizophrenia Later in Life. <i>JAMA Psychiatry</i> , 2020, 77, 17.	6.0	37
39	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 415-421.	1.6	20
40	A national case fatality study of drugs taken in intentional overdose. <i>International Journal of Drug Policy</i> , 2020, 76, 102609.	1.6	10
41	Diagnosis of physical and mental health conditions in primary care during the COVID-19 pandemic: a retrospective cohort study. <i>Lancet Public Health</i> , The, 2020, 5, e543-e550.	4.7	159
42	Parental income as a marker for socioeconomic position during childhood and later risk of developing a secondary care-diagnosed mental disorder examined across the full diagnostic spectrum: a national cohort study. <i>BMC Medicine</i> , 2020, 18, 323.	2.3	12
43	Homicide by men diagnosed with schizophrenia: national case-control study. <i>BJPsych Open</i> , 2020, 6, e143.	0.3	7
44	Mental health before and during the COVID-19 pandemic: a longitudinal probability sample survey of the UK population. <i>Lancet Psychiatry</i> , the, 2020, 7, 883-892.	3.7	1,921
45	Service transitions, interventions and care pathways following remittal to prison from medium secure psychiatric services in England and Wales: national cohort study. <i>BJPsych Open</i> , 2020, 6, e80.	0.3	8
46	Repeat Self-Harm Following Hospital-Presenting Intentional Drug Overdose among Young People: A National Registry Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6159.	1.2	4
47	Impact of a national primary care pay-for-performance scheme on ambulatory care sensitive hospital admissions: a small-area analysis in England. <i>BMJ Open</i> , 2020, 10, e036046.	0.8	5
48	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People: A Dual Harm Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9409.	1.2	11
49	Spatial patterning and correlates of self-harm in Manchester, England - CORRIGENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, .	1.8	1
50	Suicide rates and voting choice in the UK's 2016 national Brexit referendum on European Union membership: cross-sectional ecological investigation across England's local authority populations. <i>BJPsych Open</i> , 2020, 6, e57.	0.3	4
51	Spatial patterning and correlates of self-harm in Manchester, England. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e72.	1.8	11
52	Exposure to air pollution during childhood and risk of developing schizophrenia: a national cohort study. <i>Lancet Planetary Health</i> , The, 2020, 4, e64-e73.	5.1	56
53	Patient safety and suicide prevention in mental health services: time for a new paradigm?. <i>Journal of Mental Health</i> , 2020, 29, 1-5.	1.0	18
54	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: update of living systematic review. <i>F1000Research</i> , 2020, 9, 1097.	0.8	123

#	ARTICLE	IF	CITATIONS
55	Alcohol-Specific Mortality in People With Epilepsy: Cohort Studies in Two Independent Population-Based Datasets. <i>Frontiers in Neurology</i> , 2020, 11, 623139.	1.1	4
56	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. <i>F1000Research</i> , 2020, 9, 1097.	0.8	141
57	Dementia and mild cognitive impairment in prisoners aged over 50 years in England and Wales: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2020, 8, 1-116.	1.4	14
58	Access to means of lethal overdose among psychiatric patients with co-morbid physical health problems: Analysis of national suicide case series data from the United Kingdom. <i>Journal of Affective Disorders</i> , 2019, 257, 173-179.	2.0	3
59	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. <i>JAMA Network Open</i> , 2019, 2, e1914401.	2.8	29
60	Learning from cliniciansâ€™ views of good quality practice in mental healthcare services in the context of suicide prevention: a qualitative study. <i>BMC Psychiatry</i> , 2019, 19, 346.	1.1	10
61	Self harm attempt in the older population of the UK â€“ Author's reply. <i>Lancet Psychiatry</i> , the, 2019, 6, 92-93.	3.7	0
62	Spatial distribution and temporal trends in social fragmentation in England, 2001âˆ’2011: a national study. <i>BMJ Open</i> , 2019, 9, e025881.	0.8	1
63	Psycholinguistic and socioemotional characteristics of young offenders: Do language abilities and gender matter?. <i>Legal and Criminological Psychology</i> , 2019, 24, 195-214.	1.5	18
64	Strong evidence indicating the effectiveness of opioid agonist treatment. <i>Lancet Public Health</i> , The, 2019, 4, e314-e315.	4.7	1
65	Multiple adverse outcomes following first discharge from inpatient psychiatric care: a national cohort study. <i>Lancet Psychiatry</i> , the, 2019, 6, 582-589.	3.7	54
66	Risk of dying unnaturally among people aged 15â€“35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. <i>Lancet Public Health</i> , The, 2019, 4, e220-e228.	4.7	17
67	Reducing risk following self-harm: the need for careful prescribing. <i>British Journal of General Practice</i> , 2019, 69, 224-225.	0.7	2
68	Risk of Unnatural Mortality in People With Epilepsy. <i>JAMA Neurology</i> , 2018, 75, 929.	4.5	32
69	National study comparing the characteristics of patients diagnosed with schizophrenia who committed homicide vs. those who died by suicide. <i>Journal of Forensic Psychiatry and Psychology</i> , 2018, 29, 674-689.	0.6	4
70	Intentional Drug Overdose Involving Pregabalin and Gabapentin: Findings from the National Self-Harm Registry Ireland, 2007â€“2015. <i>Clinical Drug Investigation</i> , 2018, 38, 373-380.	1.1	33
71	Frequently used drug types and alcohol involvement in intentional drug overdoses in Ireland: a national registry study. <i>European Journal of Public Health</i> , 2018, 28, 681-686.	0.1	15
72	More or less likely to offend? Young adults with a history of identified developmental language disorders*. <i>International Journal of Language and Communication Disorders</i> , 2018, 53, 256-270.	0.7	29

#	ARTICLE	IF	CITATIONS
73	Investigating the Agreement Between Cardiovascular Disease Risk Calculators Among People Diagnosed With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2018, 9, 685.	1.3	11
74	Disparities in mortality among 25-44-year-olds in England: a longitudinal, population-based study. <i>Lancet Public Health</i> , The, 2018, 3, e567-e575.	4.7	27
75	Family income inequalities and trajectories through childhood and self-harm and violence in young adults: a population-based, nested case-control study. <i>Lancet Public Health</i> , The, 2018, 3, e498-e507.	4.7	35
76	Self-harm in a primary care cohort of older people: incidence, clinical management, and risk of suicide and other causes of death. <i>Lancet Psychiatry</i> , the, 2018, 5, 905-912.	3.7	57
77	Risk factors for self-harm in people with epilepsy. <i>Journal of Neurology</i> , 2018, 265, 3009-3016.	1.8	12
78	Financial capability and functional financial literacy in young adults with developmental language disorder. <i>Autism and Developmental Language Impairments</i> , 2018, 3, 239694151879450.	0.8	6
79	T134. EXPOSURE TO NITROGEN DIOXIDE DURING CHILDHOOD IS ASSOCIATED WITH INCREASED RISK OF SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S167-S167.	2.3	1
80	Suicide Methods and Specific Types of Accidental Death and Fatal Poisoning Among Discharged Psychiatric Patients. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	1.1	11
81	Risk of Being Subjected to Crime, Including Violent Crime, After Onset of Mental Illness. <i>JAMA Psychiatry</i> , 2018, 75, 689.	6.0	50
82	Experience of Child-Parent Separation and Later Risk of Violent Criminality. <i>American Journal of Preventive Medicine</i> , 2018, 55, 178-186.	1.6	16
83	Association between a national primary care pay-for-performance scheme and suicide rates in England: spatial cohort study. <i>British Journal of Psychiatry</i> , 2018, 213, 600-608.	1.7	3
84	Neoliberal welfare reform and single parents' mental health. <i>Lancet Public Health</i> , The, 2018, 3, e307-e308.	4.7	2
85	Temporal trends in antidepressant prescribing to children in UK primary care, 2000-2015. <i>Journal of Affective Disorders</i> , 2017, 210, 312-318.	2.0	40
86	Assessing Factors Associated With Suicide Risk-Reply. <i>JAMA Psychiatry</i> , 2017, 74, 537.	6.0	0
87	Antipsychotic Prescribing to Patients Diagnosed with Dementia Without a Diagnosis of Psychosis in the Context of National Guidance and Drug Safety Warnings: Longitudinal Study in UK General Practice. <i>Drug Safety</i> , 2017, 40, 679-692.	1.4	24
88	Premature Death Among Primary Care Patients With a History of Self-Harm. <i>Annals of Family Medicine</i> , 2017, 15, 246-254.	0.9	27
89	Self-harm and violent criminality among young people who experienced trauma-related hospital admission during childhood: a Danish national cohort study. <i>Lancet Public Health</i> , The, 2017, 2, e314-e322.	4.7	26
90	Premature Mortality Among Patients Recently Discharged From Their First Inpatient Psychiatric Treatment. <i>JAMA Psychiatry</i> , 2017, 74, 485.	6.0	35

#	ARTICLE	IF	CITATIONS
91	Alcohol-Related Mortality in Patients With Psoriasis. <i>JAMA Dermatology</i> , 2017, 153, 1256.	2.0	36
92	The Importance of a Valid Comparison Group—Reply. <i>JAMA Psychiatry</i> , 2017, 74, 973.	6.0	0
93	Self-harm risk between adolescence and midlife in people who experienced separation from one or both parents during childhood. <i>Journal of Affective Disorders</i> , 2017, 208, 582-589.	2.0	23
94	Younger or older parental age and risk of suicidality, premature death, psychiatric illness, and criminality in offspring. <i>Journal of Affective Disorders</i> , 2017, 208, 130-138.	2.0	14
95	Incidence, clinical management, and mortality risk following self harm among children and adolescents: cohort study in primary care. <i>BMJ: British Medical Journal</i> , 2017, 359, j4351.	2.4	240
96	The effectiveness of the Older prisoner Health and Social Care Assessment and Plan (OHSCAP): a randomised controlled trial. <i>Health Services and Delivery Research</i> , 2017, 5, 1-186.	1.4	11
97	Full spectrum of mental disorders linked with childhood residential mobility. <i>Journal of Psychiatric Research</i> , 2016, 78, 57-64.	1.5	31
98	Adverse Outcomes to Early Middle Age Linked With Childhood Residential Mobility. <i>American Journal of Preventive Medicine</i> , 2016, 51, 291-300.	1.6	28
99	Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring. <i>JAMA Psychiatry</i> , 2016, 73, 1015.	6.0	49
100	Suicide risk in primary care patients diagnosed with a personality disorder: a nested case control study. <i>BMC Family Practice</i> , 2016, 17, 106.	2.9	36
101	Prevalence and appropriateness of psychotropic medication prescribing in a nationally representative cross-sectional survey of male and female prisoners in England. <i>BMC Psychiatry</i> , 2016, 16, 346.	1.1	27
102	Clinical management following self-harm in a UK-wide primary care cohort. <i>Journal of Affective Disorders</i> , 2016, 197, 182-188.	2.0	29
103	Attempted suicide and violent criminality among Danish second-generation immigrants according to parental place of origin. <i>International Journal of Social Psychiatry</i> , 2016, 62, 186-197.	1.6	4
104	Non-psychotropic medication and risk of suicide or attempted suicide: a systematic review. <i>BMJ Open</i> , 2016, 6, e009074.	0.8	27
105	Links between depressive symptoms and unmet health and social care needs among older prisoners. <i>Age and Ageing</i> , 2016, 45, 158-163.	0.7	38
106	Suicide risk in people with chronic fatigue syndrome. <i>Lancet, The</i> , 2016, 387, 1596-1597.	6.3	19
107	The epidemiology of self-harm in a UK-wide primary care patient cohort, 2001–2013. <i>BMC Psychiatry</i> , 2016, 16, 53.	1.1	69
108	The exacerbating influence of hopelessness on other known risk factors for repeat self-harm and suicide. <i>Journal of Affective Disorders</i> , 2016, 190, 522-528.	2.0	34

#	ARTICLE	IF	CITATIONS
109	Variation by ethnic group in premature mortality risk following self-harm: a multicentre cohort study in England. <i>BMC Psychiatry</i> , 2015, 15, 254.	1.1	7
110	National cohort study of absolute risk and age-specific incidence of multiple adverse outcomes between adolescence and early middle age. <i>BMC Public Health</i> , 2015, 15, 920.	1.2	6
111	National Cohort Study of Suicidality and Violent Criminality among Danish Immigrants. <i>PLoS ONE</i> , 2015, 10, e0131915.	1.1	19
112	Self-harm amongst people of Chinese origin versus White people living in England: a cohort study. <i>BMC Psychiatry</i> , 2015, 15, 79.	1.1	2
113	Investigating the relationship between quality of primary care and premature mortality in England: a spatial whole-population study. <i>BMJ, The</i> , 2015, 350, h904-h904.	3.0	82
114	Suicide by people in a community justice pathway: Population-based nested case-control study. <i>British Journal of Psychiatry</i> , 2015, 207, 175-176.	1.7	24
115	Hospital management of suicidal behaviour and subsequent mortality: a prospective cohort study. <i>Lancet Psychiatry</i> , 2015, 2, 809-816.	3.7	55
116	Authors' reply to Honeyford and colleagues and Roland. <i>BMJ, The</i> , 2015, 350, h1681-h1681.	3.0	0
117	Suicide, unemployment, and the effect of economic recession. <i>Lancet Psychiatry</i> , 2015, 2, 196-197.	3.7	16
118	Variations in the hospital management of self-harm and patient outcome: A multi-site observational study in England. <i>Journal of Affective Disorders</i> , 2015, 174, 101-105.	2.0	22
119	Suicide, Hospital-Presenting Suicide Attempts, and Criminality in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e809-e816.	1.1	55
120	Alcohol-related mortality following self-harm: a multicentre cohort study. <i>JRSM Open</i> , 2014, 5, 205427041453332.	0.2	8
121	Unnatural Deaths in a National Cohort of People Diagnosed With Diabetes. <i>Diabetes Care</i> , 2014, 37, 2276-2283.	4.3	22
122	Combined effects of physical illness and comorbid psychiatric disorder on risk of suicide in a national population study. <i>British Journal of Psychiatry</i> , 2014, 204, 430-435.	1.7	75
123	A cross-sectional prevalence survey of psychotropic medication prescribing patterns in prisons in England. <i>Health Services and Delivery Research</i> , 2014, 2, 1-82.	1.4	7
124	A national case-control study of risk factors among prisoners in England and Wales. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1177-1185.	1.6	55
125	Combined influence of serious mental illness and criminal offending on suicide risk in younger adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 49-57.	1.6	10
126	Risk factors associated with repetition of self-harm in black and minority ethnic (BME) groups: A multi-centre cohort study. <i>Journal of Affective Disorders</i> , 2013, 148, 435-439.	2.0	14

#	ARTICLE	IF	CITATIONS
127	Risk of people with mental illnesses dying by homicide. <i>BMJ, The</i> , 2013, 346, f1336-f1336.	3.0	4
128	Deviance in Fetal Growth and Risk of Autism Spectrum Disorder. <i>American Journal of Psychiatry</i> , 2013, 170, 391-398.	4.0	88
129	Why does Scotland have a higher suicide rate than England? An area-level investigation of health and social factors. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 63-70.	2.0	22
130	Does Clinical Management Improve Outcomes following Self-Harm? Results from the Multicentre Study of Self-Harm in England. <i>PLoS ONE</i> , 2013, 8, e70434.	1.1	101
131	Review: pharmacological and psychological interventions can reduce violent behaviour outcomes in high-risk populations. <i>Evidence-Based Mental Health</i> , 2012, 15, 78-78.	2.2	0
132	Suicide Risk Among Violent and Sexual Criminal Offenders. <i>Journal of Interpersonal Violence</i> , 2012, 27, 3405-3424.	1.3	39
133	Risk factors for repetition and suicide following self-harm in older adults: multicentre cohort study. <i>British Journal of Psychiatry</i> , 2012, 200, 399-404.	1.7	93
134	Suicide Risk in Primary Care Patients With Major Physical Diseases. <i>Archives of General Psychiatry</i> , 2012, 69, 256.	13.8	184
135	Abortion and mental health: guidelines for proper scientific conduct ignored. <i>British Journal of Psychiatry</i> , 2012, 200, 74-75.	1.7	6
136	Risk of self-harm in physically ill patients in UK primary care. <i>Journal of Psychosomatic Research</i> , 2012, 73, 92-97.	1.2	25
137	Trends in national suicide rates for Scotland and for England & Wales, 1960-2008. <i>British Journal of Psychiatry</i> , 2012, 200, 245-251.	1.7	28
138	Violent offending and IQ level as predictors of suicide in schizophrenia: National cohort study. <i>Schizophrenia Research</i> , 2011, 130, 143-147.	1.1	19
139	Prospective cohort study of mental health during imprisonment. <i>British Journal of Psychiatry</i> , 2011, 198, 37-42.	1.7	84
140	Risk assessment following self-harm: comparison of mental health nurses and psychiatrists. <i>Journal of Advanced Nursing</i> , 2011, 67, 127-139.	1.5	25
141	National Study of Suicide in All People With a Criminal Justice History. <i>Archives of General Psychiatry</i> , 2011, 68, 591.	13.8	81
142	Ethnic differences in self-harm, rates, characteristics and service provision: three-city cohort study. <i>British Journal of Psychiatry</i> , 2010, 197, 212-218.	1.7	70
143	Birth Weight, Schizophrenia, and Adult Mental Disorder. <i>Archives of General Psychiatry</i> , 2010, 67, 923.	13.8	187
144	Influence of Environmental Factors in Higher Risk of Sudden Infant Death Syndrome Linked With Parental Mental Illness. <i>Archives of General Psychiatry</i> , 2010, 67, 69.	13.8	20

#	ARTICLE	IF	CITATIONS
145	Schizophrenia in either parent increases risk of infant mortality. Evidence-Based Mental Health, 2009, 12, 94-94.	2.2	0
146	Risk factors for suicide in Hungary: a case-control study. BMC Psychiatry, 2009, 9, 45.	1.1	65
147	OFFSPRING MORTALITY RISK WITH PARENTAL SCHIZOPHRENIA VS. OTHER SEVERE MENTAL DISORDERS: A NATIONAL COHORT STUDY. Schizophrenia Research, 2008, 102, 169-170.	1.1	0
148	Deaths from natural causes in people with mental illness: A cohort study. Journal of Psychosomatic Research, 2008, 64, 275-283.	1.2	43
149	Higher Risk of Offspring Schizophrenia Following Antenatal Maternal Exposure to Severe Adverse Life Events. Archives of General Psychiatry, 2008, 65, 146.	13.8	484
150	Reduced Infant Birthweight Consequent Upon Maternal Exposure to Severe Life Events. Psychosomatic Medicine, 2008, 70, 688-694.	1.3	121
151	Risk of Sudden Infant Death Syndrome With Parental Mental Illness. Archives of General Psychiatry, 2007, 64, 1323.	13.8	27
152	Death by Unnatural Causes During Childhood and Early Adulthood in Offspring of Psychiatric Inpatients. Archives of General Psychiatry, 2007, 64, 345.	13.8	37
153	Suicide in current psychiatric in-patients: a case-control study The National Confidential Inquiry into Suicide and Homicide. Psychological Medicine, 2007, 37, 831-837.	2.7	90
154	What predicts poor mother-infant interaction in schizophrenia?. Psychological Medicine, 2007, 37, 537.	2.7	86
155	Suicide in recently released prisoners: a population-based cohort study. Lancet, The, 2006, 368, 119-123.	6.3	242
156	Individual- and area-level predictors of self-harm repetition. British Journal of Psychiatry, 2006, 189, 416-421.	1.7	38
157	Suicide in psychiatric in-patients in England, 1997 to 2003. Psychological Medicine, 2006, 36, 1485-1492.	2.7	37
158	Self-harm in the UK. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 782-788.	1.6	65
159	Mortality Risk Among Offspring of Psychiatric Inpatients: A Population-Based Follow-Up to Early Adulthood. American Journal of Psychiatry, 2006, 163, 2170-2177.	4.0	54
160	Mortality risk among offspring of psychiatric inpatients: a population-based follow-up to early adulthood. American Journal of Psychiatry, 2006, 163, 2170-7.	4.0	32
161	The Repetition of Suicidal Behavior. Journal of Clinical Psychiatry, 2006, 67, 1599-1609.	1.1	142
162	The effects on suicide rates of an educational intervention for front-line health professionals with suicidal patients (the STORM Project). Psychological Medicine, 2005, 35, 957-960.	2.7	45

#	ARTICLE	IF	CITATIONS
163	Mortality in Offspring of Parents With Psychotic Disorders: A Critical Review and Meta-Analysis. American Journal of Psychiatry, 2005, 162, 1045-1056.	4.0	98
164	Suicide After Deliberate Self-Harm: A 4-Year Cohort Study. American Journal of Psychiatry, 2005, 162, 297-303.	4.0	549
165	Opportunities for prevention of 'clinically significant' knee pain: results from a population-based cross sectional survey. Journal of Public Health, 2004, 26, 277-284.	1.0	42
166	“Near-fatal” deliberate self-harm: characteristics, prevention and implications for the prevention of suicide. Journal of Affective Disorders, 2004, 79, 263-268.	2.0	60
167	Title is missing!. Spine, 2003, 28, 1195-1202.	1.0	39
168	Different Mental Health Responses to the COVID-19 Pandemic: Latent Class Trajectory Analysis Using Longitudinal UK Data. SSRN Electronic Journal, 0, , .	0.4	9
169	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: protocol for a living systematic review. F1000Research, 0, 9, 644.	0.8	16
170	Mental Health Before and During the COVID-19 Pandemic: A Longitudinal Probability Sample Survey of the UK Population. SSRN Electronic Journal, 0, , .	0.4	46
171	Primary Care Contact for Mental Illness and Self-Harm Before, During and After the Peak of the COVID-19 Pandemic in the UK: Cohort Study of 13 Million Individuals. SSRN Electronic Journal, 0, , .	0.4	4
172	Prevalence of Comorbid Mental and Physical Illnesses and Risks for Self-Harm and Premature Death Among Primary Care Patients Diagnosed with Fatigue Syndromes. SSRN Electronic Journal, 0, , .	0.4	0
173	School performance and genetic propensities for educational attainment and depression in the etiology of self-harm: a Danish population-based study. Nordic Journal of Psychiatry, 0, , 1-9.	0.7	0
174	Characteristics of People Returned to Prison From Medium Secure Psychiatric Services in England and Wales: National Cohort Study. Frontiers in Psychiatry, 0, 13, .	1.3	2