

# Jeffrey B Schwimmer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1695336/publications.pdf>

Version: 2024-02-01

165  
papers

19,864  
citations

13865

67  
h-index

10734

138  
g-index

168  
all docs

168  
docs citations

168  
times ranked

16160  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nonalcoholic fatty liver disease risk and histologic severity are associated with genetic polymorphisms in children. <i>Hepatology</i> , 2023, 77, 197-212.	7.3	8
2	Incidence of Type 2 Diabetes in Children With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2023, 21, 1261-1270.	4.4	5
3	The Prevalence of Elevated Alanine Aminotransferase Levels Meeting Clinical Action Thresholds in Children with Obesity in Primary Care Practice. <i>Journal of Pediatrics</i> , 2022, 240, 280-283.	1.8	2
4	Randomized placebo-controlled trial of losartan for pediatric NAFLD. <i>Hepatology</i> , 2022, 76, 429-444.	7.3	9
5	A multiancestry genome-wide association study of unexplained chronic ALT elevation as a proxy for nonalcoholic fatty liver disease with histological and radiological validation. <i>Nature Genetics</i> , 2022, 54, 761-771.	21.4	68
6	Alanine Aminotransferase and Gamma-Glutamyl Transpeptidase Predict Histologic Improvement in Pediatric Nonalcoholic Steatohepatitis. <i>Hepatology</i> , 2021, 73, 937-951.	7.3	32
7	Repeatability and accuracy of various region-of-interest sampling strategies for hepatic MRI proton density fat fraction quantification. <i>Abdominal Radiology</i> , 2021, 46, 3105-3116.	2.1	5
8	Epidemiology of Pediatric Nonalcoholic Fatty Liver Disease. <i>Clinical Liver Disease</i> , 2021, 17, 196-199.	2.1	38
9	Magnetic resonance elastography biomarkers for detection of histologic alterations in nonalcoholic fatty liver disease in the absence of fibrosis. <i>European Radiology</i> , 2021, 31, 8408-8419.	4.5	6
10	Hepatic Steatosis is Negatively Associated with Bone Mineral Density in Children. <i>Journal of Pediatrics</i> , 2021, 233, 105-111.e3.	1.8	4
11	Pediatric nonalcoholic fatty liver disease and the microbiome: Mechanisms contributing to pathogenesis and progression. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2021, 19, 22-29.	1.4	2
12	Recent advances in the epidemiology of nonalcoholic fatty liver disease in children. <i>Pediatric Obesity</i> , 2021, 16, e12849.	2.8	21
13	Incidence of Depression and Anxiety in a Cohort of Adolescents With Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021, 72, 579-583.	1.8	11
14	Dairy Fat Intake, Plasma Pentadecanoic Acid, and Plasma Isoheptadecanoic Acid Are Inversely Associated With Liver Fat in Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021, 72, e90-e96.	1.8	16
15	Dietary sugar restriction reduces hepatic de novo lipogenesis in adolescent boys with fatty liver disease. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	33
16	Normal range for MR elastography measured liver stiffness in children without liver disease. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 919-927.	3.4	23
17	Accuracy of common proton density fat fraction thresholds for magnitude- and complex-based chemical shift-encoded MRI for assessing hepatic steatosis in patients with obesity. <i>Abdominal Radiology</i> , 2020, 45, 661-671.	2.1	16
18	Incidence of Nonalcoholic Fatty Liver Disease in Children: 2009-2018. <i>Pediatrics</i> , 2020, 146, .	2.1	66

#	ARTICLE	IF	CITATIONS
19	Progression of Fatty Liver Disease in Children Receiving Standard of Care Lifestyle Advice. <i>Gastroenterology</i> , 2020, 159, 1731-1751.e10.	1.3	49
20	Evaluation of Quantitative Imaging Biomarkers for Early-phase Clinical Trials of Steatohepatitis in Adolescents. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2020, 70, 99-105.	1.8	5
21	Multicenter Validation of Association Between Decline in MRI-PDFF and Histologic Response in NASH. <i>Hepatology</i> , 2020, 72, 1219-1229.	7.3	79
22	Prospective comparison of longitudinal change in hepatic proton density fat fraction (PDFF) estimated by magnitude-based MRI (MRI-M) and complex-based MRI (MRI-C). <i>European Radiology</i> , 2020, 30, 5120-5129.	4.5	2
23	Microbiome Signatures Associated With Steatohepatitis and Moderate to Severe Fibrosis in Children With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2019, 157, 1109-1122.	1.3	184
24	Factors to Consider in Development of Drugs for Pediatric Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2019, 157, 1448-1456.e1.	1.3	11
25	Effect of a Low Free Sugar Diet vs Usual Diet on Nonalcoholic Fatty Liver Disease in Adolescent Boys. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 256.	7.4	163
26	Low Free Sugar Diet in Adolescents With Nonalcoholic Fatty Liver Disease—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 2469.	7.4	2
27	Measurement of spleen fat on MRI-proton density fat fraction arises from reconstruction of noise. <i>Abdominal Radiology</i> , 2019, 44, 3295-3303.	2.1	7
28	Relationship between resolution of nonalcoholic steatohepatitis and changes in lipoprotein subfractions: a posthoc analysis of the PIVENS trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 1205-1213.	3.7	24
29	Pilot study on longitudinal change in pancreatic proton density fat fraction during a weight-loss surgery program in adults with obesity. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1092-1102.	3.4	16
30	Clinical Practice Approach to Nonalcoholic Fatty Liver Disease by Pediatric Gastroenterologists in the United States. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019, 68, 182-189.	1.8	17
31	Haptoglobin 2 Allele is Associated With Histologic Response to Vitamin E in Subjects With Nonalcoholic Steatohepatitis. <i>Journal of Clinical Gastroenterology</i> , 2019, 53, 750-758.	2.2	13
32	Prevalence of Nonalcoholic Fatty Liver Disease in Children with Obesity. <i>Journal of Pediatrics</i> , 2019, 207, 64-70.	1.8	130
33	Monitoring Fatty Liver Disease with MRI Following Bariatric Surgery: A Prospective, Dual-Center Study. <i>Radiology</i> , 2019, 290, 682-690.	7.3	22
34	Hepatic R2* is more strongly associated with proton density fat fraction than histologic liver iron scores in patients with nonalcoholic fatty liver disease. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 1456-1466.	3.4	28
35	Breastfeeding and NAFLD from the maternal side of the mother-infant dyad. <i>Journal of Hepatology</i> , 2019, 70, 13-14.	3.7	6
36	Assessment of a high-SNR chemical-shift-encoded MRI with complex reconstruction for proton density fat fraction (PDFF) estimation overall and in the low-fat range. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 229-238.	3.4	9

#	ARTICLE	IF	CITATIONS
37	Genetic Variants Associated With Obesity and Insulin Resistance in Hispanic Boys With Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018, 66, 789-796.	1.8	11
38	Clinically Actionable Hypercholesterolemia and Hypertriglyceridemia in Children with Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatrics</i> , 2018, 198, 76-83.e2.	1.8	24
39	In Children With Nonalcoholic Fatty Liver Disease, Zone 1 Steatosis Is Associated With Advanced Fibrosis. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 438-446.e1.	4.4	56
40	Cross-sectional correlation between hepatic R2* and proton density fat fraction (PDFF) in children with hepatic steatosis. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 418-424.	3.4	19
41	The Genetics of Pediatric Nonalcoholic Fatty Liver Disease. <i>Clinics in Liver Disease</i> , 2018, 22, 59-71.	2.1	34
42	Diagnostic accuracy of magnetic resonance imaging hepatic proton density fat fraction in pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2018, 67, 858-872.	7.3	112
43	How bariatric surgery affects liver volume and fat density in NAFLD patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 1675-1682.	2.4	46
44	Sources of systematic error in proton density fat fraction (PDFF) quantification in the liver evaluated from magnitude images with different numbers of echoes. <i>NMR in Biomedicine</i> , 2018, 31, e3843.	2.8	14
45	Nonalcoholic fatty liver disease in pediatric type 2 diabetes: Metabolic and histologic characteristics in 38 subjects. <i>Pediatric Diabetes</i> , 2018, 20, 41-47.	2.9	6
46	Hepatic Nuclear Receptor Expression Associates with Features of Histology in Pediatric Nonalcoholic Fatty Liver Disease. <i>Hepatology Communications</i> , 2018, 2, 1213-1226.	4.3	10
47	A Bibliometric Analysis of Clinical and Translational Research in Pediatric Gastroenterology From 1970 to 2017. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018, 67, 564-569.	1.8	7
48	Race/ethnic and sex disparities in the non-alcoholic fatty liver disease-abdominal aortic calcification association: The Multi-Ethnic Study of Atherosclerosis. <i>Atherosclerosis</i> , 2017, 258, 89-96.	0.8	17
49	Liver histology and diffusion-weighted MRI in children with nonalcoholic fatty liver disease: A MAGNET study. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 1149-1158.	3.4	25
50	Magnetic resonance elastography measured shear stiffness as a biomarker of fibrosis in pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2017, 66, 1474-1485.	7.3	103
51	Pediatric Psoriasis Comorbidity Screening Guidelines. <i>JAMA Dermatology</i> , 2017, 153, 698.	4.1	84
52	NASPGHAN Clinical Practice Guideline for the Diagnosis and Treatment of Nonalcoholic Fatty Liver Disease in Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017, 64, 319-334.	1.8	649
53	Accuracy of PDFF estimation by magnitude-based and complex-based MRI in children with MR spectroscopy as a reference. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 1641-1647.	3.4	19
54	Low and High Birth Weights Are Risk Factors for Nonalcoholic Fatty Liver Disease in Children. <i>Journal of Pediatrics</i> , 2017, 187, 141-146.e1.	1.8	91

#	ARTICLE	IF	CITATIONS
55	Genome-Wide Associations Related to Hepatic Histology in Nonalcoholic Fatty Liver Disease in Hispanic Boys. <i>Journal of Pediatrics</i> , 2017, 190, 100-107.e2.	1.8	38
56	Association between cytokines and liver histology in children with nonalcoholic fatty liver disease. <i>Hepatology Communications</i> , 2017, 1, 609-622.	4.3	21
57	Serious but Overlooked Complications of Obesity: Nonalcoholic Fatty Liver Disease, Hypertension, and Obstructive Sleep Apnea. , 2017, , 334-362.		0
58	Lifestyle Interventions Including Nutrition, Exercise, and Supplements for Nonalcoholic Fatty Liver Disease in Children. <i>Digestive Diseases and Sciences</i> , 2016, 61, 1375-1386.	2.3	83
59	Pediatric Nonalcoholic Fatty Liver Disease: A Report from the Expert Committee on Nonalcoholic Fatty Liver Disease (ECON). <i>Journal of Pediatrics</i> , 2016, 172, 9-13.	1.8	19
60	Increased parenchymal damage and steatohepatitis in Caucasian non-alcoholic fatty liver disease patients with common IL1B and IL6 polymorphisms. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 44, 1253-1264.	3.7	23
61	Prevalence of Prediabetes and Type 2 Diabetes in Children With Nonalcoholic Fatty Liver Disease. <i>JAMA Pediatrics</i> , 2016, 170, e161971.	6.2	178
62	In Children With Nonalcoholic Fatty Liver Disease, Cysteamine Bitartrate Delayed Release Improves Liver Enzymes but Does Not Reduce Disease Activity Scores. <i>Gastroenterology</i> , 2016, 151, 1141-1154.e9.	1.3	100
63	Clinical advances in pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2016, 63, 1718-1725.	7.3	45
64	941 Birth Weight is an Important Life Stage Factor for Children With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2016, 150, S1053.	1.3	0
65	Comparison of the Phenotype and Approach to Pediatric vs Adult Patients With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2016, 150, 1798-1810.	1.3	129
66	The Progression and Natural History of Pediatric Nonalcoholic Fatty Liver Disease. <i>Clinics in Liver Disease</i> , 2016, 20, 325-338.	2.1	117
67	Nonalcoholic Fatty Liver Disease in Latinos. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 5-12.	4.4	87
68	Nonalcoholic Fatty Liver Disease in Children. , 2016, , 339-362.		1
69	Reproducibility of MR-based liver fat quantification across field strength: Same-day comparison between 1.5T and 3T in obese subjects. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 811-817.	3.4	67
70	Accuracy of multiecho magnitude-based MRI (M <sup>2</sup> MRI) for estimation of hepatic proton density fat fraction (PDFF) in children. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1223-1232.	3.4	25
71	On a knife-edge "weight-loss surgery for NAFLD in adolescents. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2015, 12, 316-318.	17.8	7
72	Magnetic resonance imaging and liver histology as biomarkers of hepatic steatosis in children with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2015, 61, 1887-1895.	7.3	138

#	ARTICLE	IF	CITATIONS
73	On the Origin of Pediatric Nonalcoholic Fatty Liver Disease. Journal of Pediatric Gastroenterology and Nutrition, 2015, 60, 147-148.	1.8	11
74	Intra- and inter-examination repeatability of magnetic resonance spectroscopy, magnitude-based MRI, and complex-based MRI for estimation of hepatic proton density fat fraction in overweight and obese children and adults. Abdominal Imaging, 2015, 40, 3070-3077.	2.0	57
75	Feasibility of and agreement between MR imaging and spectroscopic estimation of hepatic proton density fat fraction in children with known or suspected nonalcoholic fatty liver disease. Abdominal Imaging, 2015, 40, 3084-3090.	2.0	20
76	Effect of flip angle on the accuracy and repeatability of hepatic proton density fat fraction estimation by complex data-based, T1-independent, T2*-corrected, spectrum-modeled MRI. Journal of Magnetic Resonance Imaging, 2014, 39, 440-447.	3.4	43
77	Inter-examination precision of magnitude-based MRI for estimation of segmental hepatic proton density fat fraction in obese subjects. Journal of Magnetic Resonance Imaging, 2014, 39, 1265-1271.	3.4	47
78	Letter: gender-associated cell-free microRNA profiles in non-alcoholic fatty liver disease - authors' reply. Alimentary Pharmacology and Therapeutics, 2014, 39, 999-999.	3.7	1
79	Evidence and Recommendations for Imaging Liver Fat in Children, Based on Systematic Review. Clinical Gastroenterology and Hepatology, 2014, 12, 765-773.	4.4	106
80	Histological Abnormalities in Children with Nonalcoholic Fatty Liver Disease and Normal or Mildly Elevated Alanine Aminotransferase Levels. Journal of Pediatrics, 2014, 164, 707-713.e3.	1.8	146
81	Sa1046 Differential Effects of Very Low Calorie Diet on Body Weight, Liver Fat and Liver Volume in Obese Adults Prior to Weight Loss Surgery. Gastroenterology, 2014, 146, S-946.	1.3	0
82	Relationship Between Changes in Serum Levels of Keratin 18 and Changes in Liver Histology in Children and Adults With Nonalcoholic Fatty Liver Disease. Clinical Gastroenterology and Hepatology, 2014, 12, 2121-2130.e2.	4.4	97
83	Longitudinal Assessment of High Blood Pressure in Children with Nonalcoholic Fatty Liver Disease. PLoS ONE, 2014, 9, e112569.	2.5	75
84	Liver Toxicity of Anabolic Androgenic Steroid Use in an Adolescent With Nonalcoholic Fatty Liver Disease. Journal of Pediatric Gastroenterology and Nutrition, 2014, 59, e32-3.	1.8	8
85	Nonalcoholic Fatty Liver Disease and Nonalcoholic Steatohepatitis. , 2014, , 351-370.		0
86	379 Novel Genetic Loci Associated With Steatohepatitis and Fibrosis in Hispanic Boys With Nonalcoholic Fatty Liver Disease. Gastroenterology, 2013, 144, S-946.	1.3	2
87	Hedgehog pathway and pediatric nonalcoholic fatty liver disease. Hepatology, 2013, 57, 1814-1825.	7.3	60
88	Nonalcoholic Fatty Liver Disease: MR Imaging of Liver Proton Density Fat Fraction to Assess Hepatic Steatosis. Radiology, 2013, 267, 422-431.	7.3	410
89	Estimation of Fish and $\omega$ -3 Fatty Acid Intake in Pediatric Nonalcoholic Fatty Liver Disease. Journal of Pediatric Gastroenterology and Nutrition, 2013, 57, 627-633.	1.8	35
90	Clinical Trials for Adolescent Obesity. JAMA Pediatrics, 2013, 167, 391.	6.2	2

#	ARTICLE	IF	CITATIONS
91	Paediatric gastroenterology evaluation of overweight and obese children referred from primary care for suspected non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2013, 38, 1267-1277.	3.7	159
92	Choline intake in a large cohort of patients with nonalcoholic fatty liver disease. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 892-900.	4.7	109
93	Correlation of Vitamin E, Uric Acid, and Diet Composition With Histologic Features of Pediatric NAFLD. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012, 54, 90-96.	1.8	102
94	Association Between Puberty and Features of Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2012, 10, 786-794.	4.4	74
95	Reply to: "Modest alcohol consumption and non-alcoholic steatohepatitis". <i>Journal of Hepatology</i> , 2012, 57, 1393.	3.7	0
96	Modest alcohol consumption is associated with decreased prevalence of steatohepatitis in patients with non-alcoholic fatty liver disease (NAFLD). <i>Journal of Hepatology</i> , 2012, 57, 384-391.	3.7	233
97	Non-alcoholic fatty liver disease is associated with low bone mineral density in obese children. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 35, 248-254.	3.7	82
98	Genome-Wide Association Analysis Identifies Variants Associated with Nonalcoholic Fatty Liver Disease That Have Distinct Effects on Metabolic Traits. <i>PLoS Genetics</i> , 2011, 7, e1001324.	3.5	796
99	Enteric-coated cysteamine for the treatment of paediatric non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 1036-1044.	3.7	61
100	Estimation of Hepatic Proton-Density Fat Fraction by Using MR Imaging at 3.0 T. <i>Radiology</i> , 2011, 258, 749-759.	7.3	259
101	Effect of Vitamin E or Metformin for Treatment of Nonalcoholic Fatty Liver Disease in Children and Adolescents. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 1659.	7.4	926
102	Acetaminophen Pharmacokinetics in Children With Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2011, 52, 198-202.	1.8	50
103	Physical Activity Recommendations, Exercise Intensity, and Histological Severity of Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2011, 106, 460-468.	0.4	346
104	Symptoms and quality of life in obese children and adolescents with non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 31, 396-406.	3.7	79
105	Adenovirus 36 and Obesity in Children and Adolescents. <i>Pediatrics</i> , 2010, 126, 721-726.	2.1	90
106	Association Between Metabolic Syndrome and Liver Histology Among Children With Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2010, 105, 2093-2102.	0.4	163
107	Non-alcoholic fatty liver disease: epidemiology, pathophysiology, diagnosis and treatment. <i>Paediatrics and Child Health (United Kingdom)</i> , 2010, 20, 26-29.	0.4	11
108	Insulin Resistance in Children: Consensus, Perspective, and Future Directions. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 5189-5198.	3.6	344



#	ARTICLE	IF	CITATIONS
109	SAFETY Study: Alanine Aminotransferase Cutoff Values Are Set Too High for Reliable Detection of Pediatric Chronic Liver Disease. <i>Gastroenterology</i> , 2010, 138, 1357-1364.e2.	1.3	377
110	Treatment of nonalcoholic fatty liver disease in children: TONIC trial design. <i>Contemporary Clinical Trials</i> , 2010, 31, 62-70.	1.8	73
111	Pediatric Nonalcoholic Fatty Liver Disease: A Comprehensive Review. <i>Advances in Pediatrics</i> , 2010, 57, 85-140.	1.4	40
112	S1847 Enteric-Coated Cysteamine Bitartrate for the Treatment of NAFLD in Children. <i>Gastroenterology</i> , 2010, 138, S-801-S-802.	1.3	0
113	Nonalcoholic fatty liver disease as a comorbidity of childhood obesity. <i>Pediatric Health</i> , 2009, 3, 271-281.	0.3	45
114	Portal chronic inflammation in nonalcoholic fatty liver disease (NAFLD): A histologic marker of advanced NAFLD-Clinicopathologic correlations from the nonalcoholic steatohepatitis clinical research network. <i>Hepatology</i> , 2009, 49, 809-820.	7.3	335
115	Quality of life in adults with nonalcoholic fatty liver disease: Baseline data from the nonalcoholic steatohepatitis clinical research network. <i>Hepatology</i> , 2009, 49, 1904-1912.	7.3	133
116	Advances in pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2009, 50, 1282-1293.	7.3	235
117	Effect of PRESS and STEAM sequences on magnetic resonance spectroscopic liver fat quantification. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 145-152.	3.4	201
118	Heritability of Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2009, 136, 1585-1592.	1.3	419
119	Comparison of Noninvasive Markers of Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 1104-1112.	4.4	1,065
120	T1007 Sexual Development and Its Influence On Regional Anthropometric Measures and Histologic Features Among Pediatric Patients with NAFLD. <i>Gastroenterology</i> , 2009, 136, A-845.	1.3	0
121	Nonalcoholic Fatty Liver Disease: Diagnostic and Fat-Grading Accuracy of Low-Flip-Angle Multiecho Gradient-Recalled-Echo MR Imaging at 1.5 T. <i>Radiology</i> , 2009, 251, 67-76.	7.3	287
122	Fatty Liver Disease: MR Imaging Techniques for the Detection and Quantification of Liver Steatosis. <i>Radiographics</i> , 2009, 29, 231-260.	3.3	246
123	Diagnosis and treatment of pediatric nonalcoholic steatohepatitis and the implications for bariatric surgery. <i>Seminars in Pediatric Surgery</i> , 2009, 18, 144-151.	1.1	46
124	Relaxation effects in the quantification of fat using gradient echo imaging. <i>Magnetic Resonance Imaging</i> , 2008, 26, 347-359.	1.8	356
125	The obesity epidemic and nonalcoholic fatty liver disease in children. <i>Current Gastroenterology Reports</i> , 2008, 10, 67-72.	2.5	86
126	Modest wine drinking and decreased prevalence of suspected nonalcoholic fatty liver disease. <i>Hepatology</i> , 2008, 47, 1947-1954.	7.3	202



#	ARTICLE	IF	CITATIONS
127	Reply:. Hepatology, 2008, 48, 1023-1024.	7.3	2
128	Fast break on the fat brake: Mechanism of peroxisome proliferator-activated receptor- $\gamma$ regulation of lipid accumulation in hepatocytes. Hepatology, 2008, 48, 355-357.	7.3	6
129	Influence of Race, Ethnicity, and Culture on Childhood Obesity: Implications for Prevention and Treatment. Obesity, 2008, 16, 2566-2577.	3.0	112
130	Review article: epidemiology, pathogenesis and potential treatments of paediatric non-alcoholic fatty liver disease. Alimentary Pharmacology and Therapeutics, 2008, 28, 13-24.	3.7	124
131	Musculoskeletal pain in obese children and adolescents. Acta Paediatrica, International Journal of Paediatrics, 2008, 97, 489-493.	1.5	134
132	Clinical Correlates of Histopathology in Pediatric Nonalcoholic Steatohepatitis. Gastroenterology, 2008, 135, 1961-1971.e2.	1.3	225
133	Suspected Nonalcoholic Fatty Liver Disease and Mortality Risk in a Population-Based Cohort Study. American Journal of Gastroenterology, 2008, 103, 2263-2271.	0.4	294
134	Pediatric Obesity. American Journal of Preventive Medicine, 2008, 34, 153-160.	3.0	27
135	S1908 Suspected Nonalcoholic Fatty Liver Disease and Mortality Risk in a Population-Based Cohort Study. Gastroenterology, 2008, 134, A-781-A-782.	1.3	2
136	S1905 Lack of Correlation Between Diet Composition and Pediatric NAFLD Severity. Gastroenterology, 2008, 134, A-781.	1.3	0
137	Influence of Race, Ethnicity, and Culture on Childhood Obesity: Implications for Prevention and Treatment. Diabetes Care, 2008, 31, 2211-2221.	8.6	357
138	Cardiovascular Risk Factors and the Metabolic Syndrome in Pediatric Nonalcoholic Fatty Liver Disease. Circulation, 2008, 118, 277-283.	1.6	348
139	Hepatic, Cardiovascular, and Endocrine Outcomes of the Histological Subphenotypes of Nonalcoholic Fatty Liver Disease. Seminars in Liver Disease, 2008, 28, 380-385.	3.6	57
140	Definitive Diagnosis and Assessment of Risk for Nonalcoholic Fatty Liver Disease in Children and Adolescents. Seminars in Liver Disease, 2007, 27, 312-318.	3.6	67
141	Distinguishing Eosinophilic Esophagitis in Pediatric Patients. Journal of Clinical Gastroenterology, 2007, 41, 252-256.	2.2	111
142	Television Viewing and Hypertension in Obese Children. American Journal of Preventive Medicine, 2007, 33, 439-443.	3.0	87
143	Prevalence of Fatty Liver in Children and Adolescents. Pediatrics, 2006, 118, 1388-1393.	2.1	1,264
144	Health-Related Quality of Life in Pediatric Patients with Irritable Bowel Syndrome:. Journal of Developmental and Behavioral Pediatrics, 2006, 27, 451-458.	1.1	148

#	ARTICLE	IF	CITATIONS
145	Pediatric Nonalcoholic Fatty Liver Disease. Journal of Pediatric Gastroenterology and Nutrition, 2006, 43, 413-427.	1.8	214
146	Clinical Research Network Launches TONIC Trial for Treatment of Nonalcoholic Fatty Liver Disease in Children. Journal of Pediatric Gastroenterology and Nutrition, 2006, 42, 129-130.	1.8	27
147	Psychosocial Considerations during Treatment. , 2006, , 55-65.		1
148	A phase 2 clinical trial of metformin as a treatment for non-diabetic paediatric non-alcoholic steatohepatitis. Alimentary Pharmacology and Therapeutics, 2005, 21, 871-879.	3.7	239
149	Histopathology of pediatric nonalcoholic fatty liver disease. Hepatology, 2005, 42, 641-649.	7.3	675
150	Preventing Childhood Obesity: Health in the BalanceJeffrey P.Koplan, Catharyn T.Liverman and Vivica I.KraakPreventing Childhood Obesity: Health in the Balance. . 2005. . National Academies Press. : Washington, DC. . ISBN: ISBN: 0-309-09315-5. . \$44.95. Environmental Health Perspectives, 2005, 113, .	6.0	2
151	Influence of Gender, Race, and Ethnicity on Suspected Fatty Liver in Obese Adolescents. Pediatrics, 2005, 115, e561-e565.	2.1	334
152	Prevalence and Outcome of Allergic Colitis in Healthy Infants with Rectal Bleeding: A Prospective Cohort Study. Journal of Pediatric Gastroenterology and Nutrition, 2005, 41, 16-22.	1.8	125
153	Abnormal aminotransferase activity in women with polycystic ovary syndrome. Fertility and Sterility, 2005, 83, 494-497.	1.0	92
154	Approach to the Child with Abdominal Pain. , 2005, , 622-627.		0
155	NASH Remains Without a Treatment â€  URSO They Say. Journal of Pediatric Gastroenterology and Nutrition, 2004, 39, 305-306.	1.8	1
156	Nonalcoholic fatty liver disease in the pediatric population. Clinics in Liver Disease, 2004, 8, 549-558.	2.1	170
157	Managing Overweight in Older Children and Adolescents. Pediatric Annals, 2004, 33, 39-44.	0.8	11
158	Obesity, insulin resistance, and other clinicopathological correlates of pediatric nonalcoholic fatty liver disease. Journal of Pediatrics, 2003, 143, 500-505.	1.8	446
159	Health-Related Quality of Life of Severely Obese Children and Adolescents. JAMA - Journal of the American Medical Association, 2003, 289, 1813.	7.4	1,366
160	The Lumen and the Liver - Together Again in NASHville. Journal of Pediatric Gastroenterology and Nutrition, 2003, 37, 523-524.	1.8	1
161	Pediatric Initiatives Within the Nonalcoholic Steatohepatitis â€“ Clinical Research Network (NASH CRN). Journal of Pediatric Gastroenterology and Nutrition, 2003, 37, 220-221.	1.8	19
162	Prevalence of Abnormal Hepatic Enzymes in Patients With Polycystic Ovary Syndrome. Obstetrics and Gynecology, 2003, 101, 56S.	2.4	0

#	ARTICLE	IF	CITATIONS
163	Glutamine promotes triglyceride absorption in a dose-dependent manner. American Journal of Physiology - Renal Physiology, 2002, 282, G317-G323.	3.4	9
164	Transmission, Natural History, and Treatment of Hepatitis C Virus Infection in the Pediatric Population. Seminars in Liver Disease, 2000, Volume 20, 0037-0046.	3.6	59
165	Linear growth after liver transplantation for biliary atresia varies by the child's age at transplantation. Gastroenterology, 2000, 118, A983.	1.3	0