

Jeffrey B Schwimmer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1695336/publications.pdf>

Version: 2024-02-01

165
papers

19,864
citations

15880

67
h-index

12272

138
g-index

168
all docs

168
docs citations

168
times ranked

17260
citing authors

#	ARTICLE	IF	CITATIONS
1	Nonalcoholic fatty liver disease risk and histologic severity are associated with genetic polymorphisms in children. <i>Hepatology</i> , 2023, 77, 197-212.	3.6	8
2	Incidence of Type 2 Diabetes in Children With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2023, 21, 1261-1270.	2.4	5
3	The Prevalence of Elevated Alanine Aminotransferase Levels Meeting Clinical Action Thresholds in Children with Obesity in Primary Care Practice. <i>Journal of Pediatrics</i> , 2022, 240, 280-283.	0.9	2
4	Randomized placebo-controlled trial of losartan for pediatric NAFLD. <i>Hepatology</i> , 2022, 76, 429-444.	3.6	9
5	A multiancestry genome-wide association study of unexplained chronic ALT elevation as a proxy for nonalcoholic fatty liver disease with histological and radiological validation. <i>Nature Genetics</i> , 2022, 54, 761-771.	9.4	68
6	Alanine Aminotransferase and Gamma-Glutamyl Transpeptidase Predict Histologic Improvement in Pediatric Nonalcoholic Steatohepatitis. <i>Hepatology</i> , 2021, 73, 937-951.	3.6	32
7	Repeatability and accuracy of various region-of-interest sampling strategies for hepatic MRI proton density fat fraction quantification. <i>Abdominal Radiology</i> , 2021, 46, 3105-3116.	1.0	5
8	Epidemiology of Pediatric Nonalcoholic Fatty Liver Disease. <i>Clinical Liver Disease</i> , 2021, 17, 196-199.	1.0	38
9	Magnetic resonance elastography biomarkers for detection of histologic alterations in nonalcoholic fatty liver disease in the absence of fibrosis. <i>European Radiology</i> , 2021, 31, 8408-8419.	2.3	6
10	Hepatic Steatosis is Negatively Associated with Bone Mineral Density in Children. <i>Journal of Pediatrics</i> , 2021, 233, 105-111.e3.	0.9	4
11	Pediatric nonalcoholic fatty liver disease and the microbiome: Mechanisms contributing to pathogenesis and progression. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2021, 19, 22-29.	0.6	2
12	Recent advances in the epidemiology of nonalcoholic fatty liver disease in children. <i>Pediatric Obesity</i> , 2021, 16, e12849.	1.4	21
13	Incidence of Depression and Anxiety in a Cohort of Adolescents With Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021, 72, 579-583.	0.9	11
14	Dairy Fat Intake, Plasma Pentadecanoic Acid, and Plasma Isoheptadecanoic Acid Are Inversely Associated With Liver Fat in Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021, 72, e90-e96.	0.9	16
15	Dietary sugar restriction reduces hepatic de novo lipogenesis in adolescent boys with fatty liver disease. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	33
16	Normal range for MR elastography measured liver stiffness in children without liver disease. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 919-927.	1.9	23
17	Accuracy of common proton density fat fraction thresholds for magnitude- and complex-based chemical shift-encoded MRI for assessing hepatic steatosis in patients with obesity. <i>Abdominal Radiology</i> , 2020, 45, 661-671.	1.0	16
18	Incidence of Nonalcoholic Fatty Liver Disease in Children: 2009-2018. <i>Pediatrics</i> , 2020, 146, .	1.0	66

#	ARTICLE	IF	CITATIONS
19	Progression of Fatty Liver Disease in Children Receiving Standard of Care Lifestyle Advice. <i>Gastroenterology</i> , 2020, 159, 1731-1751.e10.	0.6	49
20	Evaluation of Quantitative Imaging Biomarkers for Early-Phase Clinical Trials of Steatohepatitis in Adolescents. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2020, 70, 99-105.	0.9	5
21	Multicenter Validation of Association Between Decline in MRI-PDFF and Histologic Response in NASH. <i>Hepatology</i> , 2020, 72, 1219-1229.	3.6	79
22	Prospective comparison of longitudinal change in hepatic proton density fat fraction (PDFF) estimated by magnitude-based MRI (MRI-M) and complex-based MRI (MRI-C). <i>European Radiology</i> , 2020, 30, 5120-5129.	2.3	2
23	Microbiome Signatures Associated With Steatohepatitis and Moderate to Severe Fibrosis in Children With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2019, 157, 1109-1122.	0.6	184
24	Factors to Consider in Development of Drugs for Pediatric Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2019, 157, 1448-1456.e1.	0.6	11
25	Effect of a Low Free Sugar Diet vs Usual Diet on Nonalcoholic Fatty Liver Disease in Adolescent Boys. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 256.	3.8	163
26	Low Free Sugar Diet in Adolescents With Nonalcoholic Fatty Liver Disease—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 2469.	3.8	2
27	Measurement of spleen fat on MRI-proton density fat fraction arises from reconstruction of noise. <i>Abdominal Radiology</i> , 2019, 44, 3295-3303.	1.0	7
28	Relationship between resolution of nonalcoholic steatohepatitis and changes in lipoprotein subfractions: a post hoc analysis of the PIVENS trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 1205-1213.	1.9	24
29	Pilot study on longitudinal change in pancreatic proton density fat fraction during a weight-loss surgery program in adults with obesity. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1092-1102.	1.9	16
30	Clinical Practice Approach to Nonalcoholic Fatty Liver Disease by Pediatric Gastroenterologists in the United States. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019, 68, 182-189.	0.9	17
31	Haptoglobin 2 Allele is Associated With Histologic Response to Vitamin E in Subjects With Nonalcoholic Steatohepatitis. <i>Journal of Clinical Gastroenterology</i> , 2019, 53, 750-758.	1.1	13
32	Prevalence of Nonalcoholic Fatty Liver Disease in Children with Obesity. <i>Journal of Pediatrics</i> , 2019, 207, 64-70.	0.9	130
33	Monitoring Fatty Liver Disease with MRI Following Bariatric Surgery: A Prospective, Dual-Center Study. <i>Radiology</i> , 2019, 290, 682-690.	3.6	22
34	Hepatic R2* is more strongly associated with proton density fat fraction than histologic liver iron scores in patients with nonalcoholic fatty liver disease. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 1456-1466.	1.9	28
35	Breastfeeding and NAFLD from the maternal side of the mother-infant dyad. <i>Journal of Hepatology</i> , 2019, 70, 13-14.	1.8	6
36	Assessment of a high-SNR chemical-shift-encoded MRI with complex reconstruction for proton density fat fraction (PDFF) estimation overall and in the low-fat range. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 229-238.	1.9	9

#	ARTICLE	IF	CITATIONS
37	Genetic Variants Associated With Obesity and Insulin Resistance in Hispanic Boys With Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018, 66, 789-796.	0.9	11
38	Clinically Actionable Hypercholesterolemia and Hypertriglyceridemia in Children with Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatrics</i> , 2018, 198, 76-83.e2.	0.9	24
39	In Children With Nonalcoholic Fatty Liver Disease, Zone 1 Steatosis Is Associated With Advanced Fibrosis. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 438-446.e1.	2.4	56
40	Cross-sectional correlation between hepatic R2* and proton density fat fraction (PDFF) in children with hepatic steatosis. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 418-424.	1.9	19
41	The Genetics of Pediatric Nonalcoholic Fatty Liver Disease. <i>Clinics in Liver Disease</i> , 2018, 22, 59-71.	1.0	34
42	Diagnostic accuracy of magnetic resonance imaging hepatic proton density fat fraction in pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2018, 67, 858-872.	3.6	112
43	How bariatric surgery affects liver volume and fat density in NAFLD patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 1675-1682.	1.3	46
44	Sources of systematic error in proton density fat fraction (PDFF) quantification in the liver evaluated from magnitude images with different numbers of echoes. <i>NMR in Biomedicine</i> , 2018, 31, e3843.	1.6	14
45	Nonalcoholic fatty liver disease in pediatric type 2 diabetes: Metabolic and histologic characteristics in 38 subjects. <i>Pediatric Diabetes</i> , 2018, 20, 41-47.	1.2	6
46	Hepatic Nuclear Receptor Expression Associates with Features of Histology in Pediatric Nonalcoholic Fatty Liver Disease. <i>Hepatology Communications</i> , 2018, 2, 1213-1226.	2.0	10
47	A Bibliometric Analysis of Clinical and Translational Research in Pediatric Gastroenterology From 1970 to 2017. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018, 67, 564-569.	0.9	7
48	Race/ethnic and sex disparities in the non-alcoholic fatty liver disease-abdominal aortic calcification association: The Multi-Ethnic Study of Atherosclerosis. <i>Atherosclerosis</i> , 2017, 258, 89-96.	0.4	17
49	Liver histology and diffusion-weighted MRI in children with nonalcoholic fatty liver disease: A MAGNET study. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 1149-1158.	1.9	25
50	Magnetic resonance elastography measured shear stiffness as a biomarker of fibrosis in pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2017, 66, 1474-1485.	3.6	103
51	Pediatric Psoriasis Comorbidity Screening Guidelines. <i>JAMA Dermatology</i> , 2017, 153, 698.	2.0	84
52	NASPGHAN Clinical Practice Guideline for the Diagnosis and Treatment of Nonalcoholic Fatty Liver Disease in Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017, 64, 319-334.	0.9	649
53	Accuracy of PDFF estimation by magnitude-based and complex-based MRI in children with MR spectroscopy as a reference. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 1641-1647.	1.9	19
54	Low and High Birth Weights Are Risk Factors for Nonalcoholic Fatty Liver Disease in Children. <i>Journal of Pediatrics</i> , 2017, 187, 141-146.e1.	0.9	91

#	ARTICLE	IF	CITATIONS
55	Genome-Wide Associations Related to Hepatic Histology in Nonalcoholic Fatty Liver Disease in Hispanic Boys. <i>Journal of Pediatrics</i> , 2017, 190, 100-107.e2.	0.9	38
56	Association between cytokines and liver histology in children with nonalcoholic fatty liver disease. <i>Hepatology Communications</i> , 2017, 1, 609-622.	2.0	21
57	Serious but Overlooked Complications of Obesity: Nonalcoholic Fatty Liver Disease, Hypertension, and Obstructive Sleep Apnea. , 2017, , 334-362.		0
58	Lifestyle Interventions Including Nutrition, Exercise, and Supplements for Nonalcoholic Fatty Liver Disease in Children. <i>Digestive Diseases and Sciences</i> , 2016, 61, 1375-1386.	1.1	83
59	Pediatric Nonalcoholic Fatty Liver Disease: A Report from the Expert Committee on Nonalcoholic Fatty Liver Disease (ECON). <i>Journal of Pediatrics</i> , 2016, 172, 9-13.	0.9	19
60	Increased parenchymal damage and steatohepatitis in Caucasian non-alcoholic fatty liver disease patients with common IL1B and IL6 polymorphisms. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 44, 1253-1264.	1.9	23
61	Prevalence of Prediabetes and Type 2 Diabetes in Children With Nonalcoholic Fatty Liver Disease. <i>JAMA Pediatrics</i> , 2016, 170, e161971.	3.3	178
62	In Children With Nonalcoholic Fatty Liver Disease, Cysteamine Bitartrate Delayed Release Improves Liver Enzymes but Does Not Reduce Disease Activity Scores. <i>Gastroenterology</i> , 2016, 151, 1141-1154.e9.	0.6	100
63	Clinical advances in pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2016, 63, 1718-1725.	3.6	45
64	941 Birth Weight is an Important Life Stage Factor for Children With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2016, 150, S1053.	0.6	0
65	Comparison of the Phenotype and Approach to Pediatric vs Adult Patients With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2016, 150, 1798-1810.	0.6	129
66	The Progression and Natural History of Pediatric Nonalcoholic Fatty Liver Disease. <i>Clinics in Liver Disease</i> , 2016, 20, 325-338.	1.0	117
67	Nonalcoholic Fatty Liver Disease in Latinos. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 5-12.	2.4	87
68	Nonalcoholic Fatty Liver Disease in Children. , 2016, , 339-362.		1
69	Reproducibility of MR-based liver fat quantification across field strength: Same-day comparison between 1.5T and 3T in obese subjects. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 811-817.	1.9	67
70	Accuracy of multiecho magnitude-based MRI (M ² MRI) for estimation of hepatic proton density fat fraction (PDFF) in children. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1223-1232.	1.9	25
71	On a knife-edge—weight-loss surgery for NAFLD in adolescents. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2015, 12, 316-318.	8.2	7
72	Magnetic resonance imaging and liver histology as biomarkers of hepatic steatosis in children with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2015, 61, 1887-1895.	3.6	138

#	ARTICLE	IF	CITATIONS
73	On the Origin of Pediatric Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015, 60, 147-148.	0.9	11
74	Intra- and inter-examination repeatability of magnetic resonance spectroscopy, magnitude-based MRI, and complex-based MRI for estimation of hepatic proton density fat fraction in overweight and obese children and adults. <i>Abdominal Imaging</i> , 2015, 40, 3070-3077.	2.0	57
75	Feasibility of and agreement between MR imaging and spectroscopic estimation of hepatic proton density fat fraction in children with known or suspected nonalcoholic fatty liver disease. <i>Abdominal Imaging</i> , 2015, 40, 3084-3090.	2.0	20
76	Effect of flip angle on the accuracy and repeatability of hepatic proton density fat fraction estimation by complex data-based, T1-independent, T2*-corrected, spectrum-modeled MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 440-447.	1.9	43
77	Inter-examination precision of magnitude-based MRI for estimation of segmental hepatic proton density fat fraction in obese subjects. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 1265-1271.	1.9	47
78	Letter: gender-associated cell-free microRNA profiles in non-alcoholic fatty liver disease - authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 999-999.	1.9	1
79	Evidence and Recommendations for Imaging Liver Fat in Children, Based on Systematic Review. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 765-773.	2.4	106
80	Histological Abnormalities in Children with Nonalcoholic Fatty Liver Disease and Normal or Mildly Elevated Alanine Aminotransferase Levels. <i>Journal of Pediatrics</i> , 2014, 164, 707-713.e3.	0.9	146
81	Sa1046 Differential Effects of Very Low Calorie Diet on Body Weight, Liver Fat and Liver Volume in Obese Adults Prior to Weight Loss Surgery. <i>Gastroenterology</i> , 2014, 146, S-946.	0.6	0
82	Relationship Between Changes in Serum Levels of Keratin 18 and Changes in Liver Histology in Children and Adults With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 2121-2130.e2.	2.4	97
83	Longitudinal Assessment of High Blood Pressure in Children with Nonalcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2014, 9, e112569.	1.1	75
84	Liver Toxicity of Anabolic Androgenic Steroid Use in an Adolescent With Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2014, 59, e32-3.	0.9	8
85	Nonalcoholic Fatty Liver Disease and Nonalcoholic Steatohepatitis. , 2014, , 351-370.		0
86	379 Novel Genetic Loci Associated With Steatohepatitis and Fibrosis in Hispanic Boys With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2013, 144, S-946.	0.6	2
87	Hedgehog pathway and pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2013, 57, 1814-1825.	3.6	60
88	Nonalcoholic Fatty Liver Disease: MR Imaging of Liver Proton Density Fat Fraction to Assess Hepatic Steatosis. <i>Radiology</i> , 2013, 267, 422-431.	3.6	410
89	Estimation of Fish and ω -3 Fatty Acid Intake in Pediatric Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013, 57, 627-633.	0.9	35
90	Clinical Trials for Adolescent Obesity. <i>JAMA Pediatrics</i> , 2013, 167, 391.	3.3	2

#	ARTICLE	IF	CITATIONS
91	Paediatric gastroenterology evaluation of overweight and obese children referred from primary care for suspected non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2013, 38, 1267-1277.	1.9	159
92	Choline intake in a large cohort of patients with nonalcoholic fatty liver disease. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 892-900.	2.2	109
93	Correlation of Vitamin E, Uric Acid, and Diet Composition With Histologic Features of Pediatric NAFLD. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012, 54, 90-96.	0.9	102
94	Association Between Puberty and Features of Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2012, 10, 786-794.	2.4	74
95	Reply to: "Modest alcohol consumption and non-alcoholic steatohepatitis". <i>Journal of Hepatology</i> , 2012, 57, 1393.	1.8	0
96	Modest alcohol consumption is associated with decreased prevalence of steatohepatitis in patients with non-alcoholic fatty liver disease (NAFLD). <i>Journal of Hepatology</i> , 2012, 57, 384-391.	1.8	233
97	Non-alcoholic fatty liver disease is associated with low bone mineral density in obese children. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 35, 248-254.	1.9	82
98	Genome-Wide Association Analysis Identifies Variants Associated with Nonalcoholic Fatty Liver Disease That Have Distinct Effects on Metabolic Traits. <i>PLoS Genetics</i> , 2011, 7, e1001324.	1.5	796
99	Enteric-coated cysteamine for the treatment of paediatric non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 1036-1044.	1.9	61
100	Estimation of Hepatic Proton-Density Fat Fraction by Using MR Imaging at 3.0 T. <i>Radiology</i> , 2011, 258, 749-759.	3.6	259
101	Effect of Vitamin E or Metformin for Treatment of Nonalcoholic Fatty Liver Disease in Children and Adolescents. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 1659.	3.8	926
102	Acetaminophen Pharmacokinetics in Children With Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2011, 52, 198-202.	0.9	50
103	Physical Activity Recommendations, Exercise Intensity, and Histological Severity of Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2011, 106, 460-468.	0.2	346
104	Symptoms and quality of life in obese children and adolescents with non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 31, 396-406.	1.9	79
105	Adenovirus 36 and Obesity in Children and Adolescents. <i>Pediatrics</i> , 2010, 126, 721-726.	1.0	90
106	Association Between Metabolic Syndrome and Liver Histology Among Children With Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2010, 105, 2093-2102.	0.2	163
107	Non-alcoholic fatty liver disease: epidemiology, pathophysiology, diagnosis and treatment. <i>Paediatrics and Child Health (United Kingdom)</i> , 2010, 20, 26-29.	0.2	11
108	Insulin Resistance in Children: Consensus, Perspective, and Future Directions. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 5189-5198.	1.8	344

#	ARTICLE	IF	CITATIONS
109	SAFETY Study: Alanine Aminotransferase Cutoff Values Are Set Too High for Reliable Detection of Pediatric Chronic Liver Disease. <i>Gastroenterology</i> , 2010, 138, 1357-1364.e2.	0.6	377
110	Treatment of nonalcoholic fatty liver disease in children: TONIC trial design. <i>Contemporary Clinical Trials</i> , 2010, 31, 62-70.	0.8	73
111	Pediatric Nonalcoholic Fatty Liver Disease: A Comprehensive Review. <i>Advances in Pediatrics</i> , 2010, 57, 85-140.	0.5	40
112	S1847 Enteric-Coated Cysteamine Bitartrate for the Treatment of NAFLD in Children. <i>Gastroenterology</i> , 2010, 138, S-801-S-802.	0.6	0
113	Nonalcoholic fatty liver disease as a comorbidity of childhood obesity. <i>Pediatric Health</i> , 2009, 3, 271-281.	0.3	45
114	Portal chronic inflammation in nonalcoholic fatty liver disease (NAFLD): A histologic marker of advanced NAFLD-Clinicopathologic correlations from the nonalcoholic steatohepatitis clinical research network. <i>Hepatology</i> , 2009, 49, 809-820.	3.6	335
115	Quality of life in adults with nonalcoholic fatty liver disease: Baseline data from the nonalcoholic steatohepatitis clinical research network. <i>Hepatology</i> , 2009, 49, 1904-1912.	3.6	133
116	Advances in pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2009, 50, 1282-1293.	3.6	235
117	Effect of PRESS and STEAM sequences on magnetic resonance spectroscopic liver fat quantification. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 145-152.	1.9	201
118	Heritability of Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2009, 136, 1585-1592.	0.6	419
119	Comparison of Noninvasive Markers of Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 1104-1112.	2.4	1,065
120	T1007 Sexual Development and Its Influence On Regional Anthropometric Measures and Histologic Features Among Pediatric Patients with NAFLD. <i>Gastroenterology</i> , 2009, 136, A-845.	0.6	0
121	Nonalcoholic Fatty Liver Disease: Diagnostic and Fat-Grading Accuracy of Low-Flip-Angle Multiecho Gradient-Recalled-Echo MR Imaging at 1.5 T. <i>Radiology</i> , 2009, 251, 67-76.	3.6	287
122	Fatty Liver Disease: MR Imaging Techniques for the Detection and Quantification of Liver Steatosis. <i>Radiographics</i> , 2009, 29, 231-260.	1.4	246
123	Diagnosis and treatment of pediatric nonalcoholic steatohepatitis and the implications for bariatric surgery. <i>Seminars in Pediatric Surgery</i> , 2009, 18, 144-151.	0.5	46
124	Relaxation effects in the quantification of fat using gradient echo imaging. <i>Magnetic Resonance Imaging</i> , 2008, 26, 347-359.	1.0	356
125	The obesity epidemic and nonalcoholic fatty liver disease in children. <i>Current Gastroenterology Reports</i> , 2008, 10, 67-72.	1.1	86
126	Modest wine drinking and decreased prevalence of suspected nonalcoholic fatty liver disease. <i>Hepatology</i> , 2008, 47, 1947-1954.	3.6	202

#	ARTICLE	IF	CITATIONS
127	Reply:. Hepatology, 2008, 48, 1023-1024.	3.6	2
128	Fast break on the fat brake: Mechanism of peroxisome proliferator-activated receptor- α regulation of lipid accumulation in hepatocytes. Hepatology, 2008, 48, 355-357.	3.6	6
129	Influence of Race, Ethnicity, and Culture on Childhood Obesity: Implications for Prevention and Treatment. Obesity, 2008, 16, 2566-2577.	1.5	112
130	Review article: epidemiology, pathogenesis and potential treatments of paediatric non-alcoholic fatty liver disease. Alimentary Pharmacology and Therapeutics, 2008, 28, 13-24.	1.9	124
131	Musculoskeletal pain in obese children and adolescents. Acta Paediatrica, International Journal of Paediatrics, 2008, 97, 489-493.	0.7	134
132	Clinical Correlates of Histopathology in Pediatric Nonalcoholic Steatohepatitis. Gastroenterology, 2008, 135, 1961-1971.e2.	0.6	225
133	Suspected Nonalcoholic Fatty Liver Disease and Mortality Risk in a Population-Based Cohort Study. American Journal of Gastroenterology, 2008, 103, 2263-2271.	0.2	294
134	Pediatric Obesity. American Journal of Preventive Medicine, 2008, 34, 153-160.	1.6	27
135	S1908 Suspected Nonalcoholic Fatty Liver Disease and Mortality Risk in a Population-Based Cohort Study. Gastroenterology, 2008, 134, A-781-A-782.	0.6	2
136	S1905 Lack of Correlation Between Diet Composition and Pediatric NAFLD Severity. Gastroenterology, 2008, 134, A-781.	0.6	0
137	Influence of Race, Ethnicity, and Culture on Childhood Obesity: Implications for Prevention and Treatment. Diabetes Care, 2008, 31, 2211-2221.	4.3	357
138	Cardiovascular Risk Factors and the Metabolic Syndrome in Pediatric Nonalcoholic Fatty Liver Disease. Circulation, 2008, 118, 277-283.	1.6	348
139	Hepatic, Cardiovascular, and Endocrine Outcomes of the Histological Subphenotypes of Nonalcoholic Fatty Liver Disease. Seminars in Liver Disease, 2008, 28, 380-385.	1.8	57
140	Definitive Diagnosis and Assessment of Risk for Nonalcoholic Fatty Liver Disease in Children and Adolescents. Seminars in Liver Disease, 2007, 27, 312-318.	1.8	67
141	Distinguishing Eosinophilic Esophagitis in Pediatric Patients. Journal of Clinical Gastroenterology, 2007, 41, 252-256.	1.1	111
142	Television Viewing and Hypertension in Obese Children. American Journal of Preventive Medicine, 2007, 33, 439-443.	1.6	87
143	Prevalence of Fatty Liver in Children and Adolescents. Pediatrics, 2006, 118, 1388-1393.	1.0	1,264
144	Health-Related Quality of Life in Pediatric Patients with Irritable Bowel Syndrome:. Journal of Developmental and Behavioral Pediatrics, 2006, 27, 451-458.	0.6	148

#	ARTICLE	IF	CITATIONS
145	Pediatric Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006, 43, 413-427.	0.9	214
146	Clinical Research Network Launches TONIC Trial for Treatment of Nonalcoholic Fatty Liver Disease in Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006, 42, 129-130.	0.9	27
147	Psychosocial Considerations during Treatment. , 2006, , 55-65.		1
148	A phase 2 clinical trial of metformin as a treatment for non-diabetic paediatric non-alcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 21, 871-879.	1.9	239
149	Histopathology of pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2005, 42, 641-649.	3.6	675
150	Preventing Childhood Obesity: Health in the Balance Jeffrey P. Koplan, Catharyn T. Liverman and Vivica I. Kraak Preventing Childhood Obesity: Health in the Balance. . 2005. . National Academies Press. : Washington, DC. . ISBN: ISBN: 0-309-09315-5. . \$44.95. <i>Environmental Health Perspectives</i> , 2005, 113, .	2.8	2
151	Influence of Gender, Race, and Ethnicity on Suspected Fatty Liver in Obese Adolescents. <i>Pediatrics</i> , 2005, 115, e561-e565.	1.0	334
152	Prevalence and Outcome of Allergic Colitis in Healthy Infants with Rectal Bleeding: A Prospective Cohort Study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005, 41, 16-22.	0.9	125
153	Abnormal aminotransferase activity in women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2005, 83, 494-497.	0.5	92
154	Approach to the Child with Abdominal Pain. , 2005, , 622-627.		0
155	NASH Remains Without a Treatment URSO They Say. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2004, 39, 305-306.	0.9	1
156	Nonalcoholic fatty liver disease in the pediatric population. <i>Clinics in Liver Disease</i> , 2004, 8, 549-558.	1.0	170
157	Managing Overweight in Older Children and Adolescents. <i>Pediatric Annals</i> , 2004, 33, 39-44.	0.3	11
158	Obesity, insulin resistance, and other clinicopathological correlates of pediatric nonalcoholic fatty liver disease. <i>Journal of Pediatrics</i> , 2003, 143, 500-505.	0.9	446
159	Health-Related Quality of Life of Severely Obese Children and Adolescents. <i>JAMA - Journal of the American Medical Association</i> , 2003, 289, 1813.	3.8	1,366
160	The Lumen and the Liver - Together Again in Nashville. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003, 37, 523-524.	0.9	1
161	Pediatric Initiatives Within the Nonalcoholic Steatohepatitis "Clinical Research Network (NASH CRN). <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003, 37, 220-221.	0.9	19
162	Prevalence of Abnormal Hepatic Enzymes in Patients With Polycystic Ovary Syndrome. <i>Obstetrics and Gynecology</i> , 2003, 101, 56S.	1.2	0

#	ARTICLE	IF	CITATIONS
163	Glutamine promotes triglyceride absorption in a dose-dependent manner. American Journal of Physiology - Renal Physiology, 2002, 282, G317-G323.	1.6	9
164	Transmission, Natural History, and Treatment of Hepatitis C Virus Infection in the Pediatric Population. Seminars in Liver Disease, 2000, Volume 20, 0037-0046.	1.8	59
165	Linear growth after liver transplantation for biliary atresia varies by the child's age at transplantation. Gastroenterology, 2000, 118, A983.	0.6	0