

Kyooseob Ha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/16973/publications.pdf>

Version: 2024-02-01

123
papers

6,561
citations

109321

35
h-index

69250

77
g-index

123
all docs

123
docs citations

123
times ranked

7566
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2013. <i>Bipolar Disorders</i> , 2013, 15, 1-44. | 1.9 | 740 |
| 2 | Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829. | 21.4 | 629 |
| 3 | The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262. | 7.2 | 579 |
| 4 | Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2009. <i>Bipolar Disorders</i> , 2009, 11, 225-255. | 1.9 | 545 |
| 5 | International Society for Bipolar Disorders Task Force on Suicide: meta-analyses and meta-regression of correlates of suicide attempts and suicide deaths in bipolar disorder. <i>Bipolar Disorders</i> , 2015, 17, 1-16. | 1.9 | 265 |
| 6 | Grey matter differences in bipolar disorder: a meta-analysis of voxel-based morphometry studies. <i>Bipolar Disorders</i> , 2012, 14, 135-145. | 1.9 | 243 |
| 7 | Staging systems in bipolar disorder: an international society for bipolar disorders task force report. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 354-363. | 4.5 | 175 |
| 8 | Bipolar Mixed States: An International Society for Bipolar Disorders Task Force Report of Symptom Structure, Course of Illness, and Diagnosis. <i>American Journal of Psychiatry</i> , 2013, 170, 31-42. | 7.2 | 162 |
| 9 | Ubiquitous healthcare service using Zigbee and mobile phone for elderly patients. <i>International Journal of Medical Informatics</i> , 2009, 78, 193-198. | 3.3 | 159 |
| 10 | The association between problematic internet use and depression, suicidal ideation and bipolar disorder symptoms in Korean adolescents. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 153-159. | 2.3 | 145 |
| 11 | Epidemiology, neurobiology and pharmacological interventions related to suicide deaths and suicide attempts in bipolar disorder: Part I of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 785-802. | 2.3 | 122 |
| 12 | Predominant recurrence polarity among 928 adult international bipolar I disorder patients. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 293-302. | 4.5 | 119 |
| 13 | Differences between bipolar I and bipolar II disorders in clinical features, comorbidity, and family history. <i>Journal of Affective Disorders</i> , 2011, 131, 59-67. | 4.1 | 113 |
| 14 | Randomised, double-blind, placebo-controlled study of olanzapine in patients with bipolar I depression. <i>British Journal of Psychiatry</i> , 2012, 201, 376-382. | 2.8 | 103 |
| 15 | Statistical parametric mapping of LORETA using high density EEG and individual MRI: Application to mismatch negativities in Schizophrenia. <i>Human Brain Mapping</i> , 2002, 17, 168-178. | 3.6 | 99 |
| 16 | Regional brain gray matter abnormalities in patients with bipolar II disorder: A comparison study with bipolar I patients and healthy controls. <i>Neuroscience Letters</i> , 2009, 456, 44-48. | 2.1 | 93 |
| 17 | Fractal dimension of cerebral cortical surface in schizophrenia and obsessive-compulsive disorder. <i>Neuroscience Letters</i> , 2005, 384, 172-176. | 2.1 | 90 |
| 18 | A review of factors associated with greater likelihood of suicide attempts and suicide deaths in bipolar disorder: Part II of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 1006-1020. | 2.3 | 87 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Seoul National University Bundang Hospital's Electronic System for Total Care. <i>Healthcare Informatics Research</i> , 2012, 18, 145. | 1.9 | 73 |
| 20 | Gender ratio comparisons of the suicide rates and methods in Korea, Japan, Australia, and the United States. <i>Journal of Affective Disorders</i> , 2012, 142, 161-165. | 4.1 | 66 |
| 21 | A novel method to identify high order gene-gene interactions in genome-wide association studies: Gene-based MDR. <i>BMC Bioinformatics</i> , 2012, 13, S5. | 2.6 | 66 |
| 22 | Validity and reliability of the Korean version of the Mood Disorder Questionnaire. <i>Comprehensive Psychiatry</i> , 2009, 50, 286-291. | 3.1 | 64 |
| 23 | Relationship between personality trait and regional cerebral glucose metabolism assessed with positron emission tomography. <i>Biological Psychology</i> , 2002, 60, 109-120. | 2.2 | 58 |
| 24 | Discovery of serum protein biomarkers in drug-free patients with major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 69, 60-68. | 4.8 | 56 |
| 25 | A new synthetic chalcone derivative, 2-hydroxy-3',5,5'-trimethoxychalcone (DK-139), suppresses the Toll-like receptor 4-mediated inflammatory response through inhibition of the Akt/NF- κ B pathway in BV2 microglial cells. <i>Experimental and Molecular Medicine</i> , 2012, 44, 369. | 7.7 | 51 |
| 26 | Similarities and differences of white matter connectivity and water diffusivity in bipolar I and II disorder. <i>Neuroscience Letters</i> , 2011, 505, 150-154. | 2.1 | 49 |
| 27 | An Integrative Assessment of the Psychophysiological Alterations in Young Women With Recurrent Major Depressive Disorder. <i>Psychosomatic Medicine</i> , 2012, 74, 495-500. | 2.0 | 49 |
| 28 | White matter alterations in male patients with obsessive-compulsive disorder. <i>NeuroReport</i> , 2009, 20, 735-739. | 1.2 | 44 |
| 29 | Managing the CT Data Explosion: Initial Experiences of Archiving Volumetric Datasets in a Mini-PACS. <i>Journal of Digital Imaging</i> , 2005, 18, 188-195. | 2.9 | 41 |
| 30 | Internalized stigma and its psychosocial correlates in Korean patients with serious mental illness. <i>Psychiatry Research</i> , 2015, 225, 433-439. | 3.3 | 41 |
| 31 | Association of seasonality and premenstrual symptoms in Bipolar I and Bipolar II disorders. <i>Journal of Affective Disorders</i> , 2011, 129, 313-316. | 4.1 | 39 |
| 32 | Patients' perceptions of a health information exchange: A pilot program in South Korea. <i>International Journal of Medical Informatics</i> , 2013, 82, 98-107. | 3.3 | 39 |
| 33 | Can a health information exchange save healthcare costs? Evidence from a pilot program in South Korea. <i>International Journal of Medical Informatics</i> , 2015, 84, 658-666. | 3.3 | 39 |
| 34 | Lifetime Characteristics of Evening-Preference and Irregular Bed-Rise Time Are Associated With Lifetime Seasonal Variation of Mood and Behavior: Comparison Between Individuals With Bipolar Disorder and Healthy Controls. <i>Behavioral Sleep Medicine</i> , 2016, 14, 155-168. | 2.1 | 38 |
| 35 | Tardive Dyskinesia and Tardive Dystonia With Second-Generation Antipsychotics in Non-Elderly Schizophrenic Patients Unexposed to First-Generation Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 13-21. | 1.4 | 37 |
| 36 | Mental health services and R&D in South Korea. <i>International Journal of Mental Health Systems</i> , 2016, 10, 45. | 2.7 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A Closer Look at Depression in Mothers Who Kill Their Children. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1625-1631. | 2.2 | 33 |
| 38 | Differential pattern of semantic memory organization between bipolar I and II disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1053-1058. | 4.8 | 32 |
| 39 | Subjective depressive symptoms and metabolic syndrome among the general population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 54, 223-230. | 4.8 | 32 |
| 40 | Relationship between thyroid-stimulating hormone levels and risk of depression among the general population with normal free T4 levels. <i>Psychoneuroendocrinology</i> , 2015, 58, 114-119. | 2.7 | 32 |
| 41 | Assessment of Risk Factors Related to Suicide Attempts in Patients With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 978-984. | 1.0 | 31 |
| 42 | The Effects of Long-Term Clozapine Add-On Therapy on the Rehospitalization Rate and the Mood Polarity Patterns in Bipolar Disorders. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 461-467. | 2.2 | 30 |
| 43 | Comparison of serum protein profiles between major depressive disorder and bipolar disorder. <i>BMC Psychiatry</i> , 2020, 20, 145. | 2.6 | 29 |
| 44 | Nonverbal memory and organizational dysfunctions are related with distinct symptom dimensions in obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2010, 180, 93-98. | 3.3 | 28 |
| 45 | Physicians' Perceptions and Use of a Health Information Exchange: A Pilot Program in South Korea. <i>Telemedicine Journal and E-Health</i> , 2012, 18, 604-612. | 2.8 | 28 |
| 46 | Inhibitory effect of the antidepressant imipramine on NF- κ B-dependent CXCL1 expression in TNF α -exposed astrocytes. <i>International Immunopharmacology</i> , 2012, 12, 547-555. | 3.8 | 28 |
| 47 | Diagnosis of major depressive disorder by combining multimodal information from heart rate dynamics and serum proteomics using machine-learning algorithm. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 76, 65-71. | 4.8 | 28 |
| 48 | International Consensus Group on Depression Prevention in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1295-1310. | 2.2 | 27 |
| 49 | Exploration of comorbid obsessive-compulsive disorder in patients with bipolar disorder: The clinic-based prevalence rate, symptoms nature and clinical correlates. <i>Journal of Affective Disorders</i> , 2018, 225, 227-233. | 4.1 | 26 |
| 50 | Dropout rate and associated factors in patients with bipolar disorders. <i>Journal of Affective Disorders</i> , 2012, 141, 47-54. | 4.1 | 25 |
| 51 | Differential alteration of automatic semantic processing in treated patients affected by bipolar mania and schizophrenia: An N400 study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 38, 194-200. | 4.8 | 25 |
| 52 | Pattern of Pharmacotherapy by Episode Types for Patients With Bipolar Disorders and Its Concordance With Treatment Guidelines. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 577-587. | 1.4 | 24 |
| 53 | Depression trajectories and the association with metabolic adversities among the middle-aged adults. <i>Journal of Affective Disorders</i> , 2015, 188, 14-21. | 4.1 | 24 |
| 54 | Polarity of the First Episode and Time to Diagnosis of Bipolar I Disorder. <i>Psychiatry Investigation</i> , 2009, 6, 96. | 1.6 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Computerized assessment of cognitive impairment in narcoleptic patients. <i>Acta Neurologica Scandinavica</i> , 2007, 116, 312-316. | 2.1 | 23 |
| 56 | Serum lipidomic analysis for the discovery of biomarkers for major depressive disorder in drug-free patients. <i>Psychiatry Research</i> , 2018, 265, 174-182. | 3.3 | 23 |
| 57 | Association between ST8SIA2 and the Risk of Schizophrenia and Bipolar I Disorder across Diagnostic Boundaries. <i>PLoS ONE</i> , 2015, 10, e0139413. | 2.5 | 23 |
| 58 | Optimized individual mismatch negativity source localization using a realistic head model and the Talairach coordinate system. <i>Brain Topography</i> , 2003, 15, 233-238. | 1.8 | 22 |
| 59 | N-Methyl-d-aspartate receptor in working memory impairments in schizophrenia: event-related potential study of late stage of working memory process. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 993-999. | 4.8 | 22 |
| 60 | Revised Korean medication algorithm for bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 846-855. | 2.6 | 22 |
| 61 | Seasonality and its distinct clinical correlates in bipolar II disorder. <i>Psychiatry Research</i> , 2015, 225, 540-544. | 3.3 | 22 |
| 62 | The Health Care Seeking Behavior of Schizophrenic Patients in 6 East Asian Areas. <i>International Journal of Social Psychiatry</i> , 1995, 41, 190-209. | 3.1 | 21 |
| 63 | Imipramine activates glial cell line-derived neurotrophic factor via early growth response gene 1 in astrocytes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1026-1032. | 4.8 | 21 |
| 64 | Enhanced cardiorespiratory coupling in patients with obstructive sleep apnea following continuous positive airway pressure treatment. <i>Sleep Medicine</i> , 2013, 14, 1132-1138. | 1.6 | 21 |
| 65 | Intracerebroventricular administration of ouabain, a Na/K-ATPase inhibitor, activates mTOR signal pathways and protein translation in the rat frontal cortex. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 45, 73-82. | 4.8 | 20 |
| 66 | Egr1 regulates lithium-induced transcription of the Period 2 (PER2) gene. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 1969-1979. | 3.8 | 19 |
| 67 | Implementation of Medical Information Exchange System Based on EHR Standard. <i>Healthcare Informatics Research</i> , 2010, 16, 281. | 1.9 | 18 |
| 68 | Reasons for desiring death: Examining causative factors of suicide attempters treated in emergency rooms in Korea. <i>Journal of Affective Disorders</i> , 2014, 168, 349-356. | 4.1 | 18 |
| 69 | Prodromes and coping types in bipolar patients with nonpsychotic or psychotic mania. <i>Comprehensive Psychiatry</i> , 2012, 53, 732-739. | 3.1 | 17 |
| 70 | Autobiographical memory and its association with neuropsychological function in bipolar disorder. <i>Comprehensive Psychiatry</i> , 2014, 55, 290-297. | 3.1 | 17 |
| 71 | Adjunctive lamotrigine therapy for patients with bipolar II depression partially responsive to mood stabilizers. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1322-1326. | 4.8 | 16 |
| 72 | The effects of ethnic, social and cultural factors on axis I comorbidity of bipolar disorder: Results from the clinical setting in Korea. <i>Journal of Affective Disorders</i> , 2014, 166, 264-269. | 4.1 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Cognitive profiles of healthy siblings of schizophrenia patients: Application of the cognitive domains of the MATRICS consensus battery. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 452-460. | 2.6 | 15 |
| 74 | Patterns of cardiorespiratory coordination in young women with recurrent major depressive disorder treated with escitalopram or venlafaxine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 136-142. | 4.8 | 15 |
| 75 | Factors Affecting Suicide Method Lethality Among Suicide Attempters in the Korea National Suicide Survey. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 202-210. | 1.0 | 15 |
| 76 | Characteristics of stress-coping behaviors in patients with bipolar disorders. <i>Psychiatry Research</i> , 2014, 218, 69-74. | 3.3 | 14 |
| 77 | Feasibility of a slower lamotrigine titration schedule for bipolar depression: a naturalistic study. <i>International Clinical Psychopharmacology</i> , 2009, 24, 105-110. | 1.7 | 12 |
| 78 | Lifetime experiences of hypomanic symptoms are associated with delayed and irregular sleep-wake cycle and seasonality in non-clinical adult samples. <i>Comprehensive Psychiatry</i> , 2014, 55, 1111-1115. | 3.1 | 12 |
| 79 | Differential patterns of neuropsychological performance in the euthymic and depressive phases of bipolar disorders. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 515-523. | 1.8 | 11 |
| 80 | Prevalence, behavioral manifestations and associated individual and climatic factors of seasonality in the Korean general population. <i>Comprehensive Psychiatry</i> , 2015, 57, 148-154. | 3.1 | 11 |
| 81 | Verbal and Visual Memory Impairments in Bipolar I and II Disorder. <i>Psychiatry Investigation</i> , 2012, 9, 339. | 1.6 | 11 |
| 82 | Posttraumatic Embitterment Disorder and Hwa-byung in the General Korean Population. <i>Psychiatry Investigation</i> , 2017, 14, 392. | 1.6 | 10 |
| 83 | Identification of altered protein expression in major depressive disorder and bipolar disorder patients using liquid chromatography-tandem mass spectrometry. <i>Psychiatry Research</i> , 2021, 299, 113850. | 3.3 | 10 |
| 84 | Quantitative Proteomic Approach for Discriminating Major Depressive Disorder and Bipolar Disorder by Multiple Reaction Monitoring-Mass Spectrometry. <i>Journal of Proteome Research</i> , 2021, 20, 3188-3203. | 3.7 | 10 |
| 85 | Haloperidol does not affect the level of serum-soluble interleukin-2 receptor in drug-free male schizophrenics. <i>Biological Psychiatry</i> , 1995, 38, 843-845. | 1.3 | 9 |
| 86 | Correspondence. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 646-649. | 2.3 | 9 |
| 87 | Altered Categorization of Semantic Knowledge in Korean Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2013, 36, 41-48. | 2.6 | 9 |
| 88 | Assessment of implicit self-esteem in bipolar manic and euthymic patients using the implicit association test. <i>Comprehensive Psychiatry</i> , 2014, 55, 557-564. | 3.1 | 9 |
| 89 | Behavioral and Electrophysiological Alterations for Reinforcement Learning in Manic and Euthymic Patients with Bipolar Disorder. <i>CNS Neuroscience and Therapeutics</i> , 2017, 23, 248-256. | 3.9 | 9 |
| 90 | Liquid chromatography/mass spectrometry-based plasma metabolic profiling study of escitalopram in subjects with major depressive disorder. <i>Journal of Mass Spectrometry</i> , 2018, 53, 385-399. | 1.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Psychopathologic structure of bipolar disorders: exploring dimensional phenotypes, their relationships, and their associations with bipolar I and II disorders. <i>Psychological Medicine</i> , 2019, 49, 2177-2185. | 4.5 | 9 |
| 92 | Attitudes towards suicide and risk factors for suicide attempts among university students in South Korea. <i>Journal of Affective Disorders</i> , 2020, 272, 166-169. | 4.1 | 9 |
| 93 | The Effect of Wireless LAN-Based PACS Device for Portable Imaging Modalities. <i>Journal of Digital Imaging</i> , 2010, 23, 185-191. | 2.9 | 8 |
| 94 | Manic patients exhibit more utilitarian moral judgments in comparison with euthymic bipolar and healthy persons. <i>Comprehensive Psychiatry</i> , 2015, 58, 37-44. | 3.1 | 8 |
| 95 | Association between the zinc finger protein 804A (<i>ZNF804A</i>) gene and the risk of schizophrenia and bipolar I disorder across diagnostic boundaries. <i>Bipolar Disorders</i> , 2017, 19, 305-313. | 1.9 | 8 |
| 96 | Three-year follow up of women with and without borderline personality disorder: development of Cloninger's character in adolescence. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 42-47. | 1.8 | 7 |
| 97 | Familial association of schizophrenia symptoms retrospectively measured on a lifetime basis. <i>Psychiatric Genetics</i> , 2007, 17, 103-107. | 1.1 | 7 |
| 98 | Role of MKP-1 (DUSP1) in clozapine-induced effects on the ERK1/2 signaling pathway in the rat frontal cortex. <i>Psychopharmacology</i> , 2013, 230, 425-437. | 3.1 | 7 |
| 99 | Sex difference in risk period for completed suicide following prior attempts: Korea National Suicide Survey (KNSS). <i>Journal of Affective Disorders</i> , 2018, 227, 861-868. | 4.1 | 7 |
| 100 | Study Protocol for a Prospective Longitudinal Cohort Study to Identify Proteomic Predictors of Pluripotent Risk for Mental Illness: The Seoul Pluripotent Risk for Mental Illness Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 340. | 2.6 | 6 |
| 101 | An integrated model for the relationship between socio-cultural factors, Attitudes Toward Suicide, and intensity of suicidal ideation in Korean, Japanese, and American populations. <i>Journal of Affective Disorders</i> , 2021, 280, 203-210. | 4.1 | 6 |
| 102 | The Relationship between Personality, Sense of Efficacy, and Stress in Korean Teachers. <i>Psychiatry Investigation</i> , 2016, 13, 566. | 1.6 | 6 |
| 103 | Emotional Priming With Facial Exposures in Euthymic Patients With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 971-977. | 1.0 | 5 |
| 104 | National Evidence-based Collaborating Agency (NECA) Round-table Conference Consensus Statement: multidisciplinary responses to suicide, the first ranked cause of death in adolescents. <i>Journal of the Korean Medical Association</i> , 2013, 56, 111. | 0.3 | 5 |
| 105 | Effects of emotional stimuli on time perception in manic and euthymic patients with bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 56, 39-45. | 4.8 | 5 |
| 106 | Predictive protein markers for depression severity in mood disorders: A preliminary trans-diagnostic approach study. <i>Journal of Psychiatric Research</i> , 2021, 142, 63-72. | 3.1 | 5 |
| 107 | Can a Suicide Prevention Law decrease the suicide rate in Korea?. <i>Journal of the Korean Medical Association</i> , 2011, 54, 792. | 0.3 | 5 |
| 108 | Reliability and validity of the Korean version of UKU-SERS-Pat in patients with bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 496-502. | 1.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Management of Bipolar Depression. <i>Indian Journal of Psychological Medicine</i> , 2011, 33, 11-17. | 1.5 | 4 |
| 110 | Dissecting the genetic architecture of suicide attempt and repeated attempts in Korean patients with bipolar disorder using polygenic risk scores. <i>International Journal of Bipolar Disorders</i> , 2022, 10, 3. | 2.2 | 4 |
| 111 | Alterations in blood proteins in the prodromal stage of bipolar II disorders. <i>Scientific Reports</i> , 2022, 12, 3174. | 3.3 | 4 |
| 112 | Neuropsychological and Behavioral Profiles in Attention-Deficit Hyperactivity Disorder Children of Parents with a History of Mood Disorders: A Pilot Study. <i>Psychiatry Investigation</i> , 2014, 11, 65. | 1.6 | 3 |
| 113 | Bipolar I and Bipolar II: It's Time for Something New for a Better Understanding and Classification of Bipolar Disorders. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 070674371986127. | 1.9 | 2 |
| 114 | Self-Transcendence Mediates the Relationship between Early Trauma and Fatal Methods of Suicide Attempts. <i>Journal of Korean Medical Science</i> , 2021, 36, e39. | 2.5 | 2 |
| 115 | Association between the Arylalkylamine N-Acetyltransferase (AANAT) Gene and Seasonality in Patients with Bipolar Disorder. <i>Psychiatry Investigation</i> , 2021, 18, 453-462. | 1.6 | 2 |
| 116 | Feasibility of the Korean version of the Bipolar Depression Rating Scale in Adolescents with Early-Onset Bipolar Disorder. <i>Psychiatry Investigation</i> , 2017, 14, 585. | 1.6 | 2 |
| 117 | The influence of poverty attribution on attitudes toward suicide and suicidal thought: A cross-national comparison between South Korean, Japanese, and American populations. <i>Comprehensive Psychiatry</i> , 2021, 109, 152259. | 3.1 | 1 |
| 118 | Plasma proteomic data in bipolar II disorders and major depressive disorders. <i>Data in Brief</i> , 2021, 39, 107495. | 1.0 | 1 |
| 119 | Factors Affecting Stigma Resistance in Patients with Bipolar Disorder. <i>Journal of Korean Neuropsychiatric Association</i> , 2015, 54, 309. | 0.5 | 1 |
| 120 | Gender differences in patients with bipolar II disorder. <i>International Clinical Psychopharmacology</i> , 2011, 26, e100. | 1.7 | 0 |
| 121 | A Study of the Current State of the Mental Health Service Delivery System Using the Focused-Group Interview. <i>Journal of Korean Neuropsychiatric Association</i> , 2016, 55, 365. | 0.5 | 0 |
| 122 | Association between a Genetic Variant of CACNA1C and the Risk of Schizophrenia and Bipolar I Disorder Across Diagnostic Boundaries. <i>Korean Journal of Schizophrenia Research</i> , 2018, 21, 43. | 0.3 | 0 |
| 123 | F130. Association Study of Melatonin Pathway Genes With Seasonality and Circadian Preference in Bipolar Disorder. <i>Biological Psychiatry</i> , 2018, 83, S288. | 1.3 | 0 |