

Kyooseob Ha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/16973/publications.pdf>

Version: 2024-02-01

123
papers

6,561
citations

109321

35
h-index

69250

77
g-index

123
all docs

123
docs citations

123
times ranked

7566
citing authors

#	ARTICLE	IF	CITATIONS
1	Dissecting the genetic architecture of suicide attempt and repeated attempts in Korean patients with bipolar disorder using polygenic risk scores. <i>International Journal of Bipolar Disorders</i> , 2022, 10, 3.	2.2	4
2	Alterations in blood proteins in the prodromal stage of bipolar II disorders. <i>Scientific Reports</i> , 2022, 12, 3174.	3.3	4
3	An integrated model for the relationship between socio-cultural factors, Attitudes Toward Suicide, and intensity of suicidal ideation in Korean, Japanese, and American populations. <i>Journal of Affective Disorders</i> , 2021, 280, 203-210.	4.1	6
4	Self-Transcendence Mediates the Relationship between Early Trauma and Fatal Methods of Suicide Attempts. <i>Journal of Korean Medical Science</i> , 2021, 36, e39.	2.5	2
5	Identification of altered protein expression in major depressive disorder and bipolar disorder patients using liquid chromatography-tandem mass spectrometry. <i>Psychiatry Research</i> , 2021, 299, 113850.	3.3	10
6	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	21.4	629
7	Association between the Arylalkylamine N-Acetyltransferase (AANAT) Gene and Seasonality in Patients with Bipolar Disorder. <i>Psychiatry Investigation</i> , 2021, 18, 453-462.	1.6	2
8	Quantitative Proteomic Approach for Discriminating Major Depressive Disorder and Bipolar Disorder by Multiple Reaction Monitoring-Mass Spectrometry. <i>Journal of Proteome Research</i> , 2021, 20, 3188-3203.	3.7	10
9	The influence of poverty attribution on attitudes toward suicide and suicidal thought: A cross-national comparison between South Korean, Japanese, and American populations. <i>Comprehensive Psychiatry</i> , 2021, 109, 152259.	3.1	1
10	Predictive protein markers for depression severity in mood disorders: A preliminary trans-diagnostic approach study. <i>Journal of Psychiatric Research</i> , 2021, 142, 63-72.	3.1	5
11	Plasma proteomic data in bipolar II disorders and major depressive disorders. <i>Data in Brief</i> , 2021, 39, 107495.	1.0	1
12	Study Protocol for a Prospective Longitudinal Cohort Study to Identify Proteomic Predictors of Pluripotent Risk for Mental Illness: The Seoul Pluripotent Risk for Mental Illness Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 340.	2.6	6
13	Attitudes towards suicide and risk factors for suicide attempts among university students in South Korea. <i>Journal of Affective Disorders</i> , 2020, 272, 166-169.	4.1	9
14	Comparison of serum protein profiles between major depressive disorder and bipolar disorder. <i>BMC Psychiatry</i> , 2020, 20, 145.	2.6	29
15	Bipolar I and Bipolar II: It's Time for Something New for a Better Understanding and Classification of Bipolar Disorders. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 070674371986127.	1.9	2
16	Psychopathologic structure of bipolar disorders: exploring dimensional phenotypes, their relationships, and their associations with bipolar I and II disorders. <i>Psychological Medicine</i> , 2019, 49, 2177-2185.	4.5	9
17	Liquid chromatography/mass spectrometry-based plasma metabolic profiling study of escitalopram in subjects with major depressive disorder. <i>Journal of Mass Spectrometry</i> , 2018, 53, 385-399.	1.6	9
18	Serum lipidomic analysis for the discovery of biomarkers for major depressive disorder in drug-free patients. <i>Psychiatry Research</i> , 2018, 265, 174-182.	3.3	23

#	ARTICLE	IF	CITATIONS
19	Factors Affecting Suicide Method Lethality Among Suicide Attempters in the Korea National Suicide Survey. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 202-210.	1.0	15
20	Sex difference in risk period for completed suicide following prior attempts: Korea National Suicide Survey (KNSS). <i>Journal of Affective Disorders</i> , 2018, 227, 861-868.	4.1	7
21	Exploration of comorbid obsessive-compulsive disorder in patients with bipolar disorder: The clinic-based prevalence rate, symptoms nature and clinical correlates. <i>Journal of Affective Disorders</i> , 2018, 225, 227-233.	4.1	26
22	Association between a Genetic Variant of CACNA1C and the Risk of Schizophrenia and Bipolar I Disorder Across Diagnostic Boundaries. <i>Korean Journal of Schizophrenia Research</i> , 2018, 21, 43.	0.3	0
23	F130. Association Study of Melatonin Pathway Genes With Seasonality and Circadian Preference in Bipolar Disorder. <i>Biological Psychiatry</i> , 2018, 83, S288.	1.3	0
24	Diagnosis of major depressive disorder by combining multimodal information from heart rate dynamics and serum proteomics using machine-learning algorithm. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 76, 65-71.	4.8	28
25	Behavioral and Electrophysiological Alterations for Reinforcement Learning in Manic and Euthymic Patients with Bipolar Disorder. <i>CNS Neuroscience and Therapeutics</i> , 2017, 23, 248-256.	3.9	9
26	Association between the zinc finger protein 804A (<i>ZNF804A</i>) gene and the risk of schizophrenia and bipolar I disorder across diagnostic boundaries. <i>Bipolar Disorders</i> , 2017, 19, 305-313.	1.9	8
27	Posttraumatic Embitterment Disorder and Hwa-byung in the General Korean Population. <i>Psychiatry Investigation</i> , 2017, 14, 392.	1.6	10
28	Feasibility of the Korean version of the Bipolar Depression Rating Scale in Adolescents with Early-Onset Bipolar Disorder. <i>Psychiatry Investigation</i> , 2017, 14, 585.	1.6	2
29	A Study of the Current State of the Mental Health Service Delivery System Using the Focused-Group Interview. <i>Journal of Korean Neuropsychiatric Association</i> , 2016, 55, 365.	0.5	0
30	Discovery of serum protein biomarkers in drug-free patients with major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 69, 60-68.	4.8	56
31	Mental health services and R&D in South Korea. <i>International Journal of Mental Health Systems</i> , 2016, 10, 45.	2.7	33
32	Lifetime Characteristics of Evening-Preference and Irregular Bed-Rise Time Are Associated With Lifetime Seasonal Variation of Mood and Behavior: Comparison Between Individuals With Bipolar Disorder and Healthy Controls. <i>Behavioral Sleep Medicine</i> , 2016, 14, 155-168.	2.1	38
33	The Relationship between Personality, Sense of Efficacy, and Stress in Korean Teachers. <i>Psychiatry Investigation</i> , 2016, 13, 566.	1.6	6
34	Seasonality and its distinct clinical correlates in bipolar II disorder. <i>Psychiatry Research</i> , 2015, 225, 540-544.	3.3	22
35	Prevalence, behavioral manifestations and associated individual and climatic factors of seasonality in the Korean general population. <i>Comprehensive Psychiatry</i> , 2015, 57, 148-154.	3.1	11
36	Internalized stigma and its psychosocial correlates in Korean patients with serious mental illness. <i>Psychiatry Research</i> , 2015, 225, 433-439.	3.3	41

#	ARTICLE	IF	CITATIONS
37	Manic patients exhibit more utilitarian moral judgments in comparison with euthymic bipolar and healthy persons. <i>Comprehensive Psychiatry</i> , 2015, 58, 37-44.	3.1	8
38	A review of factors associated with greater likelihood of suicide attempts and suicide deaths in bipolar disorder: Part II of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 1006-1020.	2.3	87
39	Epidemiology, neurobiology and pharmacological interventions related to suicide deaths and suicide attempts in bipolar disorder: Part I of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 785-802.	2.3	122
40	Relationship between thyroid-stimulating hormone levels and risk of depression among the general population with normal free T4 levels. <i>Psychoneuroendocrinology</i> , 2015, 58, 114-119.	2.7	32
41	Tardive Dyskinesia and Tardive Dystonia With Second-Generation Antipsychotics in Non-Elderly Schizophrenic Patients Unexposed to First-Generation Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 13-21.	1.4	37
42	Depression trajectories and the association with metabolic adversities among the middle-aged adults. <i>Journal of Affective Disorders</i> , 2015, 188, 14-21.	4.1	24
43	Can a health information exchange save healthcare costs? Evidence from a pilot program in South Korea. <i>International Journal of Medical Informatics</i> , 2015, 84, 658-666.	3.3	39
44	International Society for Bipolar Disorders Task Force on Suicide: meta-analyses and meta-regression of correlates of suicide attempts and suicide deaths in bipolar disorder. <i>Bipolar Disorders</i> , 2015, 17, 1-16.	1.9	265
45	Effects of emotional stimuli on time perception in manic and euthymic patients with bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 56, 39-45.	4.8	5
46	Association between ST8SIA2 and the Risk of Schizophrenia and Bipolar I Disorder across Diagnostic Boundaries. <i>PLoS ONE</i> , 2015, 10, e0139413.	2.5	23
47	Factors Affecting Stigma Resistance in Patients with Bipolar Disorder. <i>Journal of Korean Neuropsychiatric Association</i> , 2015, 54, 309.	0.5	1
48	Pattern of Pharmacotherapy by Episode Types for Patients With Bipolar Disorders and Its Concordance With Treatment Guidelines. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 577-587.	1.4	24
49	Characteristics of stress-coping behaviors in patients with bipolar disorders. <i>Psychiatry Research</i> , 2014, 218, 69-74.	3.3	14
50	Lifetime experiences of hypomanic symptoms are associated with delayed and irregular sleep-wake cycle and seasonality in non-clinical adult samples. <i>Comprehensive Psychiatry</i> , 2014, 55, 1111-1115.	3.1	12
51	Differential patterns of neuropsychological performance in the euthymic and depressive phases of bipolar disorders. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 515-523.	1.8	11
52	Staging systems in bipolar disorder: an international society for bipolar disorders task force report. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 354-363.	4.5	175
53	Subjective depressive symptoms and metabolic syndrome among the general population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 54, 223-230.	4.8	32
54	Reasons for desiring death: Examining causative factors of suicide attempters treated in emergency rooms in Korea. <i>Journal of Affective Disorders</i> , 2014, 168, 349-356.	4.1	18

#	ARTICLE	IF	CITATIONS
55	Autobiographical memory and its association with neuropsychological function in bipolar disorder. <i>Comprehensive Psychiatry</i> , 2014, 55, 290-297.	3.1	17
56	Assessment of implicit self-esteem in bipolar manic and euthymic patients using the implicit association test. <i>Comprehensive Psychiatry</i> , 2014, 55, 557-564.	3.1	9
57	The effects of ethnic, social and cultural factors on axis I comorbidity of bipolar disorder: Results from the clinical setting in Korea. <i>Journal of Affective Disorders</i> , 2014, 166, 264-269.	4.1	16
58	Neuropsychological and Behavioral Profiles in Attention-Deficit Hyperactivity Disorder Children of Parents with a History of Mood Disorders: A Pilot Study. <i>Psychiatry Investigation</i> , 2014, 11, 65.	1.6	3
59	Role of MKP-1 (DUSP1) in clozapine-induced effects on the ERK1/2 signaling pathway in the rat frontal cortex. <i>Psychopharmacology</i> , 2013, 230, 425-437.	3.1	7
60	Patients' perceptions of a health information exchange: A pilot program in South Korea. <i>International Journal of Medical Informatics</i> , 2013, 82, 98-107.	3.3	39
61	Enhanced cardiorespiratory coupling in patients with obstructive sleep apnea following continuous positive airway pressure treatment. <i>Sleep Medicine</i> , 2013, 14, 1132-1138.	1.6	21
62	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262.	7.2	579
63	Bipolar Mixed States: An International Society for Bipolar Disorders Task Force Report of Symptom Structure, Course of Illness, and Diagnosis. <i>American Journal of Psychiatry</i> , 2013, 170, 31-42.	7.2	162
64	Egr1 regulates lithium-induced transcription of the Period 2 (PER2) gene. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 1969-1979.	3.8	19
65	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2013. <i>Bipolar Disorders</i> , 2013, 15, 1-44.	1.9	740
66	Intracerebroventricular administration of ouabain, a Na/K-ATPase inhibitor, activates mTOR signal pathways and protein translation in the rat frontal cortex. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 45, 73-82.	4.8	20
67	The association between problematic internet use and depression, suicidal ideation and bipolar disorder symptoms in Korean adolescents. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 153-159.	2.3	145
68	Altered Categorization of Semantic Knowledge in Korean Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2013, 36, 41-48.	2.6	9
69	National Evidence-based Collaborating Agency (NECA) Round-table Conference Consensus Statement: multidisciplinary responses to suicide, the first ranked cause of death in adolescents. <i>Journal of the Korean Medical Association</i> , 2013, 56, 111.	0.3	5
70	Randomised, double-blind, placebo-controlled study of olanzapine in patients with bipolar I depression. <i>British Journal of Psychiatry</i> , 2012, 201, 376-382.	2.8	103
71	A new synthetic chalcone derivative, 2-hydroxy-3',5,5'-trimethoxychalcone (DK-139), suppresses the Toll-like receptor 4-mediated inflammatory response through inhibition of the Akt/NF- κ B pathway in BV2 microglial cells. <i>Experimental and Molecular Medicine</i> , 2012, 44, 369.	7.7	51
72	Assessment of Risk Factors Related to Suicide Attempts in Patients With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 978-984.	1.0	31

#	ARTICLE	IF	CITATIONS
73	An Integrative Assessment of the Psychophysiological Alterations in Young Women With Recurrent Major Depressive Disorder. <i>Psychosomatic Medicine</i> , 2012, 74, 495-500.	2.0	49
74	Dropout rate and associated factors in patients with bipolar disorders. <i>Journal of Affective Disorders</i> , 2012, 141, 47-54.	4.1	25
75	Gender ratio comparisons of the suicide rates and methods in Korea, Japan, Australia, and the United States. <i>Journal of Affective Disorders</i> , 2012, 142, 161-165.	4.1	66
76	Physicians' Perceptions and Use of a Health Information Exchange: A Pilot Program in South Korea. <i>Telemedicine Journal and E-Health</i> , 2012, 18, 604-612.	2.8	28
77	Differential alteration of automatic semantic processing in treated patients affected by bipolar mania and schizophrenia: An N400 study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 38, 194-200.	4.8	25
78	Inhibitory effect of the antidepressant imipramine on NF- κ B-dependent CXCL1 expression in TNF α -exposed astrocytes. <i>International Immunopharmacology</i> , 2012, 12, 547-555.	3.8	28
79	Prodromes and coping types in bipolar patients with nonpsychotic or psychotic mania. <i>Comprehensive Psychiatry</i> , 2012, 53, 732-739.	3.1	17
80	Patterns of cardiorespiratory coordination in young women with recurrent major depressive disorder treated with escitalopram or venlafaxine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 136-142.	4.8	15
81	Seoul National University Bundang Hospital's Electronic System for Total Care. <i>Healthcare Informatics Research</i> , 2012, 18, 145.	1.9	73
82	Predominant recurrence polarity among 928 adult international bipolar I disorder patients. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 293-302.	4.5	119
83	Grey matter differences in bipolar disorder: a meta-analysis of voxel-based morphometry studies. <i>Bipolar Disorders</i> , 2012, 14, 135-145.	1.9	243
84	A novel method to identify high order gene-gene interactions in genome-wide association studies: Gene-based MDR. <i>BMC Bioinformatics</i> , 2012, 13, S5.	2.6	66
85	Verbal and Visual Memory Impairments in Bipolar I and II Disorder. <i>Psychiatry Investigation</i> , 2012, 9, 339.	1.6	11
86	Similarities and differences of white matter connectivity and water diffusivity in bipolar I and II disorder. <i>Neuroscience Letters</i> , 2011, 505, 150-154.	2.1	49
87	Imipramine activates glial cell line-derived neurotrophic factor via early growth response gene 1 in astrocytes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1026-1032.	4.8	21
88	Differential pattern of semantic memory organization between bipolar I and II disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1053-1058.	4.8	32
89	Emotional Priming With Facial Exposures in Euthymic Patients With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 971-977.	1.0	5
90	Gender differences in patients with bipolar II disorder. <i>International Clinical Psychopharmacology</i> , 2011, 26, e100.	1.7	0

#	ARTICLE	IF	CITATIONS
91	Association of seasonality and premenstrual symptoms in Bipolar I and Bipolar II disorders. <i>Journal of Affective Disorders</i> , 2011, 129, 313-316.	4.1	39
92	Differences between bipolar I and bipolar II disorders in clinical features, comorbidity, and family history. <i>Journal of Affective Disorders</i> , 2011, 131, 59-67.	4.1	113
93	Management of Bipolar Depression. <i>Indian Journal of Psychological Medicine</i> , 2011, 33, 11-17.	1.5	4
94	International Consensus Group on Depression Prevention in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1295-1310.	2.2	27
95	Can a Suicide Prevention Law decrease the suicide rate in Korea?. <i>Journal of the Korean Medical Association</i> , 2011, 54, 792.	0.3	5
96	The Effect of Wireless LAN-Based PACS Device for Portable Imaging Modalities. <i>Journal of Digital Imaging</i> , 2010, 23, 185-191.	2.9	8
97	Implementation of Medical Information Exchange System Based on EHR Standard. <i>Healthcare Informatics Research</i> , 2010, 16, 281.	1.9	18
98	Adjunctive lamotrigine therapy for patients with bipolar II depression partially responsive to mood stabilizers. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1322-1326.	4.8	16
99	Nonverbal memory and organizational dysfunctions are related with distinct symptom dimensions in obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2010, 180, 93-98.	3.3	28
100	Cognitive profiles of healthy siblings of schizophrenia patients: Application of the cognitive domains of the MATRICS consensus battery. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 452-460.	2.6	15
101	Ubiquitous healthcare service using Zigbee and mobile phone for elderly patients. <i>International Journal of Medical Informatics</i> , 2009, 78, 193-198.	3.3	159
102	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2009. <i>Bipolar Disorders</i> , 2009, 11, 225-255.	1.9	545
103	Validity and reliability of the Korean version of the Mood Disorder Questionnaire. <i>Comprehensive Psychiatry</i> , 2009, 50, 286-291.	3.1	64
104	Regional brain gray matter abnormalities in patients with bipolar II disorder: A comparison study with bipolar I patients and healthy controls. <i>Neuroscience Letters</i> , 2009, 456, 44-48.	2.1	93
105	Revised Korean medication algorithm for bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 846-855.	2.6	22
106	White matter alterations in male patients with obsessive-compulsive disorder. <i>NeuroReport</i> , 2009, 20, 735-739.	1.2	44
107	Feasibility of a slower lamotrigine titration schedule for bipolar depression: a naturalistic study. <i>International Clinical Psychopharmacology</i> , 2009, 24, 105-110.	1.7	12
108	Polarity of the First Episode and Time to Diagnosis of Bipolar I Disorder. <i>Psychiatry Investigation</i> , 2009, 6, 96.	1.6	24

#	ARTICLE	IF	CITATIONS
109	Correspondence. Australian and New Zealand Journal of Psychiatry, 2008, 42, 646-649.	2.3	9
110	Reliability and validity of the Korean version of UKU-SERS-Pat in patients with bipolar disorder. Nordic Journal of Psychiatry, 2008, 62, 496-502.	1.3	4
111	A Closer Look at Depression in Mothers Who Kill Their Children. Journal of Clinical Psychiatry, 2008, 69, 1625-1631.	2.2	33
112	Familial association of schizophrenia symptoms retrospectively measured on a lifetime basis. Psychiatric Genetics, 2007, 17, 103-107.	1.1	7
113	Computerized assessment of cognitive impairment in narcoleptic patients. Acta Neurologica Scandinavica, 2007, 116, 312-316.	2.1	23
114	The Effects of Long-Term Clozapine Add-On Therapy on the Rehospitalization Rate and the Mood Polarity Patterns in Bipolar Disorders. Journal of Clinical Psychiatry, 2006, 67, 461-467.	2.2	30
115	Managing the CT Data Explosion: Initial Experiences of Archiving Volumetric Datasets in a Mini-PACS. Journal of Digital Imaging, 2005, 18, 188-195.	2.9	41
116	Fractal dimension of cerebral cortical surface in schizophrenia and obsessive-compulsive disorder. Neuroscience Letters, 2005, 384, 172-176.	2.1	90
117	Three-year follow up of women with and without borderline personality disorder: development of Cloninger's character in adolescence. Psychiatry and Clinical Neurosciences, 2004, 58, 42-47.	1.8	7
118	Optimized individual mismatch negativity source localization using a realistic head model and the Talairach coordinate system. Brain Topography, 2003, 15, 233-238.	1.8	22
119	N-Methyl-d-aspartate receptor in working memory impairments in schizophrenia: event-related potential study of late stage of working memory process. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2003, 27, 993-999.	4.8	22
120	Relationship between personality trait and regional cerebral glucose metabolism assessed with positron emission tomography. Biological Psychology, 2002, 60, 109-120.	2.2	58
121	Statistical parametric mapping of LORETA using high density EEG and individual MRI: Application to mismatch negativities in Schizophrenia. Human Brain Mapping, 2002, 17, 168-178.	3.6	99
122	The Health Care Seeking Behavior of Schizophrenic Patients in 6 East Asian Areas. International Journal of Social Psychiatry, 1995, 41, 190-209.	3.1	21
123	Haloperidol does not affect the level of serum-soluble interleukin-2 receptor in drug-free male schizophrenics. Biological Psychiatry, 1995, 38, 843-845.	1.3	9