

Daria Pagliara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1697756/publications.pdf>

Version: 2024-02-01

32
papers

2,200
citations

430874

18
h-index

414414

32
g-index

32
all docs

32
docs citations

32
times ranked

3301
citing authors

#	ARTICLE	IF	CITATIONS
1	HLA-haploidentical stem cell transplantation after removal of $\hat{I}^{\pm}\hat{I}^2+$ T and B cells in children with nonmalignant disorders. <i>Blood</i> , 2014, 124, 822-826.	1.4	385
2	Outcome of children with acute leukemia given HLA-haploidentical HSCT after $\hat{I}^{\pm}\hat{I}^2$ T-cell and B-cell depletion. <i>Blood</i> , 2017, 130, 677-685.	1.4	261
3	$\hat{I}^{\pm}\hat{I}^2$ T-cell reconstitution after HLA-haploidentical hematopoietic transplantation depleted of TCR- $\hat{I}^{\pm}\hat{I}^2+$ /CD19+ lymphocytes. <i>Blood</i> , 2015, 125, 2349-2358.	1.4	224
4	Allogeneic hematopoietic stem cell transplantation in thalassemia major: results of a reduced-toxicity conditioning regimen based on the use of treosulfan. <i>Blood</i> , 2012, 120, 473-476.	1.4	170
5	A novel flow cytometry-based platelet aggregation assay. <i>Blood</i> , 2013, 121, e70-e80.	1.4	131
6	Choice of costimulatory domains and of cytokines determines CAR T-cell activity in neuroblastoma. <i>Oncolmmunology</i> , 2018, 7, e1433518.	4.6	120
7	Interleukin-7 Mediates Selective Expansion of Tumor-redirceted Cytotoxic T Lymphocytes (CTLs) without Enhancement of Regulatory T-cell Inhibition. <i>Clinical Cancer Research</i> , 2014, 20, 131-139.	7.0	114
8	Unrelated donor vs HLA-haploidentical $\hat{I}^{\pm}\hat{I}^2$ T-cell and B-cell-depleted HSCT in children with acute leukemia. <i>Blood</i> , 2018, 132, 2594-2607.	1.4	101
9	Ex vivo expansion of mesenchymal stromal cells. <i>Best Practice and Research in Clinical Haematology</i> , 2011, 24, 73-81.	1.7	76
10	Multifunctional human CD56low CD16low natural killer cells are the prominent subset in bone marrow of both healthy pediatric donors and leukemic patients. <i>Haematologica</i> , 2015, 100, 489-498.	3.5	72
11	Interleukin 15 Provides Relief to CTLs from Regulatory T Cell-Mediated Inhibition: Implications for Adoptive T Cell-Based Therapies for Lymphoma. <i>Clinical Cancer Research</i> , 2013, 19, 106-117.	7.0	68
12	Selective Depletion of $\hat{I}^{\pm}\hat{I}^2$ T Cells and B Cells for Human Leukocyte Antigen-Haploidentical Hematopoietic Stem Cell Transplantation. A Three-Year Follow-Up of Procedure Efficiency. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 2056-2064.	2.0	59
13	Efficacy of two different doses of rabbit anti-T-lymphocyte globulin to prevent graft-versus-host disease in children with haematological malignancies transplanted from an unrelated donor: a multicentre, randomised, open-label, phase 3 trial. <i>Lancet Oncology</i> , The, 2017, 18, 1126-1136.	10.7	58
14	Recognition of adult and pediatric acute lymphoblastic leukemia blasts by natural killer cells. <i>Haematologica</i> , 2014, 99, 1248-1254.	3.5	57
15	HLA-Haploidentical T Cell-Depleted Allogeneic Hematopoietic Stem Cell Transplantation in Children with Fanconi Anemia. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 571-576.	2.0	52
16	Allogeneic hematopoietic stem cell transplantation in children with sickle cell disease. <i>Pediatric Blood and Cancer</i> , 2012, 59, 372-376.	1.5	42
17	Occurrence of long-term effects after hematopoietic stem cell transplantation in children affected by acute leukemia receiving either busulfan or total body irradiation: results of an AIEOP (Associazione Italiana Ematologia Oncologia Pediatrica) retrospective study. <i>Bone Marrow Transplantation</i> , 2020, 55, 1918-1927.	2.4	28
18	HLA-haploidentical TCR- $\hat{I}^{\pm}\hat{I}^2+$ /CD19+-depleted stem cell transplantation in children and young adults with Fanconi anemia. <i>Blood Advances</i> , 2021, 5, 1333-1339.	5.2	22

#	ARTICLE	IF	CITATIONS
19	TCR $\hat{\pm}$ $\hat{1}^2$ /CD19 depleted HSCT from an HLA-haploidentical relative to treat children with different nonmalignant disorders. <i>Blood Advances</i> , 2022, 6, 281-292.	5.2	22
20	Immune Modulation Properties of Zoledronic Acid on TcR $\hat{\pm}$ $\hat{1}^2$ T-Lymphocytes After TcR $\hat{\pm}$ $\hat{1}^2$ /CD19-Depleted Haploidentical Stem Cell Transplantation: An analysis on 46 Pediatric Patients Affected by Acute Leukemia. <i>Frontiers in Immunology</i> , 2020, 11, 699.	4.8	21
21	Reconstitution of multifunctional CD56 ^{low} CD16 ^{low} natural killer cell subset in children with acute leukemia given $\hat{\pm}$ / $\hat{1}^2$ T cell-depleted HLA-haploidentical haematopoietic stem cell transplantation. <i>OncImmunity</i> , 2017, 6, e1342024.	4.6	20
22	Phenotypic and Functional Characterization of NK Cells in $\hat{\pm}$ $\hat{1}^2$ T-Cell and B-Cell Depleted Haplo-HSCT to Cure Pediatric Patients with Acute Leukemia. <i>Cancers</i> , 2020, 12, 2187.	3.7	19
23	Recipient CTLA-4*CT60-AA genotype is a prognostic factor for acute graft-versus-host disease in hematopoietic stem cell transplantation for thalassemia. <i>Human Immunology</i> , 2012, 73, 282-286.	2.4	18
24	Cytotoxic T lymphocytes for the treatment of viral infections and posttransplant lymphoproliferative disorders in transplant recipients. <i>Current Opinion in Infectious Diseases</i> , 2012, 25, 431-437.	3.1	16
25	Novel X-Linked Inhibitor of Apoptosis Mutation in Very Early-Onset Inflammatory Bowel Disease Child Successfully Treated with HLA-Haploidentical Hemapoietic Stem Cells Transplant after Removal of $\hat{\pm}$ $\hat{1}^2$ + T and B Cells. <i>Frontiers in Immunology</i> , 2017, 8, 1893.	4.8	16
26	Kindlin-3-independent adhesion of neutrophils from patients with leukocyte adhesion deficiency type III. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 1215-1218.e3.	2.9	11
27	Response to comment on Multifunctional human CD56 ^{low} CD16 ^{low} NK cells are the prominent subset in bone marrow of both pediatric healthy donors and leukemic patients. <i>Haematologica</i> , 2015, 100, e332-3.	3.5	6
28	Low percentages of circulating CD8+/CD45RA+ human T lymphocytes expressing $\hat{1}^2$ 7 integrin correlate with the occurrence of intestinal acute graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. <i>Experimental Hematology</i> , 2006, 34, 1429-1434.	0.4	4
29	Partial T cell defects and expanded CD56 ^{bright} NK cells in an SCID patient carrying hypomorphic mutation in the <i>IL2RG</i> gene. <i>Journal of Leukocyte Biology</i> , 2020, 108, 739-748.	3.3	3
30	The strange case of the lost <i>NRAS</i> mutation in a child with juvenile myelomonocytic leukemia. <i>Pediatric Blood and Cancer</i> , 2012, 59, 580-582.	1.5	2
31	Acute abdomen after allogeneic haematopoietic stem cell transplantation. <i>Mental Illness</i> , 2011, 3, 32.	0.8	1
32	Preservation of Antigen-Specific Functions of $\hat{\pm}$ $\hat{1}^2$ T Cells and B Cells Removed from Hematopoietic Stem Cell Transplants Suggests Their Use As an Alternative Cell Source for Advanced Manipulation and Adoptive Immunotherapy. <i>Frontiers in Immunology</i> , 2017, 8, 332.	4.8	1