

# Maria Bjorkqvist

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1701006/publications.pdf>

Version: 2024-02-01

72  
papers

4,804  
citations

109321

35  
h-index

95266

68  
g-index

75  
all docs

75  
docs citations

75  
times ranked

5360  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hypothalamic expression of huntingtin causes distinct metabolic changes in Huntington's disease mice. <i>Molecular Metabolism</i> , 2022, 57, 101439.	6.5	11
2	Effects of excitotoxicity in the hypothalamus in transgenic mouse models of Huntington disease. <i>Heliyon</i> , 2021, 7, e07808.	3.2	2
3	A hypothesis for insulin resistance in primary human adipocytes involving MRTF-A and suppression of PPAR $\beta$ . <i>Biochemical and Biophysical Research Communications</i> , 2020, 533, 64-69.	2.1	5
4	Increased intestinal permeability and gut dysbiosis in the R6/2 mouse model of Huntington's disease. <i>Scientific Reports</i> , 2020, 10, 18270.	3.3	59
5	Leptin deficiency reverses high metabolic state and weight loss without affecting central pathology in the R6/2 mouse model of Huntington's disease. <i>Neurobiology of Disease</i> , 2019, 132, 104560.	4.4	14
6	Brain pericyte activation occurs early in Huntington's disease. <i>Experimental Neurology</i> , 2018, 305, 139-150.	4.1	22
7	Perturbations in the p53/miR-34a/SIRT1 pathway in the R6/2 Huntington's disease model. <i>Molecular and Cellular Neurosciences</i> , 2018, 88, 118-129.	2.2	41
8	A Critical Evaluation of Wet Biomarkers for Huntington's Disease: Current Status and Ways Forward. <i>Journal of Huntington's Disease</i> , 2018, 7, 109-135.	1.9	38
9	A53's...Effects of hypothalamic circuitries on pathology in the ventral striatum in mouse models of huntington disease. , 2018, , .		0
10	Dual Therapy with Liraglutide and Ghrelin Promotes Brain and Peripheral Energy Metabolism in the R6/2 Mouse Model of Huntington's Disease. <i>Scientific Reports</i> , 2018, 8, 8961.	3.3	20
11	A54's...The role of excitotoxicity for neuropathology in the lateral hypothalamus in mouse models of huntington disease. , 2018, , .		0
12	Neurofilament light protein in CSF and blood is associated with neurodegeneration and disease severity in Huntington's disease R6/2 mice. <i>Scientific Reports</i> , 2017, 7, 14114.	3.3	49
13	Ghrelin rescues skeletal muscle catabolic profile in the R6/2 mouse model of Huntington's disease. <i>Scientific Reports</i> , 2017, 7, 13896.	3.3	17
14	Neuropeptide Y (NPY) in cerebrospinal fluid from patients with Huntington's Disease: increased NPY levels and differential degradation of the NPY <sup>30</sup> fragment. <i>Journal of Neurochemistry</i> , 2016, 137, 820-837.	3.9	17
15	Immunomodulation " a disease-modifying avenue for treatment of Huntington's disease?. <i>Journal of Neurochemistry</i> , 2016, 137, 670-672.	3.9	2
16	B31's...Sirt1 expression, regulation and activity in R6/2 mice. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, A20.1-A20.	1.9	1
17	A Metabolic Study of Huntington's Disease. <i>PLoS ONE</i> , 2016, 11, e0146480.	2.5	41
18	White Adipose Tissue Browning in the R6/2 Mouse Model of Huntington's Disease. <i>PLoS ONE</i> , 2016, 11, e0159870.	2.5	18

#	ARTICLE	IF	CITATIONS
19	Analysis of White Adipose Tissue Gene Expression Reveals CREB1 Pathway Altered in Huntington's Disease. <i>Journal of Huntington's Disease</i> , 2015, 4, 371-382.	1.9	11
20	A 24-Hour Study of the Hypothalamo-Pituitary Axes in Huntington's Disease. <i>PLoS ONE</i> , 2015, 10, e0138848.	2.5	22
21	Characterisation of immune cell function in fragment and full-length Huntington's disease mouse models. <i>Neurobiology of Disease</i> , 2015, 73, 388-398.	4.4	50
22	Antibodies against phosphorylcholine are not altered in plasma of patients with Alzheimer's disease. <i>BMC Neurology</i> , 2015, 15, 8.	1.8	1
23	Characterization of Gastric Mucosa Biopsies Reveals Alterations in Huntington's Disease. <i>PLOS Currents</i> , 2015, 7, .	1.4	10
24	Drug repositioning in Alzheimer's disease. <i>Frontiers in Bioscience - Scholar</i> , 2015, 7, 184-188.	2.1	5
25	Inflammatory markers in Huntington's disease plasma: A robust nanoLC-MS/MS assay development. <i>EuPA Open Proteomics</i> , 2014, 3, 68-75.	2.5	6
26	A porous silicon immunoassay platform for fluorometric determination of $\beta$ -synuclein in human cerebrospinal fluid. <i>Mikrochimica Acta</i> , 2014, 181, 1143-1149.	5.0	7
27	HTT-lowering reverses Huntington's disease immune dysfunction caused by NF- $\kappa$ B pathway dysregulation. <i>Brain</i> , 2014, 137, 819-833.	7.6	147
28	Plasma melatonin is reduced in Huntington's disease. <i>Movement Disorders</i> , 2014, 29, 1511-1515.	3.9	81
29	Flt3 ligand does not differentiate between Parkinsonian disorders. <i>Movement Disorders</i> , 2014, 29, 1319-1322.	3.9	9
30	Skeletal Muscle Atrophy in R6/2 Mice is Associated with Altered Circulating Skeletal Muscle Markers and Gene Expression Profile Changes. <i>Journal of Huntington's Disease</i> , 2014, 3, 13-24.	1.9	16
31	A Critical Evaluation of Inflammatory Markers in Huntington's Disease Plasma. <i>Journal of Huntington's Disease</i> , 2013, 2, 125-134.	1.9	25
32	JAK/STAT Signalling in Huntington's Disease Immune Cells. <i>PLOS Currents</i> , 2013, 5, .	1.4	15
33	Bone Marrow Transplantation Confers Modest Benefits in Mouse Models of Huntington's Disease. <i>Journal of Neuroscience</i> , 2012, 32, 133-142.	3.6	71
34	Automated Behavioral Phenotyping Reveals Presymptomatic Alterations in a SCA3 Genetrap Mouse Model. <i>Journal of Genetics and Genomics</i> , 2012, 39, 287-299.	3.9	15
35	Evaluation of a Previously Suggested Plasma Biomarker Panel to Identify Alzheimer's Disease. <i>PLoS ONE</i> , 2012, 7, e29868.	2.5	106
36	No Diagnostic Value of Plasma Clusterin in Alzheimer's Disease. <i>PLoS ONE</i> , 2012, 7, e50237.	2.5	36

#	ARTICLE	IF	CITATIONS
37	Gastrointestinal dysfunction contributes to weight loss in Huntington's disease mice. <i>Neurobiology of Disease</i> , 2011, 44, 1-8.	4.4	88
38	Hsa-miR-34b is a plasma-stable microRNA that is elevated in pre-manifest Huntington's disease. <i>Human Molecular Genetics</i> , 2011, 20, 2225-2237.	2.9	183
39	Abnormal peripheral chemokine profile in Huntington's disease. <i>PLOS Currents</i> , 2011, 3, RRN1231.	1.4	96
40	Serum levels of a subset of cytokines show high interindividual variability and are not altered in rats transgenic for Huntington's disease. <i>PLOS Currents</i> , 2010, 2, RRN1190.	1.4	7
41	Mutant huntingtin interacts with $\beta$ -tubulin and disrupts vesicular transport and insulin secretion. <i>Human Molecular Genetics</i> , 2009, 18, 3942-3954.	2.9	43
42	Increased orexin levels in the cerebrospinal fluid the first year after a suicide attempt. <i>Journal of Affective Disorders</i> , 2009, 113, 179-182.	4.1	61
43	Beyond the brain: widespread pathology in Huntington's disease. <i>Lancet Neurology</i> , The, 2009, 8, 765-774.	10.2	312
44	Increased numbers of motor activity peaks during light cycle are associated with reductions in adrenergic $\beta$ 2-receptor levels in a transgenic Huntington's disease rat model. <i>Behavioural Brain Research</i> , 2009, 205, 175-182.	2.2	35
45	Harnessing Immune Alterations in Neurodegenerative Diseases. <i>Neuron</i> , 2009, 64, 21-24.	8.1	36
46	Interleukin-6 Is Elevated in the Cerebrospinal Fluid of Suicide Attempters and Related to Symptom Severity. <i>Biological Psychiatry</i> , 2009, 66, 287-292.	1.3	436
47	Islet $\beta$ 2-cell area and hormone expression are unaltered in Huntington's disease. <i>Histochemistry and Cell Biology</i> , 2008, 129, 623-629.	1.7	24
48	Increased metabolism in the R6/2 mouse model of Huntington's disease. <i>Neurobiology of Disease</i> , 2008, 29, 41-51.	4.4	114
49	Cocaine and amphetamine regulated transcript (CART) in suicide attempters. <i>Psychiatry Research</i> , 2008, 158, 117-122.	3.3	7
50	Increased thirst and drinking in Huntington's disease and the R6/2 mouse. <i>Brain Research Bulletin</i> , 2008, 76, 70-79.	3.0	82
51	A novel pathogenic pathway of immune activation detectable before clinical onset in Huntington's disease. <i>Journal of Experimental Medicine</i> , 2008, 205, 1869-1877.	8.5	559
52	Immune markers for Huntington's disease?. <i>Expert Review of Neurotherapeutics</i> , 2008, 8, 1779-1781.	2.8	16
53	Chrelin and Motilin Are Cosecreted from a Prominent Endocrine Cell Population in the Small Intestine. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 3573-3581.	3.6	83
54	Reduced orexin levels in the cerebrospinal fluid of suicidal patients with major depressive disorder. <i>European Neuropsychopharmacology</i> , 2007, 17, 573-579.	0.7	176

#	ARTICLE	IF	CITATIONS
55	Proteomic Profiling of Plasma in Huntington's Disease Reveals Neuroinflammatory Activation and Biomarker Candidates. <i>Journal of Proteome Research</i> , 2007, 6, 2833-2840.	3.7	212
56	Cocaine- and amphetamine-regulated transcript is increased in Huntington disease. <i>Movement Disorders</i> , 2007, 22, 1952-1954.	3.9	18
57	Orexin and psychiatric symptoms in suicide attempters. <i>Journal of Affective Disorders</i> , 2007, 100, 259-263.	4.1	76
58	Testicular degeneration in Huntington disease. <i>Neurobiology of Disease</i> , 2007, 26, 512-520.	4.4	90
59	Hypothalamic endocrine aspects in Huntington's disease. <i>European Journal of Neuroscience</i> , 2006, 24, 961-967.	2.6	167
60	Progressive alterations in the hypothalamic-pituitary-adrenal axis in the R6/2 transgenic mouse model of Huntington's disease. <i>Human Molecular Genetics</i> , 2006, 15, 1713-1721.	2.9	122
61	CART Regulates Islet Hormone Secretion and Is Expressed in the $\beta$ -Cells of Type 2 Diabetic Rats. <i>Diabetes</i> , 2006, 55, 305-311.	0.6	63
62	Reduction of GnRH and infertility in the R6/2 mouse model of Huntington's disease. <i>European Journal of Neuroscience</i> , 2005, 22, 1541-1546.	2.6	61
63	The R6/2 transgenic mouse model of Huntington's disease develops diabetes due to deficient $\beta$ -cell mass and exocytosis. <i>Human Molecular Genetics</i> , 2005, 14, 565-574.	2.9	129
64	Orexin loss in Huntington's disease. <i>Human Molecular Genetics</i> , 2005, 14, 39-47.	2.9	246
65	Somatostatin, misoprostol and galanin inhibit gastrin- and PACAP-stimulated secretion of histamine and pancreastatin from ECL cells by blocking specific $Ca^{2+}$ channels. <i>Regulatory Peptides</i> , 2005, 130, 81-90.	1.9	15
66	Role of gastrin in the development of gastric mucosa, ECL cells and A-like cells in newborn and young rats. <i>Regulatory Peptides</i> , 2002, 108, 73-82.	1.9	36
67	Effects of CCK2 Receptor Blockade on Growth Parameters in Gastrointestinal Tract and Pancreas in Rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2001, 89, 208-213.	0.0	9
68	Gastrin and the neuropeptide PACAP evoke secretion from rat stomach histamine-containing (ECL) cells by stimulating influx of $Ca^{2+}$ through different $Ca^{2+}$ channels. <i>Journal of Physiology</i> , 2001, 535, 663-677.	2.9	30
69	Cell-specific Processing of Chromogranin A in Endocrine Cells of the Rat Stomach. <i>Journal of Histochemistry and Cytochemistry</i> , 2001, 49, 9-18.	2.5	37
70	Pharmacological analysis of CCK2receptor antagonists using isolated rat stomach ECL cells. <i>British Journal of Pharmacology</i> , 1999, 127, 530-536.	5.4	37
71	Gastrin-induced gene expression in oxyntic mucosa and ECL cells of rat stomach. <i>Regulatory Peptides</i> , 1999, 84, 29-35.	1.9	9
72	Neurohormonal regulation of histamine and pancreastatin secretion from isolated rat stomach ECL cells. <i>Regulatory Peptides</i> , 1997, 71, 73-86.	1.9	98