

Michelle A Ozbun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1701694/publications.pdf>

Version: 2024-02-01

51
papers

7,420
citations

159585

30
h-index

223800

46
g-index

51
all docs

51
docs citations

51
times ranked

15484
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
2	Cellular Entry of Human Papillomavirus Type 16 Involves Activation of the Phosphatidylinositol 3-Kinase/Akt/mTOR Pathway and Inhibition of Autophagy. <i>Journal of Virology</i> , 2013, 87, 2508-2517.	3.4	194
3	Synthesis of infectious human papillomavirus type 18 in differentiating epithelium transfected with viral DNA. <i>Journal of Virology</i> , 1997, 71, 7381-7386.	3.4	163
4	Characterization of late gene transcripts expressed during vegetative replication of human papillomavirus type 31b. <i>Journal of Virology</i> , 1997, 71, 5161-5172.	3.4	153
5	Essential Roles for Soluble Virion-Associated Heparan Sulfonated Proteoglycans and Growth Factors in Human Papillomavirus Infections. <i>PLoS Pathogens</i> , 2012, 8, e1002519.	4.7	149
6	Annexin A2 and S100A10 Regulate Human Papillomavirus Type 16 Entry and Intracellular Trafficking in Human Keratinocytes. <i>Journal of Virology</i> , 2013, 87, 7502-7515.	3.4	114
7	Human Papillomavirus Type 31 Uses a Caveolin 1- and Dynamin 2-Mediated Entry Pathway for Infection of Human Keratinocytes. <i>Journal of Virology</i> , 2007, 81, 9922-9931.	3.4	113
8	Human Papillomavirus L2 Facilitates Viral Escape from Late Endosomes via Sorting Nexin 17. <i>Traffic</i> , 2012, 13, 455-467.	2.7	111
9	Temporal Usage of Multiple Promoters during the Life Cycle of Human Papillomavirus Type 31b. <i>Journal of Virology</i> , 1998, 72, 2715-2722.	3.4	99
10	Caveolin-1-Dependent Infectious Entry of Human Papillomavirus Type 31 in Human Keratinocytes Proceeds to the Endosomal Pathway for pH-Dependent Uncoating. <i>Journal of Virology</i> , 2008, 82, 9505-9512.	3.4	94
11	Human Papillomavirus Type 31b E1 and E2 Transcript Expression Correlates with Vegetative Viral Genome Amplification. <i>Virology</i> , 1998, 248, 218-230.	2.4	91
12	Human Papillomavirus Type 31b Infection of Human Keratinocytes and the Onset of Early Transcription. <i>Journal of Virology</i> , 2002, 76, 11291-11300.	3.4	88
13	The Minor Capsid Protein L2 Contributes to Two Steps in the Human Papillomavirus Type 31 Life Cycle. <i>Journal of Virology</i> , 2005, 79, 3938-3948.	3.4	87
14	Nitric Oxide Induces Early Viral Transcription Coincident with Increased DNA Damage and Mutation Rates in Human Papillomavirus-Infected Cells. <i>Cancer Research</i> , 2009, 69, 4878-4884.	0.9	82
15	Tumor Suppressor p53 Mutations and Breast Cancer: A Critical Analysis. <i>Advances in Cancer Research</i> , 1995, 66, 71-141.	5.0	79
16	Variable expression of some "housekeeping" genes during human keratinocyte differentiation. <i>Analytical Biochemistry</i> , 2002, 307, 341-347.	2.4	76
17	Human and primate tumour viruses use PDZ binding as an evolutionarily conserved mechanism of targeting cell polarity regulators. <i>Oncogene</i> , 2009, 28, 1-8.	5.9	68
18	Human Papillomavirus Type 31b Infection of Human Keratinocytes Does Not Require Heparan Sulfate. <i>Journal of Virology</i> , 2005, 79, 6838-6847.	3.4	66

#	ARTICLE	IF	CITATIONS
19	Sumoylation dynamics during keratinocyte differentiation. <i>Journal of Cell Science</i> , 2007, 120, 125-136.	2.0	63
20	Virus activated filopodia promote human papillomavirus type 31 uptake from the extracellular matrix. <i>Virology</i> , 2008, 381, 16-21.	2.4	59
21	Two Highly Conserved Cysteine Residues in HPV16 L2 Form an Intramolecular Disulfide Bond and Are Critical for Infectivity in Human Keratinocytes. <i>PLoS ONE</i> , 2009, 4, e4463.	2.5	57
22	Interaction of human papillomavirus type 16 particles with heparan sulfate and syndecan-1 molecules in the keratinocyte extracellular matrix plays an active role in infection. <i>Journal of General Virology</i> , 2015, 96, 2232-2241.	2.9	55
23	Propagation of infectious human papillomavirus type 16 by using an adenovirus and Cre/LoxP mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 2094-2099.	7.1	54
24	Using an Immortalized Cell Line to Study the HPV Life Cycle in Organotypic. , 2005, 119, 141-156.		52
25	Infectious human papillomavirus type 31b: purification and infection of an immortalized human keratinocyte cell line. <i>Journal of General Virology</i> , 2002, 83, 2753-2763.	2.9	48
26	Transforming growth factor beta1 induces differentiation in human papillomavirus-positive keratinocytes. <i>Journal of Virology</i> , 1996, 70, 5437-5446.	3.4	45
27	The development of quantum dot calibration beads and quantitative multicolor bioassays in flow cytometry and microscopy. <i>Analytical Biochemistry</i> , 2007, 364, 180-192.	2.4	44
28	Intracellular targeting of annexin A2 inhibits tumor cell adhesion, migration, and in vivo grafting. <i>Scientific Reports</i> , 2017, 7, 4243.	3.3	38
29	Tobacco exposure results in increased E6 and E7 oncogene expression, DNA damage and mutation rates in cells maintaining episomal human papillomavirus 16 genomes. <i>Carcinogenesis</i> , 2014, 35, 2373-2381.	2.8	37
30	Opposing Effects of Bacitracin on Human Papillomavirus Type 16 Infection: Enhancement of Binding and Entry and Inhibition of Endosomal Penetration. <i>Journal of Virology</i> , 2012, 86, 4169-4181.	3.4	36
31	Extracellular events impacting human papillomavirus infections: Epithelial wounding to cell signaling involved in virus entry. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2019, 7, 188-192.	4.5	34
32	Cross-talk Signaling between HER3 and HPV16 E6 and E7 Mediates Resistance to PI3K Inhibitors in Head and Neck Cancer. <i>Cancer Research</i> , 2018, 78, 2383-2395.	0.9	31
33	Tobacco Exposure Enhances Human Papillomavirus 16 Oncogene Expression via EGFR/PI3K/Akt/c-Jun Signaling Pathway in Cervical Cancer Cells. <i>Frontiers in Microbiology</i> , 2018, 9, 3022.	3.5	31
34	Two Novel Promoters in the Upstream Regulatory Region of Human Papillomavirus Type 31b Are Negatively Regulated by Epithelial Differentiation. <i>Journal of Virology</i> , 1999, 73, 3505-3510.	3.4	31
35	Immunization with a consensus epitope from human papillomavirus L2 induces antibodies that are broadly neutralizing. <i>Vaccine</i> , 2014, 32, 4267-4274.	3.8	27
36	Using Organotypic (Raft) Epithelial Tissue Cultures for the Biosynthesis and Isolation of Infectious Human Papillomaviruses. <i>Current Protocols in Microbiology</i> , 2014, 34, 14B.3.1-18.	6.5	22

#	ARTICLE	IF	CITATIONS
37	MEK/ERK signaling is a critical regulator of high-risk human papillomavirus oncogene expression revealing therapeutic targets for HPV-induced tumors. <i>PLoS Pathogens</i> , 2021, 17, e1009216.	4.7	22
38	Inducible heat shock protein 70 enhances HPV31 viral genome replication and virion production during the differentiation-dependent life cycle in human keratinocytes. <i>Virus Research</i> , 2010, 147, 113-122.	2.2	19
39	The Known and Potential Intersections of Rab-GTPases in Human Papillomavirus Infections. <i>Frontiers in Cell and Developmental Biology</i> , 2019, 7, 139.	3.7	18
40	The long and winding road: human papillomavirus entry and subcellular trafficking. <i>Current Opinion in Virology</i> , 2021, 50, 76-86.	5.4	18
41	p53 mutations selected in vivo when mouse mammary epithelial cells form hyperplastic outgrowths are not necessary for establishment of mammary cell lines in vitro. <i>Cancer Research</i> , 1993, 53, 1646-52.	0.9	16
42	MAPKAPK2 (MK2) inhibition mediates radiation-induced inflammatory cytokine production and tumor growth in head and neck squamous cell carcinoma. <i>Oncogene</i> , 2019, 38, 7329-7341.	5.9	15
43	Infectious titres of human papillomaviruses (HPVs) in patient lesions, methodological considerations in evaluating HPV infectivity and implications for the efficacy of high-level disinfectants. <i>EBioMedicine</i> , 2021, 63, 103165.	6.1	11
44	Glycogen Phosphorylase: Developmental Expression in Rat Liver. <i>Neonatology</i> , 1993, 63, 113-119.	2.0	5
45	Protamine Sulfate Is a Potent Inhibitor of Human Papillomavirus Infection <i>In Vitro</i> and <i>In Vivo</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2022, 66, AAC0151321.	3.2	2
46	Cetuximab Has Antiviral Activities in Human Papillomavirus (HPV)-Infected Cells and HPV-Associated Tumors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 94, 937-938.	0.8	1
47	Molecular and immune signature of HPV-positive oral cavity squamous cell carcinoma. <i>Oral Oncology</i> , 2021, 116, 105175.	1.5	1
48	TP53 Tumor Suppressor Gene: Structure and Function. , 2002, , 415-431.		0
49	Abstract 3176: The EGFR pathway as the Achillesâ€™ heel for human papillomavirus-induced tumors: EGFR/MAPK pathway inhibitors exhibit antiviral activities and limit tumor growth in vivo. , 2014, , .		0
50	Protamine sulfate may prevent infections by pathogens that require heparan sulfate proteoglycan interactions, including high- and low-risk Human Papillomaviruses and Chlamydia trachomatis... <i>Journal of Clinical Oncology</i> , 2019, 37, e13065-e13065.	1.6	0
51	Assessing the Efficacy of Human Papillomavirus Disinfection and the Risk of Transmission from Clinical Lesions. <i>American Journal of Infection Control</i> , 2020, 48, S3-S4.	2.3	0