Feng Qin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1707067/publications.pdf Version: 2024-02-01



FENC OIN

#	Article	IF	CITATIONS
1	An intergated serum and urinary metabonomic research based on UPLC-MS and therapeutic effects of Gushudan on prednisolone-induced osteoporosis rats. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1027, 119-130.	2.3	31
2	Simultaneous quantification of venlafaxine and O-desmethylvenlafaxine in human plasma by ultra performance liquid chromatography–tandem mass spectrometry and its application in a pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 689-694.	2.3	29
3	Determination of nimodipine in human plasma by ultra performance liquid chromatography–tandem mass spectrometry and pharmacokinetic application. Journal of Pharmaceutical and Biomedical Analysis, 2008, 46, 557-562.	2.8	28
4	Chiral Separation of Duloxetine and Its R-Enantiomer by LC. Chromatographia, 2007, 66, 389-393.	1.3	21
5	A HILIC-UHPLC–MS/MS untargeted urinary metabonomics combined with quantitative analysis of five polar biomarkers on osteoporosis rats after oral administration of Gushudan. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1072, 40-49.	2.3	20
6	Analysis of six preservatives in beverages using hydrophilic deep eutectic solvent as disperser in dispersive liquid-liquid microextraction based on the solidification of floating organic droplet. Journal of Pharmaceutical and Biomedical Analysis, 2021, 195, 113889.	2.8	20
7	Simultaneous Determination of 14 Illegal Adulterants in Chinese Proprietary Medicines Using Reversed-Phase Ion-Pair LC. Chromatographia, 2010, 72, 1189-1194.	1.3	15
8	Development and validation of a hydrophilic interaction ultraâ€highâ€performance liquid chromatography–tandem mass spectrometry method for rapid simultaneous determination of 19 free amino acids in rat plasma and urine. Biomedical Chromatography, 2019, 33, e4387.	1.7	15
9	Determination of Trantinterol Enantiomers in Human Plasma by Highâ€Performance Liquid Chromatography – Tandem Mass Spectrometry Using Vancomycin Chiral Stationary Phase and Solid Phase Extraction and Stereoselective Pharmacokinetic Application. Chirality, 2015, 27, 327-331.	2.6	11
10	Tailor-made deep eutectic solvents extraction combined with UPLC-MS/MS determination of icarrin and icarisid II in rat plasma and its comparative pharmacokinetic application. Journal of Pharmaceutical and Biomedical Analysis, 2021, 199, 114054.	2.8	11
11	Quantitative determination of meloxicam in dog plasma by high performance liquid chromatography–tandem mass spectrometry and its application in a pharmacokinetic study. Biomedical Chromatography, 2018, 32, e4228.	1.7	8
12	Investigation of pathogenesis and therapeutic targets of acute myeloid leukemia based on untargeted plasma metabolomics and network pharmacology approach. Journal of Pharmaceutical and Biomedical Analysis, 2021, 195, 113824.	2.8	8
13	Vortex-assisted natural deep eutectic solvent dispersive liquid–liquid microextraction based on the solidification of a floating organic drop for the determination of benzoic acid and sorbic acid in condiments. Analytical Methods, 2021, 13, 4805-4813.	2.7	8
14	Quantitative determination of lisinopril in human plasma by high performance liquid chromatography–tandem mass spectrometry and its application in a pharmacokinetic study. Biomedical Chromatography, 2012, 26, 691-696.	1.7	7
15	Bidirectional Chiral Inversion of Trantinterol Enantiomers After Separate Doses to Rats. Chirality, 2013, 25, 934-938.	2.6	6
16	An integrative UHPLC-MS/MS untargeted metabonomics combined with quantitative analysis of the therapeutic mechanism of Si-Ni-San. Analytical Biochemistry, 2019, 567, 128-135.	2.4	6
17	Integrative metabolic profile of myelodysplastic syndrome based on UHPLC–MS. Biomedical Chromatography, 2021, 35, e5136.	1.7	6
18	A UPLC–MS–MS Method for Quantification of Harpagoside and Cinnamic Acid in Rat Plasma and Its Application to a Pharmacokinetic Study after Oral Administration of Yanyan Tablets. Chromatographia, 2010, 72, 163-169.	1.3	5

Feng Qin

#	Article	IF	CITATIONS
19	The clinical population pharmacokinetics, metabolomics and therapeutic analysis of alkaloids from Alstonia scholaris leaves in acute bronchitis patients. Phytomedicine, 2022, 98, 153979.	5.3	5
20	Structure identification and elucidation of mosapride metabolites in human urine, feces and plasma by ultra performance liquid chromatography-tandem mass spectrometry method. Xenobiotica, 2014, 44, 734-742.	1.1	4
21	Identification, synthesis and structural confirmation of process-related impurities in proparacaine hydrochloride. Journal of Pharmaceutical and Biomedical Analysis, 2020, 190, 113497.	2.8	4
22	Simultaneous quantification of trantinterol and its metabolites in human urine by ultra performance liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 997, 64-69.	2.3	3
23	Novel drug isolated from mistletoe (1 <i>E</i> ,4 <i>E</i>)-1,7-bis(4-hydroxyphenyl)hepta-1,4-dien-3-one for potential treatment of various cancers: synthesis, pharmacokinetics and pharmacodynamics. RSC Advances, 2020, 10, 27794-27804.	3.6	3
24	Quantification of trantinterol, its two metabolites and their primary conjugated metabolites in human plasma by ultra-high-performance liquid chromatography- tandem mass spectrometry and its application to a pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2016, 117, 413-418.	2.8	2
25	Development and validation of a chiral liquid chromatography method for the determination of MP 3950 enantiomers, a high selective 5-HT 4 receptor agonist, in rat plasma and its application to stereoselective pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1033-1034, 49-54.	2.3	2
26	Simultaneous quantification of oxybutynin and its active metabolite Nâ€desethyl oxybutynin in rat plasma by ultra high performance liquid chromatography–tandem mass spectrometry and its application in a pharmacokinetic study of oxybutynin transdermal patch. Biomedical Chromatography, 2018, 33, e4456.	1.7	2
27	An LC–MS/MS method for simultaneous determination of trantinterol and its major metabolite in rat plasma and its application to a comparative pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1000, 163-168.	2.3	1
28	Pharmacokinetic, bioavailability and tissue distribution study of MP3950, a new gastroprokinetic candidate compound, in rat using UPLC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1092, 95-105.	2.3	1
29	The tissue distribution and excretion study of mosapride and its active des-p-fluorobenzyl and 4′-N-oxide metabolites in rats by ultra-high performance liquid chromatography-tandem mass spectrometry method. Xenobiotica, 2020, 50, 202-211.	1.1	1
30	Identification of the cytochrome P450 enzymes involved in the oxidative metabolism of trantinterol using ultra high-performance liquid chromatography coupled with tandem mass spectrometry. RSC Advances, 2018, 8, 34764-34772.	3.6	0
31	Determination of meloxicam in human plasma by ultra high performance liquid chromatographyâ€tandem mass spectrometry and its application in a pharmacokinetic study. Biomedical Chromatography, 2022, , e5395.	1.7	0