

Feng Qin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1707067/publications.pdf>

Version: 2024-02-01

31
papers

283
citations

933447

10
h-index

940533

16
g-index

32
all docs

32
docs citations

32
times ranked

385
citing authors

#	ARTICLE	IF	CITATIONS
1	The clinical population pharmacokinetics, metabolomics and therapeutic analysis of alkaloids from <i>Alstonia scholaris</i> leaves in acute bronchitis patients. <i>Phytomedicine</i> , 2022, 98, 153979.	5.3	5
2	Determination of meloxicam in human plasma by ultra high performance liquid chromatography-tandem mass spectrometry and its application in a pharmacokinetic study. <i>Biomedical Chromatography</i> , 2022, , e5395.	1.7	0
3	Investigation of pathogenesis and therapeutic targets of acute myeloid leukemia based on untargeted plasma metabolomics and network pharmacology approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 195, 113824.	2.8	8
4	Analysis of six preservatives in beverages using hydrophilic deep eutectic solvent as disperser in dispersive liquid-liquid microextraction based on the solidification of floating organic droplet. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 195, 113889.	2.8	20
5	Tailor-made deep eutectic solvents extraction combined with UPLC-MS/MS determination of icarrin and icarid II in rat plasma and its comparative pharmacokinetic application. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 199, 114054.	2.8	11
6	Integrative metabolic profile of myelodysplastic syndrome based on UHPLC-MS. <i>Biomedical Chromatography</i> , 2021, 35, e5136.	1.7	6
7	Vortex-assisted natural deep eutectic solvent dispersive liquid-liquid microextraction based on the solidification of a floating organic drop for the determination of benzoic acid and sorbic acid in condiments. <i>Analytical Methods</i> , 2021, 13, 4805-4813.	2.7	8
8	The tissue distribution and excretion study of mosapride and its active des-p-fluorobenzyl and 4-N-oxide metabolites in rats by ultra-high performance liquid chromatography-tandem mass spectrometry method. <i>Xenobiotica</i> , 2020, 50, 202-211.	1.1	1
9	Identification, synthesis and structural confirmation of process-related impurities in proparacaine hydrochloride. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 190, 113497.	2.8	4
10	Novel drug isolated from mistletoe (<i>Vincetoxicum</i>)-1,7-bis(4-hydroxyphenyl)hepta-1,4-dien-3-one for potential treatment of various cancers: synthesis, pharmacokinetics and pharmacodynamics. <i>RSC Advances</i> , 2020, 10, 27794-27804.	3.6	3
11	An integrative UHPLC-MS/MS untargeted metabolomics combined with quantitative analysis of the therapeutic mechanism of Si-Ni-San. <i>Analytical Biochemistry</i> , 2019, 567, 128-135.	2.4	6
12	Development and validation of a hydrophilic interaction ultra-high performance liquid chromatography-tandem mass spectrometry method for rapid simultaneous determination of 19 free amino acids in rat plasma and urine. <i>Biomedical Chromatography</i> , 2019, 33, e4387.	1.7	15
13	Quantitative determination of meloxicam in dog plasma by high performance liquid chromatography-tandem mass spectrometry and its application in a pharmacokinetic study. <i>Biomedical Chromatography</i> , 2018, 32, e4228.	1.7	8
14	A HILIC-UHPLC-MS/MS untargeted urinary metabolomics combined with quantitative analysis of five polar biomarkers on osteoporosis rats after oral administration of Gushudan. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1072, 40-49.	2.3	20
15	Identification of the cytochrome P450 enzymes involved in the oxidative metabolism of trantinterol using ultra high-performance liquid chromatography coupled with tandem mass spectrometry. <i>RSC Advances</i> , 2018, 8, 34764-34772.	3.6	0
16	Simultaneous quantification of oxybutynin and its active metabolite N-desethyl oxybutynin in rat plasma by ultra high performance liquid chromatography-tandem mass spectrometry and its application in a pharmacokinetic study of oxybutynin transdermal patch. <i>Biomedical Chromatography</i> , 2018, 33, e4456.	1.7	2
17	Pharmacokinetic, bioavailability and tissue distribution study of MP3950, a new gastroprokinetic candidate compound, in rat using UPLC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1092, 95-105.	2.3	1
18	Quantification of trantinterol, its two metabolites and their primary conjugated metabolites in human plasma by ultra-high-performance liquid chromatography- tandem mass spectrometry and its application to a pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 117, 413-418.	2.8	2

#	ARTICLE	IF	CITATIONS
19	Development and validation of a chiral liquid chromatography method for the determination of MP 3950 enantiomers, a high selective 5-HT ₄ receptor agonist, in rat plasma and its application to stereoselective pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1033-1034, 49-54.	2.3	2
20	An intergated serum and urinary metabonomic research based on UPLC-MS and therapeutic effects of Gushudan on prednisolone-induced osteoporosis rats. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1027, 119-130.	2.3	31
21	An LC-MS/MS method for simultaneous determination of trantinterol and its major metabolite in rat plasma and its application to a comparative pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 1000, 163-168.	2.3	1
22	Simultaneous quantification of trantinterol and its metabolites in human urine by ultra performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 997, 64-69.	2.3	3
23	Determination of Trantinterol Enantiomers in Human Plasma by High-Performance Liquid Chromatography - Tandem Mass Spectrometry Using Vancomycin Chiral Stationary Phase and Solid Phase Extraction and Stereoselective Pharmacokinetic Application. <i>Chirality</i> , 2015, 27, 327-331.	2.6	11
24	Structure identification and elucidation of mosapride metabolites in human urine, feces and plasma by ultra performance liquid chromatography-tandem mass spectrometry method. <i>Xenobiotica</i> , 2014, 44, 734-742.	1.1	4
25	Bidirectional Chiral Inversion of Trantinterol Enantiomers After Separate Doses to Rats. <i>Chirality</i> , 2013, 25, 934-938.	2.6	6
26	Quantitative determination of lisinopril in human plasma by high performance liquid chromatography-tandem mass spectrometry and its application in a pharmacokinetic study. <i>Biomedical Chromatography</i> , 2012, 26, 691-696.	1.7	7
27	A UPLC-MS-MS Method for Quantification of Harpagoside and Cinnamic Acid in Rat Plasma and Its Application to a Pharmacokinetic Study after Oral Administration of Yanyan Tablets. <i>Chromatographia</i> , 2010, 72, 163-169.	1.3	5
28	Simultaneous Determination of 14 Illegal Adulterants in Chinese Proprietary Medicines Using Reversed-Phase Ion-Pair LC. <i>Chromatographia</i> , 2010, 72, 1189-1194.	1.3	15
29	Simultaneous quantification of venlafaxine and O-desmethylvenlafaxine in human plasma by ultra performance liquid chromatography-tandem mass spectrometry and its application in a pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 689-694.	2.3	29
30	Determination of nimodipine in human plasma by ultra performance liquid chromatography-tandem mass spectrometry and pharmacokinetic application. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008, 46, 557-562.	2.8	28
31	Chiral Separation of Duloxetine and Its R-Enantiomer by LC. <i>Chromatographia</i> , 2007, 66, 389-393.	1.3	21