

Daniel Cook

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1709583/publications.pdf>

Version: 2024-02-01

88
papers

1,763
citations

279798

23
h-index

330143

37
g-index

88
all docs

88
docs citations

88
times ranked

1135
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of diazepam as a drug treatment for water hemlock (<i>Cicuta</i> species) poisoning in Spanish goats. <i>Toxicon</i> , 2022, 205, 79-83.	1.6	2
2	Localization of the Swainsonine-Producing Chaetothyriales Symbiont in the Seed and Shoot Apical Meristem in Its Host <i>Ipomoea carnea</i> . <i>Microorganisms</i> , 2022, 10, 545.	3.6	8
3	Phylogenetic Comparison of Swainsonine Biosynthetic Gene Clusters among Fungi. <i>Journal of Fungi</i> (Basel, Switzerland), 2022, 8, 359.	3.5	6
4	Mineral-salt supplementation to ameliorate larkspur poisoning in cattle. <i>Journal of Animal Science</i> , 2022, , .	0.5	1
5	Phylogenetic Patterns of Swainsonine Presence in Morning Glories. <i>Frontiers in Microbiology</i> , 2022, 13, 871148.	3.5	3
6	A suite of rare microbes interacts with a dominant, heritable, fungal endophyte to influence plant trait expression. <i>ISME Journal</i> , 2021, 15, 2763-2778.	9.8	19
7	Use of Herbarium Voucher Specimens To Investigate Phytochemical Composition in Poisonous Plant Research. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 4037-4047.	5.2	5
8	Toxicity of the swainsonine-containing plant <i>Ipomoea carnea</i> subsp. <i>fistulosa</i> for goats and sheep. <i>Toxicon</i> , 2021, 197, 40-47.	1.6	1
9	Genetic Relationships in the Toxin-Producing Fungal Endophyte, <i>Alternaria oxytropis</i> Using Polyketide Synthase and Non-Ribosomal Peptide Synthase Genes. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 538.	3.5	6
10	Molecular Characterization of a Fungal Ketide Synthase Gene Among Swainsonine-Producing <i>Alternaria</i> Species in the USA. <i>Current Microbiology</i> , 2020, 77, 2554-2563.	2.2	12
11	Fatal stagger poisoning by consumption of <i>Festuca argentina</i> (Speg.) Parodi in goats from Argentine Patagonia. <i>Toxicon</i> , 2020, 186, 191-197.	1.6	4
12	Analysis of rumen contents and ocular fluid for toxic alkaloids from goats and cows dosed larkspur (<i>Delphinium barbeyi</i>), lupine (<i>Lupinus leucophyllus</i>), and death camas (<i>Zigadenus paniculatus</i>). <i>Toxicon</i> , 2020, 176, 21-29.	1.6	7
13	Biodiversity of Convolvulaceous species that contain ergot alkaloids, indole diterpene alkaloids, and swainsonine. <i>Biochemical Systematics and Ecology</i> , 2019, 86, 103921.	1.3	10
14	Detection of swainsonine-producing endophytes in Patagonian <i>Astragalus</i> species. <i>Toxicon</i> , 2019, 171, 1-6.	1.6	10
15	Clinical and pathological comparison of <i>Astragalus lentiginosus</i> and <i>Ipomoea carnea</i> poisoning in goats. <i>Toxicon</i> , 2019, 171, 20-28.	1.6	5
16	Animal and plant factors which affect larkspur toxicosis in cattle: Sex, age, breed, and plant chemotype. <i>Toxicon</i> , 2019, 165, 31-39.	1.6	8
17	Pollen and vegetative secondary chemistry of three pollen-rewarding lupines. <i>American Journal of Botany</i> , 2019, 106, 643-655.	1.7	7
18	Evaluation of noninvasive specimens to diagnose livestock exposure to toxic larkspur (<i>Delphinium</i>) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.6	10

#	ARTICLE	IF	CITATIONS
19	An Evaluation of Hair, Oral Fluid, Earwax, and Nasal Mucus as Noninvasive Specimens to Determine Livestock Exposure to Teratogenic Lupine Species. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 43-49.	5.2	6
20	<i>Herbaspirillum seropedicae</i> as a degrading bacterium of monofluoroacetate: effects of its inoculation in goats by ingesting <i>Amorimia septentrionalis</i> and the concentrations of this compound in plants sprayed with the bacterium. <i>Pesquisa Veterinaria Brasileira</i> , 2019, 39, 802-806.	0.5	1
21	Genetic Relationships among Different Chemotypes of <i>Lupinus sulphureus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 1773-1783.	5.2	4
22	Chemical Analysis of Plants that Poison Livestock: Successes, Challenges, and Opportunities. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 3308-3314.	5.2	11
23	A heritable symbiont and host-associated factors shape fungal endophyte communities across spatial scales. <i>Journal of Ecology</i> , 2018, 106, 2274-2286.	4.0	19
24	Detection of swainsonine and calystegines in <i>Convolvulaceae</i> species from the semiarid region of Pernambuco. <i>Pesquisa Veterinaria Brasileira</i> , 2018, 38, 2044-2051.	0.5	11
25	Tremorgenic Indole Diterpenes from <i>Ipomoea asarifolia</i> and <i>Ipomoea muelleri</i> and the Identification of 6,7-Dehydro-11-hydroxy-12,13-epoxyterpendole A. <i>Journal of Natural Products</i> , 2018, 81, 1682-1686.	3.0	16
26	A Gas Chromatography-Mass Spectrometry Method for the Detection and Quantitation of Monofluoroacetate in Plants Toxic to Livestock. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 1428-1433.	5.2	11
27	Effects of Elevated CO ₂ on the Swainsonine Chemotypes of <i>Astragalus lentiginosus</i> and <i>Astragalus mollissimus</i> . <i>Journal of Chemical Ecology</i> , 2017, 43, 307-316.	1.8	4
28	A Screen for Swainsonine in Select North American <i>Astragalus</i> Species. <i>Chemistry and Biodiversity</i> , 2017, 14, e1600364.	2.1	8
29	Anagryne desensitization of peripheral nicotinic acetylcholine receptors. A potential biomarker of quinolizidine alkaloid teratogenesis in cattle. <i>Research in Veterinary Science</i> , 2017, 115, 195-200.	1.9	13
30	Identification of Indole Diterpenes in <i>Ipomoea asarifolia</i> and <i>Ipomoea muelleri</i> , Plants Tremorgenic to Livestock. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 5266-5277.	5.2	25
31	Swainsonine Biosynthesis Genes in Diverse Symbiotic and Pathogenic Fungi. <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 1791-1797.	1.8	60
32	Screening for swainsonine among South American <i>Astragalus</i> species. <i>Toxicon</i> , 2017, 139, 54-57.	1.6	15
33	Two <i>Delphinium ramosum</i> chemotypes, their biogeographical distribution and potential toxicity. <i>Biochemical Systematics and Ecology</i> , 2017, 75, 1-9.	1.3	8
34	RNAi-mediated down-regulation of a melanin polyketide synthase (<i>pks1</i>) gene in the fungus <i>Slafractonia leguminicola</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2017, 33, 179.	3.6	13
35	Poisoning in goats by the monofluoroacetate-containing plant <i>Palicourea aeneofusca</i> (Rubiaceae). <i>Toxicon</i> , 2017, 135, 12-16.	1.6	5
36	A survey of swainsonine content in <i>Swainsona</i> species. <i>Rangeland Journal</i> , 2017, 39, 213.	0.9	8

#	ARTICLE	IF	CITATIONS
37	Intoxicação experimental por <i>Niederzuessleria stannea</i> (Malpighiaceae) em ovinos. <i>Pesquisa Veterinária Brasileira</i> , 2017, 37, 681-685.	0.5	1
38	Experimental poisoning by <i>Niederzuessleria stannea</i> in cattle and corresponding detection of monofluoroacetate. <i>Ciencia Rural</i> , 2017, 47, .	0.5	7
39	Biópsia hepática como método diagnóstico para intoxicação por plantas que contêm swainsonina. <i>Pesquisa Veterinária Brasileira</i> , 2016, 36, 373-377.	0.5	8
40	Activation and Desensitization of Peripheral Muscle and Neuronal Nicotinic Acetylcholine Receptors by Selected, Naturally-Occurring Pyridine Alkaloids. <i>Toxins</i> , 2016, 8, 204.	3.4	5
41	A swainsonine survey of North American <i>Astragalus</i> and <i>Oxytropis</i> taxa implicated as locoweeds. <i>Toxicon</i> , 2016, 118, 104-111.	1.6	23
42	Analysis of Swainsonine and Swainsonine <i>N</i> -Oxide as Trimethylsilyl Derivatives by Liquid Chromatography-Mass Spectrometry and Their Relative Occurrence in Plants Toxic to Livestock. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 6156-6162.	5.2	5
43	Studies in regard to the classification and putative toxicity of <i>Fridericia japurensis</i> (Arrabidaea) Tj ETQq1 1 0.784314 rgBT /Overlock 107	1.6	8
44	Phylogenetic examination of two chemotypes of <i>Lupinus leucophyllus</i> . <i>Biochemical Systematics and Ecology</i> , 2016, 65, 57-65.	1.3	5
45	Determination of toxicity in rabbits and corresponding detection of monofluoroacetate in four <i>Palicourea</i> (Rubiaceae) species from the Amazonas state, Brazil. <i>Toxicon</i> , 2016, 109, 42-44.	1.6	11
46	In-field volatile analysis employing a handheld portable GC-MS: emission profiles differentiate damaged and undamaged yellow starthistle flower heads. <i>Phytochemical Analysis</i> , 2015, 26, 395-403.	2.4	29
47	Adverse Effects of Larkspur (<i>Delphinium</i> spp.) on Cattle. <i>Agriculture (Switzerland)</i> , 2015, 5, 456-474.	3.1	7
48	Feeding preferences of experienced and naïve goats and sheep for the toxic plant <i>Ipomoea carnea</i> subsp. <i>fistulosa</i> . <i>Ciencia Rural</i> , 2015, 45, 1634-1640.	0.5	3
49	A Survey of Tremetone, Dehydrotremetone, and Structurally Related Compounds in <i>Isocoma</i> spp. (Goldenbush) in the Southwestern United States. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 872-879.	5.2	9
50	Development of a PCR-Based Method for Detection of <i>Delphinium</i> Species in Poisoned Cattle. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 1220-1225.	5.2	5
51	Changes in swainsonine, calystegine, and nitrogen concentrations on an annual basis in <i>Ipomoea carnea</i> . <i>Toxicon</i> , 2015, 95, 62-66.	1.6	8
52	The relative toxicity of <i>Delphinium stachydeum</i> in mice and cattle. <i>Toxicon</i> , 2015, 99, 36-43.	1.6	14
53	Elimination of the tremorgenic toxin of <i>Ipomoea asarifolia</i> by milk. <i>Pesquisa Veterinária Brasileira</i> , 2014, 34, 1085-1088.	0.5	9
54	Conditioned food aversion to control poisoning by <i>Ipomoea carnea</i> subsp. <i>fistulosa</i> in goats. <i>Ciencia Rural</i> , 2014, 44, 1240-1245.	0.5	7

#	ARTICLE	IF	CITATIONS
55	Bioactive alkaloids in vertically transmitted fungal endophytes. <i>Functional Ecology</i> , 2014, 28, 299-314.	3.6	154
56	Monofluoroacetate-Containing Plants That Are Potentially Toxic to Livestock. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 7345-7354.	5.2	39
57	Identification of the quinolizidine alkaloids in <i>Sophora leachiana</i> . <i>Biochemical Systematics and Ecology</i> , 2014, 54, 1-4.	1.3	6
58	Detection of toxic monofluoroacetate in <i>Palicourea</i> species. <i>Toxicon</i> , 2014, 80, 9-16.	1.6	33
59	Comparison of the volatile emission profiles of ground almond and pistachio mummies: Part 2 – Critical changes in emission profiles as a result of increasing the water activity. <i>Phytochemistry Letters</i> , 2014, 8, 220-225.	1.2	8
60	Poisoning by <i>Ipomoea asarifolia</i> in lambs by the ingestion of milk from ewes that ingest the plant. <i>Toxicon</i> , 2014, 92, 129-132.	1.6	12
61	Swainsonine-Containing Plants and Their Relationship to Endophytic Fungi. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 7326-7334.	5.2	103
62	Production of the Alkaloid Swainsonine by a Fungal Endophyte in the Host <i>Swainsona canescens</i> . <i>Journal of Natural Products</i> , 2013, 76, 1984-1988.	3.0	55
63	The alkaloid profiles of <i>Sophora nuttalliana</i> and <i>Sophora stenophylla</i> . <i>Biochemical Systematics and Ecology</i> , 2013, 48, 58-64.	1.3	12
64	Alkaloid profiles of <i>Dermatophyllum arizonicum</i> , <i>Dermatophyllum gypsophilum</i> , <i>Dermatophyllum secundiflorum</i> , <i>Styphnolobium affine</i> , and <i>Styphnolobium japonicum</i> previously classified as <i>Sophora</i> species. <i>Biochemical Systematics and Ecology</i> , 2013, 49, 87-93.	1.3	7
65	Influence of endophyte genotype on swainsonine concentrations in <i>Oxytropis sericea</i> . <i>Toxicon</i> , 2013, 61, 105-111.	1.6	24
66	Production of the Alkaloid Swainsonine by a Fungal Endosymbiont of the Ascomycete Order Chaetothyriales in the Host <i>Ipomoea carnea</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 3797-3803.	5.2	66
67	Detection and localization of the endophyte <i>Undifilum oxytropis</i> in locoweed tissues. <i>Botany</i> , 2012, 90, 1229-1236.	1.0	15
68	Detection of monofluoroacetate in <i>Palicourea</i> and <i>Amorimia</i> species. <i>Toxicon</i> , 2012, 60, 791-796.	1.6	70
69	Detection of swainsonine and isolation of the endophyte <i>Undifilum</i> from the major locoweeds in Inner Mongolia. <i>Biochemical Systematics and Ecology</i> , 2012, 45, 79-85.	1.3	21
70	Alkaloid Profiling as an Approach to Differentiate <i>Lupinus garfieldensis</i> , <i>Lupinus sabinianus</i> and <i>Lupinus sericeus</i> . <i>Phytochemical Analysis</i> , 2012, 23, 278-284.	2.4	7
71	Influence of Phenological Stage on Swainsonine and Endophyte Concentrations in <i>Oxytropis sericea</i> . <i>Journal of Chemical Ecology</i> , 2012, 38, 195-203.	1.8	31
72	Comparison of the toxic effects of two duncecap larkspur (<i>Delphinium occidentale</i>) chemotypes in mice and cattle. <i>American Journal of Veterinary Research</i> , 2011, 72, 706-714.	0.6	31

#	ARTICLE	IF	CITATIONS
73	Swainsonine and Endophyte Relationships in <i>Astragalus mollissimus</i> and <i>Astragalus lentiginosus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 1281-1287.	5.2	48
74	A comparison of alternative sample preparation procedures for the analysis of swainsonine using LC-MS/MS. <i>Phytochemical Analysis</i> , 2011, 22, 124-127.	2.4	38
75	Alkylresorcinol Synthases Expressed in <i>Sorghum bicolor</i> Root Hairs Play an Essential Role in the Biosynthesis of the Allelopathic Benzoquinone Sorgoleone. <i>Plant Cell</i> , 2010, 22, 867-887.	6.6	97
76	Tremetone and Structurally Related Compounds in White Snakeroot (<i>Ageratina altissima</i>): A Plant Associated with Trembles and Milk Sickness. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 8560-8565.	5.2	32
77	Differences in Ponderosa Pine Isocupressic Acid Concentrations Across Space and Time. <i>Rangelands</i> , 2010, 32, 14-17.	1.9	13
78	Influence of 7,8-methylenedioxylycoctonine-type alkaloids on the toxic effects associated with ingestion of tall larkspur (<i>Delphinium</i> spp) in cattle. <i>American Journal of Veterinary Research</i> , 2010, 71, 487-492.	0.6	33
79	The Biogeographical Distribution of Dunccecap Larkspur (<i>Delphinium occidentale</i>) Chemotypes and Their Potential Toxicity. <i>Journal of Chemical Ecology</i> , 2009, 35, 643-652.	1.8	34
80	Swainsonine Concentrations and Endophyte Amounts of <i>Undifilum oxytropis</i> in Different Plant Parts of <i>Oxytropis sericea</i> . <i>Journal of Chemical Ecology</i> , 2009, 35, 1272-1278.	1.8	61
81	Quantitative PCR Method To Measure the Fungal Endophyte in Locoweeds. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 6050-6054.	5.2	28
82	The Alkaloid Profiles of <i>Lupinus sulphureus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 1646-1653.	5.2	37
83	Locoweed Poisoning in Livestock. <i>Rangelands</i> , 2009, 31, 16-21.	1.9	62
84	Larkspur Poison Weed: 100 Years of <i>Delphinium</i> Research. <i>Rangelands</i> , 2009, 31, 22-27.	1.9	14
85	Lupine Induced "Crooked Calf Disease" in Washington and Oregon: Identification of the Alkaloid Profiles in <i>Lupinus sulfureus</i> , <i>Lupinus leucophyllus</i> , and <i>Lupinus sericeus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 10649-10655.	5.2	33
86	Molecular and Biochemical Characterization of Novel Polyketide Synthases Likely to Be Involved in the Biosynthesis of Sorgoleone. <i>ACS Symposium Series</i> , 2007, , 141-151.	0.5	1
87	A Functional Genomics Approach for the Identification of Genes Involved in the Biosynthesis of the Allelochemical Sorgoleone. <i>ACS Symposium Series</i> , 2006, , 265-276.	0.5	7
88	Ectopic growth of the Chaetothiriales fungal symbiont on <i>Ipomoea carnea</i> . <i>Botany</i> , 0, , 1-9.	1.0	5