Jeffery M Brown

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1710362/publications.pdf Version: 2024-02-01



IFFFFDV M RDOWN

#	Article	IF	CITATIONS
1	Non-ergodic fragmentation of protonated reserpine using femtosecond laser activation. International Journal of Mass Spectrometry, 2022, 471, 116729.	1.5	2
2	Ultrahigh-Throughput Sample Analysis Using Liquid Atmospheric Pressure Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry. Analytical Chemistry, 2022, 94, 4141-4145.	6.5	17
3	Production and analysis of multiply charged negative ions by liquid atmospheric pressure matrixâ€assisted laser desorption/ionization mass spectrometry. Rapid Communications in Mass Spectrometry, 2021, 35, e8246.	1.5	9
4	<i>In Silico</i> Reagent Design for Electron-Transfer Dissociation on a Q-TOF. Journal of the American Society for Mass Spectrometry, 2021, 32, 2092-2098.	2.8	1
5	Characterization of native protein structure with ion mobility mass spectrometry, multiplexed fragmentation strategies and multivariant analysis. International Journal of Mass Spectrometry, 2021, 464, 116588.	1.5	5
6	Top-Down Characterization of Denatured Proteins and Native Protein Complexes Using Electron Capture Dissociation Implemented within a Modified Ion Mobility-Mass Spectrometer. Analytical Chemistry, 2020, 92, 3674-3681.	6.5	35
7	Coupling 193 nm Ultraviolet Photodissociation and Ion Mobility for Sequence Characterization of Conformationally-Selected Peptides. Journal of the American Society for Mass Spectrometry, 2020, 31, 2313-2320.	2.8	12
8	Advancing Liquid Atmospheric Pressure Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry Toward Ultrahigh-Throughput Analysis. Analytical Chemistry, 2020, 92, 2931-2936.	6.5	29
9	Initial Protein Unfolding Events in Ubiquitin, Cytochrome c and Myoglobin Are Revealed with the Use of 213 nm UVPD Coupled to IM-MS. Journal of the American Society for Mass Spectrometry, 2019, 30, 24-33.	2.8	35
10	Dueling electrospray implemented on a traveling-wave ion mobility/time-of-flight mass spectrometer: Towards a gas-phase workbench for structural biology. International Journal of Mass Spectrometry, 2019, 444, 116177.	1.5	10
11	On-the-Fly Femtosecond Action Spectroscopy of Charged Cyanine Dyes: Electronic Structure versus Geometry. Journal of Physical Chemistry Letters, 2019, 10, 2300-2305.	4.6	12
12	Probing the Dissociation of Protein Complexes by Means of Gas-Phase H/D Exchange Mass Spectrometry. Journal of the American Society for Mass Spectrometry, 2019, 30, 45-57.	2.8	16
13	UV Photodissociation Mass Spectrometry Accurately Localize Sites of Backbone Deuteration in Peptides. Analytical Chemistry, 2018, 90, 1077-1080.	6.5	32
14	The matrixâ€assisted laser desorption/ionisation inâ€source decay of peptides using ion mobility enabled quadrupoleâ€timeâ€ofâ€flight mass spectrometry. Rapid Communications in Mass Spectrometry, 2018, 32, 2099-2105.	1.5	3
15	Comprehensive Tandem-Mass-Spectrometry Coverage of Complex Samples Enabled by Data-Set-Dependent Acquisition. Analytical Chemistry, 2018, 90, 8020-8027.	6.5	35
16	Electron Transfer Dissociation of All Ions at All Times, MSETD, in a Quadrupole Time-of-Flight (Q-ToF) Mass Spectrometer. Journal of the American Society for Mass Spectrometry, 2017, 28, 384-388.	2.8	9
17	Electron transfer with no dissociation ion mobility–mass spectrometry (ETnoD IM-MS). The effect of charge reduction on protein conformation. International Journal of Mass Spectrometry, 2017, 413, 43-51.	1.5	27
18	Tandem Mass Spectrometry in Combination with Product Ion Mobility for the Identification of Phospholipids. Analytical Chemistry, 2017, 89, 916-921.	6.5	26

JEFFERY M BROWN

#	Article	IF	CITATIONS
19	Ozoneâ€induced dissociation on a traveling wave highâ€resolution mass spectrometer for determination of doubleâ€bond position in lipids. Rapid Communications in Mass Spectrometry, 2017, 31, 1415-1423.	1.5	38
20	Protein identification using a nanoUHPLC-AP-MALDI MS/MS workflow with CID of multiply charged proteolytic peptides. International Journal of Mass Spectrometry, 2017, 416, 20-28.	1.5	12
21	Investigation and optimization of parameters affecting the multiply charged ion yield in AP-MALDI MS. Methods, 2016, 104, 11-20.	3.8	31
22	Use of Ultraviolet Photodissociation Coupled with Ion Mobility Mass Spectrometry To Determine Structure and Sequence from Drift Time Selected Peptides and Proteins. Analytical Chemistry, 2016, 88, 9964-9971.	6.5	34
23	Tuning a High Transmission Ion Guide to Prevent Gas-Phase Proton Exchange During H/D Exchange MS Analysis. Journal of the American Society for Mass Spectrometry, 2016, 27, 662-668.	2.8	34
24	Extended Gas-Phase Trapping Followed by Surface-Induced Dissociation of Noncovalent Protein Complexes. Analytical Chemistry, 2016, 88, 1218-1221.	6.5	21
25	Probing the Binding Interfaces of Protein Complexes Using Gas-Phase H/D Exchange Mass Spectrometry. Structure, 2016, 24, 310-318.	3.3	38
26	Characterization of top-down ETD in a travelling-wave ion guide. Methods, 2015, 89, 22-29.	3.8	21
27	Changes in protein structure monitored by use of gasâ€phase hydrogen/deuterium exchange. Proteomics, 2015, 15, 2842-2850.	2.2	12
28	Electron transfer dissociation of sodium cationized polyesters: Reaction time effects and combination with collisional activation and ion mobility separation. International Journal of Mass Spectrometry, 2015, 378, 303-311.	1.5	22
29	Extensive Charge Reduction and Dissociation of Intact Protein Complexes Following Electron Transfer on a Quadrupole-Ion Mobility-Time-of-Flight MS. Journal of the American Society for Mass Spectrometry, 2015, 26, 1068-1076.	2.8	53
30	UV photodissociation of trapped ions following ion mobility separation in a Q-ToF mass spectrometer. Analyst, The, 2014, 139, 6348-6351.	3.5	45
31	Simple Setup for Gas-Phase H/D Exchange Mass Spectrometry Coupled to Electron Transfer Dissociation and Ion Mobility for Analysis of Polypeptide Structure on a Liquid Chromatographic Time Scale. Analytical Chemistry, 2014, 86, 11868-11876.	6.5	34
32	Method of Atmospheric Pressure Charge Stripping for Electrospray Ionization Mass Spectrometry and Its Application for the Analysis of Large Poly(Ethylene Glycol)s. Analytical Chemistry, 2014, 86, 9644-9652.	6.5	20
33	Tandem Mass Spectrometry Using the Atmospheric Pressure Electron Capture Dissociation Ion Source. Analytical Chemistry, 2014, 86, 4439-4446.	6.5	10
34	ETD Allows for Native Surface Mapping of a 150 kDa Noncovalent Complex on a Commercial Q-TWIMS-TOF Instrument. Journal of the American Society for Mass Spectrometry, 2014, 25, 343-350.	2.8	78
35	Cas-phase structures of phosphopeptide ions: A difficult case. International Journal of Mass Spectrometry, 2013, 354-355, 249-256.	1.5	24
36	Characterisation of glycoproteins using a quadrupole timeâ€ofâ€flight mass spectrometer configured for electron transfer dissociation. Rapid Communications in Mass Spectrometry, 2013, 27, 2383-2390.	1.5	20

JEFFERY M BROWN

#	Article	IF	CITATIONS
37	Gas-Phase Ion Chemistry and Organic Chemistry: The Story of a Hybrid Six-Sector Mass Spectrometer—The "AutoSpec 6F― European Journal of Mass Spectrometry, 2012, 18, 93-112.	1.0	5
38	Site-Specific Analysis of Gas-Phase Hydrogen/Deuterium Exchange of Peptides and Proteins by Electron Transfer Dissociation. Analytical Chemistry, 2012, 84, 1931-1940.	6.5	61
39	Assigning Structures to Gas-Phase Peptide Cations and Cation-Radicals. An Infrared Multiphoton Dissociation, Ion Mobility, Electron Transfer, and Computational Study of a Histidine Peptide Ion. Journal of Physical Chemistry B, 2012, 116, 3445-3456.	2.6	47
40	ETD in a Traveling Wave Ion Guide at Tuned Z-Spray Ion Source Conditions Allows for Site-Specific Hydrogen/Deuterium Exchange Measurements. Journal of the American Society for Mass Spectrometry, 2011, 22, 1784-93.	2.8	72
41	Identifying drug metallation sites on peptides using electron transfer dissociation (ETD), collision induced dissociation (CID) and ion mobility-mass spectrometry (IM-MS). Chemical Communications, 2010, 46, 5458.	4.1	70
42	Gas-Phase Hydrogen/Deuterium Exchange in a Traveling Wave Ion Guide for the Examination of Protein Conformations. Analytical Chemistry, 2009, 81, 10019-10028.	6.5	89
43	A parallel approach to post source decay MALDI-TOF analysis. Journal of the American Society for Mass Spectrometry, 2006, 17, 60-66.	2.8	9
44	Continuous sample deposition from reversed-phase liquid chromatography to tracks on a matrix-assisted laser desorption/ionization precoated target for the analysis of protein digests. Electrophoresis, 2002, 23, 3193-3204.	2.4	67
45	Time-lag focusing and cation attachment in the analysis of synthetic polymers by matrix-assisted laser desorption/ionization-time-of-flight-mass spectrometry. Journal of the American Society for Mass Spectrometry, 1997, 8, 132-139.	2.8	87
46	Electron impact and chemical ionization mass spectrometry of heterocumulenes produced by flash vacuum pyrolysis. Rapid Communications in Mass Spectrometry, 1992, 6, 249-253.	1.5	46
47	Applications in gaseous ion and neutral chemistry using a six-sector mass spectrometer. International Journal of Mass Spectrometry and Ion Processes, 1992, 115, 205-218.	1.8	109