Ann-Hwee Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1710475/publications.pdf

Version: 2024-02-01

218677 330143 9,110 36 26 37 h-index citations g-index papers 37 37 37 12158 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Inducible hepatic expression of CREBH mitigates diet-induced obesity, insulin resistance, and hepatic steatosis in mice. Journal of Biological Chemistry, 2021, 297, 100815.	3.4	6
2	The Differential Expression of Cide Family Members is Associated with Nafld Progression from Steatosis to Steatohepatitis. Scientific Reports, 2019, 9, 7501.	3.3	26
3	Transcriptional profiling of PPARαâ^'/â^' and CREB3L3â^'/â^' livers reveals disparate regulation of hepatoproliferative and metabolic functions of PPARα. BMC Genomics, 2019, 20, 199.	2.8	14
4	Spliced XBP1 Rescues Renal Interstitial Inflammation Due to Loss of Sec63 in Collecting Ducts. Journal of the American Society of Nephrology: JASN, 2019, 30, 443-459.	6.1	14
5	Preemptive Activation of the Integrated Stress Response Protects Mice From Dietâ€Induced Obesity and Insulin Resistance by Fibroblast Growth Factor 21 Induction. Hepatology, 2018, 68, 2167-2181.	7.3	28
6	XBP1-KLF9 Axis Acts as a Molecular Rheostat to Control the Transition from Adaptive to Cytotoxic Unfolded Protein Response. Cell Reports, 2018, 25, 212-223.e4.	6.4	40
7	Critical role of XBP1Âin cancer signalling is regulated by PIN1. Biochemical Journal, 2016, 473, 2603-2610.	3.7	14
8	CREBH-FGF21 axis improves hepatic steatosis by suppressing adipose tissue lipolysis. Scientific Reports, 2016, 6, 27938.	3.3	51
9	MIST1 Links Secretion and Stress as both Target and Regulator of the Unfolded Protein Response. Molecular and Cellular Biology, 2016, 36, 2931-2944.	2.3	33
10	Loss of Transcription Factor CREBH Accelerates Diet-Induced Atherosclerosis in <i>Ldlr</i> ^{<i>â^'/â^'</i>} Mice. Arteriosclerosis, Thrombosis, and Vascular Biology, 2016, 36, 1772-1781.	2.4	21
11	Very Low Density Lipoprotein Assembly Is Required for cAMP-responsive Element-binding Protein H Processing and Hepatic Apolipoprotein A-IV Expression. Journal of Biological Chemistry, 2016, 291, 23793-23803.	3.4	17
12	Essential Role of X-Box Binding Protein-1 during Endoplasmic Reticulum Stress in Podocytes. Journal of the American Society of Nephrology: JASN, 2016, 27, 1055-1065.	6.1	37
13	Lenalidomide Polarizes Th1-specific Anti-tumor Immune Response and Expands XBP1 Antigen-Specific Central Memory CD3+CD8+ T cells against Various Solid Tumors. Journal of Leukemia (Los Angeles,) Tj ETQq1 1 C	0. 7&4 314	rg B T /Overloc
14	ER Stress Sensor XBP1 Controls Anti-tumor Immunity by Disrupting Dendritic Cell Homeostasis. Cell, 2015, 161, 1527-1538.	28.9	639
15	The transcription factor XBP1 is selectively required for eosinophil differentiation. Nature Immunology, 2015, 16, 829-837.	14.5	154
16	IRE1α-Dependent Decay of CReP/Ppp1r15b mRNA Increases Eukaryotic Initiation Factor 2α Phosphorylation and Suppresses Protein Synthesis. Molecular and Cellular Biology, 2015, 35, 2761-2770.	2.3	26
17	IRE1α is an endogenous substrate of endoplasmic-reticulum-associated degradation. Nature Cell Biology, 2015, 17, 1546-1555.	10.3	173
18	Transcriptional activation of Fsp27 by the liverâ€enriched transcription factor CREBH promotes lipid droplet growth and hepatic steatosis. Hepatology, 2015, 61, 857-869.	7.3	79

#	Article	IF	CITATIONS
19	Heteroclitic XBP1 peptides evoke tumor-specific memory cytotoxic T lymphocytes against breast cancer, colon cancer, and pancreatic cancer cells. Oncolmmunology, 2014, 3, e970914.	4.6	21
20	Transcriptional regulation of apolipoprotein A-IV by the transcription factor CREBH. Journal of Lipid Research, 2014, 55, 850-859.	4.2	42
21	Spliced X-Box Binding Protein 1 Couples the Unfolded Protein Response to Hexosamine Biosynthetic Pathway. Cell, 2014, 156, 1179-1192.	28.9	317
22	IRE1 \hat{i} ± activation protects mice against acetaminophen-induced hepatotoxicity. Journal of Experimental Medicine, 2012, 209, 307-318.	8.5	133
23	The role of CREB-H transcription factor in triglyceride metabolism. Current Opinion in Lipidology, 2012, 23, 141-146.	2.7	31
24	Silencing of Lipid Metabolism Genes through IRE1α-Mediated mRNA Decay Lowers Plasma Lipids in Mice. Cell Metabolism, 2012, 16, 487-499.	16.2	239
25	Extensive Pancreas Regeneration Following Acinar-Specific Disruption of Xbp1 in Mice. Gastroenterology, 2011, 141, 1463-1472.	1.3	77
26	The transcription factor cyclic AMP–responsive element–binding protein H regulates triglyceride metabolism. Nature Medicine, 2011, 17, 812-815.	30.7	174
27	Dual and opposing roles of the unfolded protein response regulated by IRE1α and XBP1 in proinsulin processing and insulin secretion. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 8885-8890.	7.1	228
28	Novel Myeloma-Specific Multiple Peptides Able to Generate Cytotoxic T Lymphocytes: Potential Therapeutic Application in Multiple Myeloma and Other Plasma Cell Disorders,. Blood, 2011, 118, 3990-3990.	1.4	13
29	XBP1 Controls Maturation of Gastric Zymogenic Cells by Induction of MIST1 and Expansion of the Rough Endoplasmic Reticulum. Gastroenterology, 2010, 139, 2038-2049.	1.3	105
30	Regulation of Hepatic Lipogenesis by the Transcription Factor XBP1. Science, 2008, 320, 1492-1496.	12.6	833
31	XBP1 Links ER Stress to Intestinal Inflammation and Confers Genetic Risk for Human Inflammatory Bowel Disease. Cell, 2008, 134, 743-756.	28.9	1,225
32	Proapoptotic BAX and BAK Modulate the Unfolded Protein Response by a Direct Interaction with IRE1Â. Science, 2006, 312, 572-576.	12.6	614
33	XBP-1 is required for biogenesis of cellular secretory machinery of exocrine glands. EMBO Journal, 2005, 24, 4368-4380.	7.8	391
34	XBP1 Is Essential for Survival under Hypoxic Conditions and Is Required for Tumor Growth. Cancer Research, 2004, 64, 5943-5947.	0.9	496
35	XBP1, Downstream of Blimp-1, Expands the Secretory Apparatus and Other Organelles, and Increases Protein Synthesis in Plasma Cell Differentiation. Immunity, 2004, 21, 81-93.	14.3	901
36	XBP-1 Regulates a Subset of Endoplasmic Reticulum Resident Chaperone Genes in the Unfolded Protein Response. Molecular and Cellular Biology, 2003, 23, 7448-7459.	2.3	1,796