Frederico Migliore

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1712865/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The "Defibrillation Testing, Why Not?―survey. Testing of subcutaneous and transvenous defibrillators in the Italian clinical practice. IJC Heart and Vasculature, 2022, 38, 100952.	1.1	0
2	Longevity of model 3501 subcutaneous implantable cardioverter-defibrillator leads in clinical practice. Heart Rhythm, 2022, 19, 1206-1207.	0.7	4
3	Implantable defibrillator in patients with inherited arrhythmogenic diseases: Are inapproppriate shocks preventable?. International Journal of Cardiology, 2022, 360, 36-38.	1.7	1
4	PO-618-04 LONGEVITY OF MODEL-3501 SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR LEAD IN CLINICAL PRACTICE. Heart Rhythm, 2022, 19, S119.	0.7	0
5	Characteristics and hospital course of patients admitted for acute cardiovascular diseases during the coronavirus disease-19 outbreak. Journal of Cardiovascular Medicine, 2021, 22, 29-35.	1.5	22
6	Reply to "signal averaged electrocardiogram findings among right ventricular arrhtyhmogenic cardiomyopathy (ARVC) patients: Do they have a place in ARVC management?― International Journal of Cardiology, 2021, 327, 155.	1.7	1
7	Successful jugular implantable defibrillator lead extraction with bidirectional rotational mechanical sheath. PACE - Pacing and Clinical Electrophysiology, 2021, 44, 557-558.	1.2	0
8	"Apical sparing―Tâ€wave inversion in a case of midâ€ventricular takotsubo syndrome. PACE - Pacing and Clinical Electrophysiology, 2021, 44, 559-563.	1.2	0
9	Worldwide Survey of COVID-19–Associated Arrhythmias. Circulation: Arrhythmia and Electrophysiology, 2021, 14, e009458.	4.8	127
10	Subcutaneous implantable cardioverter-defibrillator lead extraction using nonpowered mechanical sheath. Journal of Cardiovascular Medicine, 2021, Publish Ahead of Print, e43-e44.	1.5	1
11	Extraction of a very old His bundle pacing lead: A safe and effective procedure?. PACE - Pacing and Clinical Electrophysiology, 2021, 44, 1464-1465.	1.2	9
12	Acute shock efficacy of the subcutaneous implantable cardioverterâ€defibrillator according to the implantation technique. Journal of Cardiovascular Electrophysiology, 2021, 32, 1695-1703.	1.7	8
13	Cardiovascular implantable electronic devices in hemodialysis patients: an updated review. Journal of Cardiovascular Medicine, 2021, 22, 867-873.	1.5	4
14	Antithrombotic treatment management in low stroke risk patients undergoing cardioversion of atrial fibrillation <48 h duration: results of an EHRA survey. Europace, 2021, 23, 1502-1507.	1.7	2
15	Totally peripheral approach for ICD lead vegetation removal in a GUCH patient. Journal of Cardiovascular Electrophysiology, 2021, 32, 1778-1781.	1.7	9
16	Extraction of left bundle branch pacing lead: a safe procedure?. Europace, 2021, 23, 1921-1921.	1.7	7
17	Arrhythmogenic Cardiomyopathy—Current Treatment and Future Options. Journal of Clinical Medicine, 2021, 10, 2750.	2.4	10
18	Arrhythmic risk stratification in arrhythmogenic cardiomyopathy: new predictors for left-sided variants?. European Heart Journal, 2021, 42, 2851-2853.	2.2	12

#	Article	IF	CITATIONS
19	Lead Abandonment and Subcutaneous Implantable Cardioverter-Defibrillator (S-ICD) Implantation in a Cohort of Patients With ICD Lead Malfunction. Frontiers in Cardiovascular Medicine, 2021, 8, 692943.	2.4	6
20	B-AB11-03 OMISSION OF DEFIBRILLATION TESTING DURING S-ICD IMPLANTATION IN CLINICAL PRACTICE: FOLLOW UP ANALYSIS. Heart Rhythm, 2021, 18, S21.	0.7	0
21	Myocardial Tissue Characterization in Arrhythmogenic Cardiomyopathy. JACC: Cardiovascular Imaging, 2021, 14, 1675-1678.	5.3	13
22	Evolving Diagnostic Criteria for Arrhythmogenic Cardiomyopathy. Journal of the American Heart Association, 2021, 10, e021987.	3.7	60
23	Subcutaneous implantable cardioverter-defibrillator and left ventricular assist devices for refractory heart failure: attention to possible interference. Journal of Cardiovascular Medicine, 2021, 22, 795-796.	1.5	4
24	The valuable interaction among cardiac surgeon and electrophysiologist for transvenous rotational mechanical lead extraction. PACE - Pacing and Clinical Electrophysiology, 2021, , .	1.2	5
25	Safety of Omitting Defibrillation Efficacy Testing With Subcutaneous Defibrillators: A Propensity-Matched Case-Control Study. Circulation: Arrhythmia and Electrophysiology, 2021, 14, CIRCEP121010381.	4.8	5
26	655 The valuable interaction among cardiac surgeon and electrophysiologist for transvenous rotational mechanical lead extraction. European Heart Journal Supplements, 2021, 23, .	0.1	0
27	Ultrasound-guided serratus anterior plane block for subcutaneous implantable cardioverter defibrillator implantation using the intermuscular two-incision technique. Journal of Interventional Cardiac Electrophysiology, 2020, 57, 303-309.	1.3	7
28	Arrhythmogenic Cardiomyopathy. European Heart Journal, 2020, 41, 4457-4462.	2.2	12
29	Conduction disorders after aortic valve replacement with rapid-deployment bioprostheses: early occurrence and one-year evolution. Annals of Cardiothoracic Surgery, 2020, 9, 396-407.	1.7	5
30	Implantation technique and optimal subcutaneous defibrillator chest position: a PRAETORIAN score-based study. Europace, 2020, 22, 1822-1829.	1.7	31
31	Urgent Pacemaker Implantation Rates in the Veneto Region of Italy After the COVID-19 Outbreak. Circulation: Arrhythmia and Electrophysiology, 2020, 13, e008722.	4.8	40
32	Axillary vein access for permanent pacemaker and implantable cardioverter defibrillator implantation: Fluoroscopy compared to ultrasound. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 566-572.	1.2	18
33	Diagnosis of arrhythmogenic cardiomyopathy: The Padua criteria. International Journal of Cardiology, 2020, 319, 106-114.	1.7	283
34	Clinical predictors of pocket hematoma after cardiac device implantation and replacement. Journal of Cardiovascular Medicine, 2020, 21, 123-127.	1.5	7
35	Evaluation of mexiletine effect on conduction delay and bradyarrhythmic complications in patients with myotonic dystrophy type 1 over long-term follow-up. Heart Rhythm, 2020, 17, 1944-1950.	0.7	12
36	Screening of unknown atrial fibrillation through handheld device in the elderly. Journal of Geriatric Cardiology, 2020, 17, 495-501.	0.2	7

#	Article	IF	CITATIONS
37	First-degree atrioventricular block on basal electrocardiogram predicts future arrhythmic events in patients with Brugada syndrome: a long-term follow-up study from the Veneto region of Northeastern Italy. Europace, 2019, 21, 322-331.	1.7	23
38	Subcutaneous implantable cardioverter defibrillator in patients with arrhythmogenic right ventricular cardiomyopathy: Results from an Italian multicenter registry. International Journal of Cardiology, 2019, 280, 74-79.	1.7	29
39	Time to therapy delivery and effectiveness of the subcutaneous implantable cardioverter-defibrillator. Heart Rhythm, 2019, 16, 1531-1537.	0.7	8
40	Multicenter experience with the Evolution RL mechanical sheath for lead extraction using a stepwise approach: Safety, effectiveness, and outcome. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 989-997.	1.2	22
41	Multicentre experience with the secondâ€generation subcutaneous implantable cardioverter defibrillator and the intermuscular twoâ€incision implantation technique. Journal of Cardiovascular Electrophysiology, 2019, 30, 854-864.	1.7	35
42	Sport activity in patients with implantable defibrillator: Playing with death?. European Journal of Preventive Cardiology, 2019, 26, 760-763.	1.8	3
43	Use and outcomes of subcutaneous implantable cardioverter-defibrillator (ICD) after transvenous ICD extraction: An analysis of current clinical practice and a comparison with transvenous ICD reimplantation. Heart Rhythm, 2019, 16, 564-571.	0.7	37
44	Effectiveness of the modified valsalva maneuver in the emergency management of supraventricular tachycardia. Medical Journal of Babylon, 2019, 16, 104.	0.6	1
45	Twiddler's Syndrome Combined With Subclavian Crush Syndrome: A Case of ICD Lead Failure and Potential Challenging Lead Extraction. Journal of Invasive Cardiology, 2019, 31, E340.	0.4	Ο
46	Subcutaneous implantable cardioverter defibrillator in patients awaiting cardiac transplantation or left ventricular assist device for refractory heart failure: a feasible alternative to transvenous device?. ESC Heart Failure, 2018, 5, 218-221.	3.1	5
47	Effective and safe lead extraction using the bidirectional rotational Evolution [®] sheath in a child with congenital heart disease. Journal of Arrhythmia, 2018, 34, 93-95.	1.2	2
48	Diagnostic value and prognostic implications of early cardiac magnetic resonance in survivors of out-of-hospital cardiac arrest. Heart Rhythm, 2018, 15, 1031-1041.	0.7	22
49	Safety and efficacy of the new bidirectional rotational Evolution® mechanical lead extraction sheath: results from a multicentre Italian registry. Europace, 2018, 20, 829-834.	1.7	38
50	The "Subtle―connection between development of cardiac implantable electrical device infection and survival after complete system removal: An observational prospective multicenter study. International Journal of Cardiology, 2018, 250, 146-149.	1.7	30
51	Cardiac arrest and Brugada syndrome: Is drug-induced type 1 ECG pattern always a marker of low risk?. International Journal of Cardiology, 2018, 254, 142-145.	1.7	13
52	The electrocardiographic "triangular QRS-ST-T waveform―pattern in patients with ST-segment elevation myocardial infarction: Incidence, pathophysiology and clinical implications. Journal of Electrocardiology, 2018, 51, 8-14.	0.9	39
53	Subcutaneous Implantable Cardioverterâ€Defibrillator in Patients With Arrhythmogenic Right Ventricular Cardiomyopathy/Dysplasia: A Transatlantic Experience. Journal of the American Heart Association, 2018, 7, e008782.	3.7	23
54	Brugada Syndrome. Journal of the American College of Cardiology, 2018, 72, 2758-2760.	2.8	4

#	Article	IF	CITATIONS
55	Subcutaneous implantable cardioverter defibrillator in cardiomyopathies and channelopathies. Journal of Cardiovascular Medicine, 2018, 19, 633-642.	1.5	8
56	The stricter criteria for Class I CRT indication suggested by the 2016 ESC Guidelines reliably exclude patients with a worse prognosis in comparison with the 2013 ESC indication criteria. International Journal of Cardiology, 2018, 273, 162-167.	1.7	2
57	International Expert Consensus Document on Takotsubo Syndrome (Part I): Clinical Characteristics, Diagnostic Criteria, and Pathophysiology. European Heart Journal, 2018, 39, 2032-2046.	2.2	972
58	International Expert Consensus Document on Takotsubo Syndrome (Part II): Diagnostic Workup, Outcome, and Management. European Heart Journal, 2018, 39, 2047-2062.	2.2	521
59	Subcutaneous implantable cardioverter defibrillator implantation: An analysis of Italian clinical practice and its evolution. International Journal of Cardiology, 2018, 272, 162-167.	1.7	28
60	Hybrid minimally invasive technique with the bidirectional rotational Evolution [®] mechanical sheath for transvenous lead extraction: A collaboration between electrophysiologists and cardiac surgeons. Journal of Arrhythmia, 2018, 34, 329-332.	1.2	7
61	ECG features and arrhythmias in takotsubo syndrome. , 2018, , 1298-1301.		0
62	Subcutaneous Implantable Cardioverter-Defibrillator and Arrhythmogenic Right Ventricular Cardiomyopathy. JACC: Clinical Electrophysiology, 2017, 3, 785-786.	3.2	13
63	Cardiac resynchronization therapy by multipoint pacing improves response of left ventricular mechanics and fluid dynamics: a three-dimensional and particle image velocimetry echo study. Europace, 2017, 19, 1833-1840.	1.7	25
64	Intermuscular Twoâ€Incision Technique for Subcutaneous Implantable Cardioverter Defibrillator Implantation: Results from a Multicenter Registry. PACE - Pacing and Clinical Electrophysiology, 2017, 40, 278-285.	1.2	52
65	Left bundle branch block: from cardiac mechanics to clinical and diagnostic challenges. Europace, 2017, 19, 1251-1271.	1.7	35
66	Transthoracic 3D echocardiography imaging of transcatheter pacing system. European Heart Journal Cardiovascular Imaging, 2017, 18, 937-937.	1.2	2
67	Stricter criteria for left bundle branch block diagnosis do not improve response to CRT. PACE - Pacing and Clinical Electrophysiology, 2017, 40, 850-856.	1.2	27
68	ImplantableÂcardioverterâ€defibrillator in the elderly: Predictors of appropriate interventions and mortality at 12â€month followâ€up. PACE - Pacing and Clinical Electrophysiology, 2017, 40, 1368-1373.	1.2	6
69	NOACs and atrial fibrillation: Incidence and predictors of left atrial thrombus in the real world. International Journal of Cardiology, 2017, 249, 179-183.	1.7	60
70	Role of Ventricular Tachycardia Ablation in Arrhythmogenic Right Ventricular Cardiomyopathy. Neurology International, 2017, 7, 6882.	0.5	1
71	Successful transvenous mechanical lead extraction and stent implantation in a patient after Mustard palliation for D-transposition of great arteries and superior vena cava syndrome. Journal of Cardiovascular Medicine, 2016, 17, e210-e211.	1.5	1
72	Stress echocardiography pattern. Journal of Cardiovascular Medicine, 2016, 17, e208-e209.	1.5	6

#	Article	IF	CITATIONS
73	Prevalence of true left bundle branch block in current practice of cardiac resynchronization therapy implantation. Journal of Cardiovascular Medicine, 2016, 17, 462-468.	1.5	12
74	Implantable cardioverter defibrillator therapy in young patients with cardiomyopathies and channelopathies. Journal of Cardiovascular Medicine, 2016, 17, 485-493.	1.5	16
75	Left Anterior Descending Artery Myocardial Bridging. Journal of the American College of Cardiology, 2016, 68, 2887-2899.	2.8	135
76	Life-threatening ventricular tachyarrhythmias in the cardiology department: Implications for appropriate prescription of telemetry monitoring. Resuscitation, 2016, 101, 6-11.	3.0	6
77	Nonamyloidotic Light Chain Cardiomyopathy. Circulation, 2016, 133, 1421-1423.	1.6	7
78	Response to Letters Regarding Article, "Arrhythmic Mitral Valve Prolapse and Sudden Cardiac Death― Circulation, 2016, 133, e460.	1.6	3
79	Relationship between T-wave inversion and transmural myocardial edema as evidenced by cardiac magnetic resonance in patients with clinically suspected acute myocarditis: clinical and prognostic implications. Journal of Electrocardiology, 2016, 49, 587-595.	0.9	27
80	Morphofunctional Abnormalities of Mitral Annulus and Arrhythmic Mitral Valve Prolapse. Circulation: Cardiovascular Imaging, 2016, 9, e005030.	2.6	226
81	Nonischemic Left Ventricular Scar as a Substrate of Life-Threatening Ventricular Arrhythmias and Sudden Cardiac Death in Competitive Athletes. Circulation: Arrhythmia and Electrophysiology, 2016, 9,	4.8	216
82	Axillary vein technique for pacemaker and implantable defibrillator leads implantation. Journal of Cardiovascular Medicine, 2016, 17, 309-313.	1.5	28
83	Arrhythmogenic cardiomyopathy. Orphanet Journal of Rare Diseases, 2016, 11, 33.	2.7	116
84	Subcutaneous Implantable Cardioverter-Defibrillator and LeftÂVentricular Assist Device. JACC: Clinical Electrophysiology, 2016, 2, 246-247.	3.2	11
85	Differential diagnosis at admission between Takotsubo cardiomyopathy and acute apical-anterior myocardial infarction in postmenopausal women. European Heart Journal: Acute Cardiovascular Care, 2016, 5, 298-307.	1.0	23
86	Phenotypic expression is a prerequisite for malignant arrhythmic events and sudden cardiac death in arrhythmogenic right ventricular cardiomyopathy. Europace, 2016, 18, 1086-1094.	1.7	50
87	Management of arrhythmogenic right ventricular cardiomyopathy. Minerva Medica, 2016, 107, 194-216.	0.9	1
88	Myocardial edema as a substrate of electrocardiographic abnormalities and life-threatening arrhythmias in reversible ventricular dysfunction of takotsubo cardiomyopathy: Imaging evidence, presumed mechanisms, and implications for therapy. Heart Rhythm, 2015, 12, 1867-1877.	0.7	49
89	Differential Diagnosis Between Early Repolarization of Athlete's Heart and Coved-Type Brugada Electrocardiogram. American Journal of Cardiology, 2015, 115, 529-532.	1.6	38
90	Arrhythmic Mitral Valve Prolapse and Sudden Cardiac Death. Circulation, 2015, 132, 556-566.	1.6	422

#	Article	IF	CITATIONS
91	Axillary vein puncture using fluoroscopic landmarks: a safe and effective approach for implantable cardioverter defibrillator leads. Journal of Interventional Cardiac Electrophysiology, 2015, 43, 263-267.	1.3	30
92	Submuscular Approach for Subcutaneous Implantable Cardioverter Defibrillator: A Potential Alternative Technique. Journal of Cardiovascular Electrophysiology, 2015, 26, 905-905.	1.7	7
93	Response to: Coronary artery systolic "milking―and "bridging―in Takotsubo syndrome: substrate or an epiphenomenon?. Global Cardiology Science & Practice, 2014, 2014, 17.	0.4	0
94	Impact of the presence and amount of myocardial fibrosis by cardiac magnetic resonance on arrhythmic outcome and sudden cardiac death in nonischemic dilated cardiomyopathy. Heart Rhythm, 2014, 11, 856-863.	0.7	142
95	Incidence, Management, and Prevention of Right Ventricular Perforation by Pacemaker and Implantable Cardioverter Defibrillator Leads. PACE - Pacing and Clinical Electrophysiology, 2014, 37, 1602-1609.	1.2	70
96	Atypical (mid-ventricular) Takotsubo syndrome in a survival of out-of-hospital ventricular fibrillation: Cause or consequence?. International Journal of Cardiology, 2014, 172, e51-e53.	1.7	12
97	Electrocardiographic Predictors of Electroanatomic Scar Size in Arrhythmogenic Right Ventricular Cardiomyopathy: Implications for Arrhythmic Risk Stratification. Journal of Cardiovascular Electrophysiology, 2013, 24, 1321-1327.	1.7	58
98	ST-Segment Elevation and Sudden Death in the Athlete. Cardiac Electrophysiology Clinics, 2013, 5, 73-84.	1.7	9
99	Apicobasal gradient of left ventricular myocardial edema underlies transient T-wave inversion and QT interval prolongation (Wellens' ECG pattern) in Tako-Tsubo cardiomyopathy. Heart Rhythm, 2013, 10, 70-77.	0.7	153
100	LAD Coronary Artery Myocardial Bridging and Apical Ballooning Syndrome. JACC: Cardiovascular Imaging, 2013, 6, 32-41.	5.3	73
101	Improving the interpretation of the athlete's electrocardiogram. European Heart Journal, 2013, 34, 3606-3609.	2.2	15
102	Myocardial bridging, apical ballooning syndrome and myocardial stunning: Shall we connect the dots?. International Journal of Cardiology, 2013, 168, 3109-3111.	1.7	5
103	Exercise-Induced Normalization of Right Precordial Negative TÂWaves in Arrhythmogenic Right Ventricular Cardiomyopathy. American Journal of Cardiology, 2013, 112, 411-415.	1.6	21
104	Implantable Cardioverter-Defibrillator Therapy in Athletes. Cardiac Electrophysiology Clinics, 2013, 5, 123-130.	1.7	2
105	Authors' Response to Letter to the Editor "Electrocardiogram in Myocardial Edema due to Takotsubo Syndrome―by John Madias. Journal of Electrocardiology, 2013, 46, 75.	0.9	0
106	Brugada ECG disclosed by acute malaria: is it all about fever and propofol?. Journal of Clinical Anesthesia, 2013, 25, 483-487.	1.6	5
107	Incidence and management of life-threatening arrhythmias in Takotsubo syndrome. International Journal of Cardiology, 2013, 166, 261-263.	1.7	53
108	Primary Prevention of Sudden Death in Young Competitive Athletes by Preparticipation Screening. Cardiac Electrophysiology Clinics, 2013, 5, 13-21.	1.7	2

#	Article	IF	CITATIONS
109	Relationship between repolarization abnormalities and myocardial edema in atypical Tako-Tsubo syndrome. Journal of Electrocardiology, 2013, 46, 348-351.	0.9	30
110	Typical and atypical Takotsubo syndrome in the same patient. International Journal of Cardiology, 2013, 162, e28-e30.	1.7	12
111	Prognostic Value of Endocardial Voltage Mapping in Patients With Arrhythmogenic Right Ventricular Cardiomyopathy/Dysplasia. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 167-176.	4.8	92
112	Apical ballooning with mid-ventricular obstruction: the many faces of Takotsubo cardiomyopathy. Global Cardiology Science & Practice, 2013, 2013, 22.	0.4	5
113	Compound and Digenic Heterozygosity Predicts Lifetime Arrhythmic Outcome and Sudden Cardiac Death in Desmosomal Gene–Related Arrhythmogenic Right Ventricular Cardiomyopathy. Circulation: Cardiovascular Genetics, 2013, 6, 533-542.	5.1	209
114	Conductor externalization of the RIATA implantable cardioverter defibrillator lead. Journal of Cardiovascular Medicine, 2013, 14, 755-756.	1.5	4
115	Science and practice of arrhythmogenic cardiomyopathy: A paradigm shift. Global Cardiology Science & Practice, 2013, 2013, 8.	0.4	4
116	Imaging Study of Ventricular Scar in Arrhythmogenic Right Ventricular Cardiomyopathy. Circulation: Arrhythmia and Electrophysiology, 2012, 5, 91-100.	4.8	154
117	Interpretation of acute myocardial infarction with persistent †hyperacute T waves' by cardiac magnetic resonance. European Heart Journal: Acute Cardiovascular Care, 2012, 1, 344-348.	1.0	9
118	Prevalence of Cardiomyopathy in Italian Asymptomatic Children With Electrocardiographic T-Wave Inversion at Preparticipation Screening. Circulation, 2012, 125, 529-538.	1.6	144
119	Syncope while driving: Pathophysiological features and long-term follow-up. Autonomic Neuroscience: Basic and Clinical, 2012, 166, 60-65.	2.8	14
120	Electrocardiographic J waves as a hyperacute sign of Takotsubo syndrome. Journal of Electrocardiology, 2012, 45, 353-356.	0.9	28
121	Should all individuals with a nondiagnostic Brugada-electrocardiogram undergo sodium-channel blocker test?. Heart Rhythm, 2012, 9, 909-916.	0.7	33
122	Inâ€home controls of pacemakers in debilitated elderly patients. Geriatrics and Gerontology International, 2012, 12, 30-35.	1.5	12
123	Sudden Cardiac Death and Preparticipation Sports Screening. , 2012, , 2399-2412.		1
124	Arrhythmogenic Cardiomyopathy: Natural History and Risk Stratification. Cardiac Electrophysiology Clinics, 2011, 3, 281-291.	1.7	0
125	Implantable Cardioverter Defibrillator in Arrhythmogenic Cardiomyopathy. Cardiac Electrophysiology Clinics, 2011, 3, 311-321.	1.7	1
126	Myocardial edema underlies dynamic T-wave inversion (Wellens' ECG pattern) in patients with reversible left ventricular dysfunction. Heart Rhythm, 2011, 8, 1629-1634.	0.7	113

#	Article	IF	CITATIONS
127	Origin of recurrent syncope in patient with right ventricular outflow tract arrhythmias. Journal of Cardiovascular Medicine, 2011, 12, 598-600.	1.5	4
128	Microbubbles contrast inside the cyst: a pathognomonic sign of mitral valve blood cyst. Journal of Cardiovascular Medicine, 2010, 11, 294-296.	1.5	8
129	Asymptomatic right ventricular perforation by an implantable cardioverter defibrillator lead detected by home monitoring system. Journal of Electrocardiology, 2010, 43, 673-675.	0.9	8
130	Haemodynamic effects of acute intravenous metoprolol in apical ballooning syndrome with dynamic left ventricular outflow tract obstruction. European Journal of Heart Failure, 2010, 12, 305-308.	7.1	32
131	Arrhythmogenic Right Ventricular Cardiomyopathy. Cardiac Electrophysiology Clinics, 2010, 2, 571-586.	1.7	6
132	Age-related hemodynamic changes during vasovagal syncope. Autonomic Neuroscience: Basic and Clinical, 2010, 156, 131-137.	2.8	12
133	Clinical Management of Arrhythmogenic Right Ventricular Cardiomyopathy: An Update. Current Pharmaceutical Design, 2010, 16, 2918-2928.	1.9	16
134	Arrhythmogenic Right Ventricular Cardiomyopathy/Dysplasia. , 2010, , 163-171.		0
135	Sudden cardiac death in athletes. Herz, 2009, 34, 259-266.	1.1	26
136	Three-Dimensional Electroanatomical Voltage Mapping and Histologic Evaluation of Myocardial Substrate in Right Ventricular Outflow Tract Tachycardia. Journal of the American College of Cardiology, 2008, 51, 731-739.	2.8	168
137	Exercise and the Risk of Sudden Cardiac Death. Herz, 2006, 31, 553-558.	1.1	108
138	The 'Defibrillation Testing, Why Not?' Survey. Testing of Subcutaneous and Transvenous Defibrillators in the Italian Clinical Practice. SSRN Electronic Journal, 0, , .	0.4	0
139	Subcutaneous implantable cardioverter defibrillator after transvenous lead extraction: safety, efficacy and outcome. Journal of Interventional Cardiac Electrophysiology, 0, , .	1.3	6