

# Gregory C Sharp

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1713360/publications.pdf>

Version: 2024-02-01

111  
papers

4,737  
citations

117625

34  
h-index

102487

66  
g-index

114  
all docs

114  
docs citations

114  
times ranked

4738  
citing authors

#	ARTICLE	IF	CITATIONS
1	Utility of Noncancerous Chest CT Features for Predicting Overall Survival and Noncancer Death in Patients With Stage I Lung Cancer Treated With Stereotactic Body Radiotherapy. American Journal of Roentgenology, 2022, 219, 579-589.	2.2	6
2	Technical Note: Cumulative dose modeling for organ motion management in MRI-guided radiation therapy. Medical Physics, 2021, 48, 597-604.	3.0	3
3	Comparison of weekly and daily online adaptation for head and neck intensity-modulated proton therapy. Physics in Medicine and Biology, 2021, 66, 055023.	3.0	28
4	Physics of Particle Beam and Hypofractionated Beam Delivery in NSCLC. Seminars in Radiation Oncology, 2021, 31, 162-169.	2.2	6
5	A generalized framework for analytic regularization of uniform cubic B-spline displacement fields. Biomedical Physics and Engineering Express, 2021, 7, 045011.	1.2	0
6	Anatomic changes in head and neck intensity-modulated proton therapy: Comparison between robust optimization and online adaptation. Radiotherapy and Oncology, 2021, 159, 39-47.	0.6	30
7	Adaptive proton therapy. Physics in Medicine and Biology, 2021, 66, 22TR01.	3.0	40
8	A new respiratory monitor system for four-dimensional computed tomography by measuring the pressure change on the back of body. British Journal of Radiology, 2020, 93, 20190303.	2.2	1
9	Beam angle optimization using angular dependency of range variation assessed via water equivalent path length (WEPL) calculation for head and neck proton therapy. Physica Medica, 2020, 69, 19-27.	0.7	10
10	Technical Note: A novel dosimeter improves total skin electron therapy surface dosimetry workflow. Journal of Applied Clinical Medical Physics, 2020, 21, 158-162.	1.9	4
11	Evaluation of an a priori scatter correction algorithm for cone-beam computed tomography based range and dose calculations in proton therapy. Physics and Imaging in Radiation Oncology, 2020, 16, 89-94.	2.9	9
12	Modeling RBE-weighted dose variations in irregularly moving abdominal targets treated with carbon ion beams. Medical Physics, 2020, 47, 2768-2778.	3.0	7
13	Evaluation of CBCT scatter correction using deep convolutional neural networks for head and neck adaptive proton therapy. Physics in Medicine and Biology, 2020, 65, 245022.	3.0	44
14	Intra-fraction motion prediction in MRI-guided radiation therapy using Markov processes. Physics in Medicine and Biology, 2019, 64, 195006.	3.0	1
15	Iterative optimization of relative stopping power by single detector based multi-projection proton radiography. Physics in Medicine and Biology, 2019, 64, 065022.	3.0	7
16	Validation of a model for physical dose variations in irregularly moving targets treated with carbon ion beams. Medical Physics, 2019, 46, 3663-3673.	3.0	9
17	Differential inflammatory response dynamics in normal lung following stereotactic body radiation therapy with protons versus photons. Radiotherapy and Oncology, 2019, 136, 169-175.	0.6	18
18	Multi-organ segmentation of the head and neck area: an efficient hierarchical neural networks approach. International Journal of Computer Assisted Radiology and Surgery, 2019, 14, 745-754.	2.8	42

#	ARTICLE	IF	CITATIONS
19	Impact of aeration change and beam arrangement on the robustness of proton plans. Journal of Applied Clinical Medical Physics, 2019, 20, 14-21.	1.9	13
20	A single detector energy-resolved proton radiography system: a proof of principle study by Monte Carlo simulations. Physics in Medicine and Biology, 2019, 64, 025016.	3.0	7
21	Improvement of single detector proton radiography by incorporating intensity of time-resolved dose rate functions. Physics in Medicine and Biology, 2018, 63, 015030.	3.0	14
22	Density overwrites of internal tumor volumes in intensity modulated proton therapy plans for mobile lung tumors. Physics in Medicine and Biology, 2018, 63, 035023.	3.0	14
23	Experimental validation of two dual-energy CT methods for proton therapy using heterogeneous tissue samples. Medical Physics, 2018, 45, 48-59.	3.0	61
24	Why rankings of biomedical image analysis competitions should be interpreted with care. Nature Communications, 2018, 9, 5217.	12.8	198
25	Advanced Multimodal Methods for Cranial Pseudo-CT Generation Validated by IMRT and VMAT Radiation Therapy Plans. International Journal of Radiation Oncology Biology Physics, 2018, 102, 792-800.	0.8	6
26	How to Exploit Weaknesses in Biomedical Challenge Design and Organization. Lecture Notes in Computer Science, 2018, , 388-395.	1.3	10
27	Subject-specific brain tumor growth modelling via an efficient Bayesian inference framework. , 2018, 10574, .		2
28	Multi atlas based segmentation: should we prefer the best atlas group over the group of best atlases?. Physics in Medicine and Biology, 2018, 63, 12NT01.	3.0	16
29	Proton range shift analysis on brain pseudo-CT generated from T1 and T2 MR. Acta Oncologica, 2018, 57, 1521-1531.	1.8	22
30	Kilovoltage projection streaming-based tracking application (KiPSTA): First clinical implementation during spine stereotactic radiation surgery. Advances in Radiation Oncology, 2018, 3, 682-692.	1.2	3
31	Impact of interfractional motion on hypofractionated pencil beam scanning proton therapy and VMAT delivery for prostate cancer. Medical Physics, 2018, 45, 4011-4019.	3.0	8
32	Autosegmentation for thoracic radiation treatment planning: A grand challenge at AAPM 2017. Medical Physics, 2018, 45, 4568-4581.	3.0	169
33	Evaluation of segmentation methods on head and neck CT: Auto-segmentation challenge 2015. Medical Physics, 2017, 44, 2020-2036.	3.0	198
34	Water equivalent path length calculations using scatter-corrected head and neck CBCT images to evaluate patients for adaptive proton therapy. Physics in Medicine and Biology, 2017, 62, 59-72.	3.0	22
35	Clinical evaluation of a novel transmission detector for 3D quality assurance of IMRT and SBRT. Biomedical Physics and Engineering Express, 2017, 3, 055010.	1.2	4
36	Investigation of real tissue water equivalent path lengths using an efficient dose extinction method. Physics in Medicine and Biology, 2017, 62, 5640-5651.	3.0	6

#	ARTICLE	IF	CITATIONS
37	Fast automatic 3D liver segmentation based on a three-level AdaBoost-guided active shape model. Medical Physics, 2016, 43, 2421-2434.	3.0	30
38	Investigating deformable image registration and scatter correction for CBCT-based dose calculation in adaptive IMPT. Medical Physics, 2016, 43, 5635-5646.	3.0	92
39	Technical Note: <sc>plastimatch mabs</sc>, an open source tool for automatic image segmentation. Medical Physics, 2016, 43, 5155-5160.	3.0	48
40	Investigation of cone-beam CT image quality trade-off for image-guided radiation therapy. Physics in Medicine and Biology, 2016, 61, 3317-3346.	3.0	6
41	Deep Neural Networks for Fast Segmentation of 3D Medical Images. Lecture Notes in Computer Science, 2016, , 158-165.	1.3	55
42	A multiple-image-based method to evaluate the performance of deformable image registration in the pelvis. Physics in Medicine and Biology, 2016, 61, 6172-6180.	3.0	4
43	Gain Correction for an X-ray Imaging System With a Movable Flat Panel Detector and Intrinsic Localization Crosshair. Technology in Cancer Research and Treatment, 2016, 15, 387-395.	1.9	3
44	A Prospective Comparison of the Effects of Interfractional Variations on Proton Therapy and Intensity Modulated Radiation Therapy for Prostate Cancer. International Journal of Radiation Oncology Biology Physics, 2016, 95, 444-453.	0.8	22
45	A Stochastic Approach to Diffeomorphic Point Set Registration with Landmark Constraints. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2016, 38, 238-251.	13.9	18
46	Clinical implementation and error sensitivity of a 3D quality assurance protocol for prostate and thoracic IMRT. Journal of Applied Clinical Medical Physics, 2015, 16, 179-192.	1.9	7
47	A Contralateral Esophagus-Sparing Technique to Limit Severe Esophagitis Associated With Concurrent High-Dose Radiation and Chemotherapy in Patients With Thoracic Malignancies. International Journal of Radiation Oncology Biology Physics, 2015, 92, 803-810.	0.8	30
48	Proton dose calculation on scatter-corrected CBCT image: Feasibility study for adaptive proton therapy. Medical Physics, 2015, 42, 4449-4459.	3.0	107
49	SU-2075: Real-Time Intrafractional Motion Tracking During VMAT Delivery Using a Conventional Elekta CBCT System. Medical Physics, 2015, 42, 3219-3219.	3.0	0
50	Computing proton dose to irregularly moving targets. Physics in Medicine and Biology, 2014, 59, 4261-4273.	3.0	7
51	Vision 20/20: Perspectives on automated image segmentation for radiotherapy. Medical Physics, 2014, 41, 050902.	3.0	262
52	Correlation of 18F-FDG Avid Volumes on Pre-Radiation Therapy and Post-Radiation Therapy FDG PET Scans in Recurrent Lung Cancer. International Journal of Radiation Oncology Biology Physics, 2014, 89, 137-144.	0.8	22
53	The distance discordance metric—a novel approach to quantifying spatial uncertainties in intra- and inter-patient deformable image registration. Physics in Medicine and Biology, 2014, 59, 733-746.	3.0	30
54	2D/4D marker-free tumor tracking using 4D CBCT as the reference image. Physics in Medicine and Biology, 2014, 59, 2219-2233.	3.0	13

#	ARTICLE	IF	CITATIONS
55	Automatic segmentation of head and neck CT images for radiotherapy treatment planning using multiple atlases, statistical appearance models, and geodesic active contours. <i>Medical Physics</i> , 2014, 41, 051910.	3.0	109
56	In Reply to Saraiya et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 969-970.	0.8	1
57	Preliminary investigation of CBCT imaging optimization for Image-guided radiation therapy. , 2014, , .		0
58	Scale invariant feature transform in adaptive radiation therapy: a tool for deformable image registration assessment and re-planning indication. <i>Physics in Medicine and Biology</i> , 2013, 58, 287-299.	3.0	60
59	Robust fluoroscopic tracking of fiducial markers: exploiting the spatial constraints. <i>Physics in Medicine and Biology</i> , 2013, 58, 1789-1808.	3.0	6
60	Hypofractionated proton therapy for prostate cancer: Dose delivery uncertainty due to interfractional motion. <i>Medical Physics</i> , 2013, 40, 071714.	3.0	6
61	Plastimatch® An Open-Source Software for Radiotherapy Imaging. , 2013, , 107-114.		3
62	Deformable Registration Using Optical-Flow Methods. , 2013, , 95-106.		0
63	Contour-Driven Regression for Label Inference in Atlas-Based Segmentation. <i>Lecture Notes in Computer Science</i> , 2013, 16, 211-218.	1.3	14
64	Numerical solutions of the $\hat{I}^3$ -index in two and three dimensions. <i>Physics in Medicine and Biology</i> , 2012, 57, 6981-6997.	3.0	40
65	Image registration using radial basis functions with adaptive radius. <i>Medical Physics</i> , 2012, 39, 6542-6549.	3.0	5
66	Analytic regularization for landmark-based image registration. <i>Physics in Medicine and Biology</i> , 2012, 57, 1477-1498.	3.0	22
67	Influence of imaging source and panel position uncertainties on the accuracy of 2D/3D image registration of cranial images. <i>Medical Physics</i> , 2012, 39, 5547-5556.	3.0	5
68	A Four-Dimensional Computed Tomography Analysis of Multiorgan Abdominal Motion. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 435-441.	0.8	56
69	A Voluntary Breath-Hold Treatment Technique for the Left Breast With Unfavorable Cardiac Anatomy Using Surface Imaging. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, e663-e668.	0.8	50
70	Analytic Regularization of Uniform Cubic B-spline Deformation Fields. <i>Lecture Notes in Computer Science</i> , 2012, 15, 122-129.	1.3	7
71	Deformable Volumetric Registration Using B-Splines. , 2011, , 751-770.		0
72	Monte Carlo Simulation of Performance of a Time-Resolved Range Telescope Using Selected Image Quality Assurance Phantoms. <i>Nuclear Technology</i> , 2011, 175, 58-62.	1.2	0

#	ARTICLE	IF	CITATIONS
73	Evaluation and commissioning of a surface based system for respiratory sensing in 4D CT. Journal of Applied Clinical Medical Physics, 2011, 12, 162-169.	1.9	24
74	Evaluation of Registration Methods on Thoracic CT: The EMPIRE10 Challenge. IEEE Transactions on Medical Imaging, 2011, 30, 1901-1920.	8.9	363
75	Four-Dimensional Lung Treatment Planning in Layer-Stacking Carbon Ion Beam Treatment: Comparison of Layer-Stacking and Conventional Ungated/Gated Irradiation. International Journal of Radiation Oncology Biology Physics, 2011, 80, 597-607.	0.8	13
76	Evaluation of the dosimetric impact of interfractional anatomical variations on prostate proton therapy using daily in-room CT images. Medical Physics, 2011, 38, 4623-4633.	3.0	43
77	Centerline extraction with principal curve tracing to improve 3D level set esophagus segmentation in CT images. , 2011, 2011, 3403-6.		7
78	TU-G-BRB-04: Optimal Frequency of CT Imaging for Monitoring Target Volume and Estimating Delivered Dose in Standard and Hypofractionated Prostate Proton Therapy. Medical Physics, 2011, 38, 3779-3779.	3.0	0
79	Comparison of Respiratory-Gated and Respiratory-Ungated Planning in Scattered Carbon Ion Beam Treatment of the Pancreas Using Four-Dimensional Computed Tomography. International Journal of Radiation Oncology Biology Physics, 2010, 76, 303-312.	0.8	27
80	In Vivo Proton Beam Range Verification Using Spine MRI Changes. International Journal of Radiation Oncology Biology Physics, 2010, 78, 268-275.	0.8	59
81	Uncertainties in Lung Motion Prediction Relying on External Surrogate: A 4DCT Study in Regular vs. Irregular Breathers. Technology in Cancer Research and Treatment, 2010, 9, 307-315.	1.9	9
82	Locally Deformable Shape Model to Improve 3D Level Set Based Esophagus Segmentation. , 2010, , 3955-3958.		6
83	3D level set esophagus segmentation in thoracic CT images using spatial, appearance and shape models. , 2010, , .		1
84	Variations in tumor size and position due to irregular breathing in 4D-CT: A simulation study. Medical Physics, 2010, 37, 1254-1260.	3.0	34
85	Dosimetric variation due to CT inter-slice spacing in four-dimensional carbon beam lung therapy. Physics in Medicine and Biology, 2009, 54, 3231-3246.	3.0	1
86	A review of image-guided radiotherapy. Radiological Physics and Technology, 2009, 2, 1-12.	1.9	48
87	Experimental evaluation of a robust optimization method for IMRT of moving targets. Physics in Medicine and Biology, 2009, 54, 2901-2914.	3.0	14
88	Four-dimensional measurement of interfractional respiratory motion of pancreatic tumors using a 256 multi-slice CT scanner. Radiotherapy and Oncology, 2009, 92, 231-237.	0.6	83
89	Maximum-Likelihood Registration of Range Images with Missing Data. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2008, 30, 120-130.	13.9	10
90	Learning methods for lung tumor markerless gating in image-guided radiotherapy. , 2008, , .		2

#	ARTICLE	IF	CITATIONS
91	4D-CT lung motion estimation with deformable registration: Quantification of motion nonlinearity and hysteresis. <i>Medical Physics</i> , 2008, 35, 1008-1018.	3.0	122
92	Evaluation of deformable registration of patient lung 4DCT with subanatomical region segmentations. <i>Medical Physics</i> , 2008, 35, 775-781.	3.0	125
93	Tumor trailing strategy for intensity-modulated radiation therapy of moving targets. <i>Medical Physics</i> , 2008, 35, 1718-1733.	3.0	29
94	Statistical analysis and correlation discovery of tumor respiratory motion. <i>Physics in Medicine and Biology</i> , 2007, 52, 4761-4774.	3.0	32
95	Multiple template-based fluoroscopic tracking of lung tumor mass without implanted fiducial markers. <i>Physics in Medicine and Biology</i> , 2007, 52, 6229-6242.	3.0	88
96	A respiratory-gated treatment system for proton therapy. <i>Medical Physics</i> , 2007, 34, 3273-3278.	3.0	49
97	Assessing Residual Motion for Gated Proton-Beam Radiotherapy. <i>Journal of Radiation Research</i> , 2007, 48, A55-A59.	1.6	13
98	Speed and amplitude of lung tumor motion precisely detected in four-dimensional setup and in real-time tumor-tracking radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 64, 1229-1236.	0.8	183
99	An Online Control Framework for Designing Self-Optimizing Computing Systems: Application to Power Management. <i>Lecture Notes in Computer Science</i> , 2005, , 174-188.	1.3	6
100	The correlation between internal and external markers for abdominal tumors: Implications for respiratory gating. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 61, 1551-1558.	0.8	205
101	An online predictive control framework for designing self-managing computing systems. <i>Multiagent and Grid Systems</i> , 2005, 1, 63-72.	0.9	3
102	Subsequence matching on structured time series data. , 2005, , .		45
103	Anatomic feature-based registration for patient set-up in head and neck cancer radiotherapy. <i>Physics in Medicine and Biology</i> , 2005, 50, 4667-4679.	3.0	17
104	Towards fluoroscopic respiratory gating for lung tumours without radiopaque markers. <i>Physics in Medicine and Biology</i> , 2005, 50, 4481-4490.	3.0	141
105	A finite state model for respiratory motion analysis in image guided radiation therapy. <i>Physics in Medicine and Biology</i> , 2004, 49, 5357-5372.	3.0	77
106	Tracking errors in a prototype real-time tumour tracking system. <i>Physics in Medicine and Biology</i> , 2004, 49, 5347-5356.	3.0	36
107	Integrated radiotherapy imaging system (IRIS): design considerations of tumour tracking with linac gantry-mounted diagnostic x-ray systems with flat-panel detectors. <i>Physics in Medicine and Biology</i> , 2004, 49, 243-255.	3.0	171
108	Prediction of respiratory tumour motion for real-time image-guided radiotherapy. <i>Physics in Medicine and Biology</i> , 2004, 49, 425-440.	3.0	349

#	ARTICLE	IF	CITATIONS
109	Multiview registration of 3D scenes by minimizing error between coordinate frames. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2004, 26, 1037-1050.	13.9	103
110	Image-based illumination for electronic display of artistic paintings. , 2002, , .		2
111	Multiview Registration of 3D Scenes by Minimizing Error between Coordinate Frames. Lecture Notes in Computer Science, 2002, , 587-597.	1.3	10