

# Andriy A Sibirny

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1714895/publications.pdf>

Version: 2024-02-01

137  
papers

11,055  
citations

147801

31  
h-index

30922

102  
g-index

144  
all docs

144  
docs citations

144  
times ranked

22357  
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
2	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	9.1	3,122
3	Comparative genomics of biotechnologically important yeasts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 9882-9887.	7.1	302
4	Genetic Control of Biosynthesis and Transport of Riboflavin and Flavin Nucleotides and Construction of Robust Biotechnological Producers. <i>Microbiology and Molecular Biology Reviews</i> , 2011, 75, 321-360.	6.6	291
5	Yeast peroxisomes: structure, functions and biotechnological opportunities. <i>FEMS Yeast Research</i> , 2016, 16, fow038.	2.3	75
6	Development of strains of the thermotolerant yeast <i>Hansenula polymorpha</i> capable of alcoholic fermentation of starch and xylan. <i>Metabolic Engineering</i> , 2009, 11, 234-242.	7.0	74
7	Metabolic engineering and classic selection of the yeast <i>Candida famata</i> ( <i>Candida flareri</i> ) for construction of strains with enhanced riboflavin production. <i>Metabolic Engineering</i> , 2011, 13, 82-88.	7.0	65
8	Role of $\beta$ -glutamyltranspeptidase in detoxification of xenobiotics in the yeasts <i>Hansenula polymorpha</i> and <i>Saccharomyces cerevisiae</i> . <i>Cell Biology International</i> , 2006, 30, 665-671.	3.0	61
9	<i>Candida guilliermondii</i> : biotechnological applications, perspectives for biological control, emerging clinical importance and recent advances in genetics. <i>Current Genetics</i> , 2013, 59, 73-90.	1.7	61
10	Overexpression of pyruvate decarboxylase in the yeast <i>Hansenula polymorpha</i> results in increased ethanol yield in high-temperature fermentation of xylose. <i>FEMS Yeast Research</i> , 2008, 8, 1164-1174.	2.3	58
11	Insertion mutagenesis of the yeast <i>Candida famata</i> ( <i>Debaryomyces hansenii</i> ) by random integration of linear DNA fragments. <i>Current Genetics</i> , 2006, 50, 183-191.	1.7	54
12	Construction of advanced producers of first- and second-generation ethanol in <i>Saccharomyces cerevisiae</i> and selected species of non-conventional yeasts ( <i>Scheffersomyces stipitidis</i> , <i>Ogataea</i> ) <i>Tj ETQq0 0 OrqBT /Overlock 10 T</i>		
13	Construction of <i>Hansenula polymorpha</i> strains with improved thermotolerance. <i>Biotechnology and Bioengineering</i> , 2009, 104, 911-919.	3.3	52
14	Atg28, a Novel Coiled-Coil Protein Involved in Autophagic Degradation of Peroxisomes in the Methylotrophic Yeast <i>Pichia pastoris</i> . <i>Autophagy</i> , 2006, 2, 30-38.	9.1	49
15	Genetic control of methanol utilization in yeasts. <i>Journal of Basic Microbiology</i> , 1988, 28, 293-319.	3.3	47
16	Engineering of xylose reductase and overexpression of xylitol dehydrogenase and xylulokinase improves xylose alcoholic fermentation in the thermotolerant yeast <i>Hansenula polymorpha</i> . <i>Microbial Cell Factories</i> , 2008, 7, 21.	4.0	46
17	Metabolic engineering and classical selection of the methylotrophic thermotolerant yeast <i>Hansenula polymorpha</i> for improvement of high-temperature xylose alcoholic fermentation. <i>Microbial Cell Factories</i> , 2014, 13, 122.	4.0	46
18	Construction and fed-batch cultivation of <i>Candida famata</i> with enhanced riboflavin production. <i>Journal of Biotechnology</i> , 2014, 172, 11-17.	3.8	46

#	ARTICLE	IF	CITATIONS
19	Reactions of direct formaldehyde oxidation to CO <sub>2</sub> are non-essential for energy supply of yeast methylotrophic growth. <i>Archives of Microbiology</i> , 1990, 154, 566.	2.2	43
20	The Requirement of Sterol Glucoside for Pexophagy in Yeast Is Dependent on the Species and Nature of Peroxisome Inducers. <i>Molecular Biology of the Cell</i> , 2007, 18, 106-118.	2.1	43
21	Atg35, a micropexophagy-specific protein that regulates micropexophagic apparatus formation in <i>Pichia pastoris</i> . <i>Autophagy</i> , 2011, 7, 375-385.	9.1	43
22	Permeabilized cells of flavocytochrome b2 over-producing recombinant yeast <i>Hansenula polymorpha</i> as biological recognition element in amperometric lactate biosensors. <i>Biosensors and Bioelectronics</i> , 2007, 23, 599-605.	10.1	40
23	Optimization of glutathione production in batch and fed-batch cultures by the wild-type and recombinant strains of the methylotrophic yeast <i>Hansenula polymorpha</i> DL-1. <i>BMC Biotechnology</i> , 2011, 11, 8.	3.3	40
24	Overexpression of bacterial xylose isomerase and yeast host xylulokinase improves xylose alcoholic fermentation in the thermotolerant yeast <i>Hansenula polymorpha</i> . <i>FEMS Yeast Research</i> , 2008, 8, 165-173.	2.3	39
25	Identification of Hexose Transporter-Like Sensor <i>HXS1</i> and Functional Hexose Transporter <i>HXT1</i> in the Methylotrophic Yeast <i>Hansenula polymorpha</i> . <i>Eukaryotic Cell</i> , 2008, 7, 735-746.	3.4	39
26	Development of a transformation system for the flavinogenic yeast <i>Candida famata</i> . <i>FEMS Yeast Research</i> , 2002, 2, 381-388.	2.3	38
27	Recombinant arginine-degrading enzymes in metabolic anticancer therapy and bioanalytics. <i>Cell Biology International</i> , 2015, 39, 246-252.	3.0	36
28	Production of flavin mononucleotide by metabolically engineered yeast <i>Candida famata</i> . <i>Metabolic Engineering</i> , 2009, 11, 163-167.	7.0	35
29	Expression of genes encoding xylose isomerases from and in the methylotrophic yeast. <i>FEMS Yeast Research</i> , 2005, 5, 1055-1062.	2.3	33
30	Chapter 16 Methods of Plate Pexophagy Monitoring and Positive Selection for ATG Gene Cloning in Yeasts. <i>Methods in Enzymology</i> , 2008, 451, 229-239.	1.0	33
31	Cancer cell sensitivity to arginine deprivation <i>in vitro</i> is not determined by endogenous levels of arginine metabolic enzymes. <i>Cell Biology International</i> , 2010, 34, 1085-1089.	3.0	32
32	Drug-resistant cassettes for the efficient transformation of <i>Candida guilliermondii</i> wild-type strains. <i>FEMS Yeast Research</i> , 2011, 11, 457-463.	2.3	30
33	<i>Candida famata</i> ( <i>Debaryomyces hansenii</i> ) DNA sequences containing genes involved in riboflavin synthesis. <i>Yeast</i> , 2004, 21, 1307-1316.	1.7	28
34	Mutations and environmental factors affecting regulation of riboflavin synthesis and iron assimilation also cause oxidative stress in the yeast <i>Pichia guilliermondii</i> . <i>Journal of Basic Microbiology</i> , 2007, 47, 371-377.	3.3	28
35	A New Yeast Peroxin, Pex36, a Functional Homolog of Mammalian PEX16, Functions in the ER-to-Peroxisome Traffic of Peroxisomal Membrane Proteins. <i>Journal of Molecular Biology</i> , 2017, 429, 3743-3762.	4.2	28
36	100 Years Later, What Is New in Glycerol Bioproduction?. <i>Trends in Biotechnology</i> , 2020, 38, 907-916.	9.3	28

#	ARTICLE	IF	CITATIONS
37	Overexpression of the genes <i>PDC1</i> and <i>ADH1</i> activates glycerol conversion to ethanol in the thermotolerant yeast <i>Ogataea</i> ( <i>Hansenula</i> ) <i>polymorpha</i> . <i>Yeast</i> , 2016, 33, 471-478.	1.7	27
38	Development of a transformation system for gene knock-out in the flavinogenic yeast <i>Pichia guilliermondii</i> . <i>Journal of Microbiological Methods</i> , 2007, 70, 13-19.	1.6	26
39	G-protein-coupled receptor <i>Gpr1</i> and G-protein <i>Gpa2</i> of cAMP-dependent signaling pathway are involved in glucose-induced pexophagy in the yeast <i>Saccharomyces cerevisiae</i> . <i>Cell Biology International</i> , 2008, 32, 502-504.	3.0	26
40	Improved method for expression and isolation of the <i>Mycoplasma hominis</i> arginine deiminase from the recombinant strain of <i>Escherichia coli</i> . <i>Journal of Biotechnology</i> , 2013, 167, 420-426.	3.8	26
41	<i>Candida famata</i> ( <i>Candida flareri</i> ). <i>Yeast</i> , 2012, 29, 453-458.	1.7	25
42	Increased ethanol accumulation from glucose via reduction of ATP level in a recombinant strain of <i>Saccharomyces cerevisiae</i> overexpressing alkaline phosphatase. <i>BMC Biotechnology</i> , 2014, 14, 42.	3.3	25
43	Isolation and characterization of mutated alcohol oxidases from the yeast <i>Hansenula polymorpha</i> with decreased affinity toward substrates and their use as selective elements of an amperometric biosensor. <i>BMC Biotechnology</i> , 2007, 7, 33.	3.3	24
44	Medium optimization for production of flavin mononucleotide by the recombinant strain of the yeast <i>Candida famata</i> using statistical designs. <i>Biochemical Engineering Journal</i> , 2010, 49, 52-60.	3.6	24
45	Development of a <i>URA5</i> integrative cassette for gene disruption in the <i>Candida guilliermondii</i> ATCC 6260 strain. <i>Journal of Microbiological Methods</i> , 2011, 84, 355-358.	1.6	24
46	Glucose-induced production of recombinant proteins in <i>Hansenula polymorpha</i> mutants deficient in catabolite repression. <i>Biotechnology and Bioengineering</i> , 2007, 97, 858-870.	3.3	23
47	The role of <i>Hansenula polymorpha</i> <i>MIG1</i> homologues in catabolite repression and pexophagy. <i>FEMS Yeast Research</i> , 2007, 7, 1103-1113.	2.3	23
48	Heterologous expression of <i>Saccharomyces cerevisiae</i> <i>MPR1</i> gene confers tolerance to ethanol and l-azetidine-2-carboxylic acid in <i>Hansenula polymorpha</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2010, 37, 213-218.	3.0	23
49	Zinc cluster protein <i>Znf1</i> , a novel transcription factor of non-fermentative metabolism in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2015, 15, .	2.3	23
50	Transcriptional activator <i>Cat8</i> is involved in regulation of xylose alcoholic fermentation in the thermotolerant yeast <i>Ogataea</i> ( <i>Hansenula</i> ) <i>polymorpha</i> . <i>Microbial Cell Factories</i> , 2017, 16, 36.	4.0	23
51	Development of a transformation system for the flavinogenic yeast. <i>FEMS Yeast Research</i> , 2002, 2, 381-388.	2.3	22
52	Positive selection of mutants defective in transcriptional repression of riboflavin synthesis by iron in the flavinogenic yeast. <i>FEMS Yeast Research</i> , 2005, 5, 829-837.	2.3	22
53	<i>Gss1</i> protein of the methylotrophic yeast <i>Pichia pastoris</i> is involved in glucose sensing, pexophagy and catabolite repression. <i>International Journal of Biochemistry and Cell Biology</i> , 2012, 44, 1906-1918.	2.8	22
54	Pentose metabolism and conversion to biofuels and high-value chemicals in yeasts. <i>FEMS Microbiology Reviews</i> , 2021, 45, .	8.6	22

#	ARTICLE	IF	CITATIONS
55	Bioelectrochemical detection of L-lactate respiration using genetically modified <i>Hansenula polymorpha</i> yeast cells overexpressing flavocytochrome b2. <i>Bioelectrochemistry</i> , 2009, 76, 175-179.	4.6	21
56	Development of a promoter assay system for the flavinogenic yeast <i>Candida famata</i> based on the <i>Kluyveromyces lactis</i> $\beta$ -galactosidase LAC4 reporter gene. <i>Enzyme and Microbial Technology</i> , 2008, 42, 208-215.	3.2	20
57	Activation of futile cycles as an approach to increase ethanol yield during glucose fermentation in <i>Saccharomyces cerevisiae</i> . <i>Bioengineered</i> , 2016, 7, 106-111.	3.2	20
58	Peroxisomes and peroxisomal transketolase and transaldolase enzymes are essential for xylose alcoholic fermentation by the methylotrophic thermotolerant yeast, <i>Ogataea</i> ( <i>Hansenula</i> ) <i>polymorpha</i> . <i>Biotechnology for Biofuels</i> , 2018, 11, 197.	6.2	20
59	New selectable host-specific marker systems for multiple genetic manipulations based on <i>TRP1</i> , <i>MET2</i> and <i>ADE2</i> in the methylotrophic yeast <i>Hansenula polymorpha</i> . <i>Yeast</i> , 2009, 26, 507-521.	1.7	19
60	d-lactate-selective amperometric biosensor based on the cell debris of the recombinant yeast <i>Hansenula polymorpha</i> . <i>Talanta</i> , 2014, 125, 227-232.	5.5	19
61	Metabolic engineering for high glycerol production by the anaerobic cultures of <i>Saccharomyces cerevisiae</i> . <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 4403-4416.	3.6	19
62	Engineering of sugar transporters for improvement of xylose utilization during high-temperature alcoholic fermentation in <i>Ogataea polymorpha</i> yeast. <i>Microbial Cell Factories</i> , 2020, 19, 96.	4.0	19
63	Novel Cysteine-Centered Sulfur Metabolic Pathway in the Thermotolerant Methylotrophic Yeast <i>Hansenula polymorpha</i> . <i>PLoS ONE</i> , 2014, 9, e100725.	2.5	19
64	Accumulation of cadmium ions in the methylotrophic yeast <i>Hansenula polymorpha</i> . <i>BioMetals</i> , 2006, 19, 593-599.	4.1	18
65	Differences in glucose sensing and signaling for pexophagy between the baker's yeast <i>Saccharomyces cerevisiae</i> and the methylotrophic yeast <i>Pichia pastoris</i> . <i>Autophagy</i> , 2008, 4, 381-384.	9.1	18
66	Overexpression of Transcription Factor <i>ZNF1</i> of Glycolysis Improves Bioethanol Productivity under High Glucose Concentration and Enhances Acetic Acid Tolerance of <i>Saccharomyces cerevisiae</i> . <i>Biotechnology Journal</i> , 2020, 15, e1900492.	3.5	18
67	The microbial synthesis of flavin nucleotides: A review. <i>Applied Biochemistry and Microbiology</i> , 2009, 45, 115-124.	0.9	17
68	<i>CCZ1</i> , <i>MON1</i> and <i>YPT7</i> genes are involved in pexophagy, the Cvt pathway and non-specific macroautophagy in the methylotrophic yeast <i>Pichia pastoris</i> . <i>Cell Biology International</i> , 2011, 35, 311-319.	3.0	17
69	Identification of the genes affecting the regulation of riboflavin synthesis in the flavinogenic yeast <i>Pichia guilliermondii</i> using insertion mutagenesis. <i>FEMS Yeast Research</i> , 2011, 11, 307-314.	2.3	17
70	Metabolic and bioprocess engineering of the yeast <i>Candida famata</i> for FAD production. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2014, 41, 823-835.	3.0	17
71	Amperometric L-arginine biosensor based on a novel recombinant arginine deiminase. <i>Mikrochimica Acta</i> , 2017, 184, 2679-2686.	5.0	17
72	Alcohol dehydrogenase gene <i>ADH3</i> activates glucose alcoholic fermentation in genetically engineered <i>Dekkera bruxellensis</i> yeast. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 3219-3231.	3.6	16

#	ARTICLE	IF	CITATIONS
73	Autophagy-Related Pathways and Specific Role of Sterol Glucoside in Yeasts. <i>Autophagy</i> , 2007, 3, 263-265.	9.1	15
74	Deficiency in frataxin homologue YFH1 in the yeast <i>Pichia guilliermondii</i> leads to misregulation of iron acquisition and riboflavin biosynthesis and affects sulfate assimilation. <i>BioMetals</i> , 2009, 22, 1051-1061.	4.1	15
75	Mechanisms of autophagy and pexophagy in yeasts. <i>Biochemistry (Moscow)</i> , 2011, 76, 1279-1290.	1.5	15
76	Alcoholic fermentation by wild-type <i>Hansenula polymorpha</i> and <i>Saccharomyces cerevisiae</i> versus recombinant strains with an elevated level of intracellular glutathione. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2011, 38, 1853-1859.	3.0	15
77	Overexpression of the truncated version of <i>ILV2</i> enhances glycerol production in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2016, 33, 463-469.	1.7	15
78	The zinc cluster transcriptional regulator <i>Asg1</i> transcriptionally coordinates oleate utilization and lipid accumulation in <i>Saccharomyces cerevisiae</i> . <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 4549-4560.	3.6	15
79	Gene of the transcriptional activator <i>MET4</i> is involved in regulation of glutathione biosynthesis in the methylotrophic yeast <i>Ogataea (Hansenula) polymorpha</i> . <i>FEMS Yeast Research</i> , 2018, 18, .	2.3	14
80	Transformation of <i>Candida guilliermondii</i> wild-type strains using the <i>Staphylococcus aureus</i> MRSA 252b gene as a phleomycin-resistant marker. <i>FEMS Yeast Research</i> , 2013, 13, 354-358.	2.3	13
81	Overexpression of the genes of glycerol catabolism and glycerol facilitator improves glycerol conversion to ethanol in the methylotrophic thermotolerant yeast <i>Ogataea polymorpha</i> . <i>Yeast</i> , 2019, 36, 329-339.	1.7	13
82	Modulation of the Purine Pathway for Riboflavin Production in Flavinogenic Recombinant Strain of the Yeast <i>Candida famata</i> . <i>Biotechnology Journal</i> , 2020, 15, 1900468.	3.5	13
83	Novel highly sensitive conductometric biosensor based on arginine deiminase from <i>Mycoplasma hominis</i> for determination of arginine. <i>Sensors and Actuators B: Chemical</i> , 2022, 367, 132023.	7.8	13
84	Multinuclear Yeast <i>Magnusiomyces (Dipodascus, Endomyces) magnusii</i> is a Promising Isobutanol Producer. <i>Biotechnology Journal</i> , 2020, 15, e1900490.	3.5	12
85	<i>Pichia guilliermondii</i> . , 2009, , 113-134.		11
86	New methods for positive selection of yeast ethanol overproducing mutants. <i>Bioethanol</i> , 2016, 2, .	1.2	11
87	Construction of methylotrophic yeast <i>Hansenula polymorpha</i> strains over-producing formaldehyde dehydrogenase. <i>Biopolymers and Cell</i> , 2005, 21, 525-530.	0.4	10
88	Plate ethanol-screening assay for selection of the <i>Pichia stipitis</i> and <i>Hansenula polymorpha</i> yeast mutants with altered capability for xylose alcoholic fermentation. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2006, 33, 934-940.	3.0	9
89	Photometric assay of methanol and formaldehyde in industrial waste-waters using alcohol oxidase and 3-methyl-2-benzothiazolinone hydrazone. <i>International Journal of Environmental Analytical Chemistry</i> , 2008, 88, 289-301.	3.3	9
90	Stable overproducer of hepatitis B surface antigen in the methylotrophic yeast <i>Hansenula polymorpha</i> due to multiple integration of heterologous auxotrophic selective markers and defect in peroxisome biogenesis. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 9969-9979.	3.6	9

#	ARTICLE	IF	CITATIONS
91	Cytoplasmic extension peptide of <i>Pichia pastoris</i> glucose sensor Gss1 is not compulsory for glucose signalling. <i>Cell Biology International</i> , 2014, 38, 172-178.	3.0	9
92	Improving the efficiency of plasmid transformation in <i>Shewanella oneidensis</i> MR-1 by removing <i>Clal</i> restriction site. <i>Journal of Microbiological Methods</i> , 2014, 99, 35-37.	1.6	9
93	Anhydrobiosis in yeast: Glutathione overproduction improves resistance to dehydration of a recombinant <i>Ogataea</i> ( <i>Hansenula</i> ) <i>polymorpha</i> strain. <i>Process Biochemistry</i> , 2018, 71, 41-44.	3.7	9
94	Virulence and antifungal susceptibility of microsatellite genotypes of <i>Candida albicans</i> from superficial and deep locations. <i>Yeast</i> , 2019, 36, 363-373.	1.7	9
95	Expression of yeast homolog of the mammal <i>BCRP</i> gene coding for riboflavin efflux protein activates vitamin B <sub>2</sub> production in the flavinogenic yeast <i>Candida famata</i> . <i>Yeast</i> , 2020, 37, 467-473.	1.7	9
96	Role of the regulatory genes <i>SEF1</i> , <i>VMA1</i> and <i>SFU1</i> in riboflavin synthesis in the flavinogenic yeast <i>Candida famata</i> ( <i>Candida flareri</i> ). <i>Yeast</i> , 2020, 37, 497-504.	1.7	9
97	New approaches for improving the production of the 1st and 2nd generation ethanol by yeast.. <i>Acta Biochimica Polonica</i> , 2016, 63, 31-38.	0.5	9
98	Identification of regulatory genes of riboflavin permease and $\beta$ -glucosidase in the yeast <i>Pichia guilliermondii</i> . <i>Current Genetics</i> , 1984, 8, 107-114.	1.7	8
99	A novel <i>Hansenula polymorpha</i> transcriptional factor <i>HpHAP4</i> , able to functionally replace the <i>S. cerevisiae HAP4</i> gene, contains an additional bZip motif. <i>Yeast</i> , 2010, 27, 941-954.	1.7	8
100	Construction of uricase-overproducing strains of <i>Hansenula polymorpha</i> and its application as biological recognition element in microbial urate biosensor. <i>BMC Biotechnology</i> , 2011, 11, 58.	3.3	8
101	Metabolic engineering of the yeast <i>Hansenula polymorpha</i> for the construction of efficient ethanol producers. <i>Cytology and Genetics</i> , 2013, 47, 329-342.	0.5	8
102	Development of a system for multicopy gene integration in <i>Saccharomyces cerevisiae</i> . <i>Journal of Microbiological Methods</i> , 2016, 120, 44-49.	1.6	8
103	Functional Study of the Hap4-Like Genes Suggests That the Key Regulators of Carbon Metabolism <i>HAP4</i> and Oxidative Stress Response <i>YAP1</i> in Yeast Diverged from a Common Ancestor. <i>PLoS ONE</i> , 2014, 9, e112263.	2.5	8
104	Oversynthesis of Riboflavin in the Yeast <i>Pichia guilliermondii</i> is Accompanied by Reduced Catalase and Superoxide Dismutases Activities. <i>Current Microbiology</i> , 2013, 66, 79-87.	2.2	7
105	The role of peroxisomes in xylose alcoholic fermentation in the engineered <i>Saccharomyces cerevisiae</i> . <i>Cell Biology International</i> , 2020, 44, 1606-1615.	3.0	7
106	Regulation of uric acid uptake in the yeast <i>Pichia guilliermondii</i> . <i>FEBS Letters</i> , 1973, 31, 313-316.	2.8	6
107	Genetic engineering of nonconventional yeasts for the production of valuable compounds. , 2014, , 63-112.		6
108	Development of new dominant selectable markers for the nonconventional yeasts <i>Ogataea polymorpha</i> and <i>Candida famata</i> . <i>Yeast</i> , 2020, 37, 505-513.	1.7	6

#	ARTICLE	IF	CITATIONS
109	The role of Mig1, Mig2, Tup1 and Hap4 transcription factors in regulation of xylose and glucose fermentation in the thermotolerant yeast <i>Ogataea polymorpha</i> . FEMS Yeast Research, 2021, 21, .	2.3	6
110	Genetic Improvement of Conventional and Nonconventional Yeasts for the Production of First- and Second-Generation Ethanol. , 2017, , 1-38.		6
111	<i>Candida famata</i> ( <i>Debaryomyces hansenii</i> ). , 2009, , 85-111.		5
112	Autophagy-related gene ATG13 is involved in control of xylose alcoholic fermentation in the thermotolerant methylotrophic yeast <i>Ogataea polymorpha</i> . FEMS Yeast Research, 2018, 18, .	2.3	5
113	Evaluation of the enhanced resistance of <i>Ogataea</i> ( <i>Hansenula</i> ) <i>polymorpha</i> to benzalkonium chloride as a resource for bioremediation technologies. Process Biochemistry, 2019, 87, 157-163.	3.7	5
114	The impact of transcription factors Znf1, Sip4, Adr1, Tup1, and Hap4 on xylose alcoholic fermentation in the engineered yeast <i>Saccharomyces cerevisiae</i> . Antonie Van Leeuwenhoek, 2021, 114, 1373-1385.	1.7	5
115	Molecular mechanisms of peroxisome biogenesis in yeasts. Molecular Biology, 2012, 46, 11-26.	1.3	4
116	Biotechnology of Glycerol Production and Conversion in Yeasts. , 2017, , 117-148.		4
117	Glutathione Metabolism in Yeasts and Construction of the Advanced Producers of This Tripeptide. , 2019, , 153-196.		4
118	Adaptive Evolution for the Improvement of Ethanol Production During Alcoholic Fermentation with the Industrial Strains of Yeast <i>Saccharomyces Cerevisiae</i> . Cytology and Genetics, 2020, 54, 398-407.	0.5	4
119	Co-Overexpression of RIB1 and RIB6 Increases Riboflavin Production in the Yeast <i>Candida famata</i> . Fermentation, 2022, 8, 141.	3.0	4
120	Yeasts for Bioconversion of Crude Glycerol to High-Value Chemicals. , 2019, , 389-451.		3
121	Anhydrobiosis in yeasts: Glutathione synthesis by yeast <i>Ogataea</i> ( <i>Hansenula</i> ) <i>polymorpha</i> cells after their dehydration-rehydration. Journal of Biotechnology, 2019, 304, 28-30.	3.8	3
122	Obtaining Wheat ( <i>Triticum aestivum</i> L.) Lines with Yeast Genes for Trehalose Biosynthesis. Cytology and Genetics, 2020, 54, 283-292.	0.5	3
123	Recent Advances in Construction of the Efficient Producers of Riboflavin and Flavin Nucleotides (FMN, FAD) in the Yeast <i>Candida famata</i> . Methods in Molecular Biology, 2021, 2280, 15-30.	0.9	3
124	Systems Biology in Yeasts "from Models to Applications: the 25th International Specialized Symposium on Yeasts (ISSY25), Hanasaari, Espoo (Finland), 18-21 June 2006. FEMS Yeast Research, 2006, 6, 1101-1102.	2.3	2
125	Ukrainian science before, during and after the fall of the Soviet Union. FEMS Yeast Research, 2016, 16, fow074.	2.3	2
126	Development of the Thermotolerant Methylotrophic Yeast <i>Hansenula polymorpha</i> as Efficient Ethanol Producer. , 2017, , 257-282.		2



#	ARTICLE	IF	CITATIONS
127	SEF1 and VMA1 Genes Regulate Riboflavin Biosynthesis in the Flavinogenic Yeast <i>Candida famata</i> . <i>Cytology and Genetics</i> , 2020, 54, 379-385.	0.5	2
128	Effect of Gene SFU1 on Riboflavin Synthesis in Flavinogenic Yeast <i>Candida famata</i> . <i>Cytology and Genetics</i> , 2020, 54, 408-412.	0.5	2
129	Overexpression of Riboflavin Excretase Enhances Riboflavin Production in the Yeast <i>Candida famata</i> . <i>Methods in Molecular Biology</i> , 2021, 2280, 31-42.	0.9	2
130	Pexophagy Sensing and Signaling in the Methylotrophic Yeasts. , 2014, , 507-527.		2
131	Molecular mechanisms of insertional mutagenesis in yeasts and mycelium fungi. <i>Russian Journal of Genetics</i> , 2007, 43, 835-845.	0.6	1
132	Fructose 1,6-bisphosphatase degradation in the methylotrophic yeast <i>Komagataella phaffii</i> occurs in autophagy pathway. <i>Cell Biology International</i> , 2021, 45, 528-535.	3.0	1
133	Molecular Studies of the Flavinogenic Fungus <i>Ashbya gossypii</i> and the Flavinogenic Yeast <i>Candida famata</i> . , 2017, , 281-296.		1
134	Insertional tagging of the <i>Scheffersomyces stipitis</i> gene HEM25 involved in regulation of glucose and xylose alcoholic fermentation. <i>Cell Biology International</i> , 2021, 45, 507-517.	3.0	0
135	Flavocytochrome b2 of the Methylotrophic Yeast <i>Ogataea polymorpha</i> : Construction of Overproducers, Purification, and Bioanalytical Application. <i>Methods in Molecular Biology</i> , 2021, 2280, 249-260.	0.9	0
136	Introduction. <i>Cell Biology International</i> , 2021, 45, 480-480.	3.0	0
137	Yeast-Based Systems for Environmental Control. , 2017, , 373-390.		0