List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1718908/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Markers of neutrophil activation and extracellular trap formation predict appendicitis. Surgery, 2022, 171, 312-319.	1.9	2
2	Involvement of the Iron-Regulated Loci <i>hts</i> and <i>fhuC</i> in Biofilm Formation and Survival of Staphylococcus epidermidis within the Host. Microbiology Spectrum, 2022, 10, e0216821.	3.0	7
3	Efficacy of Tigecycline as Salvage Therapy in Multidrug-Resistant Febrile Neutropenia in Patients with Acute Leukemia—A Single Center Analysis. Antibiotics, 2022, 11, 128.	3.7	2
4	Evaluation of a syndromic panel polymerase chain reaction (spPCR) assay for the diagnosis of deviceâ€associated bone and joint infections (BJI). International Journal of Infectious Diseases, 2022, 116, 283-288.	3.3	7
5	Population dynamics in colonizing vancomycin-resistant Enterococcus faecium isolated from immunosuppressed patients. Journal of Global Antimicrobial Resistance, 2022, 28, 267-273.	2.2	5
6	Structural basis to repurpose boron-based proteasome inhibitors Bortezomib and Ixazomib as \hat{I}^2 -lactamase inhibitors. Scientific Reports, 2022, 12, 5510.	3.3	4
7	German Multicenter Study Analyzing Antimicrobial Activity of Ceftazidime-Avibactam of Clinical Meropenem-Resistant Pseudomonas aeruginosa Isolates Using a Commercially Available Broth Microdilution Assay. Antibiotics, 2022, 11, 545.	3.7	2
8	Th17 cell plasticity towards a T-bet-dependent Th1 phenotype is required for bacterial control in Staphylococcus aureus infection. PLoS Pathogens, 2022, 18, e1010430.	4.7	12
9	Staphylococcus epidermidis-Derived Protease Esp Mediates Proteolytic Activation of Pro‒lL-1β in Human Keratinocytes. Journal of Investigative Dermatology, 2022, 142, 2756-2765.e8.	0.7	4
10	The Staphylococcus epidermidis Transcriptional Profile During Carriage. Frontiers in Microbiology, 2022, 13, 896311.	3.5	5
11	Comparison of four diagnostic criteria for invasive pulmonary aspergillosis—A diagnostic accuracy study in critically ill patients. Mycoses, 2022, 65, 824-833.	4.0	6
12	Diagnostic Utility of Bronchoalveolar Lavage in Patients with Acute Leukemia under Broad-Spectrum Anti-Infective Treatment. Cancers, 2022, 14, 2773.	3.7	1
13	Screening for Schistosoma spp. and Leishmania spp. DNA in Serum of Ghanaian Patients with Acquired Immunodeficiency. Pathogens, 2022, 11, 760.	2.8	1
14	Performance of the BD Phoenix CPO detect assay for detection and classification of carbapenemase-producing organisms. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 979-985.	2.9	7
15	Distinct clonal lineages and within-host diversification shape invasive Staphylococcus epidermidis populations. PLoS Pathogens, 2021, 17, e1009304.	4.7	41
16	EUCAST rapid antimicrobial susceptibility testing (RAST): analytical performance and impact on patient management. Journal of Antimicrobial Chemotherapy, 2021, 76, 1332-1338.	3.0	19
17	Emergence of linezolid-resistance in vancomycin-resistant Enterococcus faecium ST117 associated with increased linezolid-consumption. International Journal of Medical Microbiology, 2021, 311, 151477.	3.6	28
18	Host factors abolish the need for polysaccharides and extracellular matrix-binding protein in Staphylococcus epidermidis biofilm formation. Journal of Medical Microbiology, 2021, 70, .	1.8	12

#	Article	IF	CITATIONS
19	Clinical evaluation of a laboratory-developed quantitative BK virus-PCR assay using the cobas® omni Utility Channel. Journal of Virological Methods, 2021, 290, 114093.	2.1	2
20	Cefiderocol in Critically Ill Patients with Multi-Drug Resistant Pathogens: Real-Life Data on Pharmacokinetics and Microbiological Surveillance. Antibiotics, 2021, 10, 649.	3.7	17
21	Staphylococcus epidermidis clones express Staphylococcus aureus-type wall teichoic acid to shift from a commensal to pathogen lifestyle. Nature Microbiology, 2021, 6, 757-768.	13.3	37
22	Performance of a loop-mediated isothermal amplification assay (Isoplex CRE-ART) to detect common carbapenemase-encoding genes in Gram-negative bacteria. Journal of Medical Microbiology, 2021, 70, .	1.8	1
23	Influence of microbiological diagnosis on the clinical course of spondylodiscitis. Infection, 2021, 49, 1017-1027.	4.7	19
24	Usefulness of BioFire FilmArray BCID2 for Blood Culture Processing in Clinical Practice. Journal of Clinical Microbiology, 2021, 59, e0054321.	3.9	42
25	The Emerging Role of Iron Acquisition in Biofilm-Associated Infections. Trends in Microbiology, 2021, 29, 772-775.	7.7	18
26	Bacteriophage Rescue Therapy of a Vancomycin-Resistant Enterococcus faecium Infection in a One-Year-Old Child following a Third Liver Transplantation. Viruses, 2021, 13, 1785.	3.3	29
27	Aspergillosis: Emerging risk groups in critically ill patients. Medical Mycology, 2021, 60, .	0.7	17
28	Fighting Staphylococcus epidermidis Biofilm-Associated Infections: Can Iron Be the Key to Success?. Frontiers in Cellular and Infection Microbiology, 2021, 11, 798563.	3.9	9
29	Siderophore-Mediated Iron Acquisition Plays a Critical Role in Biofilm Formation and Survival of Staphylococcus epidermidis Within the Host. Frontiers in Medicine, 2021, 8, 799227.	2.6	5
30	Rapid identification of the vanA/vanB resistance determinant in Enterococcus sp. from blood cultures using the Cepheid Xpert vanA/vanB cartridge system. Diagnostic Microbiology and Infectious Disease, 2020, 96, 114977.	1.8	6
31	Pathogen-induced tissue-resident memory T _H 17 (T _{RM} 17) cells amplify autoimmune kidney disease. Science Immunology, 2020, 5, .	11.9	58
32	Temporal Changes in Patient-Matched Staphylococcus epidermidis Isolates from Infections: towards Defining a †True' Persistent Infection. Microorganisms, 2020, 8, 1508.	3.6	2
33	Challenges in treatment of patients with acute leukemia and COVID-19: a series of 12 patients. Blood Advances, 2020, 4, 5936-5941.	5.2	16
34	A Giant Extracellular Matrix Binding Protein of <i>Staphylococcus epidermidis</i> Binds Surface-Immobilized Fibronectin via a Novel Mechanism. MBio, 2020, 11, .	4.1	9
35	Identification of Kosakonia cowanii as a rare cause of acute cholecystitis: case report and review of the literature. BMC Infectious Diseases, 2020, 20, 366.	2.9	18
36	Implementation of the FilmArray ME panel in laboratory routine using a simple sample selection strategy for diagnosis of meningitis and encephalitis. BMC Infectious Diseases, 2020, 20, 170.	2.9	22

#	Article	IF	CITATIONS
37	Emergence of coagulase-negative staphylococci. Expert Review of Anti-Infective Therapy, 2020, 18, 349-366.	4.4	74
38	Epidemiology, clinical characteristics, and outcome of candidemia in critically ill patients in Germany: a single-center retrospective 10-year analysis. Annals of Intensive Care, 2020, 10, 142.	4.6	39
39	Influence of local epidemiology on the performance of common colistin drug susceptibility testing methods. PLoS ONE, 2019, 14, e0217468.	2.5	1
40	Reply to Tison and Saraux. Clinical Infectious Diseases, 2019, 69, 905-905.	5.8	0
41	Controlling intestinal colonization of high-risk haematology patients with ESBL-producing Enterobacteriaceae: a randomized, placebo-controlled, multicentre, Phase II trial (CLEAR). Journal of Antimicrobial Chemotherapy, 2019, 74, 2065-2074.	3.0	8
42	Usability of rectal swabs for microbiome sampling in a cohort study of hematological and oncological patients. PLoS ONE, 2019, 14, e0215428.	2.5	26
43	Insufficient sensitivity of laser desorption-time of flight mass spectrometry-based detection of hemozoin for malaria screening. Journal of Microbiological Methods, 2019, 160, 104-106.	1.6	4
44	Clostridium difficile infection after pediatric solid organ transplantation: a practical single-center experience. Pediatric Nephrology, 2019, 34, 1269-1275.	1.7	5
45	Antimicrobial lubricant reduces rectal bacteria at transrectal prostate biopsy: results from a prospective randomized trial. World Journal of Urology, 2018, 36, 871-876.	2.2	5
46	Disease-associated genotypes of the commensal skin bacterium Staphylococcus epidermidis. Nature Communications, 2018, 9, 5034.	12.8	115
47	Carbapenem-resistant Gram-negative pathogens in a German university medical center: Prevalence, clinical implications and the role of novel β-lactam/l²-lactamase inhibitor combinations. PLoS ONE, 2018, 13, e0195757.	2.5	54
48	Growth of <i>Cutibacterium acnes</i> is common on osteosynthesis material of the shoulder in patients without signs of infection. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 580-584.	3.3	23
49	Ultra-dense polymer brush coating reduces Staphylococcus epidermidis biofilms on medical implants and improves antibiotic treatment outcome. Acta Biomaterialia, 2018, 76, 46-55.	8.3	29
50	Efficacy of introducing a checklist to reduce central venous line associated bloodstream infections in the ICU caring for adult patients. BMC Infectious Diseases, 2018, 18, 267.	2.9	25
51	Risk factors for excessively prolonged meropenem use in the intensive care setting: a case-control study. BMC Infectious Diseases, 2017, 17, 131.	2.9	5
52	The metalloprotease <scp>S</scp> ep <scp>A</scp> governs processing of accumulationâ€associated protein and shapes intercellular adhesive surface properties in <scp><i>S</i></scp> <i>taphylococcus epidermidis</i> . Molecular Microbiology, 2017, 103, 860-874.	2.5	50
53	Limitations in the use of PSMÎ ³ , agr , RNAIII, and biofilm formation as biomarkers to define invasive Staphylococcus epidermidis from chronic biomedical device-associated infections. International Journal of Medical Microbiology, 2017, 307, 382-387.	3.6	10
54	Two-tier approach combining molecular and culture-based techniques for optimized detection of vancomycin-resistant enterococci. Diagnostic Microbiology and Infectious Disease, 2017, 89, 253-257.	1.8	6

#	Article	IF	CITATIONS
55	Screening and contact precautions – A survey on infection control measures for multidrug-resistant bacteria in German university hospitals. Antimicrobial Resistance and Infection Control, 2017, 6, 37.	4.1	9
56	Impact of non-transferrin-bound iron (NTBI) in comparison to serum ferritin on outcome after allogeneic stem cell transplantation (ASCT). Annals of Hematology, 2017, 96, 1379-1388.	1.8	17
57	Advances in Rapid Identification and Susceptibility Testing of Bacteria in the Clinical Microbiology Laboratory: Implications for Patient Care and Antimicrobial Stewardship Programs. Gastroenterology Insights, 2017, 9, 6839.	1.2	113
58	Nasal commensal Staphylococcus epidermidis counteracts influenza virus. Scientific Reports, 2016, 6, 27870.	3.3	57
59	Genetic engineering of untransformable coagulase-negative staphylococcal pathogens. Nature Protocols, 2016, 11, 949-959.	12.0	25
60	First report of Escherichia coli co-producing NDM-1 and OXA-232. Diagnostic Microbiology and Infectious Disease, 2016, 86, 437-438.	1.8	15
61	Versatility of Biofilm Matrix Molecules in Staphylococcus epidermidis Clinical Isolates and Importance of Polysaccharide Intercellular Adhesin Expression during High Shear Stress. MSphere, 2016, 1, .	2.9	39
62	Sub-inhibitory tigecycline concentrations induce extracellular matrix binding protein Embp dependent Staphylococcus epidermidis biofilm formation and immune evasion. International Journal of Medical Microbiology, 2016, 306, 471-478.	3.6	27
63	Does galactomannan testing increase diagnostic accuracy for IPA in the ICU? A prospective observational study. Critical Care, 2016, 20, 139.	5.8	39
64	Antagonism between Staphylococcus epidermidis and Propionibacterium acnes and its genomic basis. BMC Genomics, 2016, 17, 152.	2.8	131
65	Biofilm Morphotypes and Population Structure among Staphylococcus epidermidis from Commensal and Clinical Samples. PLoS ONE, 2016, 11, e0151240.	2.5	49
66	Structural basis of Staphylococcus epidermidis biofilm formation: mechanisms and molecular interactions. Frontiers in Cellular and Infection Microbiology, 2015, 5, 14.	3.9	163
67	Soluble plasma VE-cadherin concentrations are elevated in patients with STEC infection and haemolytic uraemic syndrome: a case-control study. BMJ Open, 2015, 5, e005659-e005659.	1.9	7
68	Selection of Nanobodies that Block the Enzymatic and Cytotoxic Activities of the Binary Clostridium Difficile Toxin CDT. Scientific Reports, 2015, 5, 7850.	3.3	55
69	An 18 kDa Scaffold Protein Is Critical for Staphylococcus epidermidis Biofilm Formation. PLoS Pathogens, 2015, 11, e1004735.	4.7	28
70	Emergence of daptomycin non-susceptibility in colonizing vancomycin-resistant Enterococcus faecium isolates during daptomycin therapy. International Journal of Medical Microbiology, 2015, 305, 902-909.	3.6	40
71	Effects of polysaccharide intercellular adhesin (PIA) in an ex vivo model of whole blood killing and in prosthetic joint infection (PJI): A role for C5a. International Journal of Medical Microbiology, 2015, 305, 948-956.	3.6	11
72	Accumulation-Associated Protein Enhances Staphylococcus epidermidis Biofilm Formation under Dynamic Conditions and Is Required for Infection in a Rat Catheter Model. Infection and Immunity, 2015, 83, 214-226.	2.2	109

#	Article	IF	CITATIONS
73	Rapid Metagenomic Diagnostics for Suspected Outbreak of Severe Pneumonia. Emerging Infectious Diseases, 2014, 20, 1072-1075.	4.3	61
74	Staphylococcus epidermidis <i>agr</i> Quorum-Sensing System: Signal Identification, Cross Talk, and Importance in Colonization. Journal of Bacteriology, 2014, 196, 3482-3493.	2.2	101
75	A multicentre cohort study on colonization and infection with ESBL-producing Enterobacteriaceae in high-risk patients with haematological malignancies. Journal of Antimicrobial Chemotherapy, 2014, 69, 3387-3392.	3.0	84
76	Rapid MALDI-TOF Mass Spectrometry Strain Typing during a Large Outbreak of Shiga-Toxigenic Escherichia coli. PLoS ONE, 2014, 9, e101924.	2.5	84
77	A Culture-Independent Sequence-Based Metagenomics Approach to the Investigation of an Outbreak of Shiga-Toxigenic Escherichia coli O104:H4. JAMA - Journal of the American Medical Association, 2013, 309, 1502.	7.4	290
78	Staphylococcus epidermidis in Biomaterial-Associated Infections. , 2013, , 25-56.		29
79	<i><scp>sarA</scp></i> negatively regulates <i><scp>S</scp>taphylococcus epidermidis</i> biofilm formation by modulating expression of 1 <scp>MDa</scp> extracellular matrix binding protein and autolysisâ€dependent release of <scp>eDNA</scp> . Molecular Microbiology, 2012, 86, 394-410.	2.5	51
80	Identification of the Shiga Toxin-Producing Escherichia coli O104:H4 Strain Responsible for a Food Poisoning Outbreak in Germany by PCR. Journal of Clinical Microbiology, 2011, 49, 3439-3440.	3.9	35
81	Open-Source Genomic Analysis of Shiga-Toxin–Producing <i>E. coli</i> O104:H4. New England Journal of Medicine, 2011, 365, 718-724.	27.0	392
82	Emergence of carbapenemases in Gram-negative bacteria in Hamburg, Germany. Diagnostic Microbiology and Infectious Disease, 2011, 71, 312-315.	1.8	9
83	MALDI-TOF MS fingerprinting allows for discrimination of major methicillin-resistant Staphylococcus aureus lineages. International Journal of Medical Microbiology, 2011, 301, 64-68.	3.6	219
84	Staphylococcus epidermidis Uses Distinct Mechanisms of Biofilm Formation To Interfere with Phagocytosis and Activation of Mouse Macrophage-Like Cells 774A.1. Infection and Immunity, 2011, 79, 2267-2276.	2.2	152
85	Structure, function and contribution of polysaccharide intercellular adhesin (PIA) to Staphylococcus epidermidis biofilm formation and pathogenesis of biomaterial-associated infections. European Journal of Cell Biology, 2010, 89, 103-111.	3.6	235
86	The giant extracellular matrix-binding protein of <i>Staphylococcus epidermidis</i> mediates biofilm accumulation and attachment to fibronectin. Molecular Microbiology, 2010, 75, 187-207.	2.5	212
87	Epidemiology, variable genetic organization and regulation of the EDIN-B toxin in Staphylococcus aureus from bacteraemic patients. Microbiology (United Kingdom), 2010, 156, 860-872.	1.8	12
88	Rapid Identification of Bacteria from Positive Blood Culture Bottles by Use of Matrix-Assisted Laser Desorption-Ionization Time of Flight Mass Spectrometry Fingerprinting. Journal of Clinical Microbiology, 2010, 48, 1584-1591.	3.9	260
89	Staphylococcal Biofilm Exopolysaccharide Protects against Caenorhabditis elegans Immune Defenses. PLoS Pathogens, 2007, 3, e57	4.7	146
90	Localized Tufts of Fibrils on Staphylococcus epidermidis NCTC 11047 Are Comprised of the Accumulation-Associated Protein. Journal of Bacteriology, 2007, 189, 2793-2804.	2.2	73

#	Article	IF	CITATIONS
91	Polysaccharide intercellular adhesin or protein factors in biofilm accumulation of Staphylococcus epidermidis and Staphylococcus aureus isolated from prosthetic hip and knee joint infections. Biomaterials, 2007, 28, 1711-1720.	11.4	411
92	Pathogenesis of staphylococcal device-related infections: from basic science to new diagnostic, therapeutic and prophylactic approaches. Reviews in Medical Microbiology, 2006, 17, 45-54.	0.9	33
93	Induction ofStaphylococcus epidermidisbiofilm formation via proteolytic processing of the accumulation-associated protein by staphylococcal and host proteases. Molecular Microbiology, 2005, 55, 1883-1895.	2.5	354
94	Disintegration of Staphylococcus epidermidis Biofilms under Glucose-Limiting Conditions Depends on the Activity of the Alternative Sigma Factor σ B. Applied and Environmental Microbiology, 2005, 71, 5577-5581.	3.1	33
95	RsbU-Dependent Regulation of Staphylococcus epidermidis Biofilm Formation Is Mediated via the Alternative Sigma Factor σ B by Repression of the Negative Regulator Gene icaR. Infection and Immunity, 2004, 72, 3838-3848.	2.2	129
96	Detection of Virulence-Associated Genes Not Useful for Discriminating between Invasive and Commensal Staphylococcus epidermidis Strains from a Bone Marrow Transplant Unit. Journal of Clinical Microbiology, 2004, 42, 5614-5619.	3.9	126
97	[20] Genetic and biochemical analysis of Staphylococcus epidermidis biofilm accumulation. Methods in Enzymology, 2001, 336, 215-239.	1.0	80