

Yu Tian Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1721138/publications.pdf>

Version: 2024-02-01

172
papers

27,847
citations

12330

69
h-index

5679

162
g-index

180
all docs

180
docs citations

180
times ranked

33933
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
2	Role of NMDA Receptor Subtypes in Governing the Direction of Hippocampal Synaptic Plasticity. <i>Science</i> , 2004, 304, 1021-1024.	12.6	975
3	Treatment of Ischemic Brain Damage by Perturbing NMDA Receptor- PSD-95 Protein Interactions. <i>Science</i> , 2002, 298, 846-850.	12.6	927
4	Receptor trafficking and synaptic plasticity. <i>Nature Reviews Neuroscience</i> , 2004, 5, 952-962.	10.2	886
5	Excitotoxicity and stroke: Identifying novel targets for neuroprotection. <i>Progress in Neurobiology</i> , 2014, 115, 157-188.	5.7	857
6	Activation of Synaptic NMDA Receptors Induces Membrane Insertion of New AMPA Receptors and LTP in Cultured Hippocampal Neurons. <i>Neuron</i> , 2001, 29, 243-254.	8.1	822
7	Long-term depression in the CNS. <i>Nature Reviews Neuroscience</i> , 2010, 11, 459-473.	10.2	785
8	NMDA Receptor Subunits Have Differential Roles in Mediating Excitotoxic Neuronal Death Both <i>in Vitro</i> and <i>In Vivo</i> . <i>Journal of Neuroscience</i> , 2007, 27, 2846-2857.	3.6	674
9	Regulation of NMDA receptors by tyrosine kinases and phosphatases. <i>Nature</i> , 1994, 369, 233-235.	27.8	659
10	LTP Inhibits LTD in the Hippocampus via Regulation of GSK3 β . <i>Neuron</i> , 2007, 53, 703-717.	8.1	632
11	Regulation of AMPA Receptor-Mediated Synaptic Transmission by Clathrin-Dependent Receptor Internalization. <i>Neuron</i> , 2000, 25, 649-662.	8.1	631
12	Mutation of GABRA1 in an autosomal dominant form of juvenile myoclonic epilepsy. <i>Nature Genetics</i> , 2002, 31, 184-189.	21.4	584
13	Distinct molecular mechanisms and divergent endocytotic pathways of AMPA receptor internalization. <i>Nature Neuroscience</i> , 2000, 3, 1282-1290.	14.8	523
14	Recruitment of functional GABAA receptors to postsynaptic domains by insulin. <i>Nature</i> , 1997, 388, 686-690.	27.8	507
15	Dual Regulation of NMDA Receptor Functions by Direct Protein-Protein Interactions with the Dopamine D1 Receptor. <i>Cell</i> , 2002, 111, 219-230.	28.9	492
16	Expression of Cerebellar Long-Term Depression Requires Postsynaptic Clathrin-Mediated Endocytosis. <i>Neuron</i> , 2000, 25, 635-647.	8.1	445
17	Differential Roles of NR2A- and NR2B-Containing NMDA Receptors in Ras-ERK Signaling and AMPA Receptor Trafficking. <i>Neuron</i> , 2005, 46, 745-760.	8.1	438
18	Direct protein-protein coupling enables cross-talk between dopamine D5 and β -aminobutyric acid A receptors. <i>Nature</i> , 2000, 403, 274-280.	27.8	403

#	ARTICLE	IF	CITATIONS
19	Clathrin Adaptor AP2 and NSF Interact with Overlapping Sites of GluR2 and Play Distinct Roles in AMPA Receptor Trafficking and Hippocampal LTD. <i>Neuron</i> , 2002, 36, 661-674.	8.1	390
20	Glycine binding primes NMDA receptor internalization. <i>Nature</i> , 2003, 422, 302-307.	27.8	382
21	Spontaneous cortical activity alternates between motifs defined by regional axonal projections. <i>Nature Neuroscience</i> , 2013, 16, 1426-1435.	14.8	346
22	A balance between excitatory and inhibitory synapses is controlled by PSD-95 and neuroligin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 13915-13920.	7.1	323
23	Activation of PI3-Kinase Is Required for AMPA Receptor Insertion during LTP of mEPSCs in Cultured Hippocampal Neurons. <i>Neuron</i> , 2003, 38, 611-624.	8.1	317
24	Tyrosine phosphorylation of GluR2 is required for insulin-stimulated AMPA receptor endocytosis and LTD. <i>EMBO Journal</i> , 2004, 23, 1040-1050.	7.8	267
25	Nucleus Accumbens Long-Term Depression and the Expression of Behavioral Sensitization. <i>Science</i> , 2005, 310, 1340-1343.	12.6	261
26	PKM θ maintains memories by regulating GluR2-dependent AMPA receptor trafficking. <i>Nature Neuroscience</i> , 2010, 13, 630-634.	14.8	258
27	Hippocampal long-term depression is required for the consolidation of spatial memory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 16697-16702.	7.1	244
28	Neuroligins Mediate Excitatory and Inhibitory Synapse Formation. <i>Journal of Biological Chemistry</i> , 2005, 280, 17312-17319.	3.4	242
29	Control of Synaptic Strength, a Novel Function of Akt. <i>Neuron</i> , 2003, 38, 915-928.	8.1	233
30	The role of GSK β in synaptic plasticity. <i>British Journal of Pharmacology</i> , 2008, 153, S428-37.	5.4	228
31	Chapter 8 Synaptic plasticity in learning and memory: Stress effects in the hippocampus. <i>Progress in Brain Research</i> , 2008, 169, 145-158.	1.4	210
32	Hippocampal long-term depression mediates acute stress-induced spatial memory retrieval impairment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 11471-11476.	7.1	205
33	Depletion of GSH in glial cells induces neurotoxicity: relevance to aging and degenerative neurological diseases. <i>FASEB Journal</i> , 2010, 24, 2533-2545.	0.5	198
34	Postsynaptic TrkC and Presynaptic PTP β Function as a Bidirectional Excitatory Synaptic Organizing Complex. <i>Neuron</i> , 2011, 69, 287-303.	8.1	184
35	Hippocampal long-term depression mediates spatial reversal learning in the Morris water maze. <i>Neuropharmacology</i> , 2013, 64, 65-73.	4.1	182
36	PDZ Protein Interactions Underlying NMDA Receptor-Mediated Excitotoxicity and Neuroprotection by PSD-95 Inhibitors. <i>Journal of Neuroscience</i> , 2007, 27, 9901-9915.	3.6	180

#	ARTICLE	IF	CITATIONS
37	Differential modulation of GABAA receptor function by Mel1a and Mel1b receptors. <i>Nature Neuroscience</i> , 1999, 2, 401-403.	14.8	177
38	Effectiveness of PSD95 Inhibitors in Permanent and Transient Focal Ischemia in the Rat. <i>Stroke</i> , 2008, 39, 2544-2553.	2.0	175
39	A biochemical and functional characterization of diet-induced brain insulin resistance. <i>Journal of Neurochemistry</i> , 2005, 93, 1568-1578.	3.9	171
40	Antidepressant effects of ketamine and the roles of AMPA glutamate receptors and other mechanisms beyond NMDA receptor antagonism. <i>Journal of Psychiatry and Neuroscience</i> , 2017, 42, 222-229.	2.4	162
41	A Critical Role for Myosin IIB in Dendritic Spine Morphology and Synaptic Function. <i>Neuron</i> , 2006, 49, 175-182.	8.1	158
42	Contribution of NR2A and NR2B NMDA subunits to bidirectional synaptic plasticity in the hippocampus in vivo. <i>Hippocampus</i> , 2006, 16, 907-915.	1.9	155
43	Calpain-Mediated mGluR1 Δ Truncation: A Key Step in Excitotoxicity. <i>Neuron</i> , 2007, 53, 399-412.	8.1	155
44	Protein kinase-mediated bidirectional trafficking and functional regulation of the human dopamine transporter. , 1998, 30, 79-87.		149
45	A pivotal role of GSK-3 in synaptic plasticity. <i>Frontiers in Molecular Neuroscience</i> , 2012, 5, 13.	2.9	149
46	An LRRTM4-HSPG Complex Mediates Excitatory Synapse Development on Dentate Gyrus Granule Cells. <i>Neuron</i> , 2013, 79, 680-695.	8.1	149
47	Opposing mechanisms mediate morphine- and cocaine-induced generation of silent synapses. <i>Nature Neuroscience</i> , 2016, 19, 915-925.	14.8	149
48	Stroke intervention pathways: NMDA receptors and beyond. <i>Trends in Molecular Medicine</i> , 2011, 17, 266-275.	6.7	147
49	Disruption of AMPA Receptor Endocytosis Impairs the Extinction, but not Acquisition of Learned Fear. <i>Neuropsychopharmacology</i> , 2008, 33, 2416-2426.	5.4	144
50	Long-term potentiation decay and memory loss are mediated by AMPAR endocytosis. <i>Journal of Clinical Investigation</i> , 2015, 125, 234-247.	8.2	138
51	Deletion of Adenosine A2A Receptors From Astrocytes Disrupts Glutamate Homeostasis Leading to Psychomotor and Cognitive Impairment: Relevance to Schizophrenia. <i>Biological Psychiatry</i> , 2015, 78, 763-774.	1.3	135
52	The Specific Δ -Neurexin Interactor Calsyntenin-3 Promotes Excitatory and Inhibitory Synapse Development. <i>Neuron</i> , 2013, 80, 113-128.	8.1	132
53	Rapid and reversible knockdown of endogenous proteins by peptide-directed lysosomal degradation. <i>Nature Neuroscience</i> , 2014, 17, 471-480.	14.8	132
54	Ca(2+)-independent reduction of N-methyl-D-aspartate channel activity by protein tyrosine phosphatase.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 1721-1725.	7.1	127

#	ARTICLE	IF	CITATIONS
55	Endogenous Zn ²⁺ is required for the induction of long-term potentiation at rat hippocampal mossy fiber-CA3 synapses. <i>Synapse</i> , 2000, 38, 187-197.	1.2	122
56	Role of NMDA receptor-dependent activation of SREBP1 in excitotoxic and ischemic neuronal injuries. <i>Nature Medicine</i> , 2009, 15, 1399-1406.	30.7	119
57	NMDA GluN2A and GluN2B receptors play separate roles in the induction of LTP and LTD in the amygdala and in the acquisition and extinction of conditioned fear. <i>Neuropharmacology</i> , 2012, 62, 797-806.	4.1	117
58	Blocking Synaptic Removal of GluA2-Containing AMPA Receptors Prevents the Natural Forgetting of Long-Term Memories. <i>Journal of Neuroscience</i> , 2016, 36, 3481-3494.	3.6	117
59	Isolation of various forms of sterol β -D-glucoside from the seed of <i>Cycas circinalis</i> : neurotoxicity and implications for ALS-parkinsonism dementia complex. <i>Journal of Neurochemistry</i> , 2002, 82, 516-528.	3.9	114
60	Involvement of Myosin Vb in Glutamate Receptor Trafficking. <i>Journal of Biological Chemistry</i> , 2006, 281, 3669-3678.	3.4	113
61	A kinesin signaling complex mediates the ability of GSK-3 β to affect mood-associated behaviors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 11573-11578.	7.1	110
62	Disruption of the endocytic protein HIP1 results in neurological deficits and decreased AMPA receptor trafficking. <i>EMBO Journal</i> , 2003, 22, 3254-3266.	7.8	102
63	Synaptotagmin-3 drives AMPA receptor endocytosis, depression of synapse strength, and forgetting. <i>Science</i> , 2019, 363, .	12.6	98
64	Microglial VEGF Receptor Response Is an Integral Chemotactic Component in Alzheimer's Disease Pathology. <i>Journal of Neuroscience</i> , 2009, 29, 3-13.	3.6	95
65	The NMDA receptor complex: a multifunctional machine at the glutamatergic synapse. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 160.	3.7	85
66	Modulation of GABA _A Receptor Function by Tyrosine Phosphorylation of β Subunits. <i>Journal of Neuroscience</i> , 1997, 17, 5062-5069.	3.6	83
67	Mesoscale infraslow spontaneous membrane potential fluctuations recapitulate high-frequency activity cortical motifs. <i>Nature Communications</i> , 2015, 6, 7738.	12.8	81
68	Mechanisms of Hippocampal Long-Term Depression Are Required for Memory Enhancement by Novelty Exploration. <i>Journal of Neuroscience</i> , 2012, 32, 11980-11990.	3.6	80
69	Insulin exerts neuroprotection by counteracting the decrease in cell-surface GABA _A receptors following oxygen-glucose deprivation in cultured cortical neurons. <i>Journal of Neurochemistry</i> , 2005, 92, 103-113.	3.9	79
70	Cognitive flexibility and long-term depression (LTD) are impaired following β -catenin stabilization in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 8631-8636.	7.1	75
71	Mitigation of augmented extrasynaptic NMDAR signaling and apoptosis in cortico-striatal co-cultures from Huntington's disease mice. <i>Neurobiology of Disease</i> , 2012, 48, 40-51.	4.4	74
72	PRODUCTION OF TUMOUR NECROSIS FACTOR β BY PRIMARY CULTURED RAT ALVEOLAR EPITHELIAL CELLS. <i>Cytokine</i> , 2000, 12, 644-654.	3.2	73

#	ARTICLE	IF	CITATIONS
73	Critical Role of Increased PTEN Nuclear Translocation in Excitotoxic and Ischemic Neuronal Injuries. <i>Journal of Neuroscience</i> , 2013, 33, 7997-8008.	3.6	72
74	Altered Cortical Dynamics and Cognitive Function upon Haploinsufficiency of the Autism-Linked Excitatory Synaptic Suppressor MDGA2. <i>Neuron</i> , 2016, 91, 1052-1068.	8.1	70
75	Endogenous insulin signaling protects cultured neurons from oxygen-glucose deprivation-induced cell death. <i>Neuroscience</i> , 2006, 143, 165-173.	2.3	68
76	Blocking the Deadly Effects of the NMDA Receptor in Stroke. <i>Cell</i> , 2010, 140, 174-176.	28.9	67
77	Intracellular trafficking of AMPA receptors in synaptic plasticity. <i>Cellular and Molecular Life Sciences</i> , 2000, 57, 1526-1534.	5.4	65
78	Selective modulation of membrane currents by hypoxia in intact airway chemoreceptors from neonatal rabbit. <i>Journal of Physiology</i> , 1999, 514, 139-150.	2.9	64
79	Role of AMPA receptor trafficking in NMDA receptor-dependent synaptic plasticity in the rat lateral amygdala. <i>Journal of Neurochemistry</i> , 2008, 106, 889-899.	3.9	64
80	Neural progenitor cells attenuate inflammatory reactivity and neuronal loss in an animal model of inflamed AD brain. <i>Journal of Neuroinflammation</i> , 2009, 6, 39.	7.2	62
81	Evaluation of the Wistar-Kyoto rat model of depression and the role of synaptic plasticity in depression and antidepressant response. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 105, 1-23.	6.1	62
82	MKP-1 reduces $\text{A}\beta^2$ generation and alleviates cognitive impairments in Alzheimer's disease models. <i>Signal Transduction and Targeted Therapy</i> , 2019, 4, 58.	17.1	62
83	γ -Hydroxybutyric acid (GHB) and γ -aminobutyric acidB receptor (GABABR) binding sites are distinctive from one another: molecular evidence. <i>Neuropharmacology</i> , 2004, 47, 1146-1156.	4.1	61
84	NMDARs in Cell Survival and Death: Implications in Stroke Pathogenesis and Treatment. <i>Trends in Molecular Medicine</i> , 2020, 26, 533-551.	6.7	61
85	GluA2-dependent AMPA receptor endocytosis and the decay of early and late long-term potentiation: possible mechanisms for forgetting of short- and long-term memories. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014, 369, 20130141.	4.0	60
86	TRPV1 activation alleviates cognitive and synaptic plasticity impairments through inhibiting AMPAR endocytosis in APP23/PS45 mouse model of Alzheimer's disease. <i>Aging Cell</i> , 2020, 19, e13113.	6.7	58
87	Nicotinic cholinergic-mediated excitatory postsynaptic potentials in rat nucleus ambiguus. <i>Experimental Brain Research</i> , 1993, 96, 83-88.	1.5	55
88	A Place at the Table. <i>Neuroscientist</i> , 2016, 22, 359-371.	3.5	54
89	Antinociceptive effect of calcitonin gene-related peptide in the central nucleus of amygdala: activating opioid receptors through amygdala-periaqueductal gray pathway. <i>Neuroscience</i> , 2003, 118, 1015-1022.	2.3	52
90	Excessive Expression of Acetylcholinesterase Impairs Glutamatergic Synaptogenesis in Hippocampal Neurons. <i>Journal of Neuroscience</i> , 2004, 24, 8950-8960.	3.6	52

#	ARTICLE	IF	CITATIONS
91	Tyrosine phosphorylation of the GluR2 subunit is required for long-term depression of synaptic efficacy in young animals in vivo. <i>Hippocampus</i> , 2007, 17, 600-605.	1.9	49
92	Lithium ameliorates autistic-like behaviors induced by neonatal isolation in rats. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 234.	2.0	45
93	GABAA receptor-associated phosphoinositide 3-kinase is required for insulin-induced recruitment of postsynaptic GABAA receptors. <i>Neuropharmacology</i> , 2007, 52, 146-155.	4.1	44
94	Cognitive Deficits in Calsyntenin-2-deficient Mice Associated with Reduced GABAergic Transmission. <i>Neuropsychopharmacology</i> , 2016, 41, 802-810.	5.4	44
95	Neuroprotective Effects of Ginsenoside Rf on Amyloid- β -Induced Neurotoxicity in vitro and in vivo. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 309-322.	2.6	44
96	Ketamine and its metabolite, (2R,6R)-HNK, restore hippocampal LTP and long-term spatial memory in the Wistar-Kyoto rat model of depression. <i>Molecular Brain</i> , 2020, 13, 92.	2.6	44
97	β -Amino-3-hydroxy-5-methylisoxazole-4-propionic Acid Subtype Glutamate Receptor (AMPA) Endocytosis Is Essential for N-Methyl-D-aspartate-induced Neuronal Apoptosis. <i>Journal of Biological Chemistry</i> , 2004, 279, 41267-41270.	3.4	43
98	The intersections of NMDAR-dependent synaptic plasticity and cell survival. <i>Neuropharmacology</i> , 2013, 74, 59-68.	4.1	43
99	Activation of NMDA receptors is necessary for fast information transfer at brainstem vagal motoneurons. <i>Brain Research</i> , 1991, 567, 260-266.	2.2	42
100	Modular Competition Driven by NMDA Receptor Subtypes in Spike-Timing-Dependent Plasticity. <i>Journal of Neurophysiology</i> , 2007, 97, 2851-2862.	1.8	42
101	NMDA Receptor Function and NMDA Receptor-Dependent Phosphorylation of Huntingtin Is Altered by the Endocytic Protein HIP1. <i>Journal of Neuroscience</i> , 2007, 27, 2298-2308.	3.6	41
102	Molecular mechanisms of NMDA receptor-mediated excitotoxicity: implications for neuroprotective therapeutics for stroke. <i>Neural Regeneration Research</i> , 2016, 11, 1752.	3.0	41
103	Maternal sleep deprivation at different stages of pregnancy impairs the emotional and cognitive functions, and suppresses hippocampal long-term potentiation in the offspring rats. <i>Molecular Brain</i> , 2016, 9, 17.	2.6	40
104	Anisomycin activates p38 MAP kinase to induce LTD in mouse primary visual cortex. <i>Brain Research</i> , 2006, 1085, 68-76.	2.2	39
105	Insulin, Synaptic Function, and Opportunities for Neuroprotection. <i>Progress in Molecular Biology and Translational Science</i> , 2011, 98, 133-186.	1.7	39
106	Activation of α -adrenergic receptors facilitates heterosynaptic translation-dependent long-term potentiation. <i>Journal of Physiology</i> , 2011, 589, 4321-4340.	2.9	39
107	Mechanisms of modulation of pregnanolone on glycinergic response in cultured spinal dorsal horn neurons of rat. <i>Neuroscience</i> , 2006, 141, 2041-2050.	2.3	37
108	Loss of Synapse Repressor MDGA1 Enhances Perisomatic Inhibition, Confers Resistance to Network Excitation, and Impairs Cognitive Function. <i>Cell Reports</i> , 2017, 21, 3637-3645.	6.4	37

#	ARTICLE	IF	CITATIONS
109	Direct interaction between GluR2 and GAPDH regulates AMPAR-mediated excitotoxicity. <i>Molecular Brain</i> , 2012, 5, 13.	2.6	36
110	Mechanisms Involved in the Reduction of GABAA Receptor $\alpha 1$ -Subunit Expression Caused by the Epilepsy Mutation A322D in the Trafficking-competent Receptor. <i>Journal of Biological Chemistry</i> , 2008, 283, 22043-22050.	3.4	34
111	Allosteric potentiation of glycine receptor chloride currents by glutamate. <i>Nature Neuroscience</i> , 2010, 13, 1225-1232.	14.8	34
112	Transgenic mice over-expressing GABABR1a receptors acquire an atypical absence epilepsy-like phenotype. <i>Neurobiology of Disease</i> , 2007, 26, 439-451.	4.4	33
113	The maintenance of long-term memory in the hippocampus depends on the interaction between α -ethylmaleimide-sensitive factor and GluA2. <i>Hippocampus</i> , 2014, 24, 1112-1119.	1.9	32
114	A microfluidic based in vitro model of synaptic competition. <i>Molecular and Cellular Neurosciences</i> , 2014, 60, 43-52.	2.2	31
115	Direct Receptor Cross-Talk Can Mediate the Modulation of Excitatory and Inhibitory Neurotransmission by Dopamine. <i>Journal of Molecular Neuroscience</i> , 2005, 26, 245-252.	2.3	30
116	Mechanisms involved in cholesterol-induced neuronal insulin resistance. <i>Neuropharmacology</i> , 2009, 57, 268-276.	4.1	29
117	Somatostatin regulates excitatory amino acid Letterreceptor-mediated fast excitatory postsynaptic potential components in vagal motoneurons. <i>Neuroscience</i> , 1993, 53, 7-9.	2.3	28
118	Long-Term Potentiation Promotes Proliferation/Survival and Neuronal Differentiation of Neural Stem/Progenitor Cells. <i>PLoS ONE</i> , 2013, 8, e76860.	2.5	28
119	Nicotinic cholinceptor-mediated excitation in ambigul motoneurons of the rat. <i>Neuroscience</i> , 1991, 40, 759-767.	2.3	27
120	Low-Frequency rTMS Ameliorates Autistic-Like Behaviors in Rats Induced by Neonatal Isolation Through Regulating the Synaptic GABA Transmission. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 46.	3.7	27
121	Cloning and characterization of a novel variant of rat GABABR1 with a truncated C-terminus. <i>Molecular Brain Research</i> , 2001, 89, 103-110.	2.3	25
122	Odor preference learning and memory modify GluA1 phosphorylation and GluA1 distribution in the neonate rat olfactory bulb: Testing the AMPA receptor hypothesis in an appetitive learning model. <i>Learning and Memory</i> , 2011, 18, 283-291.	1.3	24
123	Progranulin promotes activation of microglia/macrophage after pilocarpine-induced status epilepticus. <i>Brain Research</i> , 2013, 1530, 54-65.	2.2	24
124	Hormonal regulation of atypical absence seizures. <i>Annals of Neurology</i> , 2004, 55, 353-361.	5.3	22
125	Fashioning drugs for stroke. <i>Nature Medicine</i> , 2010, 16, 1376-1378.	30.7	22
126	Probing the role of AMPAR endocytosis and long-term depression in behavioural sensitization: relevance to treatment of brain disorders, including drug addiction. <i>British Journal of Pharmacology</i> , 2008, 153, S389-95.	5.4	21

#	ARTICLE	IF	CITATIONS
127	GluA1-homomeric AMPA receptor in synaptic plasticity and neurological diseases. <i>Neuropharmacology</i> , 2021, 197, 108708.	4.1	20
128	Î³-Hydroxybutyric acid-induced absence seizures in GluR2 null mutant mice. <i>Brain Research</i> , 2001, 897, 27-35.	2.2	19
129	Facilitated extinction of morphine conditioned place preference with Tat-GluA23Y interference peptide. <i>Behavioural Brain Research</i> , 2012, 233, 389-397.	2.2	19
130	Essential role of SBPâ€1 activation in oxygen deprivation induced lipid accumulation and increase in body width/length ratio in <i>Caenorhabditis elegans</i> . <i>FEBS Letters</i> , 2009, 583, 831-834.	2.8	18
131	Sterol regulatory element binding protein-1 (SREBP1) activation in motor neurons in excitotoxicity and amyotrophic lateral sclerosis (ALS): Indip, a potential therapeutic peptide. <i>Biochemical and Biophysical Research Communications</i> , 2011, 413, 159-163.	2.1	18
132	The regulatory role of long-term depression in juvenile and adult mouse ocular dominance plasticity. <i>Scientific Reports</i> , 2011, 1, 203.	3.3	18
133	Simultaneous Monitoring of Presynaptic Transmitter Release and Postsynaptic Receptor Trafficking Reveals an Enhancement of Presynaptic Activity in Metabotropic Glutamate Receptor-Mediated Long-Term Depression. <i>Journal of Neuroscience</i> , 2013, 33, 5867-5877.	3.6	18
134	Facilitated AMPAR endocytosis causally contributes to the maternal sleep deprivation-induced impairments of synaptic plasticity and cognition in the offspring rats. <i>Neuropharmacology</i> , 2018, 133, 155-162.	4.1	18
135	Activation of caspaseâ€6 and cleavage of caspaseâ€6 substrates is an early event in NMDA receptorâ€mediated excitotoxicity. <i>Journal of Neuroscience Research</i> , 2018, 96, 391-406.	2.9	18
136	Development of an Î±-synuclein knockdown peptide and evaluation of its efficacy in Parkinsonâ€s disease models. <i>Communications Biology</i> , 2021, 4, 232.	4.4	18
137	Slice orientation and muscarinic acetylcholine receptor activation determine the involvement of N-methyl D-aspartate receptor subunit GluN2B in hippocampal area CA1 long-term depression. <i>Molecular Brain</i> , 2011, 4, 41.	2.6	16
138	Pathophysiology of and therapeutic options for a GABRA1 variant linked to epileptic encephalopathy. <i>Molecular Brain</i> , 2019, 12, 92.	2.6	16
139	Somatostatin inhibits nicotinic cholinergic-mediated excitation in rat ambigular motoneurons in vitro. <i>Neuroscience Letters</i> , 1991, 123, 236-239.	2.1	15
140	Response to Comment on "Role of NMDA Receptor Subtypes in Governing the Direction of Hippocampal Synaptic Plasticity". <i>Science</i> , 2004, 305, 1912c-1912c.	12.6	15
141	Alteration of GLUR2 expression in the rat brain following absence seizures induced by Î³-hydroxybutyric acid. <i>Epilepsy Research</i> , 2001, 44, 41-51.	1.6	14
142	Food allergy induces alteration in brain inflammatory status and cognitive impairments. <i>Behavioural Brain Research</i> , 2019, 364, 374-382.	2.2	14
143	Rundown of NMDA-receptor mediated currents is resistant to lowering intracellular [Ca ²⁺] and is prevented by ATP in rat spinal dorsal horn neurons. <i>Neuroscience Letters</i> , 1993, 157, 183-186.	2.1	13
144	p97 regulates GluA1 homomeric AMPA receptor formation and plasma membrane expression. <i>Nature Communications</i> , 2019, 10, 4089.	12.8	13

#	ARTICLE	IF	CITATIONS
145	LTD is involved in the formation and maintenance of rat hippocampal CA1 place-cell fields. <i>Nature Communications</i> , 2021, 12, 100.	12.8	13
146	Hydroxynorketamine: Implications for the NMDA Receptor Hypothesis of Ketamine's Antidepressant Action. <i>Chronic Stress</i> , 2017, 1, 247054701774351.	3.4	12
147	AMPA and NMDA Receptor Trafficking at Cocaine-Generated Synapses. <i>Journal of Neuroscience</i> , 2021, 41, 1996-2011.	3.6	11
148	Pharmacological properties of TRPM3 isoforms are determined by the length of the pore loop. <i>British Journal of Pharmacology</i> , 2020, , .	5.4	10
149	Allosteric modulation of GABAA receptors by extracellular ATP. <i>Molecular Brain</i> , 2014, 7, 6.	2.6	9
150	Molecular level activation insights from a NR2A/NR2B agonist. <i>Journal of Biomolecular Structure and Dynamics</i> , 2014, 32, 683-693.	3.5	9
151	Aagab acts as a novel regulator of NEDD4-1-mediated Pten nuclear translocation to promote neurological recovery following hypoxic-ischemic brain damage. <i>Cell Death and Differentiation</i> , 2021, 28, 2367-2384.	11.2	9
152	Modulation of baroreflex sensitivity by the state of protein tyrosine phosphorylation in the brainstem of the rat. <i>Brain Research</i> , 1998, 792, 141-148.	2.2	8
153	Sodium channels develop a tyrosine phosphatase complex. <i>Nature Neuroscience</i> , 2000, 3, 417-419.	14.8	8
154	Interference with AMPA receptor endocytosis: effects on behavioural and neurochemical correlates of amphetamine sensitization in male rats. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 189-199.	2.4	8
155	Hook-up of GluA2, GRIP and liprin- β for cholinergic muscarinic receptor-dependent LTD in the hippocampus. <i>Molecular Brain</i> , 2009, 2, 17.	2.6	6
156	Distinct Functional Alterations and Therapeutic Options of Two Pathological De Novo Variants of the T292 Residue of GABRA1 Identified in Children with Epileptic Encephalopathy and Neurodevelopmental Disorders. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2723.	4.1	6
157	Postsynaptic signaling at glutamatergic synapses as therapeutic targets. <i>Current Opinion in Neurobiology</i> , 2022, 75, 102585.	4.2	6
158	Distinct but overlapping roles of LRRTM1 and LRRTM2 in developing and mature hippocampal circuits. <i>ELife</i> , 0, 11, .	6.0	5
159	Directional gating of synaptic plasticity by GPCRs and their distinct downstream signalling pathways. <i>EMBO Journal</i> , 2012, 31, 783-785.	7.8	4
160	Disrupting Protein Complexes Using Tat-Tagged Peptide Mimics. <i>Methods in Molecular Biology</i> , 2011, 756, 381-393.	0.9	4
161	Interference Peptides: A Novel Therapeutic Approach Targeting Synaptic Plasticity in Drug Addiction. , 2006, , 473-484.		3
162	LTP in a Culture Dish. <i>Scientific World Journal</i> , The, 2001, 1, 213-215.	2.1	2

#	ARTICLE	IF	CITATIONS
163	Illuminating Synapse-Specific Homeostatic Plasticity. <i>Neuron</i> , 2011, 72, 682-685.	8.1	2
164	The selective dopamine D1 receptor agonist SKF81297 modulates NMDA receptor currents independently of D1 receptors. <i>Neuropharmacology</i> , 2022, 207, 108967.	4.1	2
165	Neuroprotective strategies for NMDAR-mediated excitotoxicity in Huntington's Disease. <i>Frontiers in Biology</i> , 2016, 11, 439-458.	0.7	1
166	An Erbin Story: Amygdala Excitation-Inhibition Balance in Anxiety. <i>Biological Psychiatry</i> , 2020, 87, 872-874.	1.3	1
167	SNIPER Peptide-Mediated Degradation of Endogenous Proteins. <i>Current Protocols in Chemical Biology</i> , 2015, 7, 1-16.	1.7	1
168	Identification of the TrkC/PTP β trans-synaptic complex as a bidirectional excitatory synaptic organizer. <i>Neuroscience Research</i> , 2011, 71, e17.	1.9	0
169	Getting α Ras β : Solving Molecular Promiscuity through Microdomain-Selective Targeting. <i>Neuron</i> , 2018, 98, 675-678.	8.1	0
170	Molecular interactions between monoclonal oligomer-specific antibody 5E3 and its amyloid beta cognates. <i>PLoS ONE</i> , 2020, 15, e0232266.	2.5	0
171	Disruption of Long-Term Depression Potentiates Latent Inhibition: Key Role for Central Nucleus of the Amygdala. <i>International Journal of Neuropsychopharmacology</i> , 2021, 24, 580-591.	2.1	0
172	Preview: ionotropic glutamate receptor trafficking: AMPA receptors talk back. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2010, 2, 45-46.	0.8	0