

# Tom Battin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/172671/publications.pdf>

Version: 2024-02-01

95  
papers

9,484  
citations

87723

38  
h-index

39575

94  
g-index

100  
all docs

100  
docs citations

100  
times ranked

10251  
citing authors

#	ARTICLE	IF	CITATIONS
1	Microdiversity characterizes prevalent phylogenetic clades in the glacier-fed stream microbiome. <i>ISME Journal</i> , 2022, 16, 666-675.	4.4	28
2	Biophysical properties at patch scale shape the metabolism of biofilm landscapes. <i>Npj Biofilms and Microbiomes</i> , 2022, 8, 5.	2.9	6
3	Unexpectedly minor nitrous oxide emissions from fluvial networks draining permafrost catchments of the East Qinghai-Tibet Plateau. <i>Nature Communications</i> , 2022, 13, 950.	5.8	15
4	Viral diversity is linked to bacterial community composition in alpine stream biofilms. <i>ISME Communications</i> , 2022, 2, .	1.7	4
5	Glacier shrinkage will accelerate downstream decomposition of organic matter and alters microbiome structure and function. <i>Global Change Biology</i> , 2022, 28, 3846-3859.	4.2	15
6	Genomic and metabolic adaptations of biofilms to ecological windows of opportunity in glacier-fed streams. <i>Nature Communications</i> , 2022, 13, 2168.	5.8	25
7	The microbiome of cryospheric ecosystems. <i>Nature Communications</i> , 2022, 13, .	5.8	20
8	Benthic Biofilms in Glacier-Fed Streams from Scandinavia to the Himalayas Host Distinct Bacterial Communities Compared with the Streamwater. <i>Applied and Environmental Microbiology</i> , 2022, 88, .	1.4	12
9	Thinking like a consumer: Linking aquatic basal metabolism and consumer dynamics. <i>Limnology and Oceanography Letters</i> , 2021, 6, 1-17.	1.6	23
10	Morphogenesis and oxygen dynamics in phototrophic biofilms growing across a gradient of hydraulic conditions. <i>IScience</i> , 2021, 24, 102067.	1.9	11
11	Substantial decrease in CO2 emissions from Chinese inland waters due to global change. <i>Nature Communications</i> , 2021, 12, 1730.	5.8	71
12	The Metabolic Regimes at the Scale of an Entire Stream Network Unveiled Through Sensor Data and Machine Learning. <i>Ecosystems</i> , 2021, 24, 1792-1809.	1.6	14
13	Global carbon dioxide efflux from rivers enhanced by high nocturnal emissions. <i>Nature Geoscience</i> , 2021, 14, 289-294.	5.4	76
14	Hydrology controls the carbon mass balance of a mountain lake in the eastern European Alps. <i>Limnology and Oceanography</i> , 2021, 66, 2110-2125.	1.6	8
15	Regimes of primary production and their drivers in Alpine streams. <i>Freshwater Biology</i> , 2021, 66, 1449-1463.	1.2	15
16	Daily entropy of dissolved oxygen reveals different energetic regimes and drivers among high-altitude mountain stream types. <i>Limnology and Oceanography</i> , 2021, 66, 1594-1610.	1.6	7
17	Patterns and Drivers of Extracellular Enzyme Activity in New Zealand Glacier-Fed Streams. <i>Frontiers in Microbiology</i> , 2020, 11, 591465.	1.5	18
18	Travel Time and Source Variation Explain the Molecular Transformation of Dissolved Organic Matter in an Alpine Stream Network. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2020, 125, e2019JG005616.	1.3	7

#	ARTICLE	IF	CITATIONS
19	Key rules of life and the fading cryosphere: Impacts in alpine lakes and streams. <i>Global Change Biology</i> , 2020, 26, 6644-6656.	4.2	46
20	Trait-specific dispersal of bacteria in heterogeneous porous environments: from pore to porous medium scale. <i>Journal of the Royal Society Interface</i> , 2020, 17, 20200046.	1.5	18
21	Microbial Ecology of Methanotrophy in Streams Along a Gradient of CH <sub>4</sub> Availability. <i>Frontiers in Microbiology</i> , 2020, 11, 771.	1.5	4
22	Sources, Transformation, and Fate of Dissolved Organic Matter in the Gravel Bar of a Prealpine Stream. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2020, 125, e2019JG005604.	1.3	6
23	Modeling the coupled dynamics of stream metabolism and microbial biomass. <i>Limnology and Oceanography</i> , 2020, 65, 1573-1593.	1.6	21
24	Optimised biomolecular extraction for metagenomic analysis of microbial biofilms from high-mountain streams. <i>PeerJ</i> , 2020, 8, e9973.	0.9	18
25	Experimental evidence reveals impact of drought periods on dissolved organic matter quality and ecosystem metabolism in subalpine streams. <i>Limnology and Oceanography</i> , 2019, 64, 46-60.	1.6	26
26	Alpine Glacier Shrinkage Drives Shift in Dissolved Organic Carbon Export From Quasi-chemostasis to Transport Limitation. <i>Geophysical Research Letters</i> , 2019, 46, 8872-8881.	1.5	29
27	Unexpected large evasion fluxes of carbon dioxide from turbulent streams draining the world's mountains. <i>Nature Communications</i> , 2019, 10, 4888.	5.8	71
28	Catchment land cover influences macroinvertebrate foodweb structure and energy flow pathways in mountain streams. <i>Freshwater Biology</i> , 2019, 64, 1557-1571.	1.2	7
29	High-resolution Spatial Sampling Identifies Groundwater as Driver of CO <sub>2</sub> Dynamics in an Alpine Stream Network. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2019, 124, 1961-1976.	1.3	37
30	Distinct air-water gas exchange regimes in low- and high-energy streams. <i>Nature Geoscience</i> , 2019, 12, 259-263.	5.4	102
31	Sources and variability of CO <sub>2</sub> in a prealpine stream gravel bar. <i>Hydrological Processes</i> , 2019, 33, 2279-2299.	1.1	10
32	Unraveling the biophysical underpinnings to the success of multispecies biofilms in porous environments. <i>ISME Journal</i> , 2019, 13, 1700-1710.	4.4	39
33	Dynamics and potential drivers of CO <sub>2</sub> concentration and evasion across temporal scales in high-alpine streams. <i>Environmental Research Letters</i> , 2019, 14, 124082.	2.2	13
34	Automated 3D Optical Coherence Tomography to Elucidate Biofilm Morphogenesis Over Large Spatial Scales. <i>Journal of Visualized Experiments</i> , 2019, , .	0.2	4
35	Benchmarking protocols for the metagenomic analysis of stream biofilm viromes. <i>PeerJ</i> , 2019, 7, e8187.	0.9	9
36	Light availability impacts structure and function of phototrophic stream biofilms across domains and trophic levels. <i>Molecular Ecology</i> , 2018, 27, 2913-2925.	2.0	35

#	ARTICLE	IF	CITATIONS
37	Climate-induced hydrological variation controls the transformation of dissolved organic matter in a subalpine lake. <i>Limnology and Oceanography</i> , 2018, 63, 1355-1371.	1.6	29
38	Climate-Induced Changes in Spring Snowmelt Impact Ecosystem Metabolism and Carbon Fluxes in an Alpine Stream Network. <i>Ecosystems</i> , 2018, 21, 373-390.	1.6	38
39	Environmental heterogeneity promotes spatial resilience of phototrophic biofilms in streambeds. <i>Biology Letters</i> , 2018, 14, 20180432.	1.0	14
40	Benthic biofilm controls on fine particle dynamics in streams. <i>Water Resources Research</i> , 2017, 53, 222-236.	1.7	31
41	Ecohydrological interfaces as hot spots of ecosystem processes. <i>Water Resources Research</i> , 2017, 53, 6359-6376.	1.7	155
42	Ecological strategies and metabolic trade-offs of complex environmental biofilms. <i>Npj Biofilms and Microbiomes</i> , 2017, 3, 21.	2.9	40
43	Gravel bars are sites of increased CO <sub>2</sub> outgassing in stream corridors. <i>Scientific Reports</i> , 2017, 7, 14401.	1.6	16
44	Scaling of dissolved organic carbon removal in river networks. <i>Advances in Water Resources</i> , 2017, 110, 136-146.	1.7	62
45	Glacier shrinkage driving global changes in downstream systems. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 9770-9778.	3.3	381
46	High light intensity mediates a shift from allochthonous to autochthonous carbon use in phototrophic stream biofilms. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017, 122, 1806-1820.	1.3	48
47	Metabolism of mineral-adsorbed organic matter and microbial lifestyles in fluvial ecosystems. <i>Geophysical Research Letters</i> , 2016, 43, 1582-1588.	1.5	24
48	CO <sub>2</sub> evasion from a steep, high gradient stream network: importance of seasonal and diurnal variation in aquatic pCO <sub>2</sub> and gas transfer. <i>Limnology and Oceanography</i> , 2016, 61, 1826-1838.	1.6	57
49	Microbial metabolism mediates interactions between dissolved organic matter and clay minerals in streamwater. <i>Scientific Reports</i> , 2016, 6, 30971.	1.6	4
50	Attached biofilms and suspended aggregates are distinct microbial lifestyles emanating from differing hydraulics. <i>Nature Microbiology</i> , 2016, 1, 16178.	5.9	60
51	Hydrology controls dissolved organic matter export and composition in an Alpine stream and its hyporheic zone. <i>Limnology and Oceanography</i> , 2016, 61, 558-571.	1.6	106
52	The ecology and biogeochemistry of stream biofilms. <i>Nature Reviews Microbiology</i> , 2016, 14, 251-263.	13.6	746
53	Light availability affects stream biofilm bacterial community composition and function, but not diversity. <i>Environmental Microbiology</i> , 2015, 17, 5036-5047.	1.8	44
54	The Microbial Ecology of Benthic Environments. , 2015, , 4.2.1-1-4.2.1-20.		6

#	ARTICLE	IF	CITATIONS
55	Coupling virtual watersheds with ecosystem services assessment: a 21st century platform to support river research and management. <i>Wiley Interdisciplinary Reviews: Water</i> , 2015, 2, 609-621.	2.8	29
56	Storage and release of organic carbon from glaciers and ice sheets. <i>Nature Geoscience</i> , 2015, 8, 91-96.	5.4	262
57	Altitudinal patterns of diversity and functional traits of metabolically active microorganisms in stream biofilms. <i>ISME Journal</i> , 2015, 9, 2454-2464.	4.4	43
58	A mass-spring model unveils the morphogenesis of phototrophic <i>Diatoma</i> biofilms. <i>Scientific Reports</i> , 2015, 4, 3649.	1.6	14
59	Functional and Structural Responses of Hyporheic Biofilms to Varying Sources of Dissolved Organic Matter. <i>Applied and Environmental Microbiology</i> , 2014, 80, 6004-6012.	1.4	38
60	Scales and drivers of temporal $\text{CO}_2$ dynamics in an Alpine stream. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 1078-1091.	1.3	87
61	Fluvial network organization imprints on microbial co-occurrence networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 12799-12804.	3.3	193
62	Biophysical controls on cluster dynamics and architectural differentiation of microbial biofilms in contrasting flow environments. <i>Environmental Microbiology</i> , 2014, 16, 802-812.	1.8	29
63	Hydrologic controls on basin-scale distribution of benthic invertebrates. <i>Water Resources Research</i> , 2014, 50, 2903-2920.	1.7	48
64	Ecosystem respiration increases with biofilm growth and bed forms: Flume measurements with resazurin. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 2220-2230.	1.3	27
65	Light and hydrologic variability as drivers of stream biofilm dynamics in a flume experiment. <i>Ecohydrology</i> , 2014, 7, 391-400.	1.1	5
66	No evidence of aquatic priming effects in hyporheic zone microcosms. <i>Scientific Reports</i> , 2014, 4, 5187.	1.6	66
67	Microbial degradation of terrigenous dissolved organic matter and potential consequences for carbon cycling in brown-water streams. <i>Scientific Reports</i> , 2014, 4, 4981.	1.6	165
68	Headwaters are critical reservoirs of microbial diversity for fluvial networks. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20131760.	1.2	153
69	Microbial biodiversity in glacier-fed streams. <i>ISME Journal</i> , 2013, 7, 1651-1660.	4.4	168
70	A New UV Oxidation Setup for Small Radiocarbon Samples in Solution. <i>Radiocarbon</i> , 2013, 55, 373-382.	0.8	7
71	Hydrologic Variability Affects Invertebrate Grazing on Phototrophic Biofilms in Stream Microcosms. <i>PLoS ONE</i> , 2013, 8, e60629.	1.1	41
72	A New UV Oxidation Setup for Small Radiocarbon Samples in Solution. <i>Radiocarbon</i> , 2013, 55, .	0.8	2

#	ARTICLE	IF	CITATIONS
73	Biogeochemically diverse organic matter in Alpine glaciers and its downstream fate. <i>Nature Geoscience</i> , 2012, 5, 710-714.	5.4	254
74	Exposure of dissolved organic matter to UV-radiation increases bacterial growth efficiency in a clear-water Alpine stream and its adjacent groundwater. <i>Aquatic Sciences</i> , 2012, 74, 143-153.	0.6	25
75	Voronoi Tessellation Captures Very Early Clustering of Single Primary Cells as Induced by Interactions in Nascent Biofilms. <i>PLoS ONE</i> , 2011, 6, e26368.	1.1	17
76	The ecological coherence of high bacterial taxonomic ranks. <i>Nature Reviews Microbiology</i> , 2010, 8, 523-529.	13.6	562
77	Physical Heterogeneity Increases Biofilm Resource Use and Its Molecular Diversity in Stream Mesocosms. <i>PLoS ONE</i> , 2010, 5, e9988.	1.1	96
78	Bacterial Community Composition of Stream Biofilms in Spatially Variable-Flow Environments. <i>Applied and Environmental Microbiology</i> , 2009, 75, 7189-7195.	1.4	106
79	Architectural differentiation reflects bacterial community structure in stream biofilms. <i>ISME Journal</i> , 2009, 3, 1318-1324.	4.4	43
80	The boundless carbon cycle. <i>Nature Geoscience</i> , 2009, 2, 598-600.	5.4	1,223
81	Effects of Streambed Morphology and Biofilm Growth on the Transient Storage of Solutes. <i>Environmental Science &amp; Technology</i> , 2009, 43, 7337-7342.	4.6	32
82	Nanostructured TiO <sub>2</sub> : Transport Behavior and Effects on Aquatic Microbial Communities under Environmental Conditions. <i>Environmental Science &amp; Technology</i> , 2009, 43, 8098-8104.	4.6	216
83	Biophysical controls on organic carbon fluxes in fluvial networks. <i>Nature Geoscience</i> , 2008, 1, 95-100.	5.4	1,102
84	Microbial landscapes: new paths to biofilm research. <i>Nature Reviews Microbiology</i> , 2007, 5, 76-81.	13.6	288
85	Microcosm design and evaluation to study stream microbial biofilms. <i>Limnology and Oceanography: Methods</i> , 2006, 4, 436-447.	1.0	29
86	Flow history explains temporal and spatial variation of carbon fractionation in stream periphyton. <i>Limnology and Oceanography</i> , 2005, 50, 706-712.	1.6	31
87	Large-scale environmental controls on microbial biofilms in high-alpine streams. <i>Biogeosciences</i> , 2004, 1, 159-171.	1.3	54
88	A mixing model analysis of stream solute dynamics and the contribution of a hyporheic zone to ecosystem function*. <i>Freshwater Biology</i> , 2003, 48, 995-1014.	1.2	112
89	Contributions of microbial biofilms to ecosystem processes in stream mesocosms. <i>Nature</i> , 2003, 426, 439-442.	13.7	601
90	Effects of Current Velocity on the Nascent Architecture of Stream Microbial Biofilms. <i>Applied and Environmental Microbiology</i> , 2003, 69, 5443-5452.	1.4	262

#	ARTICLE	IF	CITATIONS
91	Phylogenetic and Functional Heterogeneity of Sediment Biofilms along Environmental Gradients in a Glacial Stream. <i>Applied and Environmental Microbiology</i> , 2001, 67, 799-807.	1.4	159
92	Hydrodynamics is a major determinant of streambed biofilm activity: From the sediment to the reach scale. <i>Limnology and Oceanography</i> , 2000, 45, 1308-1319.	1.6	80
93	Hydrologic flow paths control dissolved organic carbon fluxes and metabolism in an Alpine stream hyporheic zone. <i>Water Resources Research</i> , 1999, 35, 3159-3169.	1.7	54
94	Revision of the puella group of the genus <i>Coenagrion</i> Kirby, 1890 (Odonata, Zygoptera), with emphasis on morphologies contributing to reproductive isolation. <i>Hydrobiologia</i> , 1993, 262, 13-29.	1.0	10
95	The odonate mating system, communication, and sexual selection: A review. <i>Bollettino Di Zoologia</i> , 1993, 60, 353-360.	0.3	14