

# Gregory E Hicks Pt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1730655/publications.pdf>

Version: 2024-02-01

60  
papers

2,642  
citations

236925

25  
h-index

182427

51  
g-index

60  
all docs

60  
docs citations

60  
times ranked

2922  
citing authors

#	ARTICLE	IF	CITATIONS
1	Body representation among adults with phantom limb pain: Results from a foot identification task. <i>European Journal of Pain</i> , 2022, 26, 255-269.	2.8	5
2	Aberrant Lumbopelvic Movements Predict Prospective Functional Decline in Older Adults with Chronic Low Back Pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 473-480.e1.	0.9	1
3	The Manual Therapy and Strengthening for the Hip (MASH) Trial: Protocol for a Multisite Randomized Trial of a Subgroup of Older Adults With Chronic Back and Hip Pain. <i>Physical Therapy</i> , 2022, 102, .	2.4	3
4	A Standardized Assessment of Movement-evoked Pain Ratings Is Associated With Functional Outcomes in Older Adults With Chronic Low Back Pain. <i>Clinical Journal of Pain</i> , 2022, 38, 241-249.	1.9	8
5	Thigh Muscle Composition and Its Relationship to Functional Recovery Post Hip Fracture Over Time and Between Sexes. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 2445-2452.	3.6	1
6	Classification of Geriatric Low Back Pain Based on Hip Characteristics With a 12-Month Longitudinal Exploration of Clinical Outcomes: Findings From Delaware Spine Studies. <i>Physical Therapy</i> , 2021, 101, .	2.4	14
7	Markers of Cardiovascular Health in Older Adults with and Without Chronic Low Back and Radicular Leg Pain: A Comparative Analysis. <i>Pain Medicine</i> , 2021, 22, 1353-1359.	1.9	1
8	Hip osteoarthritis signs and symptoms are associated with increased fall risk among community-dwelling older adults with chronic low back pain: a prospective study. <i>Arthritis Research and Therapy</i> , 2021, 23, 71.	3.5	8
9	Sex-specific 25-hydroxyvitamin D threshold concentrations for functional outcomes in older adults: PROject on Optimal Vitamin D in Older adults (PROVIDO). <i>American Journal of Clinical Nutrition</i> , 2021, 114, 16-28.	4.7	6
10	Trunk Muscle Characteristics: Differences Between Sedentary Adults With and Without Unilateral Lower Limb Amputation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 1331-1339.	0.9	4
11	Hip Range of Motion and Strength Predict 12-Month Physical Function Outcomes in Older Adults With Chronic Low Back Pain: The Delaware Spine Studies. <i>ACR Open Rheumatology</i> , 2021, , .	2.1	2
12	Gait asymmetry is associated with performance-based physical function among adults with lower-limb amputation. <i>Physiotherapy Theory and Practice</i> , 2021, , 1-11.	1.3	7
13	Mechanical Pain Sensitivity in Post-Amputation Pain. <i>Clinical Journal of Pain</i> , 2021, Publish Ahead of Print, 23-31.	1.9	1
14	Differences in geometric strength at the contralateral hip between men with hip fracture and non-fractured comparators. <i>Bone</i> , 2020, 132, 115187.	2.9	0
15	Individuals With and Without Low Back Pain Use Different Motor Control Strategies to Achieve Spinal Stiffness During the Prone Instability Test. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 899-907.	3.5	7
16	Trunk Muscle Composition 2 Months After Hip Fracture: Findings From the Baltimore Hip Studies. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 1663-1671.	0.9	8
17	Addressing Balance, Mobility, and Falls: Are We Moving the Needle on Fall Prevention?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1487-1488.	3.6	3
18	Pain Provocation and the Energy Cost of Walking: A Matched Comparison Study of Older Adults With and Without Chronic Low Back Pain With Radiculopathy. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, E97-E104.	1.1	7

#	ARTICLE	IF	CITATIONS
19	Use of trunk muscle training and neuromuscular electrical stimulation to reduce pain and disability in an older adult with chronic low back pain: A case report. <i>Physiotherapy Theory and Practice</i> , 2019, 35, 797-804.	1.3	4
20	Persistence of depressive symptoms and gait speed recovery in older adults after hip fracture. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 875-882.	2.7	9
21	The impact of body composition, pain and resilience on physical activity, physical function and physical performance at 2 months post hip fracture. <i>Archives of Gerontology and Geriatrics</i> , 2018, 76, 34-40.	3.0	28
22	Paradigm Shift in Geriatric Low Back Pain Management: Integrating Influences, Experiences, and Consequences. <i>Physical Therapy</i> , 2018, 98, 434-446.	2.4	21
23	Lumbopelvic Pain and Threats to Walking Ability in Well-Functioning Older Adults: Findings from the Baltimore Longitudinal Study of Aging. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 714-720.	2.6	12
24	Research Agenda for the Prevention of Pain and Its Impact: Report of the Work Group on the Prevention of Acute and Chronic Pain of the Federal Pain Research Strategy. <i>Journal of Pain</i> , 2018, 19, 837-851.	1.4	60
25	Hip Symptoms, Physical Performance, and Health Status in Older Adults With Chronic Low Back Pain: A Preliminary Investigation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 1273-1278.	0.9	16
26	Pain Energy Model of Mobility Limitation in the Older Adult. <i>Pain Medicine</i> , 2018, 19, 1559-1569.	1.9	14
27	Energy Impairments in Older Adults With Low Back Pain and Radiculopathy: A Matched Case-Control Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 2251-2256.	0.9	7
28	Criterion Validity of Ultrasound Imaging: Assessment of Multifidi Cross-Sectional Area in Older Adults With and Without Chronic Low Back Pain. <i>Journal of Geriatric Physical Therapy</i> , 2017, 40, 74-79.	1.1	19
29	Trunk Muscle Characteristics of the Multifidi, Erector Spinae, Psoas, and Quadratus Lumborum in Older Adults With and Without Chronic Low Back Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017, 47, 173-179.	3.5	78
30	Altered spatiotemporal characteristics of gait in older adults with chronic low back pain. <i>Gait and Posture</i> , 2017, 55, 172-176.	1.4	40
31	Lumbar Mobility and Performance-Based Function: An Investigation in Older Adults with and without Chronic Low Back Pain. <i>Pain Medicine</i> , 2017, 18, 161-168.	1.9	27
32	Multifidi Muscle Characteristics and Physical Function Among Older Adults With and Without Chronic Low Back Pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 51-57.	0.9	40
33	Kinematic characterization of clinically observed aberrant movement patterns in patients with non-specific low back pain: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 455.	1.9	21
34	Development of the Modified Four Square Step Test and its reliability and validity in people with stroke. <i>Journal of Rehabilitation Research and Development</i> , 2016, 53, 403-412.	1.6	18
35	Effects of Prefracture Depressive Illness and Postfracture Depressive Symptoms on Physical Performance After Hip Fracture. <i>Journal of the American Geriatrics Society</i> , 2016, 64, e171-e176.	2.6	15
36	Difference in the trajectory of change in bone geometry as measured by hip structural analysis in the narrow neck, intertrochanteric region, and femoral shaft between men and women following hip fracture. <i>Bone</i> , 2016, 92, 124-131.	2.9	11

#	ARTICLE	IF	CITATIONS
37	Trunk Muscle Training Augmented With Neuromuscular Electrical Stimulation Appears to Improve Function in Older Adults With Chronic Low Back Pain. <i>Clinical Journal of Pain</i> , 2016, 32, 898-906.	1.9	35
38	Differences in the trajectory of bone mineral density change measured at the total hip and femoral neck between men and women following hip fracture. <i>Archives of Osteoporosis</i> , 2016, 11, 9.	2.4	18
39	Asymmetry in CT Scan Measures of Thigh Muscle 2 Months After Hip Fracture: The Baltimore Hip Studies. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 1276-1280.	3.6	6
40	Serum 25-Hydroxyvitamin D, Plasma Klotho, and Lower-Extremity Physical Performance Among Older Adults: Findings From the InCHIANTI Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 1156-1162.	3.6	29
41	Reliability of Ultrasound Imaging for the Assessment of Lumbar Multifidi Thickness in Older Adults With Chronic Low Back Pain. <i>Journal of Geriatric Physical Therapy</i> , 2015, 38, 33-39.	1.1	27
42	Doubly robust estimation and causal inference in longitudinal studies with dropout and truncation by death. <i>Biostatistics</i> , 2015, 16, 155-168.	1.5	28
43	Ultrasound Imaging: Intraexaminer and Interexaminer Reliability for Multifidus Muscle Thickness Assessment in Adults Aged 60 to 85 Years Versus Younger Adults. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, 425-434.	3.5	40
44	Clinical Observation of Standing Trunk Movements: What Do the Aberrant Movement Patterns Tell Us?. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, 262-272.	3.5	47
45	Absolute Strength and Loss of Strength as Predictors of Mobility Decline in Older Adults: The InCHIANTI Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012, 67A, 66-73.	3.6	173
46	Adherence to a Community-based Exercise Program Is a Strong Predictor of Improved Back Pain Status in Older Adults. <i>Clinical Journal of Pain</i> , 2012, 28, 195-203.	1.9	54
47	Serum 25-Hydroxyvitamin D, Transitions Between Frailty States, and Mortality in Older Adults: The Invecchiare in Chianti Study. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 256-264.	2.6	51
48	Invited Commentary on "Low Interrater Reliability of Examiners Performing the Prone Instability Test: A Clinical Test for Lumbar Shear Instability". <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 920-922.	0.9	2
49	Meaningful Improvement in Gait Speed in Hip Fracture Recovery. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1650-1657.	2.6	42
50	Fear-Avoidance Beliefs Are Associated With Disability in Older American Adults With Low Back Pain. <i>Physical Therapy</i> , 2011, 91, 525-534.	2.4	51
51	Physiological Resilience. , 2011, , 89-103.		5
52	Psychometric Properties of Commonly Used Low Back Disability Questionnaires: Are They Useful for Older Adults with Low Back Pain?. <i>Pain Medicine</i> , 2009, 10, 85-94.	1.9	47
53	Degenerative Lumbar Disc and Facet Disease in Older Adults. <i>Spine</i> , 2009, 34, 1301-1306.	2.0	166
54	Associations of back and leg pain with health status and functional capacity of older adults: Findings from the retirement community back pain study. <i>Arthritis and Rheumatism</i> , 2008, 59, 1306-1313.	6.7	97

#	ARTICLE	IF	CITATIONS
55	Associations Between Vitamin D Status and Pain in Older Adults: The Invecchiare in Chianti Study. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 785-791.	2.6	61
56	Measurement of Lumbar Lordosis: Inter-rater Reliability, Minimum Detectable Change and Longitudinal Variation. <i>Journal of Spinal Disorders and Techniques</i> , 2006, 19, 501-506.	1.9	42
57	Trunk Muscle Composition as a Predictor of Reduced Functional Capacity in the Health, Aging and Body Composition Study: The Moderating Role of Back Pain. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 1420-1424.	3.6	157
58	Cross-Sectional Associations Between Trunk Muscle Composition, Back Pain, and Physical Function in the Health, Aging and Body Composition Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 882-887.	3.6	168
59	Preliminary Development of a Clinical Prediction Rule for Determining Which Patients With Low Back Pain Will Respond to a Stabilization Exercise Program. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1753-1762.	0.9	528
60	Interrater reliability of clinical examination measures for identification of lumbar segmental instability <sup>11</sup> No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 1858-1864.	0.9	242