

Giancarlo Colelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1734221/publications.pdf>

Version: 2024-02-01

105
papers

2,093
citations

218677

26
h-index

276875

41
g-index

108
all docs

108
docs citations

108
times ranked

2175
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors Affecting Quality and Safety of Fresh-Cut Produce. <i>Critical Reviews in Food Science and Nutrition</i> , 2012, 52, 595-610.	10.3	183
2	Photocatalytic degradation of ethylene on mesoporous TiO ₂ /SiO ₂ nanocomposites: Effects on the ripening of mature green tomatoes. <i>Biosystems Engineering</i> , 2015, 132, 61-70.	4.3	92
3	Botrytis cinerea and Table Grapes: A Review of the Main Physical, Chemical, and Bio-Based Control Treatments in Post-Harvest. <i>Foods</i> , 2020, 9, 1138.	4.3	89
4	A comparative study of composition and postharvest performance of organically and conventionally grown kiwifruits. <i>Journal of the Science of Food and Agriculture</i> , 2007, 87, 1228-1236.	3.5	86
5	Potential of NIR spectroscopy for predicting internal quality and discriminating among strawberry fruits from different production systems. <i>Postharvest Biology and Technology</i> , 2017, 125, 112-121.	6.0	78
6	Retention of quality and functional values of broccoli "Parthenon"™ stored in modified atmosphere packaging. <i>Food Control</i> , 2013, 31, 302-313.	5.5	72
7	Effect of different temperatures and storage atmospheres on Coratina olive oil quality. <i>Food Chemistry</i> , 2007, 102, 571-576.	8.2	71
8	Post-cutting quality changes of fresh-cut artichokes treated with different anti-browning agents as evaluated by image analysis. <i>Postharvest Biology and Technology</i> , 2011, 62, 213-220.	6.0	69
9	Suitability of five different potato cultivars (<i>Solanum tuberosum</i> L.) to be processed as fresh-cut products. <i>Postharvest Biology and Technology</i> , 2009, 53, 138-144.	6.0	67
10	Carvacrol-loaded chitosan nanoparticles maintain quality of fresh-cut carrots. <i>Innovative Food Science and Emerging Technologies</i> , 2017, 41, 56-63.	5.6	64
11	Probiotic lactic acid bacteria for the production of multifunctional fresh-cut cantaloupe. <i>Food Research International</i> , 2015, 77, 762-772.	6.2	61
12	A study of the estimated shelf life of fresh rocket using a non-linear model. <i>Journal of Food Engineering</i> , 2015, 150, 19-28.	5.2	61
13	Quality and safety of fresh horticultural commodities: Recent advances and future perspectives. <i>Food Packaging and Shelf Life</i> , 2017, 14, 2-11.	7.5	51
14	Modeling phenolic content during storage of cut fruit and vegetables: A consecutive reaction mechanism. <i>Journal of Food Engineering</i> , 2014, 140, 1-8.	5.2	41
15	Extension of Postharvest Life of "Mission" Figs by CO ₂ -enriched Atmospheres. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1991, 26, 1193-1195.	1.0	40
16	Fig (<i>Ficus carica</i> L.), 2011, , 134-160e.		38
17	Hyperspectral imaging and multivariate accelerated shelf life testing (MASLT) approach for determining shelf life of rocket leaves. <i>Journal of Food Engineering</i> , 2018, 238, 122-133.	5.2	37
18	Exposure to 1-methylcyclopropene (1-MCP) delays the effects of ethylene on fresh-cut broccoli raab (<i>Brassica rapa</i> L.). <i>Postharvest Biology and Technology</i> , 2010, 58, 29-35.	6.0	36

#	ARTICLE	IF	CITATIONS
19	Application of multivariate accelerated test for the shelf life estimation of fresh-cut lettuce. Journal of Food Engineering, 2016, 169, 122-130.	5.2	36
20	Discrimination of common defects in loquat fruit cv. "Algerie"™ using hyperspectral imaging and machine learning techniques. Postharvest Biology and Technology, 2021, 171, 111356.	6.0	36
21	Effect of harvest time on table grape quality during on-vine storage. Journal of the Science of Food and Agriculture, 2016, 96, 131-139.	3.5	35
22	Early detection of chilling injury in green bell peppers by hyperspectral imaging and chemometrics. Postharvest Biology and Technology, 2020, 162, 111100.	6.0	34
23	Effect of solution pH of cysteine-based pre-treatments to prevent browning of fresh-cut artichokes. Postharvest Biology and Technology, 2013, 75, 17-23.	6.0	32
24	Effect of anti-browning solutions on quality of fresh-cut fennel during storage. Postharvest Biology and Technology, 2018, 137, 21-30.	6.0	30
25	Effect of temperature and exogenous ethylene on the physiological and quality traits of purslane (<i>Portulaca oleracea</i> L.) leaves during storage. Postharvest Biology and Technology, 2010, 58, 147-156.	6.0	28
26	Quality of fresh-cut products as affected by harvest and postharvest operations. Journal of the Science of Food and Agriculture, 2018, 98, 3614-3626.	3.5	28
27	Screening of Lactic Acid Bacteria for the Bio-Control of <i>Botrytis cinerea</i> and the Potential of <i>Lactiplantibacillus plantarum</i> for Eco-Friendly Preservation of Fresh-Cut Kiwifruit. Microorganisms, 2021, 9, 773.	3.6	28
28	Screening quality and browning susceptibility of five artichoke cultivars for fresh-cut processing. Journal of the Science of Food and Agriculture, 2009, 89, 2588-2594.	3.5	26
29	Effect of atmosphere composition on the quality of ready-to-use broccoli raab (<i>Brassica rapa</i> L.). Journal of the Science of Food and Agriculture, 2010, 90, 789-797.	3.5	26
30	The use of hyperspectral imaging to predict the distribution of internal constituents and to classify edible fennel heads based on the harvest time. Computers and Electronics in Agriculture, 2017, 134, 1-10.	7.7	26
31	Potential use of microwave treatment on fresh-cut carrots: physical, chemical and microbiological aspects. Journal of the Science of Food and Agriculture, 2016, 96, 2063-2072.	3.5	22
32	Early detection of eggplant fruit stored at chilling temperature using different non-destructive optical techniques and supervised classification algorithms. Postharvest Biology and Technology, 2020, 159, 111001.	6.0	22
33	Effect of modified atmosphere packaging and temperature abuse on flavor related volatile compounds of rocket leaves (<i>Diplotaxis tenuifolia</i> L.). Journal of Food Science and Technology, 2017, 54, 2433-2442.	2.8	20
34	Spectra evolution over on-vine holding of Italia table grapes: prediction of maturity and discrimination for harvest times using a Vis-NIR hyperspectral device. Journal of Agricultural Engineering, 2017, 48, 109.	1.5	20
35	Effect of Organic Production Systems on Quality and Postharvest Performance of Horticultural Produce. Horticulturae, 2016, 2, 4.	2.8	19
36	FLOW BEHAVIOR OF OLIVE PASTE. Applied Engineering in Agriculture, 1997, 13, 751-755.	0.7	18

#	ARTICLE	IF	CITATIONS
37	Microbial-based Biocontrol Solutions for Fruits and Vegetables: Recent Insight, Patents, and Innovative Trends. <i>Recent Patents on Food, Nutrition & Agriculture</i> , 2021, 12, 3-18.	0.9	17
38	Chemical, physical and sensorial characterization of fresh quinoa sprouts (<i>Chenopodium quinoa</i>) and Shelf Life, 2017, 14, 52-58.	7.5	16
39	Influence of pre-cutting operations on quality of fresh-cut artichokes (<i>Cynara scolymus</i> L.): Effect of storage time and temperature before cutting. <i>Postharvest Biology and Technology</i> , 2013, 85, 124-131.	6.0	14
40	Modelling sensorial and nutritional changes to better define quality and shelf life of fresh-cut melons. <i>Journal of Agricultural Engineering</i> , 2013, 43, 6.	1.5	14
41	Feasibility study for the surface prediction and mapping of phytonutrients in minimally processed rocket leaves (<i>Diplotaxis tenuifolia</i>) during storage by hyperspectral imaging. <i>Computers and Electronics in Agriculture</i> , 2020, 175, 105575.	7.7	14
42	Comparison Performance of Visible-NIR and Near-Infrared Hyperspectral Imaging for Prediction of Nutritional Quality of Goji Berry (<i>Lycium barbarum</i> L.). <i>Foods</i> , 2021, 10, 1676.	4.3	14
43	Suitability of 4 Potato Cultivars (<i>Solanum tuberosum</i> L.) to be Processed as Fresh-Cut Product. <i>Early Cultivars. American Journal of Potato Research</i> , 2011, 88, 403-412.	0.9	12
44	Effect of temperature abuse and improper atmosphere packaging on volatile profile and quality of rocket leaves. <i>Food Packaging and Shelf Life</i> , 2017, 14, 59-65.	7.5	12
45	Spectral and Hyperspectral Technologies as an Additional Tool to Increase Information on Quality and Origin of Horticultural Crops. <i>Agronomy</i> , 2020, 10, 7.	3.0	12
46	Modelling sensorial and nutritional changes to better define quality and shelf life of fresh-cut melons. <i>Journal of Agricultural Engineering</i> , 2013, 44, 6.	1.5	11
47	Self-Configuring CVS to Discriminate Rocket Leaves According to Cultivation Practices and to Correctly Attribute Visual Quality Level. <i>Agronomy</i> , 2021, 11, 1353.	3.0	11
48	EFFECTS OF ATMOSPHERE COMPOSITION ON POSTHARVEST QUALITY OF FRESH BASIL LEAVES (<i>OCIMUM</i>)	0.2	10
49	INFLUENCE OF ATMOSPHERE COMPOSITION ON QUALITY ATTRIBUTES OF READY-TO- COOK FRESH-CUT VEGETABLE SOUP. <i>Acta Horticulturae</i> , 2006, , 677-684.	0.2	9
50	The use of hyperspectral imaging in the visible and near infrared region to discriminate between table grapes harvested at different times. <i>Journal of Agricultural Engineering</i> , 2013, 44, 7.	1.5	9
51	Microbial inactivations with hydrolysed lactoferrin and other natural antimicrobials in fresh-cut fennel. <i>LWT - Food Science and Technology</i> , 2017, 84, 353-358.	5.2	9
52	Organic strawberry in Mediterranean greenhouse: Effect of different production systems on soil fertility and fruit quality. <i>Renewable Agriculture and Food Systems</i> , 2017, 32, 485-497.	1.8	9
53	INFLUENCE OF HIGH CO2 ATMOSPHERE COMPOSITION ON FRESH-CUT ARTICHOKE QUALITY ATTRIBUTES. <i>Acta Horticulturae</i> , 2012, , 633-640.	0.2	8
54	APPLICATION OF ANTIOXIDANT COMPOUNDS TO PRESERVE FRESH-CUT PEACHES QUALITY. <i>Acta Horticulturae</i> , 2015, , 633-642.	0.2	8

#	ARTICLE	IF	CITATIONS
55	Using chemometrics to characterise and unravel the near infra-red spectral changes induced in aubergine fruit by chilling injury as influenced by storage time and temperature. <i>Biosystems Engineering</i> , 2020, 198, 137-146.	4.3	8
56	CONTROLLED-ATMOSPHERE STORAGE OF FRESH-CUT 'CARDONCELLO' MUSHROOMS (PLEUROTUS ERYNGII). <i>Acta Horticulturae</i> , 2003, , 731-735.	0.2	7
57	EFFECTS OF CONTROLLED ATMOSPHERE AND TREATMENT WITH 1-METHYLCYCLOPROPENE (1-MCP) ON RIPENING ATTRIBUTES OF TOMATOES. <i>Acta Horticulturae</i> , 2005, , 737-742.	0.2	7
58	Influence of pre-cutting operations on quality of fresh-cut artichokes (<i>Cynara scolymus</i> L.): Effect of harvest dates. <i>Postharvest Biology and Technology</i> , 2013, 83, 90-96.	6.0	7
59	Design and preliminary test of a fluidised bed photoreactor for ethylene oxidation on mesoporous mixed SiO ₂ /TiO ₂ nanocomposites under UV-A illumination. <i>Journal of Agricultural Engineering</i> , 2014, 45, 146.	1.5	7
60	The table grape "Victoria"™ with a long shaped berry: a potential mutation with attractive characteristics for consumers. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 5398-5405.	3.5	7
61	The effect of passive atmosphere on quality of "Dottato"™ breba fig stored at low temperature. <i>Acta Horticulturae</i> , 2017, , 315-318.	0.2	7
62	Effects of equipments and processing conditions on quality of fresh-cut produce. <i>Journal of Agricultural Engineering</i> , 2018, 49, 139-150.	1.5	7
63	Antioxidant capacity, phenolic and vitamin C contents of quinoa (<i>Chenopodium quinoa</i> Willd.) as affected by sprouting and storage conditions. <i>Italian Journal of Agronomy</i> , 2017, 12, .	1.0	6
64	Non-destructive and contactless estimation of chlorophyll and ammonia contents in packaged fresh-cut rocket leaves by a Computer Vision System. <i>Postharvest Biology and Technology</i> , 2022, 189, 111910.	6.0	6
65	QUALITY AND POSTHARVEST PERFORMANCE OF ORGANICALLY-GROWN TOMATO (LYCOPERSICON) Tj ETQq1 1 0.784314 rgBT /Ove <i>Horticulturae</i> , 2015, , 487-494.	0.2	5
66	Extending postharvest life of ready-to-use zucchini flowers: effects of the atmosphere composition. <i>Acta Horticulturae</i> , 2016, , 123-130.	0.2	5
67	Characterization and postharvest behavior of goji berry (<i>Lycium barbarum</i> L.) during ripening. <i>Postharvest Biology and Technology</i> , 2022, 191, 111975.	6.0	5
68	PCR-based Quality Control of <i>Listeria</i> spp. and <i>L. monocytogenes</i> in Ready-To-Eat Salads Sold in Italy. <i>Current Nutrition and Food Science</i> , 2011, 7, 57-62.	0.6	4
69	COMPOSITIONAL AND MARKETABLE QUALITY OF FRESH-CUT FLORETS OF FOUR SPECIALTY BRASSICAS IN RELATION TO CONTROLLED ATMOSPHERE STORAGE. <i>Acta Horticulturae</i> , 2015, , 455-462.	0.2	4
70	Effects of electrolyzed water on apples: field treatment and postharvest application. <i>Acta Horticulturae</i> , 2016, , 439-446.	0.2	4
71	Design of the correct modified atmosphere packaging for fresh-cut broccoli raab. <i>Acta Horticulturae</i> , 2016, , 117-122.	0.2	4
72	Effect of organic agronomic techniques and packaging on the quality of lamb's lettuce. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 4606-4615.	3.5	4

#	ARTICLE	IF	CITATIONS
73	Potentials of Thai tropical edible flowers as fresh cut salad mix. <i>Acta Horticulturae</i> , 2018, , 1187-1194.	0.2	4
74	Shipping container equipped with controlled atmosphere: Case study on table grape. <i>Journal of Agricultural Engineering</i> , 2020, 51, 1-8.	1.5	4
75	Evaluation of Quality and Storability of "Italia" Table Grapes Kept on the Vine in Comparison to Cold Storage Techniques. <i>Foods</i> , 2021, 10, 943.	4.3	4
76	EFFECT OF ARGON-ENRICHED ATMOSPHERES ON SHELF LIFE OF FRESH-CUT 'ICEBERG' LETTUCE. <i>Acta Horticulturae</i> , 2015, , 755-761.	0.2	3
77	SHELF-LIFE OF ROCKET LEAVES STORED IN ARGON ENRICHED ATMOSPHERES. <i>Acta Horticulturae</i> , 2015, , 779-786.	0.2	3
78	DETECTION AND ENUMERATION OF LISTERIA MONOCYTOGENES IN FRESH CUT VEGETABLES USING MPN-REAL-TIME PCR. <i>Acta Horticulturae</i> , 2015, , 567-674.	0.2	3
79	The use of multivariate analysis as a method for obtaining a more reliable shelf-life estimation of fresh-cut produce: a study on pineapple. <i>Acta Horticulturae</i> , 2016, , 131-136.	0.2	3
80	Ammonia accumulation in plant tissues: a potentially useful indicator of postharvest physiological stress. <i>Acta Horticulturae</i> , 2018, , 1511-1518.	0.2	3
81	Changes in quality attributes and volatile profile of ready-to-eat "Gabsi" pomegranate arils as affected by storage duration and temperatures. <i>Journal of Food Processing and Preservation</i> , 2020, 45, e14415.	2.0	3
82	DEGRADATION PATTERNS FOR EXTERNAL AND NUTRITIONAL QUALITY PARAMETERS OF FRESH-CUT 'CANTALOUPE' MELONS. <i>Acta Horticulturae</i> , 2012, , 641-647.	0.2	3
83	COMPARISON OF DIFFERENT GAS COMPOSITIONS ON FRESH-CUT PEACH QUALITY: A PRELIMINARY STUDY. <i>Acta Horticulturae</i> , 2015, , 763-770.	0.2	2
84	DEGRADATION PATTERNS FOR EXTERNAL AND INTERNAL QUALITY ATTRIBUTES OF FRESH-CUT APPLES. <i>Acta Horticulturae</i> , 2015, , 175-182.	0.2	2
85	A QUALITY approach to quality monitoring and prediction for fresh-cut produce. <i>Acta Horticulturae</i> , 2016, , 1-12.	0.2	2
86	Application of modified atmosphere packaging with moisture absorber to extend the shelf life of "Domenico Tauro" breba fruit. <i>Acta Horticulturae</i> , 2017, , 365-370.	0.2	2
87	Effects of thermal treatments on quality of "Petrelli" figs during storage. <i>Acta Horticulturae</i> , 2018, , 879-888.	0.2	2
88	Design and optimization of fluidized bed photoreactor for ethylene reduction within cold storage room for fruits and vegetables using TiO ₂ -based materials. <i>Acta Horticulturae</i> , 2018, , 623-630.	0.2	2
89	CA/MA on bioactive compounds. , 2020, , 131-146.		2
90	EFFECT OF ATMOSPHERE COMPOSITION ON QUALITY OF A READY-TO-COOK COMPLEX SOUP INCLUDING FRESH-CUT VEGETABLES AND SEEDS. <i>Acta Horticulturae</i> , 2010, , 325-331.	0.2	1

#	ARTICLE	IF	CITATIONS
91	INFLUENCE OF MODIFIED ATMOSPHERE PACKAGING ON SHELF-LIFE OF WHOLE AND SLICED 'CARDONCELLO' MUSHROOM (<i>PLEUROTUS ERYNGII</i>). <i>Acta Horticulturae</i> , 2015, , 553-559.	0.2	1
92	The use of rapid FT-NIR methods to predict soluble solids, pH, titratable acidity and phenols of clingstone peaches (â€"Baby Gold 9â€"™). <i>Acta Horticulturae</i> , 2018, , 1111-1118.	0.2	1
93	Reaction mechanisms for volatiles responsible of off-odors of fresh cut melons. <i>Acta Horticulturae</i> , 2021, , 15-22.	0.2	1
94	Operating conditions for microwave application throughout production process to reduce microbial load of fresh-cut apples. <i>Acta Horticulturae</i> , 2021, , 223-230.	0.2	1
95	Optimizing modified atmosphere packaging for fresh-cut broccoli raab (<i>Brassica rapa</i> L.). <i>Acta Horticulturae</i> , 2021, , 231-236.	0.2	1
96	Effect of type of fertilization and maturity on quality of fresh-cut red and yellow peppers (<i>Capsicum</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	0.2	1
97	Modified atmosphere packaging and quality determination of fresh cut â€"Mazettoâ€"™ almond kernels. <i>Acta Horticulturae</i> , 2020, , 349-354.	0.2	1
98	Effect of Elevated CO ₂ during Low Temperature Storage on the Quality Attributes of Cut Spearmint. <i>Horticulturae</i> , 2022, 8, 126.	2.8	1
99	CONCENTRATIONS OF INTACT GLUCOSINOLATES IN 'PARTHENON' BROCCOLI FLORETS STORED IN MODIFIED ATMOSPHERE PACKAGING AND AIR. <i>Acta Horticulturae</i> , 2015, , 583-588.	0.2	0
100	Physico-chemical parameters to predict microbiological and sensory quality aspects of baby lettuce leaves. <i>Acta Horticulturae</i> , 2017, , 249-256.	0.2	0
101	Innovative approaches to improve quality and safety of fresh minimally-processed fruit and vegetables. <i>Acta Horticulturae</i> , 2018, , 1161-1174.	0.2	0
102	Fruits and Vegetables. , 2019, , 101-126.		0
103	Floral vegetables: Fresh-cut artichokes. , 2020, , 567-576.		0
104	INFLUENCE OF TEMPERATURE AND BLENDING TIME ON QUALITY OF MINIMALLY PROCESSED PUREE FROM FOUR MELON TYPES. <i>Acta Horticulturae</i> , 2015, , 155-162.	0.2	0
105	Evaluation of ready-to-eat arils quality attributes processed from cold stored Tunisian â€"Gabsiâ€"™ pomegranate. <i>Acta Horticulturae</i> , 2020, , 399-406.	0.2	0