

# Eric D Hsi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1736115/publications.pdf>

Version: 2024-02-01

283  
papers

12,207  
citations

31976

53  
h-index

30087

103  
g-index

285  
all docs

285  
docs citations

285  
times ranked

13018  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic and Functional Drivers of Diffuse Large B-Cell Lymphoma. <i>Cell</i> , 2017, 171, 481-494.e15.	28.9	804
2	MYC/BCL2 protein coexpression contributes to the inferior survival of activated B-cell subtype of diffuse large B-cell lymphoma and demonstrates high-risk gene expression signatures: a report from The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013, 121, 4021-4031.	1.4	596
3	The genetic landscape of mutations in Burkitt lymphoma. <i>Nature Genetics</i> , 2012, 44, 1321-1325.	21.4	517
4	The International Consensus Classification of Mature Lymphoid Neoplasms: a report from the Clinical Advisory Committee. <i>Blood</i> , 2022, 140, 1229-1253.	1.4	512
5	Genetic heterogeneity of diffuse large B-cell lymphoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1398-1403.	7.1	494
6	CS1, a Potential New Therapeutic Antibody Target for the Treatment of Multiple Myeloma. <i>Clinical Cancer Research</i> , 2008, 14, 2775-2784.	7.0	491
7	ALK-negative anaplastic large cell lymphoma is a genetically heterogeneous disease with widely disparate clinical outcomes. <i>Blood</i> , 2014, 124, 1473-1480.	1.4	401
8	STAT3 mutations unify the pathogenesis of chronic lymphoproliferative disorders of NK cells and T-cell large granular lymphocyte leukemia. <i>Blood</i> , 2012, 120, 3048-3057.	1.4	360
9	Comprehensive gene expression profiling and immunohistochemical studies support application of immunophenotypic algorithm for molecular subtype classification in diffuse large B-cell lymphoma: a report from the International DLBCL Rituximab-CHOP Consortium Program Study. <i>Leukemia</i> , 2012, 26, 2103-2113.	7.2	301
10	MCL-1 and BCL-xL-dependent resistance to the BCL-2 inhibitor ABT-199 can be overcome by preventing PI3K/AKT/mTOR activation in lymphoid malignancies. <i>Cell Death and Disease</i> , 2015, 6, e1593-e1593.	6.3	292
11	Prognostic significance of Bcl-6 protein expression in DLBCL treated with CHOP or R-CHOP: a prospective correlative study. <i>Blood</i> , 2006, 107, 4207-4213.	1.4	248
12	Atypical chronic myeloid leukemia is clinically distinct from unclassifiable myelodysplastic/myeloproliferative neoplasms. <i>Blood</i> , 2014, 123, 2645-2651.	1.4	192
13	Chromosomal Rearrangements of 6p25.3 Define a New Subtype of Lymphomatoid Papulosis. <i>American Journal of Surgical Pathology</i> , 2013, 37, 1173-1181.	3.7	182
14	Specificity of IRF4 translocations for primary cutaneous anaplastic large cell lymphoma: a multicenter study of 204 skin biopsies. <i>Modern Pathology</i> , 2011, 24, 596-605.	5.5	178
15	Indolent mantle cell leukemia: a clinicopathological variant characterized by isolated lymphocytosis, interstitial bone marrow involvement, kappa light chain restriction, and good prognosis. <i>Haematologica</i> , 2011, 96, 1121-1127.	3.5	171
16	Cyclin D1/PRAD1 expression in parathyroid adenomas: an immunohistochemical study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 1736-1739.	3.6	163
17	The Genetic Basis of Hepatosplenic T-cell Lymphoma. <i>Cancer Discovery</i> , 2017, 7, 369-379.	9.4	163
18	LMO2 Protein Expression Predicts Survival in Patients With Diffuse Large B-Cell Lymphoma Treated With Anthracycline-Based Chemotherapy With and Without Rituximab. <i>Journal of Clinical Oncology</i> , 2008, 26, 447-454.	1.6	159

#	ARTICLE	IF	CITATIONS
19	Enteropathy-associated T cell lymphoma subtypes are characterized by loss of function of SETD2. <i>Journal of Experimental Medicine</i> , 2017, 214, 1371-1386.	8.5	144
20	Plasmablastic Lymphoma and Related Disorders. <i>American Journal of Clinical Pathology</i> , 2011, 136, 183-194.	0.7	117
21	Prevalence and Clinical Implications of Epstein-Barr Virus Infection in <i>De Novo</i> Diffuse Large B-Cell Lymphoma in Western Countries. <i>Clinical Cancer Research</i> , 2014, 20, 2338-2349.	7.0	117
22	Clinicopathologic Reassessment of Primary Cutaneous B-Cell Lymphomas With Immunophenotypic and Molecular Genetic Characterization. <i>American Journal of Surgical Pathology</i> , 2000, 24, 694-702.	3.7	115
23	The whole-genome landscape of Burkitt lymphoma subtypes. <i>Blood</i> , 2019, 134, 1598-1607.	1.4	113
24	Angiotropic Lymphoma: An Immunophenotypically and Clinically Heterogeneous Lymphoma. <i>Modern Pathology</i> , 2001, 14, 1147-1156.	5.5	112
25	Rearrangements of MYC gene facilitate risk stratification in diffuse large B-cell lymphoma patients treated with rituximab-CHOP. <i>Modern Pathology</i> , 2014, 27, 958-971.	5.5	112
26	Primary Cutaneous Follicular Lymphoma: An Assessment of Clinical, Histopathologic, Immunophenotypic, and Molecular Features. <i>Journal of Clinical Oncology</i> , 2002, 20, 647-655.	1.6	108
27	The Ratio of FOXP3+ Regulatory T Cells to Granzyme B+ Cytotoxic T/NK Cells Predicts Prognosis in Classical Hodgkin Lymphoma and Is Independent of bcl-2 and MAL Expression. <i>American Journal of Clinical Pathology</i> , 2007, 128, 958-965.	0.7	106
28	Randomized, Double-Blind, Phase III Trial of Enzastaurin Versus Placebo in Patients Achieving Remission After First-Line Therapy for High-Risk Diffuse Large B-Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2016, 34, 2484-2492.	1.6	106
29	The role of autologous stem cell transplantation in patients with nodal peripheral T-cell lymphomas in first complete remission: Report from COMPLETE, a prospective, multicenter cohort study. <i>Cancer</i> , 2019, 125, 1507-1517.	4.1	106
30	T-Lymphoblastic Leukemia/Lymphoma. <i>American Journal of Clinical Pathology</i> , 2015, 144, 411-422.	0.7	105
31	Targeted next-generation sequencing identifies a subset of idiopathic hypereosinophilic syndrome with features similar to chronic eosinophilic leukemia, not otherwise specified. <i>Modern Pathology</i> , 2016, 29, 854-864.	5.5	104
32	Morphologic Features of ALK-negative Anaplastic Large Cell Lymphomas With DUSP22 Rearrangements. <i>American Journal of Surgical Pathology</i> , 2016, 40, 36-43.	3.7	103
33	Ki67 and PIM1 expression predict outcome in mantle cell lymphoma treated with high dose therapy, stem cell transplantation and rituximab: a Cancer and Leukemia Group B 59909 correlative science study. <i>Leukemia and Lymphoma</i> , 2008, 49, 2081-2090.	1.3	102
34	PRPF8 defects cause missplicing in myeloid malignancies. <i>Leukemia</i> , 2015, 29, 126-136.	7.2	102
35	Follicular programmed death 1-positive lymphocytes in the tumor microenvironment are an independent prognostic factor in follicular lymphoma. <i>Human Pathology</i> , 2011, 42, 552-557.	2.0	99
36	The Clinicopathologic Spectrum of Posttransplantation Lymphoproliferative Disorders. <i>Archives of Pathology and Laboratory Medicine</i> , 2007, 131, 1209-1218.	2.5	99

#	ARTICLE	IF	CITATIONS
37	Mucosa-Associated Lymphoid Tissue-Type Lymphomas Occurring in Post-Transplantation Patients. <i>American Journal of Surgical Pathology</i> , 2000, 24, 100.	3.7	94
38	<i>MYD88</i> L265P Mutation in Lymphoid Malignancies. <i>Cancer Research</i> , 2018, 78, 2457-2462.	0.9	92
39	Phase III Randomized Study of R-CHOP Versus DA-EPOCH-R and Molecular Analysis of Untreated Diffuse Large B-Cell Lymphoma: CALGB/Alliance 50303. <i>Blood</i> , 2016, 128, 469-469.	1.4	79
40	Combination of ibrutinib with <scp>ABT</scp>â€199: synergistic effects on proliferation inhibition and apoptosis in mantle cell lymphoma cells through perturbation of <scp>BTK</scp>, <scp> AKT</scp> and <scp>BCL</scp>2 pathways. <i>British Journal of Haematology</i> , 2015, 168, 765-768.	2.5	75
41	Detection of immunoglobulin heavy chain gene rearrangement by polymerase chain reaction in chronic active gastritis associated with <i>Helicobacter pylori</i> . <i>Human Pathology</i> , 1996, 27, 290-296.	2.0	72
42	Detection of minimal residual disease following induction immunochemotherapy predicts progression free survival in mantle cell lymphoma: final results of CALGB 59909. <i>Haematologica</i> , 2012, 97, 579-585.	3.5	72
43	A phase II trial of lenalidomide plus rituximab in previously untreated follicular non-Hodgkinâ€™s lymphoma (NHL): CALGB 50803 (Alliance). <i>Annals of Oncology</i> , 2017, 28, 2806-2812.	1.2	72
44	Cyclin D1-negative Blastoid Mantle Cell Lymphoma Identified by SOX11 Expression. <i>American Journal of Surgical Pathology</i> , 2012, 36, 214-219.	3.7	65
45	Typical and Atypical Chronic Lymphocytic Leukemia Differ Clinically and Immunophenotypically. <i>American Journal of Clinical Pathology</i> , 2001, 116, 655-664.	0.7	62
46	Detection of Mature T-Cell Leukemias by Flow Cytometry Using Antiâ€™T-Cell Receptor VÎ²2Antibodies. <i>American Journal of Clinical Pathology</i> , 2003, 120, 785-794.	0.7	62
47	Bone marrow morphology is a strong discriminator between chronic eosinophilic leukemia, not otherwise specified and reactive idiopathic hypereosinophilic syndrome. <i>Haematologica</i> , 2017, 102, 1352-1360.	3.5	62
48	Prognostic value of interim FDG-PET in diffuse large cell lymphoma: results from the CALGB 50303 Clinical Trial. <i>Blood</i> , 2020, 135, 2224-2234.	1.4	62
49	Decitabine- and 5-azacytidine resistance emerges from adaptive responses of the pyrimidine metabolism network. <i>Leukemia</i> , 2021, 35, 1023-1036.	7.2	62
50	Expression of bcl-2 in Classical Hodgkin's Lymphoma: An Independent Predictor of Poor Outcome. <i>Journal of Clinical Oncology</i> , 2005, 23, 3773-3779.	1.6	61
51	Acquired resistance to venetoclax (ABT-199) in<i>t(14;18)</i> positive lymphoma cells. <i>Oncotarget</i> , 2016, 7, 70000-70010.	1.8	59
52	Serious pulmonary toxicity in patients with Hodgkinâ€™s lymphoma with SGN-30, gemcitabine, vinorelbine, and liposomal doxorubicin is associated with an FcÎ³R3A-158 V/F polymorphism. <i>Annals of Oncology</i> , 2010, 21, 2246-2254.	1.2	56
53	CLT030, a leukemic stem cellâ€™targeting CLL1 antibody-drug conjugate for treatment of acute myeloid leukemia. <i>Blood Advances</i> , 2018, 2, 1738-1749.	5.2	56
54	A novel CDK9 inhibitor increases the efficacy of venetoclax (ABT-199) in multiple models of hematologic malignancies. <i>Leukemia</i> , 2020, 34, 1646-1657.	7.2	54

#	ARTICLE	IF	CITATIONS
55	Angioimmunoblastic T-cell Lymphomas With the RHOA p.Gly17Val Mutation Have Classic Clinical and Pathologic Features. <i>American Journal of Surgical Pathology</i> , 2016, 40, 335-341.	3.7	53
56	Oligomonocytic chronic myelomonocytic leukemia (chronic myelomonocytic leukemia without) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70 chronic myelomonocytic leukemia. <i>Modern Pathology</i> , 2017, 30, 1213-1222.	5.5	52
57	A prospective cohort study of patients with peripheral T-cell lymphoma in the United States. <i>Cancer</i> , 2017, 123, 1174-1183.	4.1	51
58	Resistance to BTK inhibition by ibrutinib can be overcome by preventing FOXO3a nuclear export and PI3K/AKT activation in B-cell lymphoid malignancies. <i>Cell Death and Disease</i> , 2019, 10, 924.	6.3	51
59	Hematopoietic neoplasms with 9p24/JAK2 rearrangement: a multicenter study. <i>Modern Pathology</i> , 2019, 32, 490-498.	5.5	50
60	Vacuolization of hematopoietic precursors: an enigma with multiple etiologies. <i>Blood</i> , 2021, 137, 3685-3689.	1.4	50
61	Bcl-6 Protein Expression by Follicle Center Lymphomas: A Marker for Differentiating Follicle Center Lymphomas From Other Low-Grade Lymphoproliferative Disorders. <i>American Journal of Clinical Pathology</i> , 1999, 112, 101-107.	0.7	47
62	Evaluation of a new paraffin-reactive CD7 T-cell deletion marker and a polymerase chain reaction-based T-cell receptor gene rearrangement assay: Implications for diagnosis of mycosis fungoides in community clinical practice. <i>Journal of the American Academy of Dermatology</i> , 2001, 45, 405-413.	1.2	47
63	A phase 2 trial of extended induction epratuzumab and rituximab for previously untreated follicular lymphoma: CALGB 50701. <i>Cancer</i> , 2013, 119, 3797-3804.	4.1	47
64	Genetic and phenotypic characterization of indolent T-cell lymphoproliferative disorders of the gastrointestinal tract. <i>Haematologica</i> , 2020, 105, 1895-1906.	3.5	46
65	A Practical Approach for Evaluating New Antibodies in the Clinical Immunohistochemistry Laboratory. <i>Archives of Pathology and Laboratory Medicine</i> , 2001, 125, 289-294.	2.5	46
66	Primary Cutaneous Diffuse Large B-Cell Lymphoma. <i>American Journal of Clinical Pathology</i> , 2002, 117, 574-580.	0.7	44
67	MAL Is Expressed in a Subset of Hodgkin Lymphoma and Identifies a Population of Patients With Poor Prognosis. <i>American Journal of Clinical Pathology</i> , 2006, 125, 776-782.	0.7	44
68	Biologic predictors in follicular lymphoma: Importance of markers of immune response. <i>Leukemia and Lymphoma</i> , 2007, 48, 2403-2411.	1.3	44
69	Diagnostic Accuracy of a Defined Immunophenotypic and Molecular Genetic Approach for Peripheral T/NK-cell Lymphomas. <i>American Journal of Surgical Pathology</i> , 2014, 38, 768-775.	3.7	44
70	Prognostic significance of CD38 and CD20 expression as assessed by quantitative flow cytometry in chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2003, 120, 1017-1025.	2.5	42
71	Prognostic value of regulatory T cells, lymphoma-associated macrophages, and MUM-1 expression in follicular lymphoma treated before and after the introduction of monoclonal antibody therapy: a Southwest Oncology Group Study. <i>Annals of Oncology</i> , 2010, 21, 1196-1202.	1.2	42
72	Toward a New Molecular Taxonomy of Diffuse Large B-cell Lymphoma. <i>Cancer Discovery</i> , 2020, 10, 1267-1281.	9.4	40

#	ARTICLE	IF	CITATIONS
73	Bortezomib induces caspase-dependent apoptosis in Hodgkin lymphoma cell lines and is associated with reduced c-FLIP expression: A gene expression profiling study with implications for potential combination therapies. <i>Leukemia Research</i> , 2008, 32, 275-285.	0.8	39
74	AKT Hyperactivation and the Potential of AKT-Targeted Therapy in Diffuse Large B-Cell Lymphoma. <i>American Journal of Pathology</i> , 2017, 187, 1700-1716.	3.8	39
75	PD-1/PD-L1 expression and interaction by automated quantitative immunofluorescent analysis show adverse prognostic impact in patients with diffuse large B-cell lymphoma having T-cell infiltration: a study from the International DLBCL Consortium Program. <i>Modern Pathology</i> , 2019, 32, 741-754.	5.5	39
76	Usefulness of an immunohistochemical panel in paraffin-embedded tissues for the differentiation of B-cell non-Hodgkin's lymphomas of small lymphocytes. <i>Modern Pathology</i> , 1998, 11, 1046-51.	5.5	38
77	Follicular Lymphoma with Marginal Zone Differentiation: Microdissection Demonstrates the t(14;18) in Both the Follicular and Marginal Zone Components. <i>Modern Pathology</i> , 2001, 14, 191-196.	5.5	37
78	Biologic features of Hodgkin lymphoma and the development of biologic prognostic factors in Hodgkin lymphoma: Tumor and microenvironment. <i>Leukemia and Lymphoma</i> , 2008, 49, 1668-1680.	1.3	37
79	Role of Myeloma-Derived MIF in Myeloma Cell Adhesion to Bone Marrow and Chemotherapy Response. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw131.	6.3	37
80	Targeting of CD38 by the Tumor Suppressor miR-26a Serves as a Novel Potential Therapeutic Agent in Multiple Myeloma. <i>Cancer Research</i> , 2020, 80, 2031-2044.	0.9	36
81	Dermatofibroma and dermatofibrosarcoma protuberans: an immunohistochemical study reveals distinctive antigenic profiles. <i>Journal of Dermatological Science</i> , 1996, 11, 1-9.	1.9	35
82	Lymphoma Immunophenotyping: A New Era in Paraffin-Section Immunohistochemistry. <i>Advances in Anatomic Pathology</i> , 2001, 8, 218-239.	4.3	35
83	Myeloproliferative neoplasms with concurrent BCR-ABL1 translocation and JAK2 V617F mutation: a multi-institutional study from the bone marrow pathology group. <i>Modern Pathology</i> , 2018, 31, 690-704.	5.5	35
84	GATA4 loss of function in liver cancer impedes precursor to hepatocyte transition. <i>Journal of Clinical Investigation</i> , 2017, 127, 3527-3542.	8.2	35
85	Usefulness of CD79b Expression in the Diagnosis of B-Cell Chronic Lymphoproliferative Disorders. <i>American Journal of Clinical Pathology</i> , 2000, 113, 805-813.	0.7	34
86	Indolent mantle cell lymphoma. <i>Leukemia and Lymphoma</i> , 2014, 55, 761-767.	1.3	33
87	Age cutoff for Epstein-Barr virus-positive diffuse large B-cell lymphoma-is it necessary?. <i>Oncotarget</i> , 2015, 6, 13933-13945.	1.8	33
88	Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue arising in the lateral ventricle. <i>Leukemia and Lymphoma</i> , 2005, 46, 1423-1427.	1.3	32
89	Identification of Ezrin-Radixin-Moesin proteins as novel regulators of pathogenic B-cell receptor signaling and tumor growth in diffuse large B-cell lymphoma. <i>Leukemia</i> , 2015, 29, 1857-1867.	7.2	32
90	Use of Novel t(11;14) and t(14;18) Dual-Fusion Fluorescence In Situ Hybridization Probes in the Differential Diagnosis of Lymphomas of Small Lymphocytes. <i>Diagnostic Molecular Pathology</i> , 2001, 10, 214-222.	2.1	32

#	ARTICLE	IF	CITATIONS
91	Primary cutaneous lymphoblastic lymphoma presenting in an 8-week old infant. <i>Journal of Cutaneous Pathology</i> , 2002, 29, 107-112.	1.3	30
92	PDGFRB-rearranged T-lymphoblastic leukemia/lymphoma occurring with myeloid neoplasms: the missing link supporting a stem cell origin. <i>Haematologica</i> , 2014, 99, e148-e151.	3.5	29
93	Multiparameter Immunohistochemical Analysis of the Cell Cycle Proteins Cyclin D1, Ki-67, p21WAF1, p27KIP1, and p53 in Mantle Cell Lymphoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2000, 124, 1457-1462.	2.5	29
94	Biclonal Chronic Lymphocytic Leukemia. <i>American Journal of Clinical Pathology</i> , 2000, 113, 798-804.	0.7	28
95	The phosphatidylinositol 3-kinases (PI3K) inhibitor GSK1101 synergistically potentiates histone deacetylase inhibitor-induced proliferation inhibition and apoptosis through the inactivation of PI3K and extracellular signal-regulated kinase pathways. <i>British Journal of Haematology</i> , 2013, 163, 72-80.	2.5	28
96	Analysis of Peripheral T-cell Lymphoma Diagnostic Workup in the United States. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 193-200.	0.4	27
97	Treatment of human chronic lymphocytic leukemia cells with the proteasome inhibitor bortezomib promotes apoptosis. <i>Leukemia Research</i> , 2004, 28, 845-850.	0.8	26
98	Stratifying diffuse large B-cell lymphoma patients treated with chemoimmunotherapy: GCB/non-GCB by immunohistochemistry is still a robust and feasible marker. <i>Oncotarget</i> , 2016, 7, 18036-18049.	1.8	26
99	Clinical approach to diffuse large B cell lymphoma. <i>Blood Reviews</i> , 2016, 30, 477-491.	5.7	26
100	Comparison of therapy-related and de novo core binding factor acute myeloid leukemia: A bone marrow pathology group study. <i>American Journal of Hematology</i> , 2020, 95, 799-808.	4.1	26
101	A Clinicopathologic Evaluation of Follicular Lymphoma Grade 3A Versus Grade 3B Reveals No Survival Differences. <i>Archives of Pathology and Laboratory Medicine</i> , 2004, 128, 863-868.	2.5	26
102	Clinical, immunophenotypic, and genomic findings of acute undifferentiated leukemia and comparison to acute myeloid leukemia with minimal differentiation: a study from the bone marrow pathology group. <i>Modern Pathology</i> , 2019, 32, 1373-1385.	5.5	25
103	Bortezomib Maintenance (BM) Versus Consolidation (BC) Following Aggressive Immunochemotherapy and Autologous Stem Cell Transplant (ASCT) for Untreated Mantle Cell Lymphoma (MCL): CALGB (Alliance) 50403. <i>Blood</i> , 2015, 126, 337-337.	1.4	23
104	Non-mycosis fungoides cutaneous T-cell lymphoma: reclassification according to the WHO-EORTC classification. <i>Journal of Cutaneous Pathology</i> , 2010, 37, 516-524.	1.3	22
105	JAK2 V617F-positive acute myeloid leukaemia (AML): a comparison between de novo AML and secondary AML transformed from an underlying myeloproliferative neoplasm. A study from the Bone Marrow Pathology Group. <i>British Journal of Haematology</i> , 2018, 182, 78-85.	2.5	22
106	A refined cell-of-origin classifier with targeted NGS and artificial intelligence shows robust predictive value in DLBCL. <i>Blood Advances</i> , 2020, 4, 3391-3404.	5.2	22
107	Genetic Subtyping and Phenotypic Characterization of the Immune Microenvironment and MYC/BCL2 Double Expression Reveal Heterogeneity in Diffuse Large B-cell Lymphoma. <i>Clinical Cancer Research</i> , 2022, 28, 972-983.	7.0	22
108	Predictors of outcome in post-transplant lymphoproliferative disorder: an evaluation of tumor infiltrating lymphocytes in the context of clinical factors. <i>Leukemia and Lymphoma</i> , 2009, 50, 2005-2012.	1.3	21

#	ARTICLE	IF	CITATIONS
109	Concordance among hematopathologists in classifying blasts plus promonocytes: A bone marrow pathology group study. <i>International Journal of Laboratory Hematology</i> , 2020, 42, 418-422.	1.3	21
110	Myeloid/lymphoid neoplasms with FLT3 rearrangement. <i>Modern Pathology</i> , 2021, 34, 1673-1685.	5.5	21
111	Development of extrasalivary gland lymphoma in myoepithelial sialadenitis. <i>Modern Pathology</i> , 1995, 8, 817-24.	5.5	20
112	Quantitative In Situ Detection of Phosphoproteins in Fixed Tissues Using Quantum Dot Technology. <i>Journal of Histochemistry and Cytochemistry</i> , 2009, 57, 701-708.	2.5	19
113	Characterization of DLBCL with a PMBL gene expression signature. <i>Blood</i> , 2021, 138, 136-148.	1.4	19
114	Tissue-specific microRNA expression alters cancer susceptibility conferred by a TP53 noncoding variant. <i>Nature Communications</i> , 2019, 10, 5061.	12.8	18
115	Bortezomib consolidation or maintenance following immunochemotherapy and autologous stem cell transplantation for mantle cell lymphoma: <sc>CALGB</sc>/Alliance 50403. <i>American Journal of Hematology</i> , 2020, 95, 583-593.	4.1	18
116	Whole Genome and Exome Sequencing Defines The Genetic Landscape Of Hepatosplenic T-Cell Lymphoma. <i>Blood</i> , 2013, 122, 842-842.	1.4	18
117	CCMCL1: a new model of aggressive mantle cell lymphoma. <i>Blood</i> , 2015, 125, 2730-2732.	1.4	17
118	CAL2 Immunohistochemical Staining Accurately Identifies<i>CALR</i> Mutations in Myeloproliferative Neoplasms. <i>American Journal of Clinical Pathology</i> , 2016, 146, 431-438.	0.7	17
119	MAL Is Expressed in a Subset of Hodgkin Lymphoma and Identifies a Population of Patients With Poor Prognosis. <i>American Journal of Clinical Pathology</i> , 2006, 125, 776-782.	0.7	17
120	Molecular subtype classification of formalinâ€fixed, paraffinâ€embedded diffuse large Bâ€cell lymphoma samples on the <sc>ICEP</sc>lex<sup>Â®</sup> system. <i>British Journal of Haematology</i> , 2014, 167, 281-285.	2.5	16
121	2016 WHO Classification updateâ€What's new in lymphoid neoplasms. <i>International Journal of Laboratory Hematology</i> , 2017, 39, 14-22.	1.3	16
122	Genetic profiling and biomarkers in peripheral T-cell lymphomas: current role in the diagnostic work-up. <i>Modern Pathology</i> , 2022, 35, 306-318.	5.5	16
123	Detection of Clonal <i>IGH</i> Gene Rearrangements: Summary of Molecular Oncology Surveys of the College of American Pathologists. <i>Archives of Pathology and Laboratory Medicine</i> , 2007, 131, 185-189.	2.5	16
124	NF-ÎB p50 activation associated with immune dysregulation confers poorer survival for diffuse large B-cell lymphoma patients with wild-type p53. <i>Modern Pathology</i> , 2017, 30, 854-876.	5.5	15
125	Grade 3 Follicular Lymphoma: Outcomes in the Rituximab Era. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 797-803.	0.4	15
126	Outcomes of patients with relapsed/refractory double-expressor B-cell lymphoma treated with ibrutinib monotherapy. <i>Blood Advances</i> , 2019, 3, 132-135.	5.2	15

#	ARTICLE	IF	CITATIONS
127	Pathology of Primary Cutaneous B-Cell Lymphomas: Diagnosis and Classification. <i>Clinical Lymphoma and Myeloma</i> , 2004, 5, 89-97.	2.1	14
128	Pathologic and Molecular Genetic Features of Chronic Lymphocytic Leukemia. <i>Seminars in Oncology</i> , 2012, 39, 74-79.	2.2	14
129	Detection of bcl-2/JH Translocation by Polymerase Chain Reaction. <i>Archives of Pathology and Laboratory Medicine</i> , 2002, 126, 902-908.	2.5	14
130	HDAC inhibitors potentiate the apoptotic effect of enzastaurin in lymphoma cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2011, 16, 914-923.	4.9	13
131	Ocular/adnexal lymphoma: dissimilar to systemic lymphoma. <i>Survey of Ophthalmology</i> , 2018, 63, 381-388.	4.0	13
132	Practical Approaches on CD30 Detection and Reporting in Lymphoma Diagnosis. <i>American Journal of Surgical Pathology</i> , 2020, 44, e1-e14.	3.7	13
133	T-cell Lymphomas. <i>Surgical Pathology Clinics</i> , 2016, 9, 131-141.	1.7	12
134	Dual expression of MYC and BCL2 proteins predicts worse outcomes in diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2016, 57, 1640-1648.	1.3	12
135	Clinicopathologic and molecular characterization of myeloid neoplasms with isolated t(6;9)(p23;q34). <i>International Journal of Laboratory Hematology</i> , 2017, 39, 409-417.	1.3	12
136	CD30 Immunohistochemical Expression In Diffuse Large B-Cell Lymphoma Is Associated With Decreased Overall Survival and The Non-Germinal Center Molecular Subtype. <i>Blood</i> , 2013, 122, 4318-4318.	1.4	12
137	Flow Cytometric Analysis of Cerebrospinal Fluid Has Low Diagnostic Yield in Samples Without Atypical Morphology or Prior History of Hematologic Malignancy. <i>American Journal of Clinical Pathology</i> , 2014, 141, 515-521.	0.7	11
138	Extranodal Marginal Zone Lymphoma of the Central Nervous System Includes Parenchymal-Based Cases With Characteristic Features. <i>American Journal of Clinical Pathology</i> , 2020, 154, 124-132.	0.7	11
139	Human herpesvirus 8-negative effusion-based large B-cell lymphoma: a distinct entity with unique clinicopathologic characteristics. <i>Modern Pathology</i> , 2022, 35, 1411-1422.	5.5	11
140	The Leukemias of Mature Lymphocytes. <i>Hematology/Oncology Clinics of North America</i> , 2009, 23, 843-871.	2.2	10
141	Pathology of B-Cell Lymphomas: Diagnosis and Biomarker Discovery. <i>Cancer Treatment and Research</i> , 2015, 165, 27-50.	0.5	10
142	Randomized trial of ofatumumab and bendamustine versus ofatumumab, bendamustine, and bortezomib in previously untreated patients with high-risk follicular lymphoma: CALGB 50904 (Alliance). <i>Cancer</i> , 2019, 125, 3378-3389.	4.1	10
143	Large B-cell lymphoma of the uvea: Histopathologic variants and clinicopathologic correlation. <i>Survey of Ophthalmology</i> , 2020, 65, 361-370.	4.0	10
144	Biomarkers for Risk Stratification in Patients With Previously Untreated Follicular Lymphoma Receiving Anti-CD20-based Biological Therapy. <i>American Journal of Surgical Pathology</i> , 2021, 45, 384-393.	3.7	10

#	ARTICLE	IF	CITATIONS
145	Combination Biologic Therapy as Initial Treatment for Follicular Lymphoma: Initial Results From CALGB 50701 - a Phase II Trial of Extended Induction Epratuzumab (anti-CD22) and Rituximab (anti-CD20). <i>Blood</i> , 2010, 116, 427-427.	1.4	10
146	Immunohistochemical Analysis of CD30-Positive Lymphoproliferative Disorders for Expression of CD95 and CD95L. <i>Modern Pathology</i> , 2000, 13, 446-451.	5.5	9
147	SLAMF7 (CD319/CS1) is expressed in plasmablastic lymphoma and is a potential diagnostic marker and therapeutic target. <i>British Journal of Haematology</i> , 2019, 185, 145-147.	2.5	9
148	Composite chronic myeloid leukemia and essential thrombocythemia with <i>BCR-ABL1</i> fusion and <i>CALR</i> mutation. <i>American Journal of Hematology</i> , 2019, 94, 504-505.	4.1	9
149	Immunohistochemical Expression of Lymphoid Enhancer Binding Factor 1 in CD5-Positive Marginal Zone, Lymphoplasmacytic, and Follicular Lymphomas. <i>American Journal of Clinical Pathology</i> , 2020, 153, 646-655.	0.7	9
150	Chronic myeloid neoplasms harboring concomitant mutations in myeloproliferative neoplasm driver genes (JAK2/MPL/CALR) and SF3B1. <i>Modern Pathology</i> , 2021, 34, 20-31.	5.5	9
151	Biomarker Quality Assurance (QA) Findings From the Comprehensive Oncology Measures for Peripheral T-Cell Lymphoma Treatment (COMPLETE) Registry. <i>Blood</i> , 2012, 120, 4263-4263.	1.4	9
152	Myelodysplastic/myeloproliferative neoplasms-unclassifiable with isolated isochromosome 17q represents a distinct clinico-biologic subset: a multi-institutional collaborative study from the Bone Marrow Pathology Group. <i>Modern Pathology</i> , 2021, , .	5.5	9
153	Paroxysmal Nocturnal Hemoglobinuria Testing by Flow Cytometry. <i>American Journal of Clinical Pathology</i> , 2000, 114, 798-806.	0.7	8
154	Frequency, interobserver reproducibility and clinical significance of equivocal peaks in PCR clonality testing using Euroclonality/BIOMED-2 primers. <i>Journal of Clinical Pathology</i> , 2014, 67, 1093-1098.	2.0	8
155	American Registry of Pathology Expert Opinions: Recommendations for the diagnostic workup of mature T cell neoplasms. <i>Annals of Diagnostic Pathology</i> , 2020, 49, 151623.	1.3	8
156	Concurrent Expression Of MYC/BCL2 Protein In Newly Diagnosed DLBCL Is Not Associated With An Inferior Survival Following EPOCH-R Therapy. <i>Blood</i> , 2013, 122, 3029-3029.	1.4	8
157	MAL Is Expressed in a Subset of Hodgkin Lymphomas and Identifies a Population of Patients with Poor Prognosis.. <i>Blood</i> , 2004, 104, 3117-3117.	1.4	8
158	Increased Tumor Infiltrating FOXP3+ Regulatory T-Cells Are Associated with Improved Survival in Classical Hodgkin Lymphoma.. <i>Blood</i> , 2006, 108, 2265-2265.	1.4	8
159	Phosphoproteins and the Dawn of Functional Phenotyping. <i>Pathobiology</i> , 2011, 78, 115-121.	3.8	7
160	Comprehensive Oncology Measures for Peripheral T-Cell Lymphoma Treatment (COMPLETE): First Detailed Report of Primary Treatment. <i>Blood</i> , 2012, 120, 1614-1614.	1.4	7
161	Molecular and phenotypic heterogeneity of refractory anemia with ring sideroblasts associated with marked thrombocytosis. <i>Leukemia and Lymphoma</i> , 2016, 57, 212-215.	1.3	6
162	Most Myeloid Neoplasms With Deletion of Chromosome 16q Are Distinct From Acute Myeloid Leukemia With <i>Inv(16)(p13.1q22)</i> . <i>American Journal of Clinical Pathology</i> , 2017, 147, 411-419.	0.7	6

#	ARTICLE	IF	CITATIONS
163	Long-Term Follow-up of SWOG S0816: Response-Adapted Therapy for Stage III/IV Hodgkin Lymphoma Demonstrates Limitations of PET-Adapted Approach. <i>Blood</i> , 2018, 132, 929-929.	1.4	6
164	Safety and Efficacy of Venetoclax Combined with Rituximab, Ifosfamide, Carboplatin and Etoposide Chemoimmunotherapy (VICER) for Treatment of Relapsed Diffuse Large B Cell Lymphoma: Results from the Phase 1 Study. <i>Blood</i> , 2018, 132, 397-397.	1.4	6
165	Prognostic Value of Tumor-Infiltrating TIA-1+ Cytotoxic T Cells (TIA1-CTCs) and FOXP3+ Regulatory T Cells (Tregs) in Post-Transplant Lymphoproliferative Disorder (PTLD) Following Solid Organ Transplant (SOT).. <i>Blood</i> , 2007, 110, 54-54.	1.4	6
166	CLL-1, a Receptor Expressed on Myeloid Leukemic Stem Cells, Is a Potential Target for Immunotherapy of AML. <i>Blood</i> , 2008, 112, 4003-4003.	1.4	6
167	Diagnostic Accuracy of a Defined Immunophenotypic and Molecular Genetic Approach for Peripheral T/NK-Cell Lymphomas: A North American PTCL Study Group Project. <i>Blood</i> , 2012, 120, 1545-1545.	1.4	6
168	Advances in the Diagnosis and Classification of Chronic Lymphoproliferative Disorders. , 2004, 121, 145-165.		5
169	Aberrant activation-induced cytidine deaminase expression in Philadelphia chromosome-positive B-cell acute lymphoblastic leukemia. <i>Human Pathology</i> , 2016, 52, 173-178.	2.0	5
170	<i>JAK2</i> double minutes with resultant simultaneous amplification of <i>JAK2</i> and <i>CD274</i> in a therapy-related myelodysplastic syndrome evolving into an acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2019, 185, 566-570.	2.5	5
171	Immune Escape Mechanisms in Intravascular Large B-Cell Lymphoma: A Molecular Cytogenetic and Immunohistochemical Study. <i>American Journal of Clinical Pathology</i> , 2022, 157, 578-585.	0.7	5
172	Analytical Accuracy of RET Fusion Detection by Break-Apart Fluorescence In Situ Hybridization. <i>Archives of Pathology and Laboratory Medicine</i> , 2022, 146, 351-359.	2.5	5
173	CS1: A Potential New Therapeutic Target for the Treatment of Multiple Myeloma.. <i>Blood</i> , 2006, 108, 3457-3457.	1.4	5
174	Towards a Molecular Classification of Hematolymphoid Neoplasms: Where Are We Now? Where Are We Going?. <i>Journal of Histochemistry and Cytochemistry</i> , 2001, 49, 1323-1324.	2.5	4
175	T-cell lymphoma in the head and neck? Think about adult T-cell leukemia/lymphoma. <i>Leukemia and Lymphoma</i> , 2009, 50, 150-151.	1.3	4
176	Co-expression of MYC and BCL2 predicts poorer outcomes for relapsed/refractory diffuse large B-cell lymphoma with R-ICE and intent to transplant. <i>Therapeutic Advances in Hematology</i> , 2018, 9, 81-87.	2.5	4
177	A Tissue Counterpart to Monoclonal B-Cell Lymphocytosis. <i>Archives of Pathology and Laboratory Medicine</i> , 2021, 145, 1544-1551.	2.5	4
178	FLIPI Score Is Applicable and Predictive of Response to Upfront Immunotherapy in CALGB 50402: Phase II Trial of Extended Induction Galiximab ([G] anti-CD80 monoclonal antibody) Plus Rituximab [R].. <i>Blood</i> , 2008, 112, 1003-1003.	1.4	4
179	Mutational Spectrum In Chronic Myelomonocytic Leukemia Includes Genes Associated with Epigenetic Regulation Such as UTX and EZH2. <i>Blood</i> , 2010, 116, 611-611.	1.4	4
180	Cell of Origin Determination in Diffuse Large B-Cell Lymphoma: Performance of Immunohistochemical (IHC) Algorithms and Ability to Predict Outcome. <i>Blood</i> , 2011, 118, 950-950.	1.4	4

#	ARTICLE	IF	CITATIONS
181	Integrative Genetic and Clinical Analysis through Whole Exome Sequencing in 1001 Diffuse Large B Cell Lymphoma (DLBCL) Patients Reveals Novel Disease Drivers and Risk Groups. <i>Blood</i> , 2016, 128, 1087-1087.	1.4	4
182	Impact of next generation sequencing results on clinical management in patients with hematological disorders. <i>Leukemia and Lymphoma</i> , 2021, 62, 1702-1710.	1.3	4
183	Whole Exome and Transcriptome Sequencing in 1042 Cases Reveals Distinct Clinically Relevant Genetic Subgroups of Follicular Lymphoma. <i>Blood</i> , 2019, 134, 19-19.	1.4	4
184	The SOX11-PDGFA axis in mantle cell lymphoma. <i>Blood</i> , 2014, 124, 2165-2166.	1.4	3
185	Update in large cell lymphoma: understanding the pathology report. <i>Hematology American Society of Hematology Education Program</i> , 2015, 2015, 605-617.	2.5	3
186	Orbital diffuse large B-cell lymphoma with combined variable immunodeficiency. <i>Orbit</i> , 2017, 36, 340-343.	0.8	3
187	A reevaluation of erythroid predominance in Acute Myeloid Leukemia using the updated WHO 2016 Criteria. <i>Modern Pathology</i> , 2018, 31, 873-880.	5.5	3
188	Chronic active Epstein-Barr virus infection: A heterogeneous entity requiring a high index of suspicion for diagnosis. <i>International Journal of Laboratory Hematology</i> , 2020, 42, 99-106.	1.3	3
189	The t(14;18)(q32;q21) Characterizes a Subset of Patients with Diffuse Large-B Cell Lymphoma of Germinal Center Origin with Poor Outcome: Report From the International DLBCL Rituximab-CHOP Consortium Program Study. <i>Blood</i> , 2011, 118, 949-949.	1.4	3
190	Non-Cytotoxic Differentiation Therapy Based On Mechanism of Disease Produces Complete Remission in Myelodysplastic Syndromes (MDS) with High Risk Cytogenetics. <i>Blood</i> , 2012, 120, 1696-1696.	1.4	3
191	Radiation Therapy Significantly Improves Survival Of Patients With Diffuse Large B-Cell Lymphoma Associated With MYC Translocation: A Report From The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013, 122, 641-641.	1.4	3
192	Bortezomib + MEC (Mitoxantrone, Etoposide, Cytarabine) for Relapsed/ Refractory Acute Myeloid Leukemia: Final Results of an Expanded Phase 1 Trial. <i>Blood</i> , 2014, 124, 978-978.	1.4	3
193	Phase II Trial of Ofatumumab (OFA) in Previously Untreated Follicular Non-Hodgkin Lymphoma (NHL): CALGB 50901 (Alliance). <i>Blood</i> , 2015, 126, 2741-2741.	1.4	3
194	Hematogones Contained in CD34+ Apheresis Products for Hematopoietic Progenitor Cell Transplantation Have No Adverse Impact On Engraftment Outcomes.. <i>Blood</i> , 2012, 120, 3022-3022.	1.4	3
195	Update in the pathologic features of mature B-cell and T/NK-cell leukemias. <i>Seminars in Diagnostic Pathology</i> , 2003, 20, 180-195.	1.5	2
196	Myeloid Neoplasms with inv(3)(q21q26.2) or t(3;3)(q21;q26.2). <i>Surgical Pathology Clinics</i> , 2013, 6, 677-692.	1.7	2
197	Lymphomas of the Gastrointestinal Tract. <i>Surgical Pathology Clinics</i> , 2013, 6, 405-424.	1.7	2
198	IgG4+ Plasma Cells in Isolated Reactive Lymphadenopathy. <i>American Journal of Clinical Pathology</i> , 2014, 142, 432-434.	0.7	2

#	ARTICLE	IF	CITATIONS
199	Flow cytometry in cerebrospinal fluidâ€”Rational use of laboratory services. American Journal of Hematology, 2014, 89, 941-942.	4.1	2
200	General Biomarker Recommendations for Lymphoma. Journal of the National Cancer Institute, 2016, 108, djw250.	6.3	2
201	Assessment of semiâ€”quantitative grading of red blood cell abnormalities utilizing images from the CellaVision <sc>DM</sc>96 compared to manual light microscopy. International Journal of Laboratory Hematology, 2017, 39, e110-e112.	1.3	2
202	Inhibition of cyclinâ€”dependent kinase 9 synergistically enhances venetoclax activity in mantle cell lymphoma. EJHaem, 2020, 1, 161-169.	1.0	2
203	Decreased BIM expression in BCL2-negative follicular lymphoma: a potential mechanism for resistance to apoptosis. Human Pathology, 2021, 107, 1-8.	2.0	2
204	Proteomic characterisations of ulcerative colitis endoscopic biopsies associate with clinically relevant histological measurements of disease severity. Journal of Clinical Pathology, 2022, 75, 636-642.	2.0	2
205	Potential Impact of Consolidation Radiation Therapy for Advanced Hodgkin Lymphoma: A Secondary Modeling of SWOG S0816 with Receiver Operating Characteristic Analysis. Blood, 2018, 132, 2927-2927.	1.4	2
206	Phospho-IkappaB Is Abnormally Expressed in Bone Marrow of CMML Patients.. Blood, 2007, 110, 2450-2450.	1.4	2
207	Combination Of Ibrutinib With ABT-199, a BCL-2 Pathway Inhibitor: Effective Therapeutic Strategy In a Novel Mantle Cell Lymphoma Cell Line Model. Blood, 2013, 122, 645-645.	1.4	2
208	Histone H4 Acetylation as a Prognostic Factor for Patients with Acute Lymphocytic Leukemia in First Relapse.. Blood, 2008, 112, 1482-1482.	1.4	2
209	Are Mast Cells a Biologic Predictor of Outcome in Follicular Lymphoma?. Blood, 2008, 112, 3772-3772.	1.4	2
210	CBL, CBLB, TET2, ASXL1, and IDH1/2 Mutations as Well as Additional Chromosomal Aberrations Constitute Molecular Events Contributing to Malignant Progression In Advanced Philadelphia Chromosome-Positive Disorders.. Blood, 2010, 116, 3396-3396.	1.4	2
211	The Role of Biomarkers in the Management of Patients with Lymphoma: Promise Versus Reality. Clinical Lymphoma and Myeloma, 2009, 9, 121-123.	1.4	1
212	Endobronchial pseudocarcinomatous hyperplasia mimicking squamous cell carcinoma associated with primary pulmonary ALKâ€”negative anaplastic large cell lymphoma. Histopathology, 2020, 76, 781-784.	2.9	1
213	Potential impact of consolidation radiation therapy for advanced Hodgkin lymphoma: a secondary analysis of SWOG S0816. Leukemia and Lymphoma, 2020, 61, 2442-2447.	1.3	1
214	Diffuse Aggressive B-Cell Lymphomas. , 2012, , 261-292.		1
215	Phase I Trial of Carfilzomib + R-CHOP (CarR-CHOP) for Frontline Treatment of Patients with Diffuse Large B-Cell Lymphoma (DLBCL). Blood, 2018, 132, 1692-1692.	1.4	1
216	MYC and BCL2 mRNA Expression As Determined By NGS Predicts Survival in DLBCL in GCB but Not in ABC Subgroup. Blood, 2019, 134, 5092-5092.	1.4	1

#	ARTICLE	IF	CITATIONS
217	Frequent Detection of C-Cbl Homozygous Mutation in Secondary Myelogenous Leukemia Transformed from MDS/MPD with Chromosome 11q Uniparental Disomy. <i>Blood</i> , 2008, 112, 851-851.	1.4	1
218	CD37 Is a Potential Therapeutic Target for B-Cell Non-Hodgkin Lymphoma. <i>Blood</i> , 2010, 116, 3098-3098.	1.4	1
219	Prognostic Significance and Phenotypic Manifestations of MYC/BCL2 Protein Expression in Diffuse Large B-Cell Lymphoma (DLBCL) with Extranodal Organ Involvement: A Report of the International DLBCL Rituximab-CHOP Consortium Program Study. <i>Blood</i> , 2012, 120, 544-544.	1.4	1
220	Molecular Characterization Of Myeloid Neoplasms Harboring Isochromosome 17q Abnormality. <i>Blood</i> , 2013, 122, 2596-2596.	1.4	1
221	PRPF8 Defects Cause Missplicing In Myeloid Malignancies. <i>Blood</i> , 2013, 122, 2838-2838.	1.4	1
222	Presence of JAK2 Mutations in MDS/MPD-u WHO Classified Patients and Not Other Forms of MDS Suggests Their Derivation from Classical Myeloproliferative Syndrome.. <i>Blood</i> , 2005, 106, 369-369.	1.4	1
223	The Lymphoid Cell Surface Receptor NTB-A: A Novel Monoclonal Antibody Target for Leukemia and Lymphoma Therapeutics.. <i>Blood</i> , 2007, 110, 4511-4511.	1.4	1
224	B-Cell Leukemias of Mature Lymphocytes. , 2012, , 387-402.		1
225	Phase II Study of Enzastaurin in Patients with Follicular Lymphoma: Updated Final Clinical Results and Immunohistochemical Correlations. <i>Blood</i> , 2012, 120, 777-777.	1.4	1
226	A Phase 1 Trial of MEC (Mitoxantrone, Etoposide, Cytarabine) in Combination with Bortezomib for Relapsed/Refractory Acute Myeloid Leukemia. <i>Blood</i> , 2012, 120, 3595-3595.	1.4	1
227	STAT3 Expression and Clinical Implications In De Novo Diffuse Large B-Cell Lymphoma: A Report From The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013, 122, 365-365.	1.4	1
228	Strand-Specific Total RNA Sequencing Establishes the Complete Transcriptome and Alternative Splicing Repertoire in Diffuse Large B Cell Lymphoma. <i>Blood</i> , 2014, 124, 864-864.	1.4	1
229	Cell of Origin Classification of DLBCL Using Targeted NGS Expression Profiling and Deep Learning. <i>Blood</i> , 2019, 134, 2891-2891.	1.4	1
230	Higher Stability of Mutant mRNA As Compared to Wild-Type mRNA in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2019, 134, 1499-1499.	1.4	1
231	Gene Expression and Epigenetic Analysis in Relapsed/Refractory Diffuse Large B Cell Lymphoma Provides Insights into Evolution of Treatment Resistance to R-CHOP. <i>Blood</i> , 2020, 136, 26-26.	1.4	1
232	Best Practices in CD30 Immunohistochemistry Testing, Interpretation, and Reporting: An Expert Panel Consensus. <i>Archives of Pathology and Laboratory Medicine</i> , 2023, 147, 79-86.	2.5	1
233	Microenvironment in peripheral T cell lymphomas: macrophages and angiogenesis as targets. <i>Leukemia and Lymphoma</i> , 2011, 52, 3-4.	1.3	0
234	Selection and Validation of Antibodies for Signal Transduction Immunohistochemistry. <i>Methods in Molecular Biology</i> , 2011, 717, 45-53.	0.9	0

#	ARTICLE	IF	CITATIONS
235	Diffuse Aggressive B-Cell Lymphomas. , 2018, , 271-305.e5.		0
236	Intensive immunochemotherapy for high-risk aggressive B-cell lymphomas: MYC-rearrangements and beyond. Lancet Haematology,the, 2018, 5, e600-e601.	4.6	0
237	Cyclin D1 Immunohistochemistry Identifies a Subset of Plasma Cell Myeloma with Superior Overall Survival.. Blood, 2004, 104, 4854-4854.	1.4	0
238	Immunohistochemical Expression of CD10, BCL6, and MUM1 in Primary Nodal Diffuse Large B-Cell Lymphoma: MUM1 Expression Alone (but Not Germinal Center B-Cell Immunophenotype) Is an Independent Prognostic Factor.. Blood, 2005, 106, 4706-4706.	1.4	0
239	Expression of NTB-A in Normal Tissue, Non-Hodgkin Lymphomas and Investigation of Its Potential Therapeutic Impact for Chronic Lymphocytic Leukemia.. Blood, 2006, 108, 4741-4741.	1.4	0
240	Blasts Express Phospho-Akt in the Majority of Adult Patients with Acute Lymphocytic Leukemia (ALL).. Blood, 2006, 108, 1846-1846.	1.4	0
241	Histone H4 Acetylation Is Associated with Improved Relapse-Free Survival in Newly Diagnosed Patients with Acute Lymphoblastic Leukemia (ALL) Less Than 60 Years of Age without Poor Risk Cytogenetics.. Blood, 2007, 110, 2798-2798.	1.4	0
242	CLL-1 Is a Potential Target for the Treatment of Acute Myeloid Leukemia.. Blood, 2007, 110, 2839-2839.	1.4	0
243	Dysregulated Signaling Networks in Chronic Myeloproliferative Disorders: Co-Operation of JAK2 and Src Family Kinases (SFK). Blood, 2007, 110, 1539-1539.	1.4	0
244	IREM-1 Is a Cell Surface Receptor Expressed in AML Blasts: Potential for Targeted Immunotherapy in AML.. Blood, 2007, 110, 1792-1792.	1.4	0
245	The Myeloid Cell Surface Receptor IREM-1: A Novel Monoclonal Antibody Target for Acute Myeloid Leukemia (AML). Blood, 2008, 112, 2933-2933.	1.4	0
246	Potent Anti-Cancer Activity of Anti-NTB-a Monoclonal Antibodies in Preclinical Leukemia and Lymphoma Models. Blood, 2008, 112, 4975-4975.	1.4	0
247	OCT-2 Expression and OCT-2/BOB.1 Co-Expression Predict Prognosis in Patients with Newly Diagnosed Acute Myelogenous Leukemia.. Blood, 2008, 112, 1486-1486.	1.4	0
248	Acquired 1p Uniparental Disomy Is Associated with Biallelic MPL W515L Mutation in RARS-T.. Blood, 2008, 112, 1643-1643.	1.4	0
249	CS-1 Is Expressed in Nasal Type NK/T Cell Lymphomas and Angioimmunoblastic T-Cell Lymphomas: Implications for Targeted Therapy with Elotuzumab (HuLuc63).. Blood, 2008, 112, 1779-1779.	1.4	0
250	A Phase 1 Trial of Imatinib Mesylate with Daunorubicin and Cytarabine for Patients with C-Kit Positive Relapsed AML.. Blood, 2008, 112, 955-955.	1.4	0
251	Distinct Role of Src Family Kinase Inhibitors in Burkitt Lymphoma Cells Vs. Diffuse Large B-Cell Lymphoma Cells. Blood, 2008, 112, 3765-3765.	1.4	0
252	TET2 Mutations Are Frequent in RARS-T.. Blood, 2009, 114, 3794-3794.	1.4	0

#	ARTICLE	IF	CITATIONS
253	Strong Histone (H4) Acetylation Is Independently Associated with Better Overall Survival in Newly Diagnosed Acute Myeloid Leukemia (AML).. Blood, 2009, 114, 4681-4681.	1.4	0
254	Alternative Splicing Is a Major Mechanism of Gene Regulation In Diffuse Large B Cell Lymphoma. Blood, 2010, 116, 803-803.	1.4	0
255	Single Nucleotide Polymorphism Array (SNP-A) Genomic Profiling of Mantle Cell Lymphoma (MCL) Against a Large Control Database Reveals Recurring Copy Number Alterations (CNAs) and Copy Neutral Loss of Heterozygosity (CN-LOH). Blood, 2010, 116, 2001-2001.	1.4	0
256	Clonotype Switching Indicates Propensity for Clonal Outgrowth From Diverse Components of the T Cell Repertoire In T Cell Large Granular Lymphocyte Leukemia.. Blood, 2010, 116, 1171-1171.	1.4	0
257	Expression of Phosphorylated Signal Transducer and Activator of Transcription 5 (pSTAT5) Is Associated with An Increased Risk of Death In Acute Myeloid Leukemia.. Blood, 2010, 116, 1675-1675.	1.4	0
258	Prognostic Significance of Histone (H4) Acetylation In Newly Diagnosed Acute Myeloid Leukemia (AML) Patients with Intermediate Risk Cytogenetics. Blood, 2010, 116, 2736-2736.	1.4	0
259	Whole Genome and Exome Sequencing Reveals the Genetic Landscape of Burkitt Lymphoma. Blood, 2011, 118, 433-433.	1.4	0
260	A Proof of Principle Clinical Trial in Myelodysplastic Syndromes of Non-Cytotoxic Differentiation Therapy with Decitabine,. Blood, 2011, 118, 3830-3830.	1.4	0
261	Phospho-SFKs (Y416) As a Potential Predictive Marker for Dasatinib Therapy in B-Cell Non-Hodgkin Lymphoma and Chronic Lymphocytic Leukemia,. Blood, 2011, 118, 3727-3727.	1.4	0
262	The Impact of Molecular Lesions in Post-Transplant Acute Myeloid Leukemia (AML) in Correlation with Cytogenetic Abnormalities,. Blood, 2011, 118, 4137-4137.	1.4	0
263	A Prospective, Randomized, Chemoprevention Trial of Celecoxib for High Risk Monoclonal Gammopathy of Undetermined Significance and Asymptomatic Multiple Myeloma. Blood, 2012, 120, 5045-5045.	1.4	0
264	Molecular Subtype Characterization of Formalin-Fixed, Paraffin-Embedded Diffuse Large B-Cell Lymphoma Samples on the IcepLex® System.. Blood, 2012, 120, 2705-2705.	1.4	0
265	Clinicopathologic Characterization of Acute Myeloid Leukemia and Myelodysplastic Syndrome with Inv(3)(q21q26.2)/t(3;3)(q21;q26.2) Reveals That Complex Karyotype but Not Blast Percentage Is Associated with Poor Survival; A Bone Marrow Pathology Group Study. Blood, 2012, 120, 3847-3847.	1.4	0
266	BCL6 Expression and Treatment Delay Correlate with Adverse Outcome in Newly Diagnosed Primary CNS Lymphoma: Final Report of CALGB 50202 (Alliance). Blood, 2012, 120, 301-301.	1.4	0
267	ID3 Is a Novel Tumor Suppressor Gene in Burkitt Lymphom. Blood, 2012, 120, 898-898.	1.4	0
268	The Genetic Landscape Of Mantle Cell Lymphoma and The Epigenetic Origins Of Lineage Specific Mutations. Blood, 2013, 122, 347-347.	1.4	0
269	MYC Mutation Profiling In 708 De Novo Diffuse Large B-Cell Lymphoma Demonstrates That Genetic Abnormalities In The Coding Sequence and Untranslated Regions Have Different Prognostic and Clinical Significance: A Report From The International DLBCL Rituximab-CHOP Consortium Program. Blood, 2013, 122, 363-363.	1.4	0
270	Radiation Therapy Significantly Improves Survival Of Patients With Diffuse Large B-Cell Lymphoma Associated With MYC Translocation: A Report From The International DLBCL Rituximab-CHOP Consortium Program. Blood, 2013, 122, 213-213.	1.4	0

#	ARTICLE	IF	CITATIONS
271	CNS Lymphoma. , 2014, , 207-223.		0
272	Mantle Cell Lymphoma. , 2014, , 277-302.		0
273	B-Cell Leukemias of Mature Lymphocytes. , 2018, , 397-413.e2.		0
274	TP53 Mutations in Myeloid Neoplasm Patients with and without Significant Personal and Family History of Cancer. Blood, 2018, 132, 2270-2270.	1.4	0
275	Short Diagnosis to Treatment Interval (DTI) Is Associated with Inferior Outcome in Newly Diagnosed Patients with Mantle Cell Lymphoma, a MER/LEO and Alliance Collaboration. Blood, 2018, 132, 2878-2878.	1.4	0
276	Clinical, Immunophenotypic and Genomic Findings of Acute Undifferentiated Leukemia and Comparison to AML with Minimal Differentiation: A Study from the Bone Marrow Pathology Group. Blood, 2018, 132, 1491-1491.	1.4	0
277	Hypomethylating Agent 5-Azacytidine Sensitizes Peripheral T-Cell Lymphoma to SLAMF7-Targeting Therapeutic Antibody, Elotuzumab. Blood, 2019, 134, 1515-1515.	1.4	0
278	Angioimmunoblastic T-Cell Lymphoma: Molecular Characterization of Clonal T and B-Cells and a Patient Derived Xenograft Model of Coexisting T and B-Cell Proliferations. Blood, 2019, 134, 1572-1572.	1.4	0
279	Genomic and Transcriptional Characterization of Primary Mediastinal Large B Cell Lymphoma. Blood, 2021, 138, 2398-2398.	1.4	0
280	Integrative DNA Methylation and Gene Expression Analysis Reveals Candidate Biomarkers Associated with Dichotomized Response to Chemoimmunotherapy in Diffuse Large B-Cell Lymphoma. Blood, 2020, 136, 22-22.	1.4	0
281	Leukemia Relapse after Allogeneic Hematopoietic Stem Cell Transplantation: From Recapitulation/Acquisition of Leukemogenic Hits to Immune Escape Due to Somatic Class I/ II HLA Mutations. Blood, 2020, 136, 21-21.	1.4	0
282	Analysis of clinical and serologic predictors of response to extracorporeal photopheresis therapy in cutaneous Tâ€cell lymphoma patients. Photodermatology Photoimmunology and Photomedicine, 2022, 38, 600-603.	1.5	0
283	Undiagnosed mycosis fungoides with transformation to large cell peripheral T-cell lymphoma. Clinical Advances in Hematology and Oncology, 2014, 12, 6-11.	0.3	0