

# Xueqing Yu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1736761/publications.pdf>

Version: 2024-02-01

142  
papers

5,541  
citations

117625

34  
h-index

95266

68  
g-index

146  
all docs

146  
docs citations

146  
times ranked

7305  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of chronic kidney disease in China: a cross-sectional survey. <i>Lancet</i> , The, 2012, 379, 815-822.	13.7	1,643
2	ISPD peritonitis guideline recommendations: 2022 update on prevention and treatment. <i>Peritoneal Dialysis International</i> , 2022, 42, 110-153.	2.3	209
3	Deep sequencing of the MHC region in the Chinese population contributes to studies of complex disease. <i>Nature Genetics</i> , 2016, 48, 740-746.	21.4	188
4	Atg5-mediated autophagy deficiency in proximal tubules promotes cell cycle G <sub>2</sub> /M arrest and renal fibrosis. <i>Autophagy</i> , 2016, 12, 1472-1486.	9.1	149
5	Preventing peritoneal membrane fibrosis in peritoneal dialysis patients. <i>Kidney International</i> , 2016, 90, 515-524.	5.2	138
6	Identification of Novel Long Noncoding RNAs Associated with TGF- $\beta$ 2/Smad3-Mediated Renal Inflammation and Fibrosis by RNA Sequencing. <i>American Journal of Pathology</i> , 2014, 184, 409-417.	3.8	137
7	Long Noncoding RNA Arid2-IR Is a Novel Therapeutic Target for Renal Inflammation. <i>Molecular Therapy</i> , 2015, 23, 1034-1043.	8.2	121
8	MiR-135a promotes renal fibrosis in diabetic nephropathy by regulating TRPC1. <i>Diabetologia</i> , 2014, 57, 1726-1736.	6.3	119
9	Leptin Deficiency Shifts Mast Cells toward Anti-Inflammatory Actions and Protects Mice from Obesity and Diabetes by Polarizing M2 Macrophages. <i>Cell Metabolism</i> , 2015, 22, 1045-1058.	16.2	107
10	ATG5-mediated autophagy suppresses NF- $\kappa$ B signaling to limit epithelial inflammatory response to kidney injury. <i>Cell Death and Disease</i> , 2019, 10, 253.	6.3	105
11	Galactosylation of IgA1 Is Associated with Common Variation in C1GALT1. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2158-2166.	6.1	93
12	The impact of peritoneal dialysis-related peritonitis on mortality in peritoneal dialysis patients. <i>BMC Nephrology</i> , 2017, 18, 186.	1.8	90
13	Peritoneal Dialysis in China: Meeting the Challenge of Chronic Kidney Failure. <i>American Journal of Kidney Diseases</i> , 2015, 65, 147-151.	1.9	78
14	Drp1-mediated mitochondrial fission promotes renal fibroblast activation and fibrogenesis. <i>Cell Death and Disease</i> , 2020, 11, 29.	6.3	73
15	Relationship Between Serum Uric Acid and All-Cause and Cardiovascular Mortality in Patients Treated With Peritoneal Dialysis. <i>American Journal of Kidney Diseases</i> , 2014, 64, 257-264.	1.9	69
16	Tacrolimus Protects Podocytes from Injury in Lupus Nephritis Partly by Stabilizing the Cytoskeleton and Inhibiting Podocyte Apoptosis. <i>PLoS ONE</i> , 2015, 10, e0132724.	2.5	69
17	Serum uric acid and mortality in chronic kidney disease: A systematic review and meta-analysis. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1326-1341.	3.4	69
18	HSP72 Inhibits Smad3 Activation and Nuclear Translocation in Renal Epithelial-to-Mesenchymal Transition. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 598-609.	6.1	60

#	ARTICLE	IF	CITATIONS
19	Bardoxolone methyl (BARD) ameliorates aristolochic acid (AA)-induced acute kidney injury through Nrf2 pathway. <i>Toxicology</i> , 2014, 318, 22-31.	4.2	60
20	The Effect of Fluid Overload on Clinical Outcome in Southern Chinese Patients Undergoing Continuous Ambulatory Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2015, 35, 691-702.	2.3	60
21	Opposing Roles for Smad2 and Smad3 in Peritoneal Fibrosis in Vivo and in Vitro. <i>American Journal of Pathology</i> , 2014, 184, 2275-2284.	3.8	58
22	COX-2 mediates angiotensin II-induced (pro)renin receptor expression in the rat renal medulla. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F25-F32.	2.7	51
23	Exome-wide association study identifies four novel loci for systemic lupus erythematosus in Han Chinese population. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 417-417.	0.9	50
24	Heat Shock Protein 72 Enhances Autophagy as a Protective Mechanism in Lipopolysaccharide-Induced Peritonitis in Rats. <i>American Journal of Pathology</i> , 2011, 179, 2822-2834.	3.8	49
25	Regulatory T cells in human and angiotensin II-induced mouse abdominal aortic aneurysms. <i>Cardiovascular Research</i> , 2015, 107, 98-107.	3.8	47
26	Dialysis Care and Dialysis Funding in Asia. <i>American Journal of Kidney Diseases</i> , 2020, 75, 772-781.	1.9	43
27	An extended genome-wide association study identifies novel susceptibility loci for nasopharyngeal carcinoma. <i>Human Molecular Genetics</i> , 2016, 25, 3626-3634.	2.9	42
28	Genome-Wide Meta-Analysis Identifies Three Novel Susceptibility Loci and Reveals Ethnic Heterogeneity of Genetic Susceptibility for IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 2949-2963.	6.1	42
29	Clinical outcome and risk factors for mortality in Chinese patients with diabetes on peritoneal dialysis: A 5-year clinical cohort study. <i>Diabetes Research and Clinical Practice</i> , 2013, 100, 354-361.	2.8	41
30	Serum Potassium Levels and Its Variability in Incident Peritoneal Dialysis Patients: Associations with Mortality. <i>PLoS ONE</i> , 2014, 9, e86750.	2.5	41
31	MicroRNAs in Diabetic Kidney Disease. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-11.	1.5	41
32	<i>Escherichia Coli</i> Peritonitis in Peritoneal Dialysis: The Prevalence, Antibiotic Resistance and Clinical Outcomes in a South China Dialysis Center. <i>Peritoneal Dialysis International</i> , 2014, 34, 308-316.	2.3	39
33	Risk Factors for Early-Onset Peritonitis in Southern Chinese Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2016, 36, 640-646.	2.3	39
34	Serum uric acid and cardiovascular mortality in chronic kidney disease: a meta-analysis. <i>BMC Nephrology</i> , 2019, 20, 18.	1.8	39
35	Risk Factors for the First Episode of Peritonitis in Southern Chinese Continuous Ambulatory Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2014, 9, e107485.	2.5	37
36	High Glucose Concentrations in Peritoneal Dialysate are Associated with All-Cause and Cardiovascular Disease Mortality in Continuous Ambulatory Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2015, 35, 70-77.	2.3	36

#	ARTICLE	IF	CITATIONS
37	Low $\alpha$ -defensin gene copy number increases the risk for IgA nephropathy and renal dysfunction. <i>Science Translational Medicine</i> , 2016, 8, 345ra88.	12.4	35
38	Roles of Inflammasomes in Inflammatory Kidney Diseases. <i>Mediators of Inflammation</i> , 2019, 2019, 1-14.	3.0	34
39	TLR7 in B cells promotes renal inflammation and Gd-IgA1 synthesis in IgA nephropathy. <i>JCI Insight</i> , 2020, 5, .	5.0	33
40	Advancing the Use and Quality of Peritoneal Dialysis by Developing a Peritoneal Dialysis Satellite Center Program. <i>Peritoneal Dialysis International</i> , 2011, 31, 121-126.	2.3	32
41	Differential Roles of Cysteinyln Cathepsins in TGF- $\beta$ <sup>2</sup> Signaling and Tissue Fibrosis. <i>IScience</i> , 2019, 19, 607-622.	4.1	30
42	An increasing of red blood cell distribution width was associated with cardiovascular mortality in patients on peritoneal dialysis. <i>International Journal of Cardiology</i> , 2014, 176, 1379-1381.	1.7	28
43	Bioimpedance Guided Fluid Management in Peritoneal Dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 685-694.	4.5	28
44	Incidence and risk factors of peritoneal dialysis-related peritonitis in elderly patients: A retrospective clinical study. <i>Peritoneal Dialysis International</i> , 2020, 40, 26-33.	2.3	28
45	Urgent-start peritoneal dialysis for patients with end stage renal disease: a 10-year retrospective study. <i>BMC Nephrology</i> , 2019, 20, 238.	1.8	27
46	Gender-related differences in clinicopathological characteristics and renal outcomes of Chinese patients with IgA nephropathy. <i>BMC Nephrology</i> , 2018, 19, 31.	1.8	26
47	The Impact of Fluid Overload and Variation on Residual Renal Function in Peritoneal Dialysis Patient. <i>PLoS ONE</i> , 2016, 11, e0153115.	2.5	26
48	Platelet index levels and cardiovascular mortality in incident peritoneal dialysis patients: a cohort study. <i>Platelets</i> , 2017, 28, 576-584.	2.3	25
49	Prevalence of restless legs syndrome in chronic kidney disease: a systematic review and meta-analysis of observational studies. <i>Renal Failure</i> , 2016, 38, 1335-1346.	2.1	24
50	Clinical Outcome in Elderly Patients on Chronic Peritoneal Dialysis: A Retrospective Study from a Single Center in China. <i>Peritoneal Dialysis International</i> , 2014, 34, 299-307.	2.3	23
51	Effects of SMAD7 Overexpression on Peritoneal Inflammation in a Rat Peritoneal Dialysis Model. <i>Peritoneal Dialysis International</i> , 2007, 27, 580-588.	2.3	22
52	Association of Pulmonary Hypertension with Mortality in Incident Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2015, 35, 537-544.	2.3	22
53	Cathepsin K Deficiency Ameliorates Systemic Lupus Erythematosus-like Manifestations in <i>Fas</i> lpr Mice. <i>Journal of Immunology</i> , 2017, 198, 1846-1854.	0.8	21
54	Association Analysis of the MHC in Lupus Nephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3383-3394.	6.1	21

#	ARTICLE	IF	CITATIONS
55	Intrarenal microRNA signature related to the fibrosis process in chronic kidney disease: identification and functional validation of key miRNAs. <i>BMC Nephrology</i> , 2019, 20, 336.	1.8	21
56	Identification of Genes Associated with Smad3-dependent Renal Injury by RNA-seq-based Transcriptome Analysis. <i>Scientific Reports</i> , 2015, 5, 17901.	3.3	20
57	Identification of susceptibility locus shared by IgA nephropathy and inflammatory bowel disease in a Chinese Han population. <i>Journal of Human Genetics</i> , 2020, 65, 241-249.	2.3	20
58	Prevalence and risk factors of exit-site infection in incident peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2020, 40, 164-170.	2.3	19
59	Management of a Rapidly Growing Peritoneal Dialysis Population at the First Affiliated Hospital of Sun Yat-Sen University. <i>Peritoneal Dialysis International</i> , 2014, 34, 31-34.	2.3	18
60	Prevalence and Prognosis of Coexisting Frailty and Cognitive Impairment in Patients on Continuous Ambulatory Peritoneal Dialysis. <i>Scientific Reports</i> , 2018, 8, 17305.	3.3	18
61	Serum magnesium and cardiovascular mortality in peritoneal dialysis patients: a 5-year prospective cohort study. <i>British Journal of Nutrition</i> , 2018, 120, 415-423.	2.3	18
62	SGLT-2 inhibitors reduce glucose absorption from peritoneal dialysis solution by suppressing the activity of SGLT-2. <i>Biomedicine and Pharmacotherapy</i> , 2019, 109, 1327-1338.	5.6	18
63	Tackling Dialysis Burden around the World: A Global Challenge. <i>Kidney Diseases (Basel, Switzerland)</i> , 2021, 7, 167-175.	2.5	17
64	The Potential Role of HMGB1 Release in Peritoneal Dialysis-Related Peritonitis. <i>PLoS ONE</i> , 2013, 8, e54647.	2.5	17
65	Association of Body Mass Index and Body Mass Index Change with Mortality in Incident Peritoneal Dialysis Patients. <i>Nutrients</i> , 2015, 7, 8444-8455.	4.1	16
66	Prognostic value of inflammation-based prognostic scores on outcome in patients undergoing continuous ambulatory peritoneal dialysis. <i>BMC Nephrology</i> , 2018, 19, 297.	1.8	15
67	Uric acid to high-density lipoprotein cholesterol ratio predicts cardiovascular mortality in patients on peritoneal dialysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 561-569.	2.6	15
68	Patient characteristics and risk factors of early and late death in incident peritoneal dialysis patients. <i>Scientific Reports</i> , 2016, 6, 32359.	3.3	14
69	Peritoneal dialysis first policy in <sc>Hong Kong</sc> for 35 years: Global impact. <i>Nephrology</i> , 2022, 27, 787-794.	1.6	14
70	Bicarbonate-Based Peritoneal Dialysis Solution has Less Effect on Ingestive Behavior than Lactate-Based Peritoneal Dialysis Solution. <i>Peritoneal Dialysis International</i> , 2009, 29, 656-663.	2.3	13
71	Efficacy and safety of Cinacalcet on secondary hyperparathyroidism in Chinese chronic kidney disease patients receiving hemodialysis. <i>Hemodialysis International</i> , 2016, 20, 589-600.	0.9	13
72	CD74 Deficiency Mitigates Systemic Lupus Erythematosus-like Autoimmunity and Pathological Findings in Mice. <i>Journal of Immunology</i> , 2017, 198, 2568-2577.	0.8	13

#	ARTICLE	IF	CITATIONS
73	Nomogram for Predicting Cardiovascular Mortality in Incident Peritoneal Dialysis Patients: An Observational Study. <i>Scientific Reports</i> , 2017, 7, 13889.	3.3	13
74	The Evolving Patterns of Uremia: Unmet Clinical Needs in Dialysis. <i>Contributions To Nephrology</i> , 2017, 191, 1-7.	1.1	13
75	Association of baseline, longitudinal serum high-sensitive C-reactive protein and its change with mortality in peritoneal dialysis patients. <i>BMC Nephrology</i> , 2017, 18, 211.	1.8	13
76	Lower Phase Angle Measured by Bioelectrical Impedance Analysis Is a Marker for Increased Mortality in Incident Continuous Ambulatory Peritoneal Dialysis Patients. , 2020, 30, 119-125.		13
77	Clinical Outcomes of Remote Peritoneal Dialysis Patients: A Retrospective Cohort Study from a Single Center in China. <i>Blood Purification</i> , 2016, 41, 100-107.	1.8	12
78	Clinicopathological features and risk factors analysis of IgA nephropathy associated with acute kidney injury. <i>Renal Failure</i> , 2016, 38, 799-805.	2.1	12
79	Heat Shock Protein 72 Antagonizes STAT3 Signaling to Inhibit Fibroblast Accumulation in Renal Fibrogenesis. <i>American Journal of Pathology</i> , 2016, 186, 816-828.	3.8	12
80	Pneumonia and Mortality Risk in Continuous Ambulatory Peritoneal Dialysis Patients with Diabetic Nephropathy. <i>PLoS ONE</i> , 2013, 8, e61497.	2.5	11
81	Baseline higher peritoneal transport had been associated with worse nutritional status of incident continuous ambulatory peritoneal dialysis patients in Southern China: a 1-year prospective study. <i>British Journal of Nutrition</i> , 2015, 114, 398-405.	2.3	11
82	Possible role of mitochondrial injury in <i>Caulis Aristolochia manshuriensis</i> -induced chronic aristolochic acid nephropathy. <i>Drug and Chemical Toxicology</i> , 2017, 40, 115-124.	2.3	11
83	Role of MAPK signal pathways in differentiation process of M2 macrophages induced by high-ambient glucose and TGF- $\beta$ 1. <i>Journal of Receptor and Signal Transduction Research</i> , 2015, 35, 396-401.	2.5	10
84	Interaction between V-ATPase B2 and (Pro) renin Receptors in Promoting the progression of Renal Tubulointerstitial Fibrosis. <i>Scientific Reports</i> , 2016, 6, 25035.	3.3	10
85	Components of A Successful Peritoneal Dialysis Program. <i>Seminars in Nephrology</i> , 2017, 37, 10-16.	1.6	10
86	Hypertension Attitude PersPectives and Needs (HAPPEN): A Real-World Survey of Physicians and Patients With Hypertension in China. <i>Journal of Clinical Hypertension</i> , 2017, 19, 256-264.	2.0	10
87	Genetic study of immunoglobulin A nephropathy: From research to clinical application. <i>Nephrology</i> , 2018, 23, 26-31.	1.6	10
88	Association of ITGAX and ITGAM gene polymorphisms with susceptibility to IgA nephropathy. <i>Journal of Human Genetics</i> , 2019, 64, 927-935.	2.3	10
89	Association of Lean Body Mass Index and Peritoneal Protein Clearance in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 94-102.	2.0	10
90	Sex difference of autosomal alleles in populations of European and African descent. <i>Genes and Genomics</i> , 2015, 37, 1007-1016.	1.4	9

#	ARTICLE	IF	CITATIONS
91	Gender-specific associations of skeletal muscle mass and arterial stiffness among peritoneal dialysis patients. <i>Scientific Reports</i> , 2018, 8, 1351.	3.3	9
92	Development and Validation of Residual Kidney Function Estimating Equations in Dialysis Patients. <i>Kidney Medicine</i> , 2019, 1, 104-114.	2.0	9
93	Serum Phosphorus and Albumin in Patients Undergoing Peritoneal Dialysis: Interaction and Association With Mortality. <i>Frontiers in Medicine</i> , 2021, 8, 760394.	2.6	9
94	Heat shock protein 72 suppresses apoptosis by increasing the stability of X-linked inhibitor of apoptosis protein in renal ischemia/reperfusion injury. <i>Molecular Medicine Reports</i> , 2015, 11, 1793-1799.	2.4	8
95	The Effect of Glycated Hemoglobin and Albumin-Corrected Glycated Serum Protein on Mortality in Diabetic Patients Receiving Continuous Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2015, 35, 566-575.	2.3	8
96	Patient Survival and Technique Failure in Continuous Ambulatory Peritoneal Dialysis Patients with Prior Stroke. <i>Peritoneal Dialysis International</i> , 2016, 36, 308-314.	2.3	8
97	Very early withdrawal from treatment in patients starting peritoneal dialysis. <i>Renal Failure</i> , 2018, 40, 8-14.	2.1	8
98	Association of <i>FCRL3</i> Gene Polymorphisms with IgA Nephropathy in a Chinese Han Population. <i>DNA and Cell Biology</i> , 2019, 38, 1155-1165.	1.9	8
99	Associations between serum mineral metabolism parameters and mortality in patients on peritoneal dialysis. <i>Nephrology</i> , 2019, 24, 1148-1156.	1.6	8
100	The Association between Serum Uric Acid and Appendicular Skeletal Muscle Mass and the Effect of Their Interaction on Mortality in Patients on Peritoneal Dialysis. <i>Kidney and Blood Pressure Research</i> , 2020, 45, 969-981.	2.0	8
101	Burden of kidney disease among patients with peritoneal dialysis versus conventional in-centre haemodialysis: A randomised, non-inferiority trial. <i>Peritoneal Dialysis International</i> , 2022, 42, 246-258.	2.3	8
102	Lower plasma visceral protein concentrations are independently associated with higher mortality in patients on peritoneal dialysis. <i>British Journal of Nutrition</i> , 2015, 113, 627-633.	2.3	7
103	Patient-Doctor Contact Interval and Clinical Outcomes in Continuous Ambulatory Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2017, 45, 346-352.	3.1	7
104	High Peritoneal Transport Status Was Not Associated with Mortality in Peritoneal Dialysis Patients with Diabetes. <i>PLoS ONE</i> , 2014, 9, e110445.	2.5	7
105	Changes in Outcomes over Time among Incident Peritoneal Dialysis Patients in Southern China. <i>Peritoneal Dialysis International</i> , 2019, 39, 382-389.	2.3	6
106	Epigenome-wide association study and network analysis for IgA Nephropathy from CD19 <sup>+</sup> B-cell in Chinese Population. <i>Epigenetics</i> , 2021, 16, 1283-1294.	2.7	6
107	Vitamin D-Binding Protein Is a Potential Urinary Biomarker of Irbesartan Treatment Response in Patients with IgA Nephropathy. <i>Genetic Testing and Molecular Biomarkers</i> , 2016, 20, 666-673.	0.7	5
108	Association of left ventricular systolic dysfunction with mortality in incident peritoneal dialysis patients. <i>Nephrology</i> , 2018, 23, 927-932.	1.6	5

#	ARTICLE	IF	CITATIONS
109	ST6GAL1 polymorphisms influence susceptibility and progression of IgA nephropathy in a Chinese Han population. <i>Immunobiology</i> , 2020, 225, 151973.	1.9	5
110	Age Difference in the Association between Hyponatremia and Infection-Related Mortality in Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2020, 49, 631-640.	1.8	5
111	Changes of antibiotic resistance over time among <i>Escherichia coli</i> peritonitis in Southern China. <i>Peritoneal Dialysis International</i> , 2022, 42, 218-222.	2.3	5
112	Isolation and Propagation of Rat Peritoneal Mesothelial Cells. <i>Methods in Molecular Biology</i> , 2016, 1397, 25-34.	0.9	4
113	Increased Abundance of Plasmacytoid Dendritic Cells and Interferon-Alpha Induces Plasma Cell Differentiation in Patients of IgA Nephropathy. <i>Mediators of Inflammation</i> , 2017, 2017, 1-15.	3.0	4
114	Acetylation of HMGB1 by JNK1 Signaling Promotes LPS-Induced Peritoneal Mesothelial Cells Apoptosis. <i>BioMed Research International</i> , 2018, 2018, 1-12.	1.9	4
115	Association of Serum Uric Acid with Arterial Stiffness in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 1451-1458.	2.0	4
116	An Equation Based on Fuzzy Mathematics to Assess the Timing of Haemodialysis Initiation. <i>Scientific Reports</i> , 2019, 9, 5871.	3.3	4
117	The negative impact of depressive symptoms on patient and technique survival in peritoneal dialysis: a prospective cohort study. <i>International Urology and Nephrology</i> , 2020, 52, 2393-2401.	1.4	4
118	Infection-related hospitalization after intensive immunosuppressive therapy among lupus nephritis and ANCA glomerulonephritis patients. <i>Renal Failure</i> , 2020, 42, 474-482.	2.1	4
119	Long-Term Clinical Outcomes of Lupus Nephritis Patients Undergoing Peritoneal Dialysis: A Matched, Case-Control Study. <i>Peritoneal Dialysis International</i> , 2019, 39, 570-573.	2.3	3
120	Metabolic Syndrome and Mortality in Continuous Ambulatory Peritoneal Dialysis Patients: A 5-Year Prospective Cohort Study. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 1026-1035.	2.0	3
121	Association of body mass index and uncontrolled blood pressure with cardiovascular mortality in peritoneal dialysis patients. <i>Journal of Human Hypertension</i> , 2019, 33, 106-114.	2.2	3
122	Peritonitis Affects the Relationship Between Low-Density Lipoprotein Cholesterol and Cardiovascular Events in Peritoneal Dialysis Patients. <i>Canadian Journal of Cardiology</i> , 2020, 36, 92-99.	1.7	3
123	Roles of peritoneal clearance and residual kidney removal in control of uric acid in patients on peritoneal dialysis. <i>BMC Nephrology</i> , 2020, 21, 148.	1.8	3
124	Prevalence, risk factors and impact on outcomes of 30-day unexpected rehospitalization in incident peritoneal dialysis patients. <i>BMC Nephrology</i> , 2021, 22, 4.	1.8	3
125	Prognostic significance of hypertension at the onset of lupus nephritis in Chinese patients: prevalence and clinical outcomes. <i>Journal of Human Hypertension</i> , 2022, 36, 153-162.	2.2	3
126	Hepatitis B Virus Infection Rate and Distribution in Chinese Systemic Lupus Erythematosus Patients. <i>Medical Science Monitor</i> , 2015, 21, 1955-1959.	1.1	3



#	ARTICLE	IF	CITATIONS
127	Early initiation of PD therapy in elderly patients is associated with increased risk of death. CKJ: Clinical Kidney Journal, 2021, 14, 1649-1656.	2.9	3
128	Role of immunosuppressive therapy and predictors of therapeutic effectiveness and renal outcome in IgA nephropathy with proteinuria. Archives of Medical Science, 2015, 2, 332-339.	0.9	2
129	DQB1*060101 may contribute to susceptibility to immunoglobulin A nephropathy in southern Han Chinese. Frontiers of Medicine, 2016, 10, 507-516.	3.4	2
130	Effect of low and high HDL-C levels on the prognosis of lupus nephritis patients: a prospective cohort study. Lipids in Health and Disease, 2017, 16, 232.	3.0	2
131	Higher serum phosphorus predicts residual renal function loss in male but not female incident peritoneal dialysis patients. Journal of Nephrology, 2020, 33, 829-837.	2.0	2
132	Estimating total small solute clearance in patients treated with continuous ambulatory peritoneal dialysis without urine and dialysate collection. Peritoneal Dialysis International, 2020, 40, 84-92.	2.3	2
133	Increased risk of catheter-related infection in critically ill patients given catecholamine inotropes during continuous renal replacement therapy. Hemodialysis International, 2021, , .	0.9	2
134	Incidence and Risk Factors Associated with Technique Failure in the First Year of Peritoneal Dialysis: A Single Center Retrospective Cohort Study in Southern China. BMC Nephrology, 2022, 23, .	1.8	2
135	Should More Patients with Kidney Failure Bring Treatment Home? What We Have Learned from COVID-19. Kidney Diseases (Basel, Switzerland), 2022, 8, 357-367.	2.5	2
136	Effect of Sedative-Hypnotic Medicines on Mortality in Peritoneal Dialysis Patients with Sleep Disorders: A Retrospective Cohort Study. Blood Purification, 2018, 45, 95-101.	1.8	1
137	Remote Patient Management for Emerging Geographical Areas. Contributions To Nephrology, 2019, 197, 143-153.	1.1	1
138	Clinical, pathological characteristics and outcomes of immunoglobulin A nephropathy patients with different ages. Nephrology, 2020, 25, 906-912.	1.6	1
139	Risk factors and clinical outcomes of encapsulating peritoneal sclerosis: A case-control study from China. Peritoneal Dialysis International, 2021, , 089686082110292.	2.3	1
140	No need for an "expiry date" in chronic peritoneal dialysis to prevent encapsulating peritoneal sclerosis: comments from around the world. International Urology and Nephrology, 2010, 42, 241-2.	1.4	1
141	MP221 EFFECTS OF ISCHAEMIC CONDITIONING ON MAJOR CLINICAL OUTCOMES IN PEOPLE UNDERGOING INVASIVE PROCEDURES: A SYSTEMATIC REVIEW AND METAANALYSIS. Nephrology Dialysis Transplantation, 2016, 31, i413-i413.	0.7	0
142	History of Adverse Pregnancy on Subsequent Maternal-Fetal Outcomes in Patients with Immunoglobulin A Nephropathy: A Retrospective Cohort Study from a Chinese Single Center. Kidney Diseases (Basel, Switzerland), 2022, 8, 160-167.	2.5	0