

J Alonso

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1738310/publications.pdf>

Version: 2024-02-01

579
papers

108,635
citations

439

135
h-index

267

306
g-index

631
all docs

631
docs citations

631
times ranked

101775
citing authors

#	ARTICLE	IF	CITATIONS
1	Childhood adversities and suicidal behavior in the general population. The cross-sectional PEGASUS-Murcia Project. <i>Revista De Psiquiatría Y Salud Mental</i> , 2024, 17, 11-18.	1.0	3
2	Non-suicidal self-injury among first-year college students and its association with mental disorders: results from the World Mental Health International College Student (WMH-ICS) initiative. <i>Psychological Medicine</i> , 2023, 53, 875-886.	2.7	50
3	The Association Between Substance Use Disorder and Depression During the COVID-19 Lockdown in Spain and the Moderating Role of Social Support: a Cross-Sectional Study. <i>International Journal of Mental Health and Addiction</i> , 2023, 21, 1157-1167.	4.4	5
4	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , 2022, 52, 1948-1958.	2.7	23
5	Childhood adversities and suicidal thoughts and behaviors among first-year college students: results from the WMH-ICS initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1591-1601.	1.6	5
6	A Standard Set of Value-Based Patient-Centered Outcomes and Measures of Overall Health in Adults. <i>Patient</i> , 2022, 15, 341-351.	1.1	7
7	ADHD Comorbidity Structure and Impairment: Results of the WHO World Mental Health Surveys International College Student Project (WMH-ICS). <i>Journal of Attention Disorders</i> , 2022, 26, 1078-1096.	1.5	17
8	Suicide-related thoughts and behavior and suicide death trends during the COVID-19 in the general population of Catalonia, Spain. <i>European Neuropsychopharmacology</i> , 2022, 56, 4-12.	0.3	20
9	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. <i>International Journal of Mental Health Systems</i> , 2022, 16, 6.	1.1	3
10	Psychological impact of the COVID-19 pandemic on primary care workers: a cross-sectional study. <i>British Journal of General Practice</i> , 2022, 72, e501-e510.	0.7	17
11	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2079-2095.	1.6	7
12	Neuropsychological Symptom Identification and Classification in the Hospitalized COVID-19 Patients During the First Wave of the Pandemic in a Front-Line Spanish Tertiary Hospital. <i>Frontiers in Psychiatry</i> , 2022, 13, 838239.	1.3	1
13	The Mental Health of Employees with Job Loss and Income Loss during the COVID-19 Pandemic: The Mediating Role of Perceived Financial Stress. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3158.	1.2	41
14	Measurement properties of the EQ-5D-Y administered through a smartphone app in children with asthma: a longitudinal questionnaire study. <i>Health and Quality of Life Outcomes</i> , 2022, 20, 51.	1.0	1
15	Predictive models for first-onset and persistence of depression and anxiety among university students. <i>Journal of Affective Disorders</i> , 2022, , .	2.0	1
16	Nursing Home Workers' Mental Health During the COVID-19 Pandemic in France. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1095-1100.	1.2	8
17	Four-month incidence of suicidal thoughts and behaviors among healthcare workers after the first wave of the Spain COVID-19 pandemic. <i>Journal of Psychiatric Research</i> , 2022, 149, 10-17.	1.5	9
18	Mental impact of Covid-19 among Spanish healthcare workers. A large longitudinal survey. <i>Epidemiology and Psychiatric Sciences</i> , 2022, 31, e28.	1.8	17

#	ARTICLE	IF	CITATIONS
19	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2022, 21, 272-286.	4.8	16
20	Health Inequalities by Sexual Orientation: Results from the 2016-2017 Barcelona Health Survey. <i>LGBT Health</i> , 2022, 9, 496-511.	1.8	2
21	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2021, 51, 2104-2116.	2.7	21
22	Barriers and opportunities for the treatment of mild-to-moderate depression with a watchful waiting approach. <i>Patient Education and Counseling</i> , 2021, 104, 611-619.	1.0	2
23	Prevalence and age patterns of depression in the United Kingdom. A population-based study. <i>Journal of Affective Disorders</i> , 2021, 279, 164-172.	2.0	34
24	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, 14, 90-105.	1.0	133
25	Children's visual impairment and visual care related to socioeconomic status in Catalonia (Spain). <i>Child: Care, Health and Development</i> , 2021, 47, 94-102.	0.8	3
26	Reply to the concerns raised by McKenna and Heaney about COSMIN. <i>Journal of Medical Economics</i> , 2021, 24, 857-859.	1.0	7
27	Diagnostic promiscuity: the use of real-world data to study multimorbidity in mental health. <i>British Journal of Psychiatry</i> , 2021, 218, 237-239.	1.7	5
28	Thirty-day suicidal thoughts and behaviours in the Spanish adult general population during the first wave of the Spain COVID-19 pandemic. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e19.	1.8	32
29	Suicidality among healthcare professionals during the first COVID19 wave. <i>Journal of Affective Disorders</i> , 2021, 283, 66-70.	2.0	30
30	Perceived helpfulness of bipolar disorder treatment: Findings from the World Health Organization World Mental Health Surveys. <i>Bipolar Disorders</i> , 2021, 23, 565-583.	1.1	7
31	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021, 14, 90-105.	0.2	21
32	Mental well-being of the general population: direct and indirect effects of socioeconomic, relational and health factors. <i>Quality of Life Research</i> , 2021, 30, 2171-2185.	1.5	12
33	Validation of an Online Version of the Alcohol Use Disorders Identification Test (AUDIT) for Alcohol Screening in Spanish University Students. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5213.	1.2	5
34	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021, 288, 199-209.	2.0	9
35	Study Protocol "Coping With the Pandemics: What Works Best to Reduce Anxiety and Depressive Symptoms. <i>Frontiers in Psychiatry</i> , 2021, 12, 642763.	1.3	3
36	Acceso directo a fuentes forenses y exhaustividad de los registros oficiales de mortalidad por suicidio. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, , .	1.0	1

#	ARTICLE	IF	CITATIONS
37	The role of social support, detachment, and depressive and anxiety symptoms in suicidal thoughts and behaviours during the Covid-19 lockdown: Potential pathways. <i>Current Psychology</i> , 2021, , 1-12.	1.7	4
38	Positive screens for mental disorders among healthcare professionals during the first covid19 wave in Belgium. <i>Journal of Psychiatric Research</i> , 2021, 140, 329-336.	1.5	6
39	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021, 21, 392.	1.1	10
40	The association of detachment with affective disorder symptoms during the COVID-19 lockdown: The role of living situation and social support. <i>Journal of Affective Disorders</i> , 2021, 292, 464-470.	2.0	13
41	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 398, 870-905.	6.3	229
42	Individual and population level estimates of work loss and related economic costs due to mental and substance use disorders in Metropolitan São Paulo, Brazil. <i>Journal of Affective Disorders</i> , 2021, 296, 198-207.	2.0	4
43	Is the COVID-19 pandemic a risk factor for suicide attempts in adolescent girls?. <i>Journal of Affective Disorders</i> , 2021, 292, 139-141.	2.0	65
44	Epidemiology and costs of depressive disorder in Spain: the EPICO study. <i>European Neuropsychopharmacology</i> , 2021, 50, 93-103.	0.3	28
45	Prevalence and variability of current depressive disorder in 27 European countries: a population-based study. <i>Lancet Public Health, The</i> , 2021, 6, e729-e738.	4.7	109
46	Improving suicide surveillance systems through the use of the Patient Health Questionnaire-9.. <i>Journal of Affective Disorders</i> , 2021, 293, 71-72.	2.0	3
47	Economic impact of treatment-resistant depression: A retrospective observational study. <i>Journal of Affective Disorders</i> , 2021, 295, 578-586.	2.0	24
48	Thirty-day suicidal thoughts and behaviors among hospital workers during the first wave of the Spain COVID-19 outbreak. <i>Depression and Anxiety</i> , 2021, 38, 528-544.	2.0	70
49	Cardboard floor: about the barriers for social progression and their impact on the representativeness of epidemiological studies. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, jech-2020-214978.	2.0	3
50	Routine provision of feedback from patient-reported outcome measurements to healthcare providers and patients in clinical practice. <i>The Cochrane Library</i> , 2021, 2021, CD011589.	1.5	45
51	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 398, 1593-1618.	6.3	92
52	PHQ-8 scores and estimation of depression prevalence – Author's reply. <i>Lancet Public Health, The</i> , 2021, 6, e794.	4.7	7
53	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109158.	1.6	3
54	Pre-marital predictors of marital violence in the WHO World Mental Health (WMH) Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 393-405.	1.6	2

#	ARTICLE	IF	CITATIONS
55	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. <i>Addictive Behaviors</i> , 2020, 102, 106128.	1.7	108
56	Association of Enacted Stigma with Depressive Symptoms Among Gay and Bisexual Men Who Have Sex with Men: Baltimore, 2011 and 2014. <i>LGBT Health</i> , 2020, 7, 47-59.	1.8	10
57	Development and Validation of the Espaijove.net Mental Health Literacy (EMHL) Test for Spanish Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 72.	1.2	9
58	Global burden of 369 diseases and injuries in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1204-1222.	6.3	7,664
59	Global burden of 87 risk factors in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1223-1249.	6.3	3,928
60	Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1135-1159.	6.3	335
61	Catalonia Suicide Risk Code Epidemiology (CSRC-Epi) study: protocol for a population-representative nested caseâ€“control study of suicide attempts in Catalonia, Spain. <i>BMJ Open</i> , 2020, 10, e037365.	0.8	2
62	Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2020, 37, 972-994.	2.0	12
63	Quality of Life Benefits of Urban Rooftop Gardening for People With Intellectual Disabilities or Mental Health Disorders. <i>Preventing Chronic Disease</i> , 2020, 17, E126.	1.7	10
64	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020, , 1-10.	2.7	1
65	Sources of Stress and Their Associations With Mental Disorders Among College Students: Results of the World Health Organization World Mental Health Surveys International College Student Initiative. <i>Frontiers in Psychology</i> , 2020, 11, 1759.	1.1	103
66	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e153.	1.8	67
67	Intermittent explosive disorder subtypes in the general population: association with comorbidity, impairment and suicidality. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e138.	1.8	2
68	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1250-1284.	6.3	330
69	COSMIN Risk of Bias tool to assess the quality of studies on reliability or measurement error of outcome measurement instruments: a Delphi study. <i>BMC Medical Research Methodology</i> , 2020, 20, 293.	1.4	205
70	Accuracy of Self-Reported Items for the Screening of Depression in the General Population. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7955.	1.2	8
71	Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2020, 77, 830.	6.0	53
72	Developing a New Version of the SF-6D Health State Classification System From the SF-36v2: SF-6Dv2. <i>Medical Care</i> , 2020, 58, 557-565.	1.1	66

#	ARTICLE	IF	CITATIONS
73	Mental disorders in Spanish university students: Prevalence, age-of-onset, severe role impairment and mental health treatment.. Journal of Affective Disorders, 2020, 273, 604-613.	2.0	29
74	Hospital-at-Home as an Alternative to Release the Overload of Healthcare Systems During the Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Pandemic. Journal of the American Medical Directors Association, 2020, 21, 990-991.	1.2	5
75	The Catalonia Suicide Risk Code: A secondary prevention program for individuals at risk of suicide. Journal of Affective Disorders, 2020, 268, 201-205.	2.0	20
76	Long-Term Greenspace Exposure and Progression of Arterial Stiffness: The Whitehall II Cohort Study. Environmental Health Perspectives, 2020, 128, 67014.	2.8	20
77	Assessing the Relationship Between School Failure and Suicidal Behavior in Adolescents and Young Adults: A Systematic Review and Meta-analysis of Longitudinal Studies. School Mental Health, 2020, 12, 429-441.	1.1	11
78	The importance of physical and mental health in explaining health-related academic role impairment among college students. Journal of Psychiatric Research, 2020, 123, 54-61.	1.5	36
79	Las transiciones en el uso de alcohol en una cohorte de nacimiento-sexo en la población general: el proyecto transversal PEGASUS-Murcia. Revista De Psicología De La Salud, 2020, 32, 94.	0.2	2
80	Relationship Between Depression and the Use of Mobile Technologies and Social Media Among Adolescents: Umbrella Review. Journal of Medical Internet Research, 2020, 22, e16388.	2.1	30
81	Concordance between the diagnostic guidelines for alcohol and cannabis use disorders in the draft ICD-11 and other classification systems: analysis of data from the WHO's World Mental Health Surveys. Addiction, 2019, 114, 534-552.	1.7	36
82	Suicidal Thoughts and Behaviors: Prevalence and Association with Distal and Proximal Factors in Spanish University Students. Suicide and Life-Threatening Behavior, 2019, 49, 881-898.	0.9	30
83	Investigación traslacional en psiquiatría: el marco Research Domain Criteria (RDoC). Revista De Psiquiatría Y Salud Mental, 2019, 12, 187-195.	1.0	8
84	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. International Journal of Drug Policy, 2019, 71, 103-112.	1.6	45
85	Gender commonalities and differences in risk and protective factors of suicidal thoughts and behaviors: A cross-sectional study of Spanish university students. Depression and Anxiety, 2019, 36, 1102-1114.	2.0	14
86	Accuracy of online survey assessment of mental disorders and suicidal thoughts and behaviors in Spanish university students. Results of the WHO World Mental Health- International College Student initiative. PLoS ONE, 2019, 14, e0221529.	1.1	42
87	Long-term exposure to greenspace and metabolic syndrome: A Whitehall II study. Environmental Pollution, 2019, 255, 113231.	3.7	57
88	Lifetime and 12-month treatment for mental disorders and suicidal thoughts and behaviors among first year college students. International Journal of Methods in Psychiatric Research, 2019, 28, e1764.	1.1	119
89	First-onset and persistence of suicidal ideation in university students: A one-year follow-up study. Journal of Affective Disorders, 2019, 256, 192-204.	2.0	27
90	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.	2.3	24

#	ARTICLE	IF	CITATIONS
91	Barriers of mental health treatment utilization among first-year college students: First cross-national results from the WHO World Mental Health International College Student Initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2019, 28, e1782.	1.1	195
92	Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019, 114, 1446-1459.	1.7	27
93	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. <i>JAMA Psychiatry</i> , 2019, 76, 708.	6.0	27
94	Internalizing and externalizing symptoms and suicidal behaviour in young people: a systematic review and meta-analysis of longitudinal studies. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 5-19.	2.2	61
95	Cost-effectiveness of antidepressants versus active monitoring for mild-to-moderate major depressive disorder: a multisite non-randomized-controlled trial in primary care (INFAP study). <i>European Journal of Health Economics</i> , 2019, 20, 703-713.	1.4	6
96	Childhood adversities and 5-HTTLPR polymorphism as risk factors of substance use disorders: retrospective case-control study in Murcia (Spain). <i>BMJ Open</i> , 2019, 9, e030328.	0.8	1
97	Modification of the risk of post-traumatic stress disorder (PTSD) by the 5-HTTLPR polymorphisms after Lorca's earthquakes (Murcia, Spain).. <i>Psychiatry Research</i> , 2019, 282, 112640.	1.7	3
98	Measures of frequency used in cohorts studies to evaluate the suicidal behaviour in young people (12-26 years): A systematic review. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019, 12, 213-231.	0.2	0
99	The role impairment associated with mental disorder risk profiles in the WHO World Mental Health International College Student Initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2019, 28, e1750.	1.1	52
100	Mental disorder comorbidity and suicidal thoughts and behaviors in the World Health Organization World Mental Health Surveys International College Student initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2019, 28, e1752.	1.1	80
101	Increasing intentions to use mental health services among university students. Results of a pilot randomized controlled trial within the World Health Organization's World Mental Health International College Student Initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2019, 28, e1754.	1.1	84
102	Green and blue spaces and physical functioning in older adults: Longitudinal analyses of the Whitehall II study. <i>Environment International</i> , 2019, 122, 346-356.	4.8	81
103	Gender differences in suicidal behavior in adolescents and young adults: systematic review and meta-analysis of longitudinal studies. <i>International Journal of Public Health</i> , 2019, 64, 265-283.	1.0	360
104	Mental disorders as risk factors for suicidal behavior in young people: A meta-analysis and systematic review of longitudinal studies. <i>Journal of Affective Disorders</i> , 2019, 245, 152-162.	2.0	184
105	Gender differences in common mental disorders: a comparison of social risk factors across four European welfare regimes. <i>European Journal of Public Health</i> , 2019, 29, 481-487.	0.1	13
106	Assessing oral health-related quality of life in children and adolescents: a systematic review and standardized comparison of available instruments. <i>Clinical Oral Investigations</i> , 2019, 23, 65-79.	1.4	56
107	Medidas de frecuencia utilizadas en estudios de cohortes para evaluar el comportamiento suicida en jóvenes (12-26 años): una revisión sistemática. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 213-231.	1.0	3
108	Measurement equivalence of PROMIS depression in Spain and the United States.. <i>Psychological Assessment</i> , 2019, 31, 248-264.	1.2	11

#	ARTICLE	IF	CITATIONS
109	EuroQol (EQ-5D-5L) Validity in Assessing the Quality of Life in Adults With Asthma: Cross-Sectional Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e10178.	2.1	52
110	Measurement Properties of the Online EuroQol-5D-Youth Instrument in Children and Adolescents With Type 1 Diabetes Mellitus: Questionnaire Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e14947.	2.1	19
111	Self-esteem and suicidal behaviour in youth: A meta-analysis of longitudinal studies. <i>Psicothema</i> , 2019, 31, 246-254.	0.7	30
112	COSMIN guideline for systematic reviews of patient-reported outcome measures. <i>Quality of Life Research</i> , 2018, 27, 1147-1157.	1.5	1,600
113	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2730-2739.	2.7	27
114	Change in functioning outcomes as a predictor of the course of depression: a 12-month longitudinal study. <i>Quality of Life Research</i> , 2018, 27, 2045-2056.	1.5	4
115	Psychotic experiences and religiosity: data from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 306-315.	2.2	27
116	Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 207-219.	1.6	17
117	Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 263-273.e1.	0.3	203
118	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018, 35, 195-208.	2.0	318
119	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 279-288.	1.6	79
120	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 552-567.	1.8	47
121	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018, 113, 924-934.	1.7	56
122	COSMIN Risk of Bias checklist for systematic reviews of Patient-Reported Outcome Measures. <i>Quality of Life Research</i> , 2018, 27, 1171-1179.	1.5	1,264
123	The cross-national structure of mental disorders: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2073-2084.	2.7	46
124	COSMIN methodology for evaluating the content validity of patient-reported outcome measures: a Delphi study. <i>Quality of Life Research</i> , 2018, 27, 1159-1170.	1.5	1,020
125	Post-traumatic stress disorder associated with sexual assault among women in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 155-167.	2.7	69
126	Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2018, 48, 437-450.	2.7	28

#	ARTICLE	IF	CITATIONS
127	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. <i>Journal of Pain</i> , 2018, 19, 99-110.	0.7	32
128	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. <i>Molecular Psychiatry</i> , 2018, 23, 1892-1899.	4.1	52
129	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. <i>Psychological Medicine</i> , 2018, 48, 1560-1571.	2.7	274
130	PRM217 - THE ONLINE VERSION OF EMPRO: A NEW PLATFORM SYSTEM FOR THE STANDARDIZED APPRAISAL OF PRO INSTRUMENTS.. <i>Value in Health</i> , 2018, 21, S393.	0.1	1
131	PRM206 - THE PERIODIC SYSTEMATIC REVIEW FOR BIBLIOPRO: A DECADE OF SPANISH PATIENT-REPORTED OUTCOMES.. <i>Value in Health</i> , 2018, 21, S391.	0.1	1
132	19.1 World Health Organization World Mental Health Surveys International College Student Project (WMH-ICS): Prevalence and Distribution of Mental Disorders. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, S297.	0.3	16
133	Global, regional, and national age-sex-specific mortality and life expectancy, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1684-1735.	6.3	716
134	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1736-1788.	6.3	4,989
135	Population and fertility by age and sex for 195 countries and territories, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1995-2051.	6.3	294
136	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 2091-2138.	6.3	335
137	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1859-1922.	6.3	2,123
138	The National Institutes of Health Patient-Reported Outcomes Measurement Information System (PROMIS): a view from the UK. <i>Patient Related Outcome Measures</i> , 2018, Volume 9, 345-352.	0.7	46
139	Residential Surrounding Greenness and Cognitive Decline: A 10-Year Follow-up of the Whitehall II Cohort. <i>Environmental Health Perspectives</i> , 2018, 126, 077003.	2.8	90
140	â€œEspaiLove.netâ€• a school-based intervention programme to promote mental health and eradicate stigma in the adolescent population: study protocol for a cluster randomised controlled trial. <i>BMC Public Health</i> , 2018, 18, 939.	1.2	20
141	Head-to-head comparison between the EQ-5D-5L and the EQ-5D-3L in general population health surveys. <i>Population Health Metrics</i> , 2018, 16, 14.	1.3	27
142	Validity of the EQâ€“5Dâ€“5L and reference norms for the Spanish population. <i>Quality of Life Research</i> , 2018, 27, 2337-2348.	1.5	94
143	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018, 201, 46-53.	1.1	20
144	Severe role impairment associated with mental disorders: Results of the WHO World Mental Health Surveys International College Student Project. <i>Depression and Anxiety</i> , 2018, 35, 802-814.	2.0	122

#	ARTICLE	IF	CITATIONS
145	Effectiveness of watchful waiting versus antidepressants for patients diagnosed of mild to moderate depression in primary care: A 12-month pragmatic clinical trial (INFAP study). <i>European Psychiatry</i> , 2018, 53, 66-73.	0.1	10
146	Prevalence of major depressive disorder and association with personal and socio-economic factors. Results for Spain of the European Health Interview Survey 2014-2015. <i>Journal of Affective Disorders</i> , 2018, 239, 203-207.	2.0	47
147	La carga de enfermedad en España: resultados del Estudio de la Carga Global de las Enfermedades 2016. <i>Medicina Clínica</i> , 2018, 151, 171-190.	0.3	113
148	Impact of asthma on women and men: Comparison with the general population using the EQ-5D-5L questionnaire. <i>PLoS ONE</i> , 2018, 13, e0202624.	1.1	21
149	Validation of the Perceived Stigmatization Questionnaire for Brazilian adult burn patients. <i>PLoS ONE</i> , 2018, 13, e0190747.	1.1	10
150	Health-related quality of life inequalities by sexual orientation: Results from the Barcelona Health Interview Survey. <i>PLoS ONE</i> , 2018, 13, e0191334.	1.1	18
151	WHO World Mental Health Surveys International College Student Project: Prevalence and distribution of mental disorders.. <i>Journal of Abnormal Psychology</i> , 2018, 127, 623-638.	2.0	1,140
152	Cross-cultural adaptation and validation of the Social Comfort Questionnaire for Brazilian adult survivors of burns. <i>Quality of Life Research</i> , 2017, 26, 205-211.	1.5	4
153	The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. <i>Psychological Medicine</i> , 2017, 47, 1230-1245.	2.7	108
154	Association of DSM-IV Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017, 74, 270.	6.0	179
155	Days out of role due to common physical and mental conditions in Portugal: Results from the WHO World Mental Health Survey. <i>BJPsych Open</i> , 2017, 3, 15-21.	0.3	24
156	Sexual orientation and suicidal behaviour in adolescents and young adults: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2017, 211, 77-87.	1.7	127
157	Emerging Guidelines for Patient Engagement in Research. <i>Value in Health</i> , 2017, 20, 481-486.	0.1	144
158	The association between psychotic experiences and disability: results from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 74-84.	2.2	58
159	Fear and distress disorders as predictors of heart disease: A temporal perspective. <i>Journal of Psychosomatic Research</i> , 2017, 96, 67-75.	1.2	13
160	Posttraumatic stress disorder in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017, 47, 2260-2274.	2.7	675
161	The cross-national epidemiology of specific phobia in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017, 47, 1744-1760.	2.7	148
162	Longitudinal association between self-injurious thoughts and behaviors and suicidal behavior in adolescents and young adults: A systematic review with meta-analysis. <i>Journal of Affective Disorders</i> , 2017, 215, 37-48.	2.0	158

#	ARTICLE	IF	CITATIONS
163	Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. JAMA Psychiatry, 2017, 74, 465.	6.0	274
164	Undertreatment of people with major depressive disorder in 21 countries. British Journal of Psychiatry, 2017, 210, 119-124.	1.7	664
165	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. Depression and Anxiety, 2017, 34, 315-326.	2.0	33
166	Post-traumatic stress disorder associated with natural and human-made disasters in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 227-241.	2.7	110
167	Exposure to violence, a risk for suicide in youths and young adults. A meta-analysis of longitudinal studies. Acta Psychiatrica Scandinavica, 2017, 135, 195-211.	2.2	122
168	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. British Journal of Psychiatry, 2017, 211, 373-380.	1.7	82
169	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. World Psychiatry, 2017, 16, 299-307.	4.8	160
170	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. JAMA Psychiatry, 2017, 74, 1136.	6.0	75
171	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. British Journal of Psychiatry, 2017, 211, 280-288.	1.7	118
172	Trauma and PTSD in the WHO World Mental Health Surveys. HÅrre Utbildning, 2017, 8, 1353383.	1.4	801
173	Can Healthy Cities be made really healthy?. Lancet Public Health, The, 2017, 2, e394-e395.	4.7	21
174	Health conditions and role limitation in three European Regions: a public-health perspective. Gaceta Sanitaria, 2017, 31, 2-10.	0.6	6
175	Building bridges for innovation in ageing: Synergies between action groups of the EIP on AHA. Journal of Nutrition, Health and Aging, 2017, 21, 92-104.	1.5	47
176	Authors' reply. British Journal of Psychiatry, 2017, 211, 399-400.	1.7	0
177	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. BMC Medicine, 2017, 15, 143.	2.3	258
178	Post-Traumatic Stress Disorder and other mental disorders in the general population after Lorca's earthquakes, 2011 (Murcia, Spain): A cross-sectional study. PLoS ONE, 2017, 12, e0179690.	1.1	14
179	Chronic conditions, disability, and perceived health: Empirical support of a conceptual model. , 2017, , 155-174.		1
180	Patient-reported outcomes: pathways to better health, better services, and better societies. Quality of Life Research, 2016, 25, 1103-1112.	1.5	107

#	ARTICLE	IF	CITATIONS
181	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. <i>Schizophrenia Bulletin</i> , 2016, 42, 933-941.	2.3	94
182	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. <i>Psychological Medicine</i> , 2016, 46, 327-343.	2.7	777
183	Smoking may increase the risk of hospitalization due to influenza. <i>European Journal of Public Health</i> , 2016, 26, 882-887.	0.1	13
184	Economic evaluation of treatments for patients with localized prostate cancer in Europe: a systematic review. <i>BMC Health Services Research</i> , 2016, 16, 541.	0.9	19
185	Mental disorders among college students in the World Health Organization World Mental Health Surveys. <i>Psychological Medicine</i> , 2016, 46, 2955-2970.	2.7	866
186	Predictive models for suicidal thoughts and behaviors among Spanish University students: rationale and methods of the UNIVERSAL (University & mental health) project. <i>BMC Psychiatry</i> , 2016, 16, 122.	1.1	26
187	Association of Mental Disorders With Subsequent Chronic Physical Conditions. <i>JAMA Psychiatry</i> , 2016, 73, 150.	6.0	372
188	Screening for Depression in the General Population with the Center for Epidemiologic Studies Depression (CES-D): A Systematic Review with Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0155431.	1.1	636
189	Economic Evaluation of Health Services Costs During Pandemic Influenza A (H1N1) Pdm09 Infection in Pregnant and Non-Pregnant Women in Spain. <i>Iranian Journal of Public Health</i> , 2016, 45, 423-34.	0.3	4
190	Inequalities in Mental Health in the Spanish Autonomous Communities: A Multilevel Study. <i>Spanish Journal of Psychology</i> , 2015, 18, E27.	1.1	4
191	Prevalence of Mental Disorders in the South-East of Spain, One of the European Regions Most Affected by the Economic Crisis: The Cross-Sectional PEGASUS-Murcia Project. <i>PLoS ONE</i> , 2015, 10, e0137293.	1.1	33
192	Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015, 25, 249-254.	0.1	113
193	Psychotic Experiences in the General Population. <i>JAMA Psychiatry</i> , 2015, 72, 697.	6.0	387
194	Associations between DSM-IV mental disorders and subsequent COPD diagnosis. <i>Journal of Psychosomatic Research</i> , 2015, 79, 333-339.	1.2	12
195	Self-rated health and chronic conditions are associated with blood concentrations of persistent organic pollutants in the general population of Catalonia, Spain. <i>Environmental Research</i> , 2015, 143, 211-220.	3.7	4
196	Operational definition of Active and Healthy Ageing (AHA): A conceptual framework. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 955-960.	1.5	85
197	Gender differences in mental disorders and suicidality in Europe: Results from a large cross-sectional population-based study. <i>Journal of Affective Disorders</i> , 2015, 173, 245-254.	2.0	181
198	Estimating Preferences for Treatments in Patients With Localized Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 91, 277-287.	0.4	16

#	ARTICLE	IF	CITATIONS
199	Low functional status as a predictor of incidence of emotional disorders in the general population. <i>Quality of Life Research</i> , 2015, 24, 651-659.	1.5	5
200	Validation of clinical symptom IRT scores for diagnosis and severity assessment of common mental disorders. <i>Quality of Life Research</i> , 2015, 24, 979-992.	1.5	4
201	Increased Fundus Autofluorescence and Progression of Geographic Atrophy Secondary to Age-Related Macular Degeneration: The GAIN Study. <i>American Journal of Ophthalmology</i> , 2015, 160, 345-353.e5.	1.7	49
202	Operative definition of active and healthy ageing (AHA): Meeting report. Montpellier October 20â€™21, 2014. <i>European Geriatric Medicine</i> , 2015, 6, 196-200.	1.2	18
203	Common Chronic Conditions, Disability And Perceived Health: Empirical Support Of A Conceptual Model. <i>Value in Health</i> , 2015, 18, A112.	0.1	0
204	Suicidality and its relationship with depression, alcohol disorders and childhood experiences of violence: Results from the ESEMeD study. <i>Journal of Affective Disorders</i> , 2015, 175, 168-174.	2.0	30
205	Towards a biopsychosocial nosology of mental illness: challenges and opportunities for psychiatric epidemiology. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 301-302.	2.0	3
206	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. <i>American Journal of Psychiatry</i> , 2015, 172, 647-656.	4.0	100
207	Gender Differences in Psychotropic Use Across Europe: Results From a Large Cross-Sectional, Population-Based Study. <i>European Psychiatry</i> , 2015, 30, 778-788.	0.1	47
208	Days out of role due to mental and physical illness in the South African stress and health study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 461-468.	1.6	27
209	DETECTION OF ANXIETY DISORDERS IN PRIMARY CARE: A META-ANALYSIS OF ASSISTED AND UNASSISTED DIAGNOSES. <i>Depression and Anxiety</i> , 2015, 32, 471-484.	2.0	41
210	Association between traumatic events and post-traumatic stress disorder: results from the ESEMeD-Spain study. <i>Epidemiology and Psychiatric Sciences</i> , 2015, 24, 172-183.	1.8	35
211	Factors influencing publication of scientific articles derived from masters theses in public health. <i>International Journal of Public Health</i> , 2015, 60, 495-504.	1.0	17
212	Operational Definition of Active and Healthy Aging (AHA): The European Innovation Partnership (EIP) on AHA Reference Site Questionnaire: Montpellier October 20â€™21, 2014, Lisbon July 2, 2015. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 1020-1026.	1.2	33
213	Testing the PROMIS Â® Depression measures for monitoring depression Â in a clinical sample outside the US. <i>Journal of Psychiatric Research</i> , 2015, 68, 140-150.	1.5	33
214	Asking patients about their general level of functioning: Is IT worth IT for common mental disorders?. <i>Psychiatry Research</i> , 2015, 229, 791-800.	1.7	6
215	Diagnostic accuracy and adequacy of treatment of depressive and anxiety disorders: A comparison of primary care and specialized care patients. <i>Journal of Affective Disorders</i> , 2015, 172, 462-471.	2.0	15
216	Quality of life in patients with nonâ€™muscle-invasive bladder cancer: One-year results of a multicentre prospective cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 19.e7-19.e15.	0.8	40

#	ARTICLE	IF	CITATIONS
217	Subthreshold Posttraumatic Stress Disorder in the World Health Organization World Mental Health Surveys. <i>Biological Psychiatry</i> , 2015, 77, 375-384.	0.7	197
218	Negative socioeconomic changes and mental disorders: a longitudinal study. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 55-62.	2.0	37
219	Pandemic Influenza A (H1N1) Infection in Pregnant and Nonpregnant Women in Spain (2009–2010). <i>Japanese Journal of Infectious Diseases</i> , 2014, 67, 163-171.	0.5	5
220	Cost of Disorders of the Brain in Spain. <i>PLoS ONE</i> , 2014, 9, e105471.	1.1	58
221	Are there gender differences in service use for mental disorders across countries in the European Union? Results from the EU-World Mental Health survey. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 649-656.	2.0	57
222	Differential item and test functioning methodology indicated that item response bias was not a substantial cause of country differences in mental well-being. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1364-1374.	2.4	8
223	DSM-5 AND ICD-11 DEFINITIONS OF POSTTRAUMATIC STRESS DISORDER: INVESTIGATING "NARROW" AND "BROAD" APPROACHES. <i>Depression and Anxiety</i> , 2014, 31, 494-505.	2.0	161
224	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. <i>Psycho-Oncology</i> , 2014, 23, 40-51.	1.0	87
225	A Factor Mixture Model for Multivariate Survival Data: An Application to the Analysis of Lifetime Mental Disorders. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2014, 63, 85-102.	0.5	6
226	A comparative analysis of role attainment and impairment in binge-eating disorder and bulimia nervosa: results from the WHO World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 27-41.	1.8	46
227	Long-acting beta-agonists plus inhaled corticosteroids safety: a systematic review and meta-analysis of non-randomized studies. <i>Respiratory Research</i> , 2014, 15, 83.	1.4	9
228	Reappraisal of Geographic Atrophy Patterns Seen on Fundus Autofluorescence Using a Latent Class Analysis Approach. <i>Investigative Ophthalmology and Visual Science</i> , 2014, 55, 8302-8308.	3.3	8
229	Barriers to mental health treatment: results from the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2014, 44, 1303-1317.	2.7	825
230	Mood and anxiety disorders across the adult lifespan: a European perspective. <i>Psychological Medicine</i> , 2014, 44, 707-722.	2.7	13
231	The effects of co-morbidity in defining major depression subtypes associated with long-term course and severity. <i>Psychological Medicine</i> , 2014, 44, 3289-3302.	2.7	25
232	Associations between mental disorders and subsequent onset of hypertension. <i>General Hospital Psychiatry</i> , 2014, 36, 142-149.	1.2	102
233	Socioeconomic inequalities in mental health and health-related quality of life (HRQOL) in children and adolescents from 11 European countries. <i>International Journal of Public Health</i> , 2014, 59, 95-105.	1.0	82
234	Assessing health-related quality of life in patients with heart failure: a systematic, standardized comparison of available measures. <i>Heart Failure Reviews</i> , 2014, 19, 359-367.	1.7	141

#	ARTICLE	IF	CITATIONS
235	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. <i>Diabetologia</i> , 2014, 57, 699-709.	2.9	69
236	Bladder cancer index: cross-cultural adaptation into Spanish and psychometric evaluation. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 20.	1.0	20
237	Pandemic Influenza A (H1N1) in Non-vaccinated, Pregnant Women in Spain (2009-2010). <i>Maternal and Child Health Journal</i> , 2014, 18, 1454-1461.	0.7	3
238	Evaluation of shoulder-specific patient-reported outcome measures: a systematic and standardized comparison of available evidence. <i>Journal of Shoulder and Elbow Surgery</i> , 2014, 23, 434-444.	1.2	127
239	Diagnosing Anxiety Disorders in Primary Care: a Systematic Review and Meta-Analysis. <i>Value in Health</i> , 2014, 17, A325.	0.1	0
240	Obtaining Indirect Utilities with the Sf-6d and the Porpus-U in Prostate Cancer Patients. <i>Value in Health</i> , 2014, 17, A646.	0.1	0
241	Association between mental disorders and subsequent adult onset asthma. <i>Journal of Psychiatric Research</i> , 2014, 59, 179-188.	1.5	58
242	The Spanish version of the Warwick-Edinburgh Mental Well-Being Scale (WEMWBS) is valid for use in the general population. <i>Quality of Life Research</i> , 2014, 23, 857-868.	1.5	60
243	Assessing quality of life in patients with prostate cancer: a systematic and standardized comparison of available instruments. <i>Quality of Life Research</i> , 2014, 23, 2169-2181.	1.5	56
244	Adaptation and validation of the Spanish version of the Patient-Oriented Prostate Utility Scale (PORPUS). <i>Quality of Life Research</i> , 2014, 23, 2481-2487.	1.5	3
245	Associations between DSM-IV mental disorders and subsequent self-reported diagnosis of cancer. <i>Journal of Psychosomatic Research</i> , 2014, 76, 207-212.	1.2	25
246	Risk factors and effectiveness of preventive measures against influenza in the community. <i>Influenza and Other Respiratory Viruses</i> , 2013, 7, 177-183.	1.5	25
247	Parent-child agreement on health-related quality of life (HRQOL): a longitudinal study. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 101.	1.0	103
248	Adaptation into Spanish of the Warwick-Edinburgh Mental Well-being Scale (WEMWBS) and preliminary validation in a student sample. <i>Quality of Life Research</i> , 2013, 22, 1099-1104.	1.5	58
249	Environmental risk and protective factors of adolescents' and youths' mental health: differences between parents' appraisal and self-reports. <i>Quality of Life Research</i> , 2013, 22, 613-622.	1.5	4
250	Evidence on the global measurement model of the Minnesota Living with Heart Failure Questionnaire. <i>Quality of Life Research</i> , 2013, 22, 2675-2684.	1.5	38
251	Association of childhood adversities with the first onset of mental disorders in Spain: results from the ESEMeD project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 371-384.	1.6	12
252	Social factors related to the clinical severity of influenza cases in Spain during the A (H1N1) 2009 virus pandemic. <i>BMC Public Health</i> , 2013, 13, 118.	1.2	20

#	ARTICLE	IF	CITATIONS
253	Predictors of the use of healthcare services in children and adolescents in Spain. <i>International Journal of Public Health</i> , 2013, 58, 207-215.	1.0	8
254	Quality of life impact of treatments for localized prostate cancer: Cohort study with a 5year follow-up. <i>Radiotherapy and Oncology</i> , 2013, 108, 306-313.	0.3	72
255	Associations between DSM-IV mental disorders and subsequent heart disease onset: Beyond depression. <i>International Journal of Cardiology</i> , 2013, 168, 5293-5299.	0.8	65
256	The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013, 73, 904-914.	0.7	1,025
257	The Mental Component of the Short-Form 12 Health Survey (SF-12) as a Measure of Depressive Disorders in the General Population: Results with Three Alternative Scoring Methods. <i>Value in Health</i> , 2013, 16, 564-573.	0.1	187
258	The case for an international patient-reported outcomes measurement information system (PROMISÂ®) initiative. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 210.	1.0	127
259	Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 137-149.	1.6	44
260	Social inequalities in mental health: results from the EU contribution to the World Mental Health Surveys Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 173-181.	1.6	53
261	Multidimensional item response theory models yielded good fit and reliable scores for the Short Form-12 questionnaire. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 790-801.	2.4	36
262	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. <i>Journal of Psychosomatic Research</i> , 2013, 75, 121-127.	1.2	20
263	Cross-Cultural Adaptation and Validation of the Brazilian Version of the Wisconsin Brief Pain Questionnaire. <i>Journal of Pain and Symptom Management</i> , 2013, 46, 121-130.	0.6	10
264	Optical Coherence Tomography Assessment of Apparent Foveal Swelling in Patients with Foveal Sparing Secondary to Geographic Atrophy. <i>Ophthalmology</i> , 2013, 120, 829-836.	2.5	10
265	Cultural adaptation of the Latin American version of the World Health Organization Composite International Diagnostic Interview (WHO-CIDI) (v 3.0) for use in Spain. <i>Gaceta Sanitaria</i> , 2013, 27, 325-331.	0.6	32
266	Effects of common mental disorders and physical conditions on role functioning in Spain. <i>Gaceta Sanitaria</i> , 2013, 27, 480-486.	0.6	5
267	Drop out from out-patient mental healthcare in the World Health Organization's World Mental Health Survey initiative. <i>British Journal of Psychiatry</i> , 2013, 202, 42-49.	1.7	67
268	Epidemiology and genetics of common mental disorders in the general population: the PEGASUS-Murcia project. <i>BMJ Open</i> , 2013, 3, e004035.	0.8	10
269	Inequalities in the Use of Services Provided by Psychiatrists in Spain: A Multilevel Study. <i>Psychiatric Services</i> , 2013, 64, 901-907.	1.1	0
270	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. <i>Psychological Medicine</i> , 2013, 43, 865-879.	2.7	68

#	ARTICLE	IF	CITATIONS
271	IRRITABLE MOOD IN ADULT MAJOR DEPRESSIVE DISORDER: RESULTS FROM THE WORLD MENTAL HEALTH SURVEYS. <i>Depression and Anxiety</i> , 2013, 30, 395-406.	2.0	15
272	Different prognosis in hospitalized patients with influenza one season after the pandemic <sc>H</sc>1<sc>N</sc>1 influenza of 2009â€“2010 in <sc>S</sc>pain. <i>Influenza and Other Respiratory Viruses</i> , 2013, 7, 1336-1342.	1.5	6
273	IS ADHD IN CHILDHOOD ASSOCIATED WITH LIFETIME HOARDING SYMPTOMS? AN EPIDEMIOLOGICAL STUDY. <i>Depression and Anxiety</i> , 2013, 30, 741-748.	2.0	41
274	Embarrassment when illness strikes a close relative: a World Mental Health Survey Consortium Multi-Site Study. <i>Psychological Medicine</i> , 2013, 43, 2191-2202.	2.7	23
275	Gender differences in mental health expectancies in early- and midlife in six European countries. <i>British Journal of Psychiatry</i> , 2013, 202, 294-300.	1.7	13
276	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 115-125.	0.9	76
277	Days out-of-role due to common physical and mental health problems: Results from the SÃ£o Paulo Megacity Mental Health Survey, Brazil. <i>Clinics</i> , 2013, 68, 1392-1399.	0.6	20
278	Impact of Influenza on Health-Related Quality of Life among Confirmed (H1N1)2009 Patients. <i>PLoS ONE</i> , 2013, 8, e60477.	1.1	51
279	Disability Mediates the Impact of Common Conditions on Perceived Health. <i>PLoS ONE</i> , 2013, 8, e65858.	1.1	27
280	Meta-Analyses of the 5-HTTLPR Polymorphisms and Post-Traumatic Stress Disorder. <i>PLoS ONE</i> , 2013, 8, e66227.	1.1	54
281	Associations between Lifetime Traumatic Events and Subsequent Chronic Physical Conditions: A Cross-National, Cross-Sectional Study. <i>PLoS ONE</i> , 2013, 8, e80573.	1.1	119
282	Role of common mental and physical disorders in partial disability around the world. <i>British Journal of Psychiatry</i> , 2012, 200, 454-461.	1.7	77
283	Prognosis of hospitalized patients with 2009 H1N1 influenza in Spain: influence of neuraminidase inhibitors. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 1739-1745.	1.3	19
284	Association between annual earnings and mental disorders in Spain: individual and societal-level estimates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1717-1725.	1.6	6
285	Score to identify the severity of adult patients with influenza A (H1N1) 2009 virus infection at hospital admission. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012, 31, 2693-2701.	1.3	9
286	Methodology and reporting of systematic reviews and meta-analyses of observational studies in psychiatric epidemiology: Systematic review. <i>British Journal of Psychiatry</i> , 2012, 200, 446-453.	1.7	38
287	Effectiveness of pandemic and seasonal influenza vaccines in preventing pandemic influenza-associated hospitalization. <i>Vaccine</i> , 2012, 30, 5644-5650.	1.7	10
288	Early-Life Mental Disorders and Adult Household Income in the World Mental Health Surveys. <i>Biological Psychiatry</i> , 2012, 72, 228-237.	0.7	114

#	ARTICLE	IF	CITATIONS
289	Comorbidity of major depressive episode and chronic physical conditions in Spain, a country with low prevalence of depression. <i>General Hospital Psychiatry</i> , 2012, 34, 510-517.	1.2	20
290	PHS17 Costs of Influenza A(H1N1)2009 Infection During the Pandemic and the Postpandemic-Seasonal Waves. <i>Value in Health</i> , 2012, 15, A520-A521.	0.1	3
291	Health Services Utilization, Work Absenteeism and Costs of Pandemic Influenza A (H1N1) 2009 in Spain: A Multicenter-Longitudinal Study. <i>PLoS ONE</i> , 2012, 7, e31696.	1.1	39
292	Sociodemographic Factors and Clinical Conditions Associated to Hospitalization in Influenza A (H1N1) 2009 Virus Infected Patients in Spain, 2009-2010. <i>PLoS ONE</i> , 2012, 7, e33139.	1.1	20
293	COMORBIDITY AND DISEASE BURDEN IN THE NATIONAL COMORBIDITY SURVEY REPLICATION (NCS-R). <i>Depression and Anxiety</i> , 2012, 29, 797-806.	2.0	162
294	Reliability and validity of the Spanish version of the Child Health and Illness Profile Child-Edition/Child Report Form (CHIP-CE/CRF). <i>Quality of Life Research</i> , 2012, 21, 909-914.	1.5	9
295	Intra and interobserver agreement in the classification of fundus autofluorescence patterns in geographic atrophy secondary to age-related macular degeneration. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2012, 250, 485-490.	1.0	13
296	Effectiveness of hand hygiene and provision of information in preventing influenza cases requiring hospitalization. <i>Preventive Medicine</i> , 2012, 54, 434-439.	1.6	52
297	Burden of Mental Disorders based on the World Mental Health Surveys. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 7-11.	0.9	11
298	PC4 Health Services Utilization, Work absenteeism and Costs of Pandemic influenza A (H1N1). <i>Value in Health</i> , 2011, 14, A236.	0.1	0
299	PIN95 The Impact of Influenza on In- and Outpatients' Health related Quality of Life During the Pandemic Season 2009-2010 in Spain. <i>Value in Health</i> , 2011, 14, A283.	0.1	0
300	PIH43 Changes in Health-Related Behaviours and their Impact on Academic Achievement and Health-Related Quality of Life (HRQOL) Among Spanish Adolescents. <i>Value in Health</i> , 2011, 14, A405.	0.1	0
301	PIH44 Health-Related Quality of Life for Patients with Chronic Conditions: Revealing the Profile of Burden Associated with Co-Morbid Physical and Mental Conditions in Respondents from Five European Countries. <i>Value in Health</i> , 2011, 14, A405.	0.1	0
302	Cross-national epidemiology of DSM-IV major depressive episode. <i>BMC Medicine</i> , 2011, 9, 90.	2.3	1,541
303	The International Classification of Functioning, Disability and Health: development of capacity and performance scales. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 1400-1411.	2.4	28
304	Relationship Between Life Events and Psychosomatic Complaints During Adolescence/Youth: A Structural Equation Model Approach. <i>Journal of Adolescent Health</i> , 2011, 49, 199-205.	1.2	20
305	Cost of disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011, 21, 718-779.	0.3	1,253
306	The size and burden of mental disorders and other disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011, 21, 655-679.	0.3	2,930

#	ARTICLE	IF	CITATIONS
307	Update on Geographic Atrophy in Age-Related Macular Degeneration. <i>Optometry and Vision Science</i> , 2011, 88, 881-889.	0.6	29
308	Factors Associated With Use of Psychiatrists and Nonpsychiatrist Providers by ESEMeD Respondents in Six European Countries. <i>Psychiatric Services</i> , 2011, 62, 143-151.	1.1	20
309	Reliability and validity of the Impact of Event Scale (IES): version for Brazilian burn victims. <i>Journal of Clinical Nursing</i> , 2011, 20, 1588-1597.	1.4	12
310	A multinational study of mental disorders, marriage, and divorce. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 474-486.	2.2	143
311	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. <i>Molecular Psychiatry</i> , 2011, 16, 1234-1246.	4.1	360
312	Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. <i>Molecular Psychiatry</i> , 2011, 16, 1221-1233.	4.1	74
313	Reliability and validity of the Brazilian-Portuguese version of the Burns Specific Pain Anxiety Scale (BSPAS). <i>International Journal of Nursing Studies</i> , 2011, 48, 47-55.	2.5	10
314	Reliability and validity of the Spanish version of the TAPQOL: A health-related quality of life (HRQOL) instrument for 1- to 5-year-old children. <i>International Journal of Nursing Studies</i> , 2011, 48, 549-556.	2.5	25
315	Prevalence and correlates of respiratory and non-respiratory panic attacks in the general population. <i>Journal of Affective Disorders</i> , 2011, 131, 330-338.	2.0	8
316	High and low suicidality in Europe: A fine-grained comparison of France and Spain within the ESEMeD surveys. <i>Journal of Affective Disorders</i> , 2011, 133, 247-256.	2.0	36
317	Dropping out of mental health treatment among patients with depression and anxiety by type of provider: results of the European Study of the Epidemiology of Mental Disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 273-280.	1.6	19
318	Measurement and description of underlying dimensions of comorbid mental disorders using Factor Mixture Models: results of the ESEMeD project. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, 116-133.	1.1	7
319	Use of Primary and Specialized Mental Health Care for a Major Depressive Episode in Spain by ESEMeD Respondents. <i>Psychiatric Services</i> , 2011, 62, 152-161.	1.1	40
320	Development of Lifetime Comorbidity in the World Health Organization World Mental Health Surveys. <i>Archives of General Psychiatry</i> , 2011, 68, 90.	13.8	410
321	Including information about co-morbidity in estimates of disease burden: results from the World Health Organization World Mental Health Surveys. <i>Psychological Medicine</i> , 2011, 41, 873-886.	2.7	49
322	Treatment of suicidal people around the world. <i>British Journal of Psychiatry</i> , 2011, 199, 64-70.	1.7	289
323	Tackling Neglect and Mental Health Reform in a Devolved System of Welfare Governance. <i>Journal of Social Policy</i> , 2011, 40, 295-312.	0.8	25
324	Childhood adversities as risk factors for onset and persistence of suicidal behaviour. <i>British Journal of Psychiatry</i> , 2010, 197, 20-27.	1.7	278

#	ARTICLE	IF	CITATIONS
325	Validity of the Spanish 8-item Short-form Generic Health-related Quality-of-Life Questionnaire in Surgical Patients. <i>Anesthesiology</i> , 2010, 112, 1164-1174.	1.3	22
326	Seeking Help for Mental Health Problems outside the Conventional Health Care System: Results from the European Study of the Epidemiology of Mental Disorders (ESEMeD). <i>Canadian Journal of Psychiatry</i> , 2010, 55, 586-597.	0.9	10
327	Are attitudes towards mental health help-seeking associated with service use? Results from the European Study of Epidemiology of Mental Disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 153-163.	1.6	212
328	Religious advisors' role in mental health care in the European Study of the Epidemiology of Mental Disorders survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 989-998.	1.6	12
329	The COSMIN checklist for assessing the methodological quality of studies on measurement properties of health status measurement instruments: an international Delphi study. <i>Quality of Life Research</i> , 2010, 19, 539-549.	1.5	2,751
330	Discriminative capacity of the EQ-5D, SF-6D, and SF-12 as measures of health status in population health survey. <i>Quality of Life Research</i> , 2010, 19, 853-864.	1.5	96
331	The COSMIN checklist for evaluating the methodological quality of studies on measurement properties: A clarification of its content. <i>BMC Medical Research Methodology</i> , 2010, 10, 22.	1.4	1,178
332	Inter-rater agreement and reliability of the COSMIN (CONsensus-based Standards for the selection of) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.4	218
333	Validation of the "World Health Organization Disability Assessment Schedule, WHODAS-2" in patients with chronic diseases. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 51.	1.0	318
334	Impact of recent life events on the health related quality of life of adolescents and youths: the role of gender and life events typologies in a follow-up study. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 71.	1.0	34
335	Epidemiology of major depressive episode in a southern European country: Results from the ESEMeD-Spain project. <i>Journal of Affective Disorders</i> , 2010, 120, 76-85.	2.0	98
336	Functional disability as an explanation of the associations between chronic physical conditions and 12-month major depressive episode. <i>Journal of Affective Disorders</i> , 2010, 124, 38-44.	2.0	33
337	Obsessive-compulsive symptom dimensions in the general population: Results from an epidemiological study in six European countries. <i>Journal of Affective Disorders</i> , 2010, 124, 291-299.	2.0	105
338	Subtyping social anxiety disorder in developed and developing countries. <i>Depression and Anxiety</i> , 2010, 27, 390-403.	2.0	52
339	Reliability and validity of the Spanish version of the Child Health and Illness Profile (CHIP) Child-Edition, Parent Report Form (CHIP-CE/PRF). <i>Health and Quality of Life Outcomes</i> , 2010, 8, 78.	1.0	15
340	Discrimination between moderate and severe disease may be used in patients with either treated or untreated allergic rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010, 65, 1609-1613.	2.7	21
341	Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. <i>PLoS ONE</i> , 2010, 5, e10574.	1.1	273
342	Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1617-1628.	1.1	566

#	ARTICLE	IF	CITATIONS
343	Quality-of-Life Impact of Primary Treatments for Localized Prostate Cancer in Patients Without Hormonal Treatment. <i>Journal of Clinical Oncology</i> , 2010, 28, 4687-4696.	0.8	184
344	Smoking estimates from around the world: data from the first 17 participating countries in the World Mental Health Survey Consortium. <i>Tobacco Control</i> , 2010, 19, 65-74.	1.8	31
345	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2010, 197, 378-385.	1.7	1,854
346	Setting priorities in clinical and health services research: Properties of an adapted and updated method. <i>International Journal of Technology Assessment in Health Care</i> , 2010, 26, 217-224.	0.2	13
347	Integrating research into policy planning: MHADIE policy recommendations. <i>Disability and Rehabilitation</i> , 2010, 32, S139-S147.	0.9	15
348	Development and validation of the WHO self-assessment tool for health promotion in hospitals: results of a study in 38 hospitals in eight countries. <i>Health Promotion International</i> , 2010, 25, 221-229.	0.9	29
349	The Role of Criterion A2 in the DSM-IV Diagnosis of Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2010, 68, 465-473.	0.7	80
350	Health status of the advanced elderly in six european countries: results from a representative survey using EQ-5D and SF-12. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 143.	1.0	98
351	Validation of a computer-adaptive test to evaluate generic health-related quality of life. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 147.	1.0	13
352	The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 737-745.	2.4	2,945
353	Evaluating the drug use "gateway" theory using cross-national data: Consistency and associations of the order of initiation of drug use among participants in the WHO World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2010, 108, 84-97.	1.6	228
354	Brief report: The KIDSCREEN follow-up study on Health-related Quality of Life (HRQoL) in Spanish children and adolescents. Pilot test and representativeness. <i>Journal of Adolescence</i> , 2010, 33, 227-231.	1.2	14
355	Calidad de vida relacionada con la salud y otros resultados percibidos por los pacientes. , 2010, , 249-263.		0
356	Evaluating mental health care and policy in Spain. <i>Journal of Mental Health Policy and Economics</i> , 2010, 13, 73-86.	0.6	33
357	Severity of Dependence Scale as a Diagnostic Tool for Heroin and Cocaine Dependence. <i>European Addiction Research</i> , 2009, 15, 87-93.	1.3	44
358	Implications of modifying the duration requirement of generalized anxiety disorder in developed and developing countries. <i>Psychological Medicine</i> , 2009, 39, 1163.	2.7	41
359	Is patient-centredness in European hospitals related to existing quality improvement strategies? Analysis of a cross-sectional survey (MARQuIS study). <i>Quality and Safety in Health Care</i> , 2009, 18, i44-i50.	2.5	53
360	Being Bullied: Associated Factors in Children and Adolescents 8 to 18 Years Old in 11 European Countries. <i>Pediatrics</i> , 2009, 123, 569-577.	1.0	186

#	ARTICLE	IF	CITATIONS
361	The global burden of mental disorders: An update from the WHO World Mental Health (WMH) Surveys. <i>Epidemiologia E Psichiatria Sociale</i> , 2009, 18, 23-33.	1.0	1,412
362	The epidemiology of eating disorders in six European countries: Results of the ESEMeD-WMH project. <i>Journal of Psychiatric Research</i> , 2009, 43, 1125-1132.	1.5	373
363	Suicide ideation across reproductive life cycle of women Results from a European epidemiological study. <i>Journal of Affective Disorders</i> , 2009, 116, 144-147.	2.0	31
364	Pain and depression in older people: Comorbidity and patterns of help seeking. <i>Journal of Affective Disorders</i> , 2009, 117, 193-196.	2.0	43
365	Perceived stigma among individuals with common mental disorders. <i>Journal of Affective Disorders</i> , 2009, 118, 180-186.	2.0	152
366	Disease-specific health-related quality of life questionnaires for heart failure: a systematic review with meta-analyses. <i>Quality of Life Research</i> , 2009, 18, 71-85.	1.5	153
367	Evaluation of the methodological quality of systematic reviews of health status measurement instruments. <i>Quality of Life Research</i> , 2009, 18, 313-333.	1.5	146
368	The utilization of dental care services according to health insurance coverage in Catalonia (Spain). <i>Community Dentistry and Oral Epidemiology</i> , 2009, 37, 78-84.	0.9	34
369	Principles and methodology for translation and cross-cultural adaptation of the Nordic Occupational Skin Questionnaire (NOSQ-2002) to Spanish and Catalan. <i>Contact Dermatitis</i> , 2009, 61, 109-116.	0.8	18
370	Health-Related Quality of Life (HRQL) and Continuous Antipsychotic Treatment: 3-year Results from the Schizophrenia Health Outcomes (SOHO) Study. <i>Value in Health</i> , 2009, 12, 536-543.	0.1	51
371	Comparison of Different Valuation Methods for Population Health Status Measured by the EQ-5D in Three European Countries. <i>Value in Health</i> , 2009, 12, 750-758.	0.1	78
372	Is it always the same? Variability of depressive symptoms across six European countries. <i>Psychiatry Research</i> , 2009, 168, 137-144.	1.7	19
373	Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load. <i>Pain</i> , 2009, 143, 76-83.	2.0	82
374	Religion and Spiritual Advice as Surrogate Care Provision for Mental Health Problems in the ESEMED Survey. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
375	Effect on Health-related Quality of Life of changes in mental health in children and adolescents. <i>Health and Quality of Life Outcomes</i> , 2009, 7, 103.	1.0	47
376	PCV142 ASSESSING THE QUALITY OF QUALITY OF LIFE MEASURES IN HEART FAILURE: A COMPARISON OF AVAILABLE INSTRUMENTS. <i>Value in Health</i> , 2009, 12, A340.	0.1	0
377	Correlates of Use of Health Care Services by Children and Adolescents From 11 European Countries. <i>Medical Care</i> , 2009, 47, 161-167.	1.1	32
378	Comparison of Population Health Status in Six European Countries. <i>Medical Care</i> , 2009, 47, 255-261.	1.1	191

#	ARTICLE	IF	CITATIONS
379	Perceived Need for Mental Health Care and Service Use Among Adults in Western Europe: Results of the ESEMeD Project. <i>Psychiatric Services</i> , 2009, 60, 1051-1058.	1.1	68
380	Mental health physical co-morbidity and its relationship with disability: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2009, 39, 33-43.	2.7	239
381	The WHO World Mental Health (WMH) Surveys. <i>Psychiatrie (Stuttgart, Germany)</i> , 2009, 6, 5-9.	0.0	59
382	The impact of measuring patient-reported outcomes in clinical practice: a systematic review of the literature. <i>Quality of Life Research</i> , 2008, 17, 179-193.	1.5	616
383	The adaptation into Spanish of the Coddington Life Events Scales (CLES). <i>Quality of Life Research</i> , 2008, 17, 447-452.	1.5	11
384	A relevant study was missed in our systematic review on the impact of patient-reported outcomes in clinical practice. <i>Quality of Life Research</i> , 2008, 17, 965-966.	1.5	0
385	Health-related quality of life in young cocaine users and associated factors. <i>Quality of Life Research</i> , 2008, 17, 977-985.	1.5	32
386	Patient reported outcome measures: a model-based classification system for research and clinical practice. <i>Quality of Life Research</i> , 2008, 17, 1125-1135.	1.5	236
387	Changes in health-related quality of life (HRQoL) in a population-based sample of children and adolescents after 3 years of follow-up. <i>Quality of Life Research</i> , 2008, 17, 1207-1215.	1.5	73
388	Adverse parenting as a risk factor in the occurrence of anxiety disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 266-272.	1.6	36
389	Psychometric properties of the World Health Organization Disability Assessment Schedule used in the European Study of the Epidemiology of Mental Disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 185-197.	1.1	49
390	Main traumatic events in Europe: PTSD in the European study of the epidemiology of mental disorders survey. <i>Journal of Traumatic Stress</i> , 2008, 21, 455-462.	1.0	218
391	Association of perceived stigma and mood and anxiety disorders: results from the World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 305-314.	2.2	182
392	Mediators of the association between depression and role functioning. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 451-458.	2.2	115
393	Obesity and mental disorders in the general population: results from the world mental health surveys. <i>International Journal of Obesity</i> , 2008, 32, 192-200.	1.6	348
394	Validity of the Health Profile-Types of the Spanish Child Health and Illness Profile-Adolescent Edition (CHIP-AE). <i>Value in Health</i> , 2008, 11, 440-449.	0.1	12
395	Health-Related Quality of Life Measurement in Children and Adolescents: A Systematic Review of Generic and Disease-Specific Instruments. <i>Value in Health</i> , 2008, 11, 742-764.	0.1	470
396	Development of EMPRO: A Tool for the Standardized Assessment of Patient-Reported Outcome Measures. <i>Value in Health</i> , 2008, 11, 700-708.	0.1	166

#	ARTICLE	IF	CITATIONS
397	Quality of life and asthma severity in general population asthmatics: results of the ECRHS II study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008, 63, 547-554.	2.7	86
398	Comorbid painful physical symptoms and anxiety: Prevalence, work loss and help-seeking. <i>Journal of Affective Disorders</i> , 2008, 109, 264-272.	2.0	23
399	Clinical factors influencing the prescription of antidepressants and benzodiazepines. <i>Journal of Affective Disorders</i> , 2008, 110, 84-93.	2.0	128
400	Validation of the Spanish Version of the Minnesota Living With Heart Failure Questionnaire. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 251-259.	0.4	25
401	Composite Endpoints in Clinical Trials. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 283-290.	0.4	8
402	Mental disorders among persons with diabetes—Results from the World Mental Health Surveys. <i>Journal of Psychosomatic Research</i> , 2008, 65, 571-580.	1.2	154
403	Modified WHODAS-II provides valid measure of global disability but filter items increased skewness. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 1132-1143.	2.4	128
404	The relation between multiple pains and mental disorders: Results from the World Mental Health Surveys. <i>Pain</i> , 2008, 135, 82-91.	2.0	260
405	Prevalence of suicide ideation, plans, and attempts and related risk factors in Italy. <i>Comprehensive Psychiatry</i> , 2008, 49, 13-21.	1.5	86
406	The Schizophrenia Outpatient Health Outcomes (SOHO) study: 3-year results of antipsychotic treatment discontinuation and related clinical factors in Spain. <i>European Psychiatry</i> , 2008, 23, 1-7.	0.1	28
407	Common Chronic Pain Conditions in Developed and Developing Countries: Gender and Age Differences and Comorbidity With Depression-Anxiety Disorders. <i>Journal of Pain</i> , 2008, 9, 883-891.	0.7	918
408	What is the relative importance of self reported psychotic symptoms in epidemiological studies? Results from the ESEMEd Catalonia Study. <i>Schizophrenia Research</i> , 2008, 102, 261-269.	1.1	39
409	The prevalence and effects of adult attention-deficit/hyperactivity disorder (ADHD) on the performance of workers: results from the WHO World Mental Health Survey Initiative. <i>Occupational and Environmental Medicine</i> , 2008, 65, 835-842.	1.3	262
410	Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. <i>British Journal of Psychiatry</i> , 2008, 192, 98-105.	1.7	1,993
411	Wide Social Participation in Prioritizing Patients on Waiting Lists for Joint Replacement: A Conjoint Analysis. <i>Medical Decision Making</i> , 2008, 28, 554-566.	1.2	29
412	Mental disorders among persons with arthritis: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2008, 38, 1639-1650.	2.7	81
413	Age patterns in the prevalence of DSM-IV depressive/anxiety disorders with and without physical co-morbidity. <i>Psychological Medicine</i> , 2008, 38, 1659-1669.	2.7	105
414	The Relation between Body Mass Index, Mental Health, and Functional Disability: A European Population Perspective. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 679-688.	0.9	47

#	ARTICLE	IF	CITATIONS
415	Measuring Schizophrenia Remission in Clinical Practice. Canadian Journal of Psychiatry, 2008, 53, 202-206.	0.9	16
416	Disability and treatment of specific mental and physical disorders across the world. British Journal of Psychiatry, 2008, 192, 368-375.	1.7	326
417	Childhood Adversity, Early-Onset Depressive/Anxiety Disorders, and Adult-Onset Asthma. Psychosomatic Medicine, 2008, 70, 1035-1043.	1.3	91
418	Measuring patient-reported outcomes: moving from clinical trials into clinical practice. Medical Journal of Australia, 2008, 189, 93-94.	0.8	50
419	Cross-national prevalence and correlates of adult attention-deficit hyperactivity disorder. British Journal of Psychiatry, 2007, 190, 402-409.	1.7	1,118
420	Population level of unmet need for mental healthcare in Europe. British Journal of Psychiatry, 2007, 190, 299-306.	1.7	222
421	Parental Bonding and Suicidality in Adulthood. Australian and New Zealand Journal of Psychiatry, 2007, 41, 66-73.	1.3	36
422	Problems with use of composite end points in cardiovascular trials: systematic review of randomised controlled trials. BMJ: British Medical Journal, 2007, 334, 786.	2.4	355
423	Relationship between obesity, hypertension and diabetes, and health-related quality of life among the elderly. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 456-462.	3.1	83
424	Treatment adequacy for anxiety and depressive disorders in six European countries. British Journal of Psychiatry, 2007, 190, 172-173.	1.7	147
425	Age of onset of mental disorders: a review of recent literature. Current Opinion in Psychiatry, 2007, 20, 359-364.	3.1	2,304
426	Differences in Lifetime Use of Services for Mental Health Problems in Six European Countries. Psychiatric Services, 2007, 58, 213-220.	1.1	103
427	Response to Cella et al, May 2006"Supplement 1 Medical Care. Medical Care, 2007, 45, 1008.	1.1	1
428	Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys. Pain, 2007, 129, 332-342.	2.0	471
429	Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850.	6.3	1,271
430	Exploration of the Value of Health-Related Quality-of-Life Information From Clinical Research and Into Clinical Practice. Mayo Clinic Proceedings, 2007, 82, 1229-1239.	1.4	139
431	PHM19 USING THE EQ-5DTO MONITOR HEALTH-RELATED QUALITY OF LIFE OVERTIME IN THE CATALAN HEALTH INTERVIEW SURVEY. Value in Health, 2007, 10, A285.	0.1	0
432	PMC16 SF-6D REFERENCE VALUES FOR SPANISH GENERAL POPULATION. Value in Health, 2007, 10, A455.	0.1	0

#	ARTICLE	IF	CITATIONS
433	A new criterion by which to discriminate between patients with moderate allergic rhinitis and patients with severe allergic rhinitis based on the Allergic Rhinitis and its Impact on Asthma severity items. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 120, 359-365.	1.5	86
434	Health-related quality of life in allergic rhinitis: comparing the short form ESPRINT-15 and MiniRQLQ questionnaires. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007, 62, 1372-1378.	2.7	31
435	Development and Validation of a New Spanish Instrument to Measure Health-Related Quality of Life in Patients with Allergic Rhinitis: The ESPRINT Questionnaire. <i>Value in Health</i> , 2007, 10, 466-477.	0.1	30
436	Methods and representativeness of a European survey in children and adolescents: the KIDSCREEN study. <i>BMC Public Health</i> , 2007, 7, 182.	1.2	75
437	Self-reported social class in adolescents: validity and relationship with gradients in self-reported health. <i>BMC Health Services Research</i> , 2007, 7, 151.	0.9	29
438	Mental disorders among adults with asthma: results from the World Mental Health Survey. <i>General Hospital Psychiatry</i> , 2007, 29, 123-133.	1.2	251
439	Mental disorders among persons with heart disease – results from World Mental Health surveys. <i>General Hospital Psychiatry</i> , 2007, 29, 325-334.	1.2	204
440	Risk factors for suicidality in Europe: Results from the ESEMED study. <i>Journal of Affective Disorders</i> , 2007, 101, 27-34.	2.0	465
441	Depression–anxiety relationships with chronic physical conditions: Results from the World Mental Health surveys. <i>Journal of Affective Disorders</i> , 2007, 103, 113-120.	2.0	414
442	The impact of home hospitalization on healthcare costs of exacerbations in COPD patients. <i>European Journal of Health Economics</i> , 2007, 8, 325-332.	1.4	27
443	Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative. <i>World Psychiatry</i> , 2007, 6, 177-85.	4.8	351
444	Lifetime prevalence and age-of-onset distributions of mental disorders in the World Health Organization's World Mental Health Survey Initiative. <i>World Psychiatry</i> , 2007, 6, 168-76.	4.8	1,239
445	Overview of key data from the European Study of the Epidemiology of Mental Disorders (ESEMED). <i>Journal of Clinical Psychiatry</i> , 2007, 68 Suppl 2, 3-9.	1.1	69
446	Health related quality of life in immigrants and native school aged adolescents in Spain. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 694-698.	2.0	58
447	In a randomized controlled trial, cataract surgery in both eyes increased benefits compared to surgery in one eye only. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 201-207.	2.4	57
448	Use of a children questionnaire of health-related quality of life (KIDSCREEN) as a measure of needs for health care services. <i>Journal of Adolescent Health</i> , 2006, 38, 511-518.	1.2	47
449	Relationship between parental bonding and mood disorder in six European countries. <i>Psychiatry Research</i> , 2006, 143, 89-98.	1.7	77
450	Remission and Relapse in the Outpatient Care of Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 571-578.	0.7	112

#	ARTICLE	IF	CITATIONS
451	Validation of a Minimum Outcome Core Set in the Evaluation of Patients With Back Pain. <i>Spine</i> , 2006, 31, 1372-1379.	1.0	111
452	Dental Health Differences by Social Class in Home-Residing Seniors of Barcelona, Spain. <i>Journal of Public Health Dentistry</i> , 2006, 66, 288-291.	0.5	10
453	Functional disability of mental disorders and comparison with physical disorders: a study among the general population of six European countries. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 492-500.	2.2	142
454	Is Psychometric Scoring of the McNew Quality of Life After Myocardial Infarction Questionnaire Superior to the Clinimetric Scoring? A Comparison of the Two Approaches. <i>Quality of Life Research</i> , 2006, 15, 357-365.	1.5	20
455	Using the Nottingham Health Profile (NHP) among Older Adult Inpatients with Varying Cognitive Function. <i>Quality of Life Research</i> , 2006, 15, 575-585.	1.5	33
456	Prevalence of common mental disorders in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 853-861.	1.6	139
457	Assessment of service use patterns in out-patients with schizophrenia: a Spanish study. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 12-18.	2.2	13
458	Comorbid painful physical symptoms and depression: Prevalence, work loss, and help seeking. <i>Journal of Affective Disorders</i> , 2006, 92, 185-193.	2.0	178
459	Treatment adequacy of anxiety and depressive disorders: Primary versus specialised care in Spain. <i>Journal of Affective Disorders</i> , 2006, 96, 9-20.	2.0	60
460	Gender differences in health-related quality of life among the elderly: The role of objective functional capacity and chronic conditions. <i>Social Science and Medicine</i> , 2006, 63, 2367-2380.	1.8	214
461	Protocol of the COSMIN study: CONsensus-based Standards for the selection of health Measurement INSTRuments. <i>BMC Medical Research Methodology</i> , 2006, 6, 2.	1.4	238
462	Validity of the Spanish version of the Chronic Liver Disease Questionnaire (CLDQ) as a standard outcome for quality of life assessment. <i>Liver Transplantation</i> , 2006, 12, 95-104.	1.3	89
463	The ESEMeD-WMH project: strengthening epidemiological research in Europe through the study of variation in prevalence estimates. <i>Epidemiologia E Psichiatria Sociale</i> , 2006, 15, 167-173.	1.0	17
464	Nasal polyposis and its impact on quality of life: comparison between the effects of medical and surgical treatments. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005, 60, 452-458.	2.7	180
465	Effectiveness of antipsychotic treatment for schizophrenia: 6-month results of the Pan-European Schizophrenia Outpatient Health Outcomes (SOHO) study. <i>Acta Psychiatrica Scandinavica</i> , 2005, 111, 220-231.	2.2	83
466	Health-related quality of life during the bereavement period of caregivers of a deceased elderly person. <i>Quality of Life Research</i> , 2005, 14, 501-509.	1.5	11
467	The impact of the VF-14 index, a perceived visual function measure, in the routine management of cataract patients. <i>Quality of Life Research</i> , 2005, 14, 1743-1753.	1.5	24
468	PMH40 LONG-TERM MAINTENANCE OF INITIAL HEALTH RELATED QUALITY OF LIFE (HRQL) IMPROVEMENTS GAINED THROUGH ANTIPSYCHOTIC TREATMENT: 24-MONTH RESULTS FROM THE SCHIZOPHRENIA HEALTH OUTCOMES (SOHO) STUDY. <i>Value in Health</i> , 2005, 8, A208.	0.1	0

#	ARTICLE	IF	CITATIONS
469	Validity of composite end points in clinical trials. <i>BMJ: British Medical Journal</i> , 2005, 330, 594-596.	2.4	382
470	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 2581.	3.8	2,696
471	Perceived mental health at the start of dialysis as a predictor of morbidity and mortality in patients with end-stage renal disease (CALVIDIA Study). <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2347-2353.	0.4	78
472	The European Study of the Epidemiology of Mental Disorders (ESEMeD) project: an epidemiological basis for informing mental health policies in Europe. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 5-7.	2.2	645
473	Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 8-20.	2.2	136
474	Prevalence of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 21-27.	2.2	1,053
475	12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 28-37.	2.2	157
476	Disability and quality of life impact of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 38-46.	2.2	285
477	Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 47-54.	2.2	333
478	Psychotropic drug utilization in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 55-64.	2.2	143
479	Content-based interpretation aids for health-related quality of life measures in clinical practice. An example for the visual function index (VF-14). <i>Quality of Life Research</i> , 2004, 13, 35-44.	1.5	31
480	Health-related quality of life associated with chronic conditions in eight countries: Results from the International Quality of Life Assessment (IQOLA) Project. <i>Quality of Life Research</i> , 2004, 13, 283-298.	1.5	623
481	The Spanish version of the Child Health and Illness Profile-Adolescent Edition (CHIP-AE). <i>Quality of Life Research</i> , 2003, 12, 303-313.	1.5	32
482	The European Schizophrenia Outpatient Health Outcomes Study: baseline findings across country and treatment. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 7-15.	2.2	44
483	The Clinical Global Impression-Schizophrenia scale: a simple instrument to measure the diversity of symptoms present in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 16-23.	2.2	508
484	A Rasch model analysis to test the cross-cultural validity of the EuroQoL-5D in the Schizophrenia Outpatient Health Outcomes Study. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 24-29.	2.2	59
485	The European Schizophrenia Outpatient Health Outcomes (SOHO) study: rationale, methods and recruitment. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 222-232.	2.2	98
486	Burden of illness of Crohn's disease in Spain. <i>Digestive and Liver Disease</i> , 2003, 35, 853-861.	0.4	70

#	ARTICLE	IF	CITATIONS
487	Classical Test Theory versus Rasch analysis for quality of life questionnaire reduction. Health and Quality of Life Outcomes, 2003, 1, 27.	1.0	189
488	PCV76 IS THE MLHF QUESTIONNAIRE VALID FOR INTERNATIONAL MULTICENTRIC STUDIES?. Value in Health, 2003, 6, 672-673.	0.1	0
489	What is the value added to the clinician of health-related quality-of-life information from clinical research and using QOL measures in clinical practice?. Clinical Therapeutics, 2003, 25, D6-D7.	1.1	1
490	Visual functional outcomes of cataract surgery in the United States, Canada, Denmark, and Spain. Journal of Cataract and Refractive Surgery, 2003, 29, 2135-2142.	0.7	46
491	A changing relationship between disability and survival in the elderly population: differences by age. Journal of Clinical Epidemiology, 2003, 56, 1192-1201.	2.4	31
492	Home hospitalisation of exacerbated chronic obstructive pulmonary disease patients. European Respiratory Journal, 2003, 21, 58-67.	3.1	221
493	Methods and models in health-related quality of life (HRQOL) research: a state-of-the-art review. Expert Review of Pharmacoeconomics and Outcomes Research, 2003, 3, 13-15.	0.7	0
494	Validity of the Spanish Version of the Child Health and Illness Profile Adolescent Edition (CHIP-AE). Medical Care, 2003, 41, 1153-1163.	1.1	36
495	Interpretation of quality of life scores from the St George's Respiratory Questionnaire. European Respiratory Journal, 2002, 19, 405-413.	3.1	230
496	Validation of a simplified medication adherence questionnaire in a large cohort of HIV-infected patients: the GEEMA Study. Aids, 2002, 16, 605-613.	1.0	337
497	Health-related Quality of Life and Mortality in Male Patients with Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2002, 166, 680-685.	2.5	347
498	PRP7 HEALTH RELATED QUALITY OF LIFE (HRQOL) IN ASTHMA PATIENTS IN RELATIONSHIP TO ASTHMA SEVERITY DEGREE. Value in Health, 2002, 5, 527.	0.1	0
499	The burden of anxiety and depressive disorders: The ESEMeD study. European Neuropsychopharmacology, 2002, 12, 150.	0.3	1
500	The European Study of the Epidemiology of Mental Disorders (ESEMeD/MHEDEA 2000) project: rationale and methods. International Journal of Methods in Psychiatric Research, 2002, 11, 55-67.	1.1	85
501	Assessing health status and quality-of-life instruments: attributes and review criteria. Quality of Life Research, 2002, 11, 193-205.	1.5	1,959
502	Health-related quality of life in asthma: a comparison between the St George's Respiratory Questionnaire and the Asthma Quality of Life Questionnaire. Quality of Life Research, 2002, 11, 729-738.	1.5	39
503	Expert consensus in the development of a European health-related quality of life measure for children and adolescents: a Delphi study. Acta Paediatrica, International Journal of Paediatrics, 2002, 91, 1385-1390.	0.7	70
504	Outcomes and costs of outpatient and inpatient cataract surgery. Journal of Clinical Epidemiology, 2001, 54, 23-29.	2.4	46

#	ARTICLE	IF	CITATIONS
505	Performance of a perceived health measure in different groups of the population. Journal of Clinical Epidemiology, 2001, 54, 127-135.	2.4	13
506	Adaptation of the Asthma Quality of Life Questionnaire to a second language preserves its critical properties. Journal of Clinical Epidemiology, 2001, 54, 182-189.	2.4	34
507	The spanish version of the paediatric asthma quality of life questionnaire (PAQLQ): metric characteristics and equivalence with the original version. Quality of Life Research, 2001, 10, 81-91.	1.5	50
508	Effectiveness of Continuous Positive Airway Pressure in Mild Sleep Apneaâ€“Hypopnea Syndrome. American Journal of Respiratory and Critical Care Medicine, 2001, 164, 939-943.	2.5	233
509	Exploring health preferences in sociodemographic and health related groups through the paired comparison of the items of the Nottingham Health Profile. Journal of Epidemiology and Community Health, 2000, 54, 537-543.	2.0	10
510	Factors associated with second eye cataract surgery. British Journal of Ophthalmology, 2000, 84, 9-12.	2.1	12
511	Evolution of self-rated health status in the elderly. Journal of Clinical Epidemiology, 2000, 53, 563-570.	2.4	41
512	Provision of Feedback on Perceived Health Status to Health Care Professionals. Medical Care, 2000, 38, 175-186.	1.1	197
513	Provision of Feedback on Perceived Health Status to Health Care Professionals. Medical Care, 2000, 38, 878-879.	1.1	1
514	Association between educational level and health related quality of life in Spanish adults. Journal of Epidemiology and Community Health, 1999, 53, 75-82.	2.0	86
515	The QoL-AGHDA: an instrument for the assessment of quality of life in adults with growth hormone deficiency. Quality of Life Research, 1999, 8, 373-383.	1.5	225
516	A new measure for assessing the health-related quality of life of patients with vertigo, dizziness or imbalance: the VDI questionnaire. Quality of Life Research, 1999, 8, 131-139.	1.5	32
517	Perceived Health over 3 Years after Percutaneous Coronary Balloon Angioplasty. Journal of Clinical Epidemiology, 1999, 52, 615-623.	2.4	11
518	Intraoperative clinical practice and risk of early complications after cataract extraction in the United States, Canada, Denmark, and Spain. Ophthalmology, 1999, 106, 42-48.	2.5	69
519	Comparison of the results of first and second cataract eye surgery. Ophthalmology, 1999, 106, 676-682.	2.5	68
520	Methadone treatment in Spain, 1994. Drug and Alcohol Dependence, 1999, 56, 61-66.	1.6	16
521	Methadone and quality of life. Lancet, The, 1999, 353, 1101.	6.3	54
522	Comparison of Performance-based and Self-rated Functional Capacity in Spanish Elderly. American Journal of Epidemiology, 1999, 149, 228-235.	1.6	62

#	ARTICLE	IF	CITATIONS
523	Quality of life in severe chronic obstructive pulmonary disease: correlation with lung and muscle function. <i>Respiratory Medicine</i> , 1998, 92, 221-227.	1.3	47
524	Effectiveness of Cataract Surgery in Barcelona, Spain. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 843-852.	2.4	29
525	Translating Health Status Questionnaires and Evaluating Their Quality. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 913-923.	2.4	761
526	Cross-Cultural Comparisons of the Content of SF-36 Translations across 10 Countries. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 925-932.	2.4	250
527	Testing the Equivalence of Translations of Widely Used Response Choice Labels. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 933-944.	2.4	90
528	Testing the Measurement Properties of the Spanish Version of the SF-36 Health Survey Among Male Patients with Chronic Obstructive Pulmonary Disease. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 1087-1094.	2.4	111
529	Tests of Data Quality, Scaling Assumptions, and Reliability of the SF-36 in Eleven Countries. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 1149-1158.	2.4	359
530	Use of Structural Equation Modeling to Test the Construct Validity of the SF-36 Health Survey in Ten Countries. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 1179-1188.	2.4	210
531	Left-truncated Data With Age as Time Scale: An Alternative for Survival Analysis in the Elderly Population. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1998, 53A, M337-M343.	1.7	179
532	Variation in indications for cataract surgery in the United States, Denmark, Canada, and Spain: results from the International Cataract Surgery Outcomes Study. <i>British Journal of Ophthalmology</i> , 1998, 82, 1107-1111.	2.1	39
533	Comparison of outcome measures in patients with COPD. <i>Thorax</i> , 1998, 53, 813-813.	2.7	0
534	The use of the Short Form (SF)-36 questionnaire for older adults. <i>Age and Ageing</i> , 1998, 27, 755-758.	0.7	25
535	Smoking after Age 65 Years and Mortality in Barcelona, Spain. <i>American Journal of Epidemiology</i> , 1998, 148, 575-580.	1.6	26
536	Emergency admission for cancer: a matter of survival?. <i>British Journal of Cancer</i> , 1998, 77, 477-484.	2.9	67
537	Visual Outcomes of Cataract Surgery in the United States, Canada, Denmark, and Spain. <i>JAMA Ophthalmology</i> , 1998, 116, 1095.	2.6	56
538	Respiratory symptoms, lung function and use of health services among unemployed young adults in Spain. <i>European Respiratory Journal</i> , 1998, 11, 1363-1368.	3.1	22
539	Title is missing!. <i>Quality of Life Research</i> , 1998, 7, 311-322.	1.5	203
540	Using the EuroQol 5-D in the Catalan general population: feasibility and construct validity. <i>Quality of Life Research</i> , 1998, 7, 311-22.	1.5	127

#	ARTICLE	IF	CITATIONS
541	Cross-Cultural Differences in the Reporting of Global Functional Capacity. <i>Medical Care</i> , 1998, 36, 868-878.	1.1	30
542	Rasch measurement for reducing the items of the Nottingham Health Profile. <i>Journal of Outcome Measurement Dedicated To Health, Education, and Social Science (jom)</i> , 1998, 2, 285-301.	0.1	22
543	Willingness To Pay To Shorten Waiting Time for Cataract Surgery. <i>Health Affairs</i> , 1997, 16, 181-190.	2.5	61
544	International Variation in Ophthalmologic Management of Patients With Cataracts. <i>JAMA Ophthalmology</i> , 1997, 115, 399.	2.6	25
545	International Variation in Anesthesia Care During Cataract Surgery. <i>JAMA Ophthalmology</i> , 1997, 115, 1304.	2.6	42
546	The evaluation of agreement on continuous variables by the intraclass correlation coefficient.. <i>Journal of Epidemiology and Community Health</i> , 1997, 51, 579-581.	2.0	20
547	Unmet health care needs and mortality among Spanish elderly.. <i>American Journal of Public Health</i> , 1997, 87, 365-370.	1.5	73
548	Chronic Obstructive Pulmonary Disease Stage and Health-Related Quality of Life. <i>Annals of Internal Medicine</i> , 1997, 127, 1072.	2.0	353
549	Patients' acceptance of waiting for cataract surgery: What makes a wait too long?. <i>Social Science and Medicine</i> , 1997, 44, 1603-1610.	1.8	55
550	International Applicability of the VF-14. <i>Ophthalmology</i> , 1997, 104, 799-807.	2.5	157
551	Are results of the SF-36 health survey and the nottingham health profile similar?: A comparison in COPD patients. <i>Journal of Clinical Epidemiology</i> , 1997, 50, 463-473.	2.4	85
552	Six-Month Outcome in Patients With Myocardial Infarction Initially Admitted to Tertiary and Nontertiary Hospitals fn1fn1This project was funded by Grant 92/0009 from the Fondo de Investigaci3n Sanitaria, Madrid and by Grant CIRIT/SGR 9500167 from the Generalitat de Catalunya, Barcelona, Spain. fn2fn2To discuss this article on-line, visit the ACC Home Page at www.acc.org/members and click on the JACC Forum. <i>Journal of the American College of Cardiology</i> , 1997, 30, 1187-1192.	1.2	55
553	Use of the Nottingham Health Profile for measuring health status of patients in methadone maintenance treatment. <i>Addiction</i> , 1997, 92, 707-716.	1.7	85
554	Preoperative testing practice in healthy cataract surgery patients. Results of a survey of ophthalmologists in Barcelona, Spain. <i>International Ophthalmology</i> , 1997, 20, 315-22.	0.6	3
555	Validity and reproducibility of the Spanish version of the sickness impact profile. <i>Journal of Clinical Epidemiology</i> , 1996, 49, 359-365.	2.4	27
556	Scaling the Spanish version of the Nottingham Health Profile: Evidence of limited value of item weights. <i>Journal of Clinical Epidemiology</i> , 1996, 49, 31-38.	2.4	38
557	Evaluating quality-of-life and health status instruments: development of scientific review criteria. <i>Clinical Therapeutics</i> , 1996, 18, 979-992.	1.1	482
558	Validity and reliability of the St George's Respiratory Questionnaire after adaptation to a different language and culture: the Spanish example. <i>European Respiratory Journal</i> , 1996, 9, 1160-1166.	3.1	323

#	ARTICLE	IF	CITATIONS
559	Validity and reliability of the Spanish Version of the Psychological General Well-Being Index. Quality of Life Research, 1996, 5, 101-108.	1.5	57
560	Using length of stay and inactive days in the hospital to assess appropriateness of utilisation in Barcelona, Spain.. Journal of Epidemiology and Community Health, 1996, 50, 196-201.	2.0	24
561	Estimating sample sizes for studies using the SF-36 health survey.. Journal of Epidemiology and Community Health, 1996, 50, 473-474.	2.0	8
562	Use of the Beta-Binomial Distribution to Model the Effect of Policy Changes on Appropriateness of Hospital Stays. Journal of the Royal Statistical Society Series C: Applied Statistics, 1996, 45, 371.	0.5	24
563	Relationship of Health Behaviours to Five-year Mortality in an Elderly Cohort. Age and Ageing, 1995, 24, 113-119.	0.7	82
564	Re-scaling the Spanish version of the sickness impact profile: An opportunity for the assessment of cross-cultural equivalence. Journal of Clinical Epidemiology, 1995, 48, 949-957.	2.4	26
565	RE: RISK FACTORS FOR BENIGN PROSTATIC HYPERTROPHY. American Journal of Epidemiology, 1994, 139, 114-115.	1.6	8
566	The Spanish version of the Nottingham Health Profile: a review of adaptation and instrument characteristics. Quality of Life Research, 1994, 3, 385-393.	1.5	98
567	Reliability of the Spanish version of the Nottingham health profile in patients with stable end-stage renal disease. Social Science and Medicine, 1994, 38, 153-158.	1.8	25
568	Analyzing Health Outcomes Through International Comparisons. Medical Care, 1994, 32, 526-534.	1.1	26
569	Epidemiology of Prostatic Disorders in the City of Barcelona. International Journal of Epidemiology, 1992, 21, 959-965.	0.9	12
570	Measurement of General Health Status of Non-oxygen- Dependent Chronic Obstructive Pulmonary Disease Patients. Medical Care, 1992, 30, MS125-MS135.	1.1	81
571	International quality of life assessment (IQOLA) project. Quality of Life Research, 1992, 1, 349-351.	1.5	512
572	Cross-cultural adaptation of health measures. Health Policy, 1991, 19, 33-44.	1.4	260
573	Spanish version of the Nottingham Health Profile: translation and preliminary validity.. American Journal of Public Health, 1990, 80, 704-708.	1.5	193
574	Perceived Stigma and Mentalâ€Physical Comorbidity. , 0, , 256-267.		0
575	Burden of illness. , 0, , 11-26.		1
576	Routine provision of information on patient-reported outcome measures to healthcare providers and patients in clinical practice. The Cochrane Library, 0, , .	1.5	16

#	ARTICLE	IF	CITATIONS
577	Functional Impairments Associated with Posttraumatic Stress Disorder. , 0, , 128-136.		1
578	The Population Burden of Posttraumatic Stress Disorder. , 0, , 318-324.		1
579	Childhood adversities and mental disorders in first-year college students: results from the World Mental Health International College Student Initiative. Psychological Medicine, 0, , 1-11.	2.7	7