

# Adriane R Rosa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1739025/publications.pdf>

Version: 2024-02-01

119  
papers

7,004  
citations

47006

47  
h-index

60623

81  
g-index

125  
all docs

125  
docs citations

125  
times ranked

5690  
citing authors

#	ARTICLE	IF	CITATIONS
1	Data-driven cognitive phenotypes in subjects with bipolar disorder and their clinical markers of severity. <i>Psychological Medicine</i> , 2022, 52, 1728-1735.	4.5	7
2	The impact of cognitive reserve, cognition and clinical symptoms on psychosocial functioning in first-episode psychoses. <i>Psychological Medicine</i> , 2022, 52, 526-537.	4.5	17
3	Is (R)-ketamine a potential therapeutic agent for treatment-resistant depression with less detrimental side effects? A review of molecular mechanisms underlying ketamine and its enantiomers. <i>Biochemical Pharmacology</i> , 2022, 198, 114963.	4.4	15
4	Potential Candidates for Biomarkers in Bipolar Disorder: A Proteomic Approach through Systems Biology. <i>Clinical Psychopharmacology and Neuroscience</i> , 2022, 20, 211-227.	2.0	10
5	Investigation of blood-brain barrier disruption in an animal model of mania induced by D-amphetamine. <i>Journal of Affective Disorders Reports</i> , 2022, 9, 100368.	1.7	1
6	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021, 14, 16-26.	1.8	118
7	COVID-19 and mental health in Brazil: Psychiatric symptoms in the general population. <i>Journal of Psychiatric Research</i> , 2021, 132, 32-37.	3.1	156
8	Effects of the COVID-19 pandemic and lockdown in Spain: comparison between community controls and patients with a psychiatric disorder. Preliminary results from the BRIS-MHC STUDY.. <i>Journal of Affective Disorders</i> , 2021, 281, 13-23.	4.1	70
9	Resilience and mental health during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021, 283, 156-164.	4.1	98
10	The functioning assessment short test (FAST) applied to first-episode psychosis: Psychometric properties and severity thresholds. <i>European Neuropsychopharmacology</i> , 2021, 47, 98-111.	0.7	21
11	The costs of coping: Different strategies to deal with social defeat stress might come with distinct immunologic, neuroplastic, and oxidative stress consequences in male Wistar rats.. <i>Behavioral Neuroscience</i> , 2021, 135, 654-667.	1.2	3
12	Cognitive clusters in first-episode psychosis. <i>Schizophrenia Research</i> , 2021, 237, 31-39.	2.0	10
13	Editorial: The Role of Resilience and the Interplay Between Genetics and Environment in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 761384.	2.6	0
14	BDNF prevents central oxidative damage in a chronic unpredictable mild stress model: The possible role of PRDX-1 in anhedonic behavior. <i>Behavioural Brain Research</i> , 2020, 378, 112245.	2.2	20
15	Reduction of hippocampal IL-6 levels in LPS-injected rats following acute exendin-4 treatment. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020, 393, 1303-1311.	3.0	3
16	A prospective longitudinal study searching for predictors of response to group psychoeducation in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 274, 1113-1121.	4.1	12
17	Anhedonic-like behavior correlates with IFN $\gamma$ serum levels in a two-hit model of depression. <i>Behavioural Brain Research</i> , 2019, 373, 112076.	2.2	19
18	Attenuated inflammatory response of monocyte-derived macrophage from patients with BD: a preliminary report. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 13.	2.2	16

#	ARTICLE	IF	CITATIONS
19	Cognitive Reserve Assessment Scale in Health (CRASH): Its Validity and Reliability. <i>Journal of Clinical Medicine</i> , 2019, 8, 586.	2.4	31
20	Functional remediation improves bipolar disorder functioning with no effects on brain-derived neurotrophic factor levels. <i>European Neuropsychopharmacology</i> , 2019, 29, 701-710.	0.7	10
21	Perceived childhood adversities: Impact of childhood trauma to estimated intellectual functioning of individuals with bipolar disorder. <i>Psychiatry Research</i> , 2019, 274, 345-351.	3.3	14
22	Effects of deep breathing in patients with bipolar disorder. <i>Perspectives in Psychiatric Care</i> , 2019, 55, 119-125.	1.9	8
23	Identifying cognitive subgroups in bipolar disorder: A cluster analysis. <i>Journal of Affective Disorders</i> , 2019, 246, 252-261.	4.1	49
24	Depression and Mania Induce Pro-inflammatory Activation of Macrophages Following Application of Serum from Individuals with Bipolar Disorder. <i>Clinical Psychopharmacology and Neuroscience</i> , 2018, 16, 103-108.	2.0	23
25	Toward Precision Psychiatry in Bipolar Disorder: Staging 2.0. <i>Frontiers in Psychiatry</i> , 2018, 9, 641.	2.6	79
26	Validity and reliability of the Cognitive Complaints in Bipolar Disorder Rating Assessment (COBRA) in Brazilian bipolar patients. <i>Trends in Psychiatry and Psychotherapy</i> , 2018, 40, 170-178.	0.8	17
27	Thresholds for severity, remission and recovery using the functioning assessment short test (FAST) in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 240, 57-62.	4.1	72
28	Validation of the Korean Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry. <i>Psychiatry Investigation</i> , 2018, 15, 1115-1120.	1.6	14
29	Hippocampal neurochemical markers in bipolar disorder patients following the first-manic episode: A prospective 12-month proton magnetic resonance spectroscopy study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 65-74.	2.3	9
30	Peripheral insulin-like growth factor 1 in bipolar disorder. <i>Psychiatry Research</i> , 2017, 250, 30-34.	3.3	15
31	Telomere Length, Oxidative Stress, Inflammation and BDNF Levels in Siblings of Patients with Bipolar Disorder: Implications for Accelerated Cellular Aging. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 445-454.	2.1	67
32	Functional Impairment in Older Adults With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 443-447.	1.0	19
33	Social cognition and bipolar disorder: A preliminary study. <i>European Psychiatry</i> , 2017, 41, S425-S425.	0.2	1
34	Social cognition and bipolar disorder: A preliminary study. <i>European Psychiatry</i> , 2017, 41, S426-S426.	0.2	0
35	Serum of Bipolar Patients Induces Pro-inflammatory Activation of Macrophages. <i>European Psychiatry</i> , 2017, 41, S114-S114.	0.2	0
36	Cell therapy in the treatment of bipolar mania in an animal model: a proof of concept study. <i>Trends in Psychiatry and Psychotherapy</i> , 2017, 39, 196-201.	0.8	2

#	ARTICLE	IF	CITATIONS
37	Analyzing leukocyte telomere length in bipolar disorder: Authors'™ reply. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 275-276.	1.7	1
38	Cognitive performance and psychosocial functioning in patients with bipolar disorder, unaffected siblings, and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 275-280.	1.7	12
39	Challenges and developments in research of the early stages of bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 329-337.	1.7	10
40	Shortened telomere length in bipolar disorder: a comparison of the early and late stages of disease. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 281-286.	1.7	43
41	Cognition and functioning in bipolar depression. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 201-206.	1.7	22
42	The association between biological rhythms, depression, and functioning in bipolar disorder: a large multi-center study. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 102-108.	4.5	66
43	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 386-398.	4.5	103
44	The role of macrophage polarization on bipolar disorder: Identifying new therapeutic targets. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 618-630.	2.3	28
45	A report on older-age bipolar disorder from the International Society for Bipolar Disorders Task Force. <i>Bipolar Disorders</i> , 2015, 17, 689-704.	1.9	210
46	Pharmacological treatment and staging in bipolar disorder: evidence from clinical practice. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 121-125.	1.7	19
47	Mesenchymal stem cells for the treatment of neurodegenerative and psychiatric disorders. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 1435-1449.	0.8	27
48	Damage-associated molecular patterns and immune activation in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 211-217.	4.5	41
49	Verbal episodic memory along the course of schizophrenia and bipolar disorder: A new perspective. <i>European Neuropsychopharmacology</i> , 2015, 25, 169-175.	0.7	31
50	Treatment delay is associated with more episodes and more severe illness staging progression in patients with bipolar disorder. <i>Psychiatry Research</i> , 2015, 227, 372-373.	3.3	11
51	e-HCL-32: a useful, valid and user friendly tool in the screening of bipolar II disorder. <i>Comprehensive Psychiatry</i> , 2015, 56, 283-288.	3.1	9
52	Altered plasma glutathione levels in bipolar disorder indicates higher oxidative stress; a possible risk factor for illness onset despite normal brain-derived neurotrophic factor (BDNF) levels. <i>Psychological Medicine</i> , 2014, 44, 2409-2418.	4.5	64
53	Staging bipolar disorder: clinical, biochemical, and functional correlates. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 437-444.	4.5	84
54	P.2.d.033 Staging bipolar disorder: biological, clinical and functional correlates. <i>European Neuropsychopharmacology</i> , 2014, 24, S432-S433.	0.7	0

#	ARTICLE	IF	CITATIONS
55	P.2.c.005 Use of mesenchymal stem cells as a novel treatment for bipolar disorder: preliminary results of an in vitro study. <i>European Neuropsychopharmacology</i> , 2014, 24, S410.	0.7	0
56	Functioning Assessment Short Test (FAST): validity and reliability in adults with attention-deficit/hyperactivity disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 719-727.	3.2	16
57	Progesterone and its metabolites as therapeutic targets in psychiatric disorders. <i>Expert Opinion on Therapeutic Targets</i> , 2014, 18, 679-690.	3.4	25
58	Bipolar disorder in the elderly: a cohort study comparing older and younger patients. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 364-373.	4.5	43
59	Clinical Staging in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e450-e456.	2.2	125
60	Impaired endoplasmic reticulum stress response in bipolar disorder: cellular evidence of illness progression. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 1453-1463.	2.1	58
61	A systematic review on the role of anticonvulsants in the treatment of acute bipolar depression. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 485-496.	2.1	41
62	Biological rhythm disturbance in remitted bipolar patients. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 6.	2.2	43
63	P.2.d.028 Relating mood to plasma glutathione and BDNF levels in patients with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2013, 23, S380.	0.7	0
64	Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). <i>Journal of Affective Disorders</i> , 2013, 150, 29-36.	4.1	116
65	Peripheral toxicity in crack cocaine use disorders. <i>Neuroscience Letters</i> , 2013, 544, 80-84.	2.1	51
66	The Clinical Implications Of Cognitive Impairment and Allostatic Load in Bipolar Disorder. <i>European Psychiatry</i> , 2013, 28, 21-29.	0.2	119
67	Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. <i>American Journal of Psychiatry</i> , 2013, 170, 852-859.	7.2	269
68	Bipolar Disorder Affects Behavior and Social Skills on the Internet. <i>PLoS ONE</i> , 2013, 8, e79673.	2.5	11
69	Impairment in psychosocial functioning in patients with different subtypes of eating disorders. <i>Trends in Psychiatry and Psychotherapy</i> , 2013, 35, 111-118.	0.8	4
70	Relating mood to plasma glutathione and BDNF levels in patients with bipolar disorder. <i>FASEB Journal</i> , 2013, 27, lb528.	0.5	0
71	P.2.e.027 Interleukin-6 as a biomarker of the model of staging in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2012, 22, S291-S292.	0.7	0
72	Concurrent Validity and Reliability of the Brazilian Version of the Functioning Assessment Short Test in Patients with Schizophrenia. <i>Value in Health Regional Issues</i> , 2012, 1, 244-247.	1.2	14

#	ARTICLE	IF	CITATIONS
73	Subthreshold symptoms in bipolar disorder: Impact on neurocognition, quality of life and disability. <i>Journal of Affective Disorders</i> , 2012, 136, 650-659.	4.1	156
74	Impulsivity and functional impairment in bipolar disorder. <i>Journal of Affective Disorders</i> , 2012, 136, 491-497.	4.1	47
75	One-year psychosocial functioning in patients in the early vs. late stage of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 335-341.	4.5	141
76	Long-Term Outcome of Cognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2012, 73, e899-e905.	2.2	143
77	Is Anticonvulsant Treatment of Mania a Class Effect? Data from Randomized Clinical Trials. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 167-177.	3.9	31
78	P.2.e.002 Risk factors for antidepressant-related switch to mania. <i>European Neuropsychopharmacology</i> , 2011, 21, S418.	0.7	0
79	Factors associated with initial treatment response with antidepressants in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2011, 21, 362-369.	0.7	31
80	Bipolar mixed episodes and antidepressants: a cohort study of bipolar I disorder patients. <i>Bipolar Disorders</i> , 2011, 13, 145-154.	1.9	62
81	Six-month functional outcome of a bipolar disorder cohort in the context of a specialized care program. <i>Bipolar Disorders</i> , 2011, 13, 679-686.	1.9	67
82	Differential outcome of bipolar patients receiving antidepressant monotherapy versus combination with an antimanic drug. <i>Journal of Affective Disorders</i> , 2011, 129, 321-326.	4.1	49
83	Stigma and functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2011, 130, 323-327.	4.1	70
84	Gender differences in a cohort study of 604 bipolar patients: The role of predominant polarity. <i>Journal of Affective Disorders</i> , 2011, 133, 443-449.	4.1	149
85	Staging Bipolar Disorder. <i>Neurotoxicity Research</i> , 2011, 19, 279-285.	2.7	100
86	Functional Remediation for Bipolar Disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011, 7, 112-116.	1.2	82
87	Validation and Use of the Functioning Assessment Short Test in First Psychotic Episodes. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 836-840.	1.0	37
88	Clinical and neurocognitive predictors of functional outcome in bipolar euthymic patients: A long-term, follow-up study. <i>Journal of Affective Disorders</i> , 2010, 121, 156-160.	4.1	273
89	The impact of staging bipolar disorder on treatment outcome of family psychoeducation. <i>Journal of Affective Disorders</i> , 2010, 123, 81-86.	4.1	101
90	Functional impairment in bipolar II disorder: Is it as disabling as bipolar I?. <i>Journal of Affective Disorders</i> , 2010, 127, 71-76.	4.1	75

#	ARTICLE	IF	CITATIONS
91	Functional Impairment and Disability across Mood States in Bipolar Disorder. <i>Value in Health</i> , 2010, 13, 984-988.	0.3	161
92	Has number of previous episodes any effect on response to group psychoeducation in bipolar patients? A 5-year follow-up <i>post hoc</i> analysis. <i>Acta Neuropsychiatrica</i> , 2010, 22, 50-53.	2.1	81
93	Why Do Clinicians Maintain Antidepressants in Some Patients With Acute Mania?. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1000-1006.	2.2	43
94	Bipolar disorder and age-related functional impairment. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 354-357.	1.7	18
95	Development and use of a biological rhythm interview. <i>Journal of Affective Disorders</i> , 2009, 118, 161-165.	4.1	117
96	Predominant polarity and temperament in bipolar and unipolar affective disorders. <i>Journal of Affective Disorders</i> , 2009, 119, 28-33.	4.1	68
97	Clinical predictors of functional outcome of bipolar patients in remission. <i>Bipolar Disorders</i> , 2009, 11, 401-409.	1.9	156
98	Validity of a Short Functioning Test (FAST) in Brazilian Outpatients with Bipolar Disorder. <i>Value in Health</i> , 2009, 12, 624-627.	0.3	65
99	Predictores clínicos del funcionamiento interpersonal en pacientes bipolares. <i>Revista De Psiquiatria Y Salud Mental</i> , 2009, 2, 83-88.	1.8	26
100	Clinical predictors of interpersonal functioning in patients with bipolar disorder. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2009, 2, 83-88.	0.3	3
101	P.3.16 Impulsivity in bipolar disorder: a randomized clinical trial of adjunctive oxcarbazepine. <i>European Neuropsychopharmacology</i> , 2009, 19, S75-S76.	0.7	3
102	Weight gain in bipolar disorder: pharmacological treatment as a contributing factor. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 4-18.	4.5	151
103	Functional impairment and previous suicide attempts in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2008, 20, 300-306.	2.1	14
104	Predominant polarity in bipolar disorder: Diagnostic implications. <i>Journal of Affective Disorders</i> , 2008, 107, 45-51.	4.1	98
105	Ziprasidone in the Treatment of Affective Disorders: A Review. <i>CNS Neuroscience and Therapeutics</i> , 2008, 14, 278-286.	3.9	23
106	Functional Impairment in Patients with Remitted Bipolar Disorder. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 390-392.	8.8	68
107	A long-term prospective study on the outcome of bipolar patients treated with long-acting injectable risperidone. <i>World Journal of Biological Psychiatry</i> , 2008, 9, 219-224.	2.6	47
108	Cognitive impairment in a Brazilian sample of patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2008, 30, 209-214.	1.7	9

#	ARTICLE	IF	CITATIONS
109	Evolving trends in the long-term treatment of bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2007, 8, 4-11.	2.6	49
110	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 5.	1.2	605
111	Correlation between drug treatment adherence and lithium treatment attitudes and knowledge by bipolar patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 217-224.	4.8	80
112	Serum S100B and antioxidant enzymes in bipolar patients. <i>Journal of Psychiatric Research</i> , 2007, 41, 523-529.	3.1	269
113	Polypharmacy and suicide attempts in bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 35-38.	1.7	14
114	Polypharmacy and suicide attempts in bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 35-8.	1.7	3
115	Serum brain-derived neurotrophic factor is decreased in bipolar disorder during depressive and manic episodes. <i>Neuroscience Letters</i> , 2006, 398, 215-219.	2.1	343
116	Increased serum glial cell line-derived neurotrophic factor immunocontent during manic and depressive episodes in individuals with bipolar disorder. <i>Neuroscience Letters</i> , 2006, 407, 146-150.	2.1	84
117	Lithium increases nerve growth factor levels in the rat hippocampus in an animal model of mania. <i>Behavioural Pharmacology</i> , 2006, 17, 311-318.	1.7	41
118	Adaptation and validation of the Portuguese version of the Lithium Knowledge Test (LKT) of bipolar patients treated with lithium: cross-over study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006, 2, 34.	1.2	3
119	Validation of the Portuguese version of the Lithium Attitudes Questionnaire (LAQ) in bipolar patients treated with lithium: cross-over study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006, 2, 32.	1.2	5