Masao Kimura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1746638/publications.pdf

Version: 2024-02-01

		331670	377865
111	1,440	21	34
papers	citations	h-index	g-index
111	111	111	893
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Control of Fe(O,OH)6 nano-network structures of rust for high atmospheric-corrosion resistance. Corrosion Science, 2005, 47, 2499-2509.	6.6	124
2	High Magnetic Flux Trapping by Melt-Grown YBaCuO Superconductors. Japanese Journal of Applied Physics, 1991, 30, L1157-L1159.	1.5	101
3	High Temperature Deformation Behavior of Titanium-Aluminide Based Gamma Plus Beta Microduplex Alloy ISIJ International, 1991, 31, 728-737.	1.4	75
4	Critical Current Characteristics in Superconducting Y-Ba-Cu-O Prepared by the Melt Process. Japanese Journal of Applied Physics, 1991, 30, L342-L345.	1.5	71
5	Persistence diagrams with linear machine learning models. Journal of Applied and Computational Topology, 2018, 1, 421-449.	2.0	61
6	Alloy design of gamma titanium aluminides based on phase diagrams. Intermetallics, 1998, 6, 667-672.	3.9	51
7	Study on phase stability in Tiî—'Alî—'X systems at high temperatures. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1992, 152, 54-59.	5.6	44
8	Non-empirical identification of trigger sites in heterogeneous processes using persistent homology. Scientific Reports, 2018, 8, 3553.	3.3	40
9	Characterization of Nanostructure of Rusts Formed on Weathering Steel ISIJ International, 2002, 42, 1534-1540.	1.4	38
10	Magnetic property based characterization of rust on weathering steels. Corrosion Science, 2005, 47, 2477-2491.	6.6	37
11	A New Method for Describing the Atomic-scale Structure of Rusts Formed on the Iron Based Alloy Surlaces ISIJ International, 2003, 43, 366-372.	1.4	31
12	Investigation of the Suppression of Dendritic Lithium Growth with a Lithium-lodide-Containing Solid Electrolyte. Chemistry of Materials, 2021, 33, 4907-4914.	6.7	30
13	A new domain structure in YBa2Cu3O7â^'x prepared by the quench and melt growth (QMG) process. Physica C: Superconductivity and Its Applications, 1991, 174, 263-272.	1.2	29
14	EXAFS characterization of ferric oxyhydroxides. Applied Surface Science, 2001, 169-170, 109-112.	6.1	29
15	Nanoscale in situ observations of crack initiation and propagation in carbon fiber/epoxy composites using synchrotron radiation X-ray computed tomography. Composites Science and Technology, 2020, 197, 108244.	7.8	29
16	Microstructural deformation process of shock-compressed polycrystalline aluminum. Scientific Reports, 2019, 9, 7604.	3.3	27
17	Nanoscopic origin of cracks in carbon fibre-reinforced plastic composites. Scientific Reports, 2019, 9, 19300.	3.3	27
18	Thermodynamic Modeling of the SFCA Phase Ca _{(Fe,Al,Si)₆O_{20< ISIJ International, 2018, 58, 259-266.}}	/sub>.	25

#	Article	IF	CITATIONS
19	Investigation on the Molecular Structures of Titanium Tetrachloride and Zirconium Tetrachloride by Gas Electron Diffraction. Bulletin of the Chemical Society of Japan, 1956, 29, 95-100.	3.2	23
20	Formation and oxidation mechanisms of Pd–Zn nanoparticles on a ZnO supported Pd catalyst studied by in situ time-resolved QXAFS and DXAFS. Physical Chemistry Chemical Physics, 2012, 14, 2152-2158.	2.8	23
21	Quantitative Analysis of Mineral Phases in Iron-ore Sinter by the Rietveld Method of X-ray Diffraction Patterns. ISIJ International, 2018, 58, 1069-1078.	1.4	23
22	Characterization of strain distribution in quantum dots by X-ray diffraction. Journal of Crystal Growth, 2002, 234, 197-201.	1.5	21
23	"Continuous Cooling Transformation (CCT)―Concept for Iron Ore Sintering Using In Situ Quick X-ray Diffraction and Confocal Laser Microscope. ISIJ International, 2013, 53, 2047-2055.	1.4	19
24	Advancements of Weathering Steel Technologies in Japan. Corrosion, 2011, 67, 095002-095002-13.	1.1	18
25	<i>ln Situ</i> and Simultaneous Observation of Palladium Redox and Oxygen Storage/Release in Pd/Sr–Fe–O Perovskite Catalysts Using Dispersive XAFS. Materials Transactions, 2013, 54, 246-254.	1.2	18
26	Critical current characteristics in melt-processed Y-Ba-Cu-O superconductor. Superconductor Science and Technology, 1992, 5, S15-S18.	3.5	17
27	In Situ Analysis of Pitting Corrosion in Artificial Crevice of Stainless Steel by X-ray Absorption Fine Structure ISIJ International, 2002, 42, 1399-1403.	1.4	17
28	The challenge of constructing an international XAFSÂdatabase. Journal of Synchrotron Radiation, 2018, 25, 967-971.	2.4	17
29	Microstructural characterization of twin-roll cast gamma titanium aluminide sheets ISIJ International, 1991, 31, 289-297.	1.4	15
30	Diffusion of hydrogen in titanium, Ti88Al12 and Ti3Al. Journal of the Chemical Society, Faraday Transactions, 1996, 92, 483.	1.7	14
31	Structural properties of GaN grown on LiGaO2 by PLD. Journal of Crystal Growth, 2003, 259, 36-39.	1.5	13
32	Fe(O, OH) ₆ Network Structure of Rusts Formed on Weathering Steel Surfaces. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2002, 66, 166-175.	0.4	12
33	G-GIXD characterization of GaN grown by laser MBE. Journal of Crystal Growth, 2002, 237-239, 1158-1162.	1.5	11
34	Fe(O,OH)6 network structure of rust formed on weathering steel. Surface and Interface Analysis, 2003, 35, 66-71.	1.8	11
35	Generalized grazing-incidence-angle x-ray scattering analysis of quantum dots. Journal of Applied Physics, 2003, 93, 2034-2040.	2.5	11
36	<i>In situ</i> observation of RedOx reactions of Pd/Sr-Fe-O catalysts for automotive emission. Journal of Physics: Conference Series, 2009, 190, 012163.	0.4	11

3

#	Article	IF	Citations
37	<i>In situ</i> QXAFS observation of the reduction of Fe ₂ O ₃ and CaFe ₂ O ₄ . Journal of Physics: Conference Series, 2013, 430, 012074.	0.4	11
38	Time-resolved observation of structural change of copper induced by laser shock using synchrotron radiation with dispersive XAFS. High Pressure Research, 2016, 36, 471-478.	1.2	11
39	In situ transmission electron microscopy of high-temperature degradation of yttria-stabilized zirconia thermal barrier coatings. Scripta Materialia, 2018, 150, 50-53.	5.2	11
40	3D Crystal Orientation Mapping of Recrystallization in Severely Cold-rolled Pure Iron Using Laboratory Diffraction Contrast Tomography. ISIJ International, 2020, 60, 528-533.	1.4	11
41	Free volumes introduced by fractures of CFRP probed using positron annihilation. Composites Part A: Applied Science and Manufacturing, 2019, 122, 54-58.	7.6	10
42	Various Scale Analyses to Create Functioning Corrosion Products., 2006,, 245-272.		10
43	Short-range ordering of Cu3Au above Tc in the topmost 80 A of a (001) face. Journal of Materials Research, 1997, 12, 75-82.	2.6	9
44	Highâ€Temperature Diffusion of Hydrogen and Deuterium in Titanium and Ti3Al. Journal of the Electrochemical Society, 1998, 145, 2471-2475.	2.9	9
45	Generalized Grazing Incidence-Angle X-Ray Diffraction Studies on InAs Quantum Dots on Si (100) Substrates. Japanese Journal of Applied Physics, 2000, 39, 4483-4485.	1.5	9
46	Atomic-Structure Characterization of Passive Film of Fe by Grazing Incidence X-ray Scattering at SPring-8., 2006,, 95-100.		9
47	Dissolution of hydrogen and deuterium in titanium, Ti94Al6 and Ti3Al. Journal of the Chemical Society, Faraday Transactions, 1995, 91, 1967.	1.7	8
48	Generalized grazing-incidence-angle X-ray diffraction (G-GIXD) using image plates. Journal of Synchrotron Radiation, 1998, 5, 488-490.	2.4	8
49	Effects of titanium carbide (TiC) and anodizing voltages on discoloration resistance of colored-titanium sheets. Corrosion Science, 2010, 52, 1889-1896.	6.6	8
50	Nanoscale in situ observation of damage formation in carbon fiber/epoxy composites under mixed-mode loading using synchrotron radiation X-ray computed tomography. Composites Science and Technology, 2022, 230, 109332.	7.8	8
51	Accuracy Improvement of the XRD-Rietveld Method for the Quantification of Crystalline Phases in Iron Sintered Ores through the Correction of Micro-absorption Effects. ISIJ International, 2020, 60, 2851-2858.	1.4	7
52	Faraday communications. Diffusion of hydrogen in Ti3Al. Journal of the Chemical Society, Faraday Transactions, 1994, 90, 2423.	1.7	6
53	Isotope effect in the diffusion of hydrogen and deuterium in titanium, Ti88Al12 and Ti3Al. Journal of the Chemical Society, Faraday Transactions, 1996, 92, 3407.	1.7	6
54	State of Chlorides in Rusts Formed on 3 mass% Ni-added Weathering Steel. ECS Transactions, 2009, 16, 63-69.	0.5	6

#	Article	IF	Citations
55	Newly designed double surface bimorph mirror for BL-15A of the photon factory. AIP Conference Proceedings, 2016, , .	0.4	6
56	<i>In situ</i> observation of reduction kinetics and 2D mapping of chemical state for heterogeneous reduction in iron-ore sinters. Journal of Physics: Conference Series, 2016, 712, 012077.	0.4	6
57	3D Spectromicroscopic Observation of Yb-Silicate Ceramics Using XAFS-CT. Microscopy and Microanalysis, 2018, 24, 484-485.	0.4	6
58	X-Ray diffraction study on the hydrogen–hafnium system at high temperatures. Journal of the Chemical Society, Faraday Transactions, 1992, 88, 2221-2226.	1.7	5
59	Faraday communications. Solubility of hydrogen and deuterium in Ti3Al. Journal of the Chemical Society, Faraday Transactions, 1994, 90, 1355.	1.7	5
60	Sloping plateaux in the pressure–composition isotherms of the titanium–hydrogen and Ti94Al6–hydrogen systems. Journal of the Chemical Society, Faraday Transactions, 1995, 91, 4143-4147.	1.7	5
61	Nature of the transformation in liquid iodine at 4 GPa. Physical Review B, 2017, 96, .	3.2	5
62	Observation of the Interface between Resin and Carbon Fiber by Scanning Transmission X-ray Microscopy. Journal of Physics: Conference Series, 2017, 849, 012023.	0.4	5
63	In situ observation of phase transformation in an Fe–Zn system at high temperatures using an image plate. Journal of Synchrotron Radiation, 1998, 5, 983-985.	2.4	4
64	Research progress at the Slow Positron Facility in the Institute of Materials Structure Science, KEK. Journal of Physics: Conference Series, 2017, 791, 012003.	0.4	4
65	Quantitative Analysis of Mineral Phases in Sinter Ore by Rietveld Method. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2017, 103, 397-406.	0.4	4
66	A call for a round robin study of XAFS stability and platform dependence at synchrotron beamlines on well defined samples. Journal of Synchrotron Radiation, 2018, 25, 935-943.	2.4	4
67	Development of spectromicroscopes for multiscale observation of heterogeneity in materials at photon factory, IMSS, KEK. AIP Conference Proceedings, 2019, , .	0.4	4
68	Determination of Size Distribution of Nanoparticles Using Asymmetric Flow Field-flow Fractionation (AF4). ISIJ International, 2020, 60, 979-987.	1.4	4
69	Surface atomic ordering of Cu3Au (001) above Tc. Physica B: Condensed Matter, 1996, 221, 101-104.	2.7	3
70	In situobservation of pitting of stainless steel by XAFS. Journal of Synchrotron Radiation, 2001, 8, 487-489.	2.4	3
71	In situobservation of Si(001) surface in He atmosphere at high temperatures near the bulk melting temperature. Journal of Applied Physics, 2001, 89, 2138-2145.	2.5	3
72	Structural characterization of group III nitrides grown by pulsed laser deposition. Thin Solid Films, 2004, 457, 114-117.	1.8	3

#	Article	IF	CITATIONS
73	Quantitative characterization of the atomic-scale structure of oxyhydroxides in rusts formed on steel surfaces. Materials Characterization, 2005, 55, 288-297.	4.4	3
74	Finding Degradation Trigger Sites of Structural Materials for Airplanes Using Xâ€Ray Microscopy. Chemical Record, 2019, 19, 1462-1468.	5.8	3
75	Development of in situ cell for simultaneous XAFS/XRD measurements at high temperatures. Radiation Physics and Chemistry, 2020, 175, 108153.	2.8	3
76	A surface sensitive hard X-ray spectroscopic method applied to observe the surface layer reduction reaction of Co oxide to Co metal. Physical Chemistry Chemical Physics, 2020, 22, 24974-24977.	2.8	3
77	Time-Resolved Observation of Phase Transformation in Fe–C System during Cooling via X-ray Absorption Spectroscopy. Materials Transactions, 2021, 62, 155-160.	1.2	3
78	In-situ Observation of Structural Evolution of Zr60Al15Ni25 Bulk Metallic Glass in the Supercooled Liquid Region. High Temperature Materials and Processes, 2000, 19, 299-306.	1.4	2
79	X-ray analyzer-based phase-contrast computed laminography. Journal of Synchrotron Radiation, 2016, 23, 1484-1489.	2.4	2
80	Gritty Surface Sample Holder Invented To Obtain Correct X-ray Absorption Fine Structure Spectra for Concentrated Materials by Fluorescence Yield. Analytical Chemistry, 2016, 88, 3455-3458.	6.5	2
81	Chemical state mapping of heterogeneous reduction of iron ore sinter. Journal of Physics: Conference Series, 2017, 849, 012015.	0.4	2
82	In situ XRM Observation of Cracking in CFRP during Nanomechanical Testing. Microscopy and Microanalysis, 2018, 24, 432-433.	0.4	2
83	In situ TREXS Observation of Surface Reduction Reaction of NiO Film with â^¼2 nm Surface Sensitivity. Chemical Record, 2019, 19, 1457-1461.	5.8	2
84	Thermodynamic Modeling of the SFCA Phase Ca ₂ (Fe, Ca) ₆ (Fe, Al,) Tj ETQq0 0 0 rgBT / 105, 493-501.	Overlock I	10 Tf 50 307 2
85	<i>In situ</i> Observation of Reduction Behavior of Multicomponent Calcium Ferrites by XRD and XAFS. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2021, 107, 517-526.	0.4	2
86	A Theoretical Model for the Several Common Stacked Crystals in Arrangement of the Stacking Sequence of Parallel Atomic Layers in a Simple Crystal Solid. Journal of the Physical Society of Japan, 1994, 63, 3661-3670.	1.6	2
87	Azimuthal-rotation sample holder for molecular orientation analysis. Journal of Synchrotron Radiation, 2020, 27, 1167-1171.	2.4	2
88	Structural Transition between HCP and FCC Structures with Considering Configurations of the Position Vectors Defined by Several Common Stacked Model Hamiltonian. Journal of the Physical Society of Japan, 1994, 63, 3714-3728.	1.6	1
89	Recent Investigations of Structural Materials Using Synchrotron Radiation. Synchrotron Radiation News, 2017, 30, 23-28.	0.8	1
90	Sample exchange robot under an oxygen-free atmosphere for DXAFS experiments. AIP Conference Proceedings, 2019, , .	0.4	1

#	Article	IF	CITATIONS
91	Observation of Distribution of π-Orbital-Oriented Domains in PAN- and Pitch-Based Carbon Fibers Using Scanning Transmission X-ray Microscopy. Applied Sciences (Switzerland), 2020, 10, 4836.	2.5	1
92	Unique atomic structure of metals at the moment of fracture induced by laser shock. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2022, 831, 142199.	5. 6	1
93	<i>In situ</i> Observation of Reduction Behavior of Multicomponent Calcium Ferrites by XRD and XAFS. ISIJ International, 2022, 62, 1159-1167.	1.4	1
94	Crystallographic characterization of YBa2Cu3O7-x prepared by the quench and melt growth (QMG) process Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 1990, 37, 145-148.	0.2	0
95	Microstructure of a unidirectionally grown YBaCuO superconductor by the Quench and Melt Growth process. Physica B: Condensed Matter, 1990, 165-166, 1673-1674.	2.7	0
96	攳¼å°"å‰ã«ã, ã,<鉄é<¼ææ–™ã®è;¨é¢/界é¢ã®ç"ç©¶. Hyomen Gijutsu/Journal of the Surface Finishing	So olez yof	Japoan, 2009,
97	Synchrotron Radiation Shed Light to <i>In Situ </i> and Dynamic Observation of High-Temperature Processes. E-Journal of Surface Science and Nanotechnology, 2014, 12, 165-170.	0.4	0
98	New Era of Materials Structure Science by Multi-probe Experiments. Nihon Kessho Gakkaishi, 2015, 57, 1-1.	0.0	0
99	Observation of Reactions using X-ray Absorption Spectroscopy (XAS). Journal of the Vacuum Society of Japan, 2016, 59, 327-332.	0.3	0
100	In Situ XAFS Observation of Chemical Species Near Solid/Liquid Interface in a Model Reaction of Pitting Process. ECS Transactions, 2017, 77, 831-836.	0.5	0
101	Observation of Interface between Resin and Carbon Fiber by Scanning Transmission X-ray Microscopy. Journal of Physics: Conference Series, 2017, 849, 012029.	0.4	0
102	Development of multi-modal surface research equipment by combining TREXS with IRRAS. AIP Conference Proceedings, 2019, , .	0.4	0
103	Nanoscale crack initiation and propagation in carbon fiber/epoxy composites using synchrotron: 3D image data. Data in Brief, 2020, 31, 105894.	1.0	0
104	Determination of the Size Distribution of Nanoparticles Using Asymmetric Flow Field-flow Fractionation (AF4). Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2021, 107, 82-91.	0.4	0
105	<i>In situ</i> Observation of Cracking and Degradation of Structural Materials â^1/4X-ray Microscopy and Time-resolved Observation Using Synchrotron Radiationâ^1/4. Vacuum and Surface Science, 2021, 64, 206-211.	0.1	0
106	Accuracy Improvement of the XRD-Rietveld Method for the Quantification of Crystalline Phases in Iron Sintered Ores Through the Correction of Micro-absorption Effects. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2021, 107, 210-218.	0.4	0
107	^ ^quot;Continuous Cooling Transformation (CCT)^ ^quot; Concept for Iron Ore Sintering Using in situ Quick X-ray Diffraction and Confocal Laser Microscope. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2014, 100, 170-179.	0.4	0
108	Development of in situ and dynamic observation of changes in mineralogical structures and their application to steel-relating materials and steel making processes. Ganseki Kobutsu Kagaku, 2014, 43, 30-36.	0.1	0

#	Article	IF	CITATIONS
109	<i>In situ</i> Observation of Reactions at Liquid/Solid Interfaces and Chemical States Mapping Using Synchrotron Radiation. Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan, 2018, 69, 16-21.	0.2	O
110	Nano-Scale Observation of Cracks in Materials Using Synchrotron Radiation and X-ray. Journal of the Japan Society for Precision Engineering, 2020, 86, 193-196.	0.1	0
111	Chemical-state Imaging of Materials Using X-ray Microscopes. Vacuum and Surface Science, 2021, 64, 556-561.	0.1	O