Mitsuru Futakuchi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1747808/publications.pdf

Version: 2024-02-01

105 papers 3,620 citations

147801 31 h-index 149698 56 g-index

107 all docs

107 docs citations

107 times ranked

4281 citing authors

#	Article	IF	Citations
1	MMP-7 promotes prostate cancer-induced osteolysis via the solubilization of RANKL. Cancer Cell, 2005, 7, 485-496.	16.8	349
2	Cancer-secreted hsa-miR-940 induces an osteoblastic phenotype in the bone metastatic microenvironment via targeting ARHGAP1 and FAM134A. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 2204-2209.	7.1	200
3	Doseâ€dependent mesothelioma induction by intraperitoneal administration of multiâ€wall carbon nanotubes in p53 heterozygous mice. Cancer Science, 2012, 103, 1440-1444.	3.9	170
4	Multiwalled carbon nanotubes intratracheally instilled into the rat lung induce development of pleural malignant mesothelioma and lung tumors. Cancer Science, 2016, 107, 924-935.	3.9	116
5	Matrix Metalloproteinase (MMP)-13 Regulates Mammary Tumor–Induced Osteolysis by Activating MMP9 and Transforming Growth Factor-β Signaling at the Tumor-Bone Interface. Cancer Research, 2010, 70, 3494-3504.	0.9	111
6	Anticancer effect of hyperthermia on prostate cancer mediated by magnetite cationic liposomes and immune-response induction in transplanted syngeneic rats. Prostate, 2005, 64, 373-381.	2.3	110
7	Inhibition of mammary gland carcinogenesis by green tea catechins and other naturally occurring antioxidants in female Sprague-Dawley rats pretreated with 7,12-dimethylbenz[a]anthracene. Cancer Letters, 1994, 83, 149-156.	7.2	105
8	Effects of arctiin on PhIP-induced mammary, colon and pancreatic carcinogenesis in female Sprague–Dawley rats and MelQx-induced hepatocarcinogenesis in male F344 rats. Cancer Letters, 2000, 155, 79-88.	7.2	103
9	Multiâ€walled carbon nanotubes translocate into the pleural cavity and induce visceral mesothelial proliferation in rats. Cancer Science, 2012, 103, 2045-2050.	3.9	101
10	Strong promoting activity of phenylethyl isothiocyanate and benzyl isothiocyanate on urinary bladder carcinogenesis in F344 male rats., 1998, 77, 773-777.		95
11	Cancer prevention by bovine lactoferrin: from animal studies to human trial. BioMetals, 2010, 23, 399-409.	4.1	91
12	Cathepsin G-mediated enhanced TGF- \hat{l}^2 signaling promotes angiogenesis via upregulation of VEGF and MCP-1. Cancer Letters, 2010, 288, 162-169.	7.2	86
13	Cathepsin G Enhances Mammary Tumor–Induced Osteolysis by Generating Soluble Receptor Activator of Nuclear Factor-κB Ligand. Cancer Research, 2008, 68, 5803-5811.	0.9	84
14	Experimental prostate carcinogenesis — rodent models. Mutation Research - Reviews in Mutation Research, 2000, 462, 219-226.	5.5	79
15	Heterogeneity of tumor cells in the bone microenvironment: Mechanisms and therapeutic targets for bone metastasis of prostate or breast cancer. Advanced Drug Delivery Reviews, 2016, 99, 206-211.	13.7	69
16	Anticarcinogenesis pathways activated by bovine lactoferrin in the murine small intestine. Biochimie, 2009, 91, 86-101.	2.6	67
17	Size―and shapeâ€dependent pleural translocation, deposition, fibrogenesis, and mesothelial proliferation by multiwalled carbon nanotubes. Cancer Science, 2014, 105, 763-769.	3.9	64
18	Chemoprevention of heterocyclic amine-induced carcinogenesis by phenolic compounds in rats. Cancer Letters, 1999, 143, 173-178.	7.2	62

#	Article	IF	CITATIONS
19	Transforming growth factor $\hat{\epsilon}^2$ signaling at the tumor $\hat{\epsilon}$ bone interface promotes mammary tumor growth and osteoclast activation. Cancer Science, 2009, 100, 71-81.	3.9	58
20	Detection of Lung Cancer Lymph Node Metastases from Whole-Slide Histopathologic Images Using a Two-Step Deep Learning Approach. American Journal of Pathology, 2019, 189, 2428-2439.	3.8	55
21	Suppressive Effects of Dietary Genistin and Daidzin on Rat Prostate Carcinogenesis. Japanese Journal of Cancer Research, 2000, 91, 786-791.	1.7	54
22	Effect of heat therapy using magnetic nanoparticles conjugated with cationic liposomes on prostate tumor in bone. Prostate, 2008, 68, 784-792.	2.3	54
23	Carcinogenicity of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) in the rat prostate and induction of invasive carcinomas by subsequent treatment with testosterone propionate. Cancer Letters, 1999, 143, 217-221.	7.2	50
24	Complete regression of experimental prostate cancer in nude mice by repeated hyperthermia using magnetite cationic liposomes and a newly developed solenoid containing a ferrite core. Prostate, 2006, 66, 718-727.	2.3	50
25	Involvement of macrophage inflammatory protein $1\hat{l}\pm$ (MIP $1\hat{l}\pm$) in promotion of rat lung and mammary carcinogenic activity of nanoscale titanium dioxide particles administered by intra-pulmonary spraying. Carcinogenesis, 2010, 31, 927-935.	2.8	48
26	Inhibition of conjugated fatty acids derived from safflower or perilla oil of induction and development of mammary tumors in rats induced by 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP). Cancer Letters, 2002, 178, 131-139.	7.2	42
27	Suppression of metastasis by nuclear factor kB inhibitors in an in vivo lung metastasis model of chemically induced hepatocellular carcinoma. Cancer Science, 2004, 95, 18-24.	3.9	39
28	Inhibition of intestinal polyp growth by oral ingestion of bovine lactoferrin and immune cells in the large intestine. BioMetals, 2014, 27, 1017-1029.	4.1	39
29	Loss of NDRG2 Expression Confers Oral Squamous Cell Carcinoma with Enhanced Metastatic Potential. Cancer Research, 2017, 77, 2363-2374.	0.9	35
30	Transforming growth factor \hat{l}^2 derived from bone matrix promotes cell proliferation of prostate cancer and osteoclast activation $\hat{a} \in \mathbf{a}$ associated osteolysis in the bone microenvironment. Cancer Science, 2008, 99, 316-323.	3.9	34
31	Establishment of anin vivoHighly Metastatic Rat Hepatocellular Carcinoma Model. Japanese Journal of Cancer Research, 1999, 90, 1196-1202.	1.7	33
32	A Medium-Term, Rapid Rat Bioassay Model for the Detection of Carcinogenic Potential of Chemicals. Toxicologic Pathology, 2010, 38, 182-187.	1.8	33
33	Stage and organ dependent effects of 1-O-hexyl-2,3,5-trimethylhydroquinone, ascorbic acid derivatives, N-heptadecane-8,10-dione and phenylethyl isothiocyanate in a rat multiorgan carcinogenesis model. , 1998, 76, 851-856.		32
34	Cancer-Associated Fibroblasts Enhance Survival and Progression of the Aggressive Pancreatic Tumor Via FGF-2 and CXCL8. Cancer Microenvironment, 2019, 12, 37-46.	3.1	32
35	Synergistic enhancement of hepatic foci development by combined treatment of rats with 10 heterocyclic amines at low doses. Carcinogenesis, 1994, 15, 1037-1041.	2.8	30
36	Inhibitory effects of low doses of melatonin on induction of preneoplastic liver lesions in a medium-term liver bioassay in F344 rats: relation to the influence of electromagnetic near field exposure. Cancer Letters, 2000, 155, 105-114.	7.2	30

#	Article	IF	Citations
37	Comparative Study of Toxic Effects of Anatase and Rutile Type Nanosized Titanium Dioxide Particles in vivo and in vitro. Asian Pacific Journal of Cancer Prevention, 2014, 15, 929-935.	1.2	30
38	Highly metastatic hepatocellular carcinomas induced in male F344 rats treated with N-nitrosomorpholine in combination with other hepatocarcinogens show a high incidence of p53 gene mutations along with altered mRNA expression of tumor-related genes. Cancer Letters, 1997, 112, 33-45.	7.2	29
39	Studies of initiation and promotion of carcinogenesis by N-nitroso compounds. Cancer Letters, 1998, 123, 185-191.	7.2	29
40	Dose response study of conjugated fatty acid derived from safflower oil on mammary and colon carcinogenesis pretreated with 7,12-dimethylbenz[a]anthracene (DMBA) and 1,2-dimethylhydrazine (DMH) in female Sprague–Dawley rats. Cancer Letters, 2003, 196, 161-168.	7.2	29
41	Comparison of Reversibility of Rat Forestomach Lesions Induced by Genotoxic and Non-genotoxic Carcinogens. Japanese Journal of Cancer Research, 1993, 84, 1120-1129.	1.7	27
42	Lack of promoting effect of titanium dioxide particles on ultraviolet B-initiated skin carcinogenesis in rats. Food and Chemical Toxicology, 2011, 49, 1298-1302.	3.6	27
43	Establishment and characterization of highly osteolytic luminal breast cancer cell lines by intracaudal arterial injection. Genes To Cells, 2020, 25, 111-123.	1.2	27
44	Establishment of rat hepatocellular carcinoma cell lines with differing metastatic potential in nude mice. International Journal of Cancer, 2001, 91, 797-802.	5.1	26
45	Lack of inhibitory effects of green tea catechins in 1,2-dimetylhydrazine-induced rat intestinal carcinogenesis model: comparison of the different formulations, administration routes and doses. Cancer Letters, 2002, 188, 163-170.	7.2	26
46	Site-dependent modulating effects of conjugated fatty acids from safflower oil in a rat two-stage carcinogenesis model in female Sprague–Dawley rats. Cancer Letters, 2001, 168, 15-21.	7.2	25
47	Site-specific Effects of Testosterone Propionate on the Prostate of Rat Pretreated with 3,2′-Dimethyl-4-aminobiphenyl:Dose-dependent Induction of Invasive Carcinomas. Japanese Journal of Cancer Research, 1995, 86, 645-648.	1.7	24
48	Modification of the Carcinogenic Potency of Quinoline, a Hepatocarcinogen, by Fluorine Atom Substitution: Evaluation of Carcinogenicity by a Medium-Term Assay Biological and Pharmaceutical Bulletin, 1997, 20, 40-43.	1.4	24
49	Suppression of Lung Metastasis by Aspirin but Not Indomethacin in anin vivoModel of Chemically Induced Hepatocellular Carcinoma. Japanese Journal of Cancer Research, 2002, 93, 1175-1181.	1.7	24
50	C5a inhibitor protects against ischemia/reperfusion injury in rat small intestine. Microbiology and Immunology, 2016, 60, 35-46.	1.4	22
51	The Effects of TGF-Î ² Signaling on Cancer Cells and Cancer Stem Cells in the Bone Microenvironment. International Journal of Molecular Sciences, 2019, 20, 5117.	4.1	22
52	Toxicology of engineered nanomaterials - a review of carcinogenic potential. Asian Pacific Journal of Cancer Prevention, 2009, 10, 975-80.	1.2	22
53	Both Early and Late Stages of Hepatocarcinogenesis Are Enhanced in Cx32 Dominant Negative Mutant Transgenic Rats with Disrupted Gap Junctional Intercellular Communication. Journal of Membrane Biology, 2007, 218, 101-106.	2.1	21
54	Hepatocyte Growth Factor Enhancement of Preneoplastic Hepatic Foci Development in Rats Treated with Diethylnitrosamine and N-Ethyl-N-hydroxyethylnitrosamine. Japanese Journal of Cancer Research, 1995, 86, 718-723.	1.7	20

#	Article	IF	CITATIONS
55	Clinicopathological analysis on cancers of autopsy cases in a geriatric hospital. Pathology International, 1997, 47, 293-300.	1.3	20
56	Phenotypic alteration of hepatocellular foci in rats treated with clofibrate and phenobarbital. Cancer Letters, 1994, 83, 89-95.	7.2	19
57	Protective mechanisms against the intestinal nematode Strongyloides venezuelensis in Schistosoma japonicum-infected mice. Parasite Immunology, 2000, 22, 279-286.	1.5	18
58	Modification of an in vivo Lung Metastasis Model of Hepatocellular Carcinoma by Low Dose N-nitrosomorpholine and Diethylnitrosamine. Clinical and Experimental Metastasis, 2005, 22, 441-447.	3.3	18
59	Animal model for mammary tumor growth in the bone microenvironment. Breast Cancer, 2013, 20, 195-203.	2.9	17
60	Modification of hepato- and renal carcinogenesis by catechol and its isomers in rats pretreated with N-ethyl-N-hydroxyethylnitrosamine. Teratogenesis, Carcinogenesis, and Mutagenesis, 1993, 13, 127-137.	0.8	16
61	Mature acinar cells are refractory to carcinoma development by targeted activation of Ras oncogene in adult rats. Cancer Science, 2010, 101, 341-346.	3.9	16
62	Murine Herc6 Plays a Critical Role in Protein ISGylation <i>In Vivo</i> and Has an ISGylation-Independent Function in Seminal Vesicles. Journal of Interferon and Cytokine Research, 2015, 35, 351-358.	1,2	16
63	Enhanced expression and shedding of receptor activator of NF-κB ligand during tumor–bone interaction potentiates mammary tumor-induced osteolysis. Clinical and Experimental Metastasis, 2009, 26, 797-808.	3.3	15
64	Nanosized zinc oxide particles do not promote DHPN-induced lung carcinogenesis but cause reversible epithelial hyperplasia of terminal bronchioles. Archives of Toxicology, 2014, 88, 65-75.	4.2	15
65	Chemoprevention of 2-amino-1-methyl-6-phenylimidazo- [4,5-b]pyridine-induced colon carcinogenesis by 1-O-hexyl-2,3,5-trimethylhydroquinone after initiation with 1,2-dimethylhydrazine in F344 rats. Carcinogenesis, 2002, 23, 283-287.	2.8	14
66	Fenton reactionâ€induced renal carcinogenesis in <i>Mutyh</i> â€deficient mice exhibits less chromosomal aberrations than the rat model. Pathology International, 2017, 67, 564-574.	1.3	14
67	Effects of Antioxidant 1-O-Hexyl-2,3,5-trimethylhydroquinone or Ascorbic Acid on Carcinogenesis Induced by Administration of Aminopyrine and Sodium Nitrite in a Rat Multi-organ Carcinogenesis Model. Japanese Journal of Cancer Research, 2002, 93, 1299-1307.	1.7	13
68	A Cross-Species Analysis of a Mouse Model of Breast Cancer-Specific Osteolysis and Human Bone Metastases Using Gene Expression Profiling. BMC Cancer, 2011, 11, 304.	2.6	13
69	Lack of promoting effect of titanium dioxide particles on chemically-induced skin carcinogenesis in rats and mice. Journal of Toxicological Sciences, 2012, 37, 317-327.	1.5	13
70	Ki-ras mutations with frequent normal allele loss versus absence ofp53 mutations in rat prostate and seminal vesicle carcinomas induced with 3,2′-dimethyl-4-aminobiphenyl. Molecular Carcinogenesis, 1995, 13, 21-26.	2.7	11
71	A novel monoclonal antibody targeting coxsackie virus and adenovirus receptor inhibits tumor growth in vivo. Scientific Reports, 2017, 7, 40400.	3.3	11
72	Immunohistochemically demonstrated androgen receptor expression in the rat prostate during carcinogenesis induced by 3,2′-dimethyl-4-aminobiphenyl with or without testosterone. Urologic Oncology: Seminars and Original Investigations, 1995, 1, 263-268.	1.6	9

#	Article	IF	CITATIONS
73	Low susceptibility of the spontaneously hypertensive rat (SHR) to quinoline-induction of hepatic hemangioendothelial sarcomas. Cancer Letters, 1996, 104, 37-41.	7.2	9
74	Effects of low dose mixtures of four N-nitroso compounds on hepatic foci development in the rat. Cancer Letters, 1996, 106, 263-269.	7.2	8
75	Persistent Pleural Lesions and Inflammation by Pulmonary Exposure of Multiwalled Carbon Nanotubes. Chemical Research in Toxicology, 2018, 31, 1025-1031.	3.3	8
76	Chemokine (C motif) ligand 3 detection in the serum of persons exposed to asbestos: A patientâ€based study. Cancer Science, 2015, 106, 825-832.	3.9	7
77	Establishment of Transplantable Rat Prostate Carcinomas from Primary Lesions Induced by 3,2'-Dimethyl-4-aminobiphenyl and Testosterone Journal of Toxicologic Pathology, 1998, 11, 27-32.	0.7	6
78	Development of Androgen-independent Carcinomas from Androgen-dependent Preneoplastic Lesions in the Male Accessory Sex Organs of Rats Treated with 3,2′-Dimethyl-4-aminobiphenyl and Testosterone Propionate. Japanese Journal of Cancer Research, 1999, 90, 23-30.	1.7	6
79	Evaluation of a biomarker for the diagnosis of pancreas cancer using an animal model. Journal of Toxicologic Pathology, 2019, 32, 135-141.	0.7	6
80	Thirteen-week oral toxicity study of magnesium chloride in B6C3F1 mice. Toxicology Letters, 1994, 73, 25-32.	0.8	4
81	Lack of Prophylactic Effect of Incadronate on Skeletal Lesions Associated with Implants of Prostate Cancer. European Urology, 2006, 49, 176-182.	1.9	4
82	Modifying effects of chitin, chitosan and their related compounds on 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline (MelQx) in a rat medium-term hepatocarcinogenesis model, and their post-initiation effects in a female rat 2-stage multi-organ carcinogenesis model. Food and Chemical Toxicology, 2008, 46, 2758-2763.	3.6	4
83	A novel reporter rat strain that expresses LacZ upon Creâ€mediated recombination. Genesis, 2013, 51, 268-274.	1.6	4
84	Rat N-ERC/Mesothelin as a Marker for In Vivo Screening of Drugs against Pancreas Cancer. PLoS ONE, 2014, 9, e111481.	2.5	4
85	Pathogenesis of follicular thymic hyperplasia associated with rheumatoid arthritis. Pathology International, 2022, 72, 252-260.	1.3	3
86	Kinetics of Marked Development of Lung Metastasis of Rat Prostatic Carcinomas Transplanted in Syngeneic Rats. Clinical and Experimental Metastasis, 2005, 22, 309-318.	3.3	2
87	Therapeutic and Preventive Effects of Osteoclastogenesis Inhibitory Factor on Osteolysis, Proliferation of Mammary Tumor Cell and Induction of Cancer Stem Cells in the Bone Microenvironment. International Journal of Molecular Sciences, 2018, 19, 888.	4.1	2
88	Myocardial Damage and Microvasculopathy in a Patient With Systemic Sclerosis. Circulation Journal, 2021, 85, 224.	1.6	2
89	Promotive effects of cell proliferation and chromosomal instability induced by tribbles-related protein 3 in mouse mammary tumor cells. Oncology Reports, 2013, 30, 64-70.	2.6	1
90	A Novel Transgenic Mouse Model Carrying Human Tribbles Related Protein 3 (TRB3) Gene and Its Site Specific Phenotype. Biological and Pharmaceutical Bulletin, 2014, 37, 1068-1074.	1.4	1

#	ARTICLE	IF	Citations
91	Differences in Expression Patterns of Cell Cycle Regulators after Cessation of Genotoxic and Non-genotoxic Carcinogen Treatment in the Rat Forestomach. Journal of Toxicologic Pathology, 2008, 21, 77-87.	0.7	1
92	Combined Chemopreventive Effects of Perilla or Corn Oil and Indomethacin in a Rat Medium-Term Multiorgan Carcinogenesis Model. Journal of Toxicologic Pathology, 2007, 20, 245-252.	0.7	1
93	HEAT THERAPY WITH CATIONIC LIPOSOME MIGHT SUPPRESS THE PROLIFERATION OF PROSTATE CANCER IN BONE MICROENVIRONMENT VIA THE REDUCTION OF TGF-β LEVEL IN BONE MICROENVIRONMENT. Journal of Urology, 2008, 179, 420-421.	0.4	0
94	In vivo 18F-fluorodeoxyglucose-positron emission tomography/computed tomography imaging of pancreatic tumors in a transgenic rat model carrying the human KRASG12V oncogene. Oncology Letters, 2015, 9, 2112-2118.	1.8	0
95	Suppression of C5a decreases ischemia/reperfusion injury and increases proliferation of epithelial cells in the rat small intestine. Immunobiology, 2016, 221, 1146.	1.9	0
96	Pulmonary atherosclerosis in a patient with chronic thromboembolic pulmonary hypertension. Pathology International, 2021, 71, 164-166.	1.3	0
97	Mathematical Modeling of Tumor Malignancy in Bone Microenvironment. Springer Proceedings in Mathematics and Statistics, 2021, , 235-241.	0.2	0
98	Gene expression profiling using a unique murine mammary tumor model reveal role of novel genes regulating tumorâ€stromal interaction in mammary tumorâ€induced osteolysis. FASEB Journal, 2006, 20, A222.	0.5	0
99	547: Suppression of the Prostate Tumor Growth and Bone Destruction in the Bone Microenvironment by Heat Therapy with Magnetic Nano-Particle Conjugated with Cationic Liposome. Journal of Urology, 2007, 177, 182-182.	0.4	0
100	Abstract 3604: Evaluation of carcinogenic effect of multiwall carbon nanotubes on the rat lung at 2 and 52 weeks after pulmonary instillation , 2013, , .		0
101	Abstract 3606: Effect of anatase type nanosized titanium dioxide particles on the rat lung and cultured macrophage, 2013,,.		0
102	Abstract 182: A new anticancer agent derived from decenoic acid for the treatment of colon cancer., $2017, \dots$		0
103	Abstract 2178: Growth inhibition of the crude extracts of Musa basjooin human colon carcinoma cells. , 2017, , .		0
104	Calvarial Bone Implantation and in vivo Imaging of Tumor Cells in Mice. Bio-protocol, 2019, 9, e3151.	0.4	0
105	Oncogenic isoform switch of tumor suppressor BCL11B in adult T-cell leukemia/lymphoma. Experimental Hematology, 2022, 111, 41-49.	0.4	0