Daniel J Bernard

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/174827/publications.pdf

Version: 2024-02-01

124 papers 4,133 citations

35 h-index 58 g-index

129 all docs

129 docs citations

times ranked

129

3004 citing authors

#	Article	IF	CITATIONS
1	Androgen Receptor, Estrogen Receptor α, and Estrogen Receptorβ Show Distinct Patterns of Expression in Forebrain Song Control Nuclei of European Starlings1. Endocrinology, 1999, 140, 4633-4643.	2.8	174
2	Loss-of-function mutations in IGSF1 cause an X-linked syndrome of central hypothyroidism and testicular enlargement. Nature Genetics, 2012, 44, 1375-1381.	21.4	169
3	The structure of myostatin:follistatin 288: insights into receptor utilization and heparin binding. EMBO Journal, 2009, 28, 2662-2676.	7.8	148
4	Both SMAD2 and SMAD3 Mediate Activin-Stimulated Expression of the Follicle-Stimulating Hormone Î ² Subunit in Mouse Gonadotrope Cells. Molecular Endocrinology, 2004, 18, 606-623.	3.7	133
5	Seasonal Plasticity in the Song Control System: Multiple Brain Sites of Steroid Hormone Action and the Importance of Variation in Song Behavior. Annals of the New York Academy of Sciences, 2004, 1016, 586-610.	3.8	128
6	Biphasic Effects of Postnatal Exposure to Diethylhexylphthalate on the Timing of Puberty in Male Rats. Journal of Andrology, 2007, 28, 513-520.	2.0	128
7	Mechanisms of FSH synthesis: what we know, what we don't, and why you should care. Fertility and Sterility, 2010, 93, 2465-2485.	1.0	123
8	Photoperiodic Condition Modulates the Effects of Testosterone on Song Control Nuclei Volumes in Male European Starlings. General and Comparative Endocrinology, 1997, 105, 276-283.	1.8	92
9	Structural basis for potency differences between GDF8 and GDF11. BMC Biology, 2017, 15, 19.	3.8	90
10	Structure and Expression of a Membrane Component of the Inhibin Receptor System 1. Endocrinology, 2000, 141, 2600-2607.	2.8	84
11	Activator Protein-1 and Smad Proteins Synergistically Regulate Human Follicle-Stimulating Hormone \hat{l}^2 -Promoter Activity. Endocrinology, 2008, 149, 5577-5591.	2.8	81
12	Age- and behavior-related variation in volumes of song control nuclei in male European starlings. , 1996, 30, 329-339.		80
13	Properties of inhibin binding to betaglycan, InhBP/p120 and the activin type II receptors. Molecular and Cellular Endocrinology, 2002, 196, 79-93.	3.2	80
14	A Novel Role for the Forkhead Transcription Factor FOXL2 in Activin A-Regulated Follicle-Stimulating Hormone Î ² Subunit Transcription. Molecular Endocrinology, 2009, 23, 1001-1013.	3.7	78
15	Testis-dependent and -independent effects of photoperiod on volumes of song control nuclei in American tree sparrows (Spizella arborea). Brain Research, 1997, 760, 163-169.	2.2	75
16	Two histological markers reveal a similar photoperiodic difference in the volume of the high vocal center in male European starlings. Journal of Comparative Neurology, 1995, 360, 726-734.	1.6	73
17	Follicleâ€stimulating hormone synthesis and fertility depend on SMAD4 and FOXL2. FASEB Journal, 2014, 28, 3396-3410.	0.5	68
18	Acute regulation of murine follicle-stimulating hormone \hat{l}^2 subunit transcription by activin A. Journal of Molecular Endocrinology, 2006, 36, 201-220.	2.5	66

#	Article	IF	CITATIONS
19	Sexual dimorphism in the volume of song control nuclei in European starlings: Assessment by a Nissl stain and autoradiography for muscarinic cholinergic receptors. Journal of Comparative Neurology, 1993, 334, 559-570.	1.6	65
20	Impaired Fertility and FSH Synthesis in Gonadotrope-Specific Foxl2 Knockout Mice. Molecular Endocrinology, 2013, 27, 407-421.	3.7	64
21	Sex differences in the volume of avian song control nuclei: Comparative studies and the issue of brain nucleus delineation. Psychoneuroendocrinology, 1994, 19, 485-504.	2.7	62
22	SMADs and FOXL2 Synergistically Regulate Murine $FSH\hat{l}^2$ Transcription Via a Conserved Proximal Promoter Element. Molecular Endocrinology, 2011, 25, 1170-1183.	3.7	61
23	Activin B can signal through both ALK4 and ALK7 in gonadotrope cells. Reproductive Biology and Endocrinology, 2006, 4, 52.	3.3	60
24	Auditory discrimination of chord-based spectral structures by European starlings (Sturnus) Tj ETQq0 0 0 rgBT /0	Overlock 10 2.1) Tf 50 542 To
25	Gonadal steroid receptor mRNA in catecholaminergic nuclei of the canary brainstem. Neuroscience Letters, 2001, 311, 189-192.	2.1	54
26	Minireview: Inhibin Binding Protein (InhBP/p120), Betaglycan, and the Continuing Search for the Inhibin Receptor. Molecular Endocrinology, 2002, 16, 207-212.	3.7	52
27	Bone morphogenetic protein 2 and activin A synergistically stimulate follicle-stimulating hormone \hat{l}^2 subunit transcription. Journal of Molecular Endocrinology, 2007, 38, 315-330.	2.5	52
28	Androgen Receptor, Estrogen Receptor Â, and Estrogen Receptor Show Distinct Patterns of Expression in Forebrain Song Control Nuclei of European Starlings. Endocrinology, 1999, 140, 4633-4643.	2.8	49
29	Photoperiodic Effects on Gonadotropin-Releasing Hormone (GnRH) Content and the GnRH-Immunoreactive Neuronal System of Male Siberian Hamsters1. Biology of Reproduction, 1999, 60, 272-276.	2.7	42
30	Minireview: Activin Signaling in Gonadotropes: What Does the FOX say… to the SMAD?. Molecular Endocrinology, 2015, 29, 963-977.	3.7	42
31	Inhibin Binding Protein in Rats: Alternative Transcripts and Regulation in the Pituitary across the Estrous Cycle. Molecular Endocrinology, 2001, 15, 654-667.	3.7	41
32	SMAD3 Regulates Follicle-stimulating Hormone Synthesis by Pituitary Gonadotrope Cells in Vivo. Journal of Biological Chemistry, 2017, 292, 2301-2314.	3.4	41
33	Activin A Regulates Porcine Follicle-Stimulating Hormone \hat{I}^2 -Subunit Transcription via Cooperative Actions of SMADs and FOXL2. Endocrinology, 2010, 151, 5456-5467.	2.8	40
34	Betaglycan (TGFBR3) Functions as an Inhibin A, but Not Inhibin B, Coreceptor in Pituitary Gonadotrope Cells in Mice. Endocrinology, 2018, 159, 4077-4091.	2.8	40
35	Normal Reproductive Function in InhBP/p120-Deficient Mice. Molecular and Cellular Biology, 2003, 23, 4882-4891.	2.3	38
36	Three Novel <i>IGSF1</i> Mutations in Four Japanese Patients With X-Linked Congenital Central Hypothyroidism. Journal of Clinical Endocrinology and Metabolism, 2013, 98, E1682-E1691.	3.6	38

#	Article	IF	CITATIONS
37	Single nucleus multi-omics regulatory landscape of the murine pituitary. Nature Communications, 2021, 12, 2677.	12.8	38
38	Bone Morphogenetic Protein 2 Stimulates Noncanonical SMAD2/3 Signaling via the BMP Type 1A Receptor in Gonadotrope-Like Cells: Implications for FSH Synthesis. Endocrinology, 2014, 155, 1970-1981.	2.8	37
39	Steroid Sensitive Sites in the Avian Brain: Does the Distribution of the Estrogen Receptor \hat{l}_{\pm} and \hat{l}^{2} Types Provide Insight into Their Function?. Brain, Behavior and Evolution, 1999, 54, 28-40.	1.7	35
40	An Internal Signal Sequence Directs Intramembrane Proteolysis of a Cellular Immunoglobulin Domain Protein. Journal of Biological Chemistry, 2008, 283, 36369-36376.	3.4	35
41	Paired-Like Homeodomain Transcription Factors 1 and 2 Regulate Follicle-Stimulating Hormone β-Subunit Transcription through a Conserved cis-Element. Endocrinology, 2008, 149, 3095-3108.	2.8	35
42	Mechanisms of Activin-Stimulated FSH Synthesis: The Story of a Pig and a FOX1. Biology of Reproduction, 2013, 88, 78.	2.7	35
43	Bone Morphogenetic Protein 2 Signals via BMPR1A to Regulate Murine Follicle-Stimulating Hormone Beta Subunit Transcription1. Biology of Reproduction, 2009, 81, 133-141.	2.7	34
44	Novel forms of Paired-like homeodomain transcription factor 2 (PITX2): Generation by alternative translation initiation and mRNA splicing. BMC Molecular Biology, 2008, 9, 31.	3.0	32
45	TRH Action Is Impaired in Pituitaries of Male IGSF1-Deficient Mice. Endocrinology, 2017, 158, 815-830.	2.8	32
46	Conservation of mechanisms mediating gonadotrophin-releasing hormone 1 stimulation of human luteinizing hormone \hat{I}^2 subunit transcription. Molecular Human Reproduction, 2009, 15, 77-87.	2.8	30
47	Activins bind and signal via bone morphogenetic protein receptor type II (BMPR2) in immortalized gonadotrope-like cells. Cellular Signalling, 2013, 25, 2717-2726.	3.6	30
48	Photoperiodic Condition Is Associated with Region-Specific Expression of GNRH1 mRNA in the Preoptic Area of the Male Starling (Sturnus vulgaris)1. Biology of Reproduction, 2009, 81, 674-680.	2.7	29
49	$G\hat{l}^2\hat{l}^3$ is a negative regulator of AP-1 mediated transcription. Cellular Signalling, 2010, 22, 1254-1266.	3.6	29
50	IGSF1 deficiency syndrome. Rare Diseases (Austin, Tex), 2013, 1, e24883.	1.8	29
51	Spatial and temporal expression of immunoglobulin superfamily member 1 in the rat. Journal of Endocrinology, 2015, 226, 181-191.	2.6	28
52	Differential Regulation of Pituitary Gonadotropin Subunit Messenger Ribonucleic Acid Levels in Photostimulated Siberian Hamsters 1. Biology of Reproduction, 2000, 62, 155-161.	2.7	27
53	Follicleâ€stimulating hormone synthesis and fertility are intact in mice lacking SMAD3 DNA binding activity and SMAD2 in gonadotrope cells. FASEB Journal, 2014, 28, 1474-1485.	0.5	27
54	Single nucleus transcriptome and chromatin accessibility of postmortem human pituitaries reveal diverse stem cell regulatory mechanisms. Cell Reports, 2022, 38, 110467.	6.4	27

#	Article	IF	CITATIONS
55	Conditional Deletion of FOXL2 and SMAD4 in Gonadotropes of Adult Mice Causes Isolated FSH Deficiency. Endocrinology, 2018, 159, 2641-2655.	2.8	26
56	Structure and Expression of a Membrane Component of the Inhibin Receptor System. Endocrinology, 2000, 141, 2600-2607.	2.8	26
57	Mechanisms of bone morphogenetic protein 2 (BMP2) stimulated inhibitor of DNA binding 3 (Id3) transcription. Molecular and Cellular Endocrinology, 2011, 332, 242-252.	3.2	25
58	Delayed Adrenarche may be an Additional Feature of Immunoglobulin Super Family Member 1 Deficiency Syndrome. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2016, 8, 86-91.	0.9	25
59	An emerging role for co-receptors in inhibin signal transduction. Molecular and Cellular Endocrinology, 2001, 180, 55-62.	3.2	24
60	Mono-(2-ethylhexyl) phthalate (MEHP) regulates glucocorticoid metabolism through $11\hat{l}^2$ -hydroxysteroid dehydrogenase 2 in murine gonadotrope cells. Biochemical and Biophysical Research Communications, 2009, 389, 305-309.	2.1	24
61	Activin A induction of $FSH\hat{I}^2$ subunit transcription requires SMAD4 in immortalized gonadotropes. Journal of Molecular Endocrinology, 2010, 44, 349-362.	2.5	23
62	Familial Central Hypothyroidism Caused by a Novel <i>IGSF1</i> Gene Mutation. Thyroid, 2016, 26, 1693-1700.	4.5	23
63	NR5A2 Regulates Lhb and Fshb Transcription in Gonadotrope-Like Cells In Vitro, but Is Dispensable for Gonadotropin Synthesis and Fertility In Vivo. PLoS ONE, 2013, 8, e59058.	2.5	22
64	Pituitary Hormone Secretion Profiles in IGSF1 Deficiency Syndrome. Neuroendocrinology, 2016, 103, 408-416.	2.5	22
65	IGSF1 Deficiency Results in Human and Murine Somatotrope Neurosecretory Hyperfunction. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e70-e84.	3.6	22
66	Differential regulation of follicle stimulating hormone by activin A and TGFB1 in murine gonadotropes. Reproductive Biology and Endocrinology, 2005, 3, 73.	3.3	21
67	From Consternation to Revelation: Discovery of a Role for IGSF1 in Pituitary Control of Thyroid Function. Journal of the Endocrine Society, 2018, 2, 220-231.	0.2	21
68	Single-cell stabilization method identifies gonadotrope transcriptional dynamics and pituitary cell type heterogeneity. Nucleic Acids Research, 2018, 46, 11370-11380.	14.5	21
69	TGFBR3L is an inhibin B co-receptor that regulates female fertility. Science Advances, 2021, 7, eabl4391.	10.3	21
70	The orphan ligand, activin C, signals through activin receptor-like kinase 7. ELife, 0, 11, .	6.0	21
71	Development of a Highly Sensitive ELISA for Measurement of FSH in Serum, Plasma, and Whole Blood in Mice. Endocrinology, 2021, 162, .	2.8	20
72	Age-Related Changes in the Photoperiodic Response of Siberian Hamsters 1. Biology of Reproduction, 1997, 57, 172-177.	2.7	19

#	Article	IF	CITATIONS
73	Photoperiod-dependent regulation of gonadotropin-releasing hormone 1 messenger ribonucleic acid levels in the songbird brain. General and Comparative Endocrinology, 2013, 190, 81-87.	1.8	19
74	IGSF1 variants in boys with familial delayed puberty. European Journal of Pediatrics, 2015, 174, 687-692.	2.7	19
75	Bone Morphogenetic Protein 2 Acts via Inhibitor of DNA Binding Proteins to Synergistically Regulate Follicle-Stimulating Hormone Î ² Transcription with Activin A. Endocrinology, 2010, 151, 3445-3453.	2.8	17
76	Î ² -Catenin Stabilization in Gonadotropes Impairs FSH Synthesis in Male Mice In Vivo. Endocrinology, 2015, 156, 323-333.	2.8	17
77	Murine FSH Production Depends on the Activin Type II Receptors ACVR2A and ACVR2B. Endocrinology, 2020, 161, .	2.8	17
78	SMAD3 and EGR1 physically and functionally interact in promoter-specific fashion. Cellular Signalling, 2010, 22, 936-943.	3.6	16
79	Is IGSF1 involved in human pituitary tumor formation?. Endocrine-Related Cancer, 2015, 22, 47-54.	3.1	16
80	A novel <scp>IGSF</scp> 1 mutation in a large Irish kindred highlights the need for familial screening in the <scp>IGSF</scp> 1 deficiency syndrome. Clinical Endocrinology, 2018, 89, 813-823.	2.4	16
81	Activin A induction of murine and ovine follicle-stimulating hormone \hat{l}^2 transcription is SMAD-dependent and TAK1 (MAP3K7)/p38 MAPK-independent in gonadotrope-like cells. Cellular Signalling, 2012, 24, 1632-1640.	3.6	15
82	TGF- \hat{l}^2 Superfamily Regulation of Follicle-Stimulating Hormone Synthesis by Gonadotrope Cells: Is There a Role for Bone Morphogenetic Proteins?. Endocrinology, 2019, 160, 675-683.	2.8	15
83	A Tale of Two Proteins: Betaglycan, IGSF1, and the Continuing Search for the Inhibin B Receptor. Trends in Endocrinology and Metabolism, 2020, 31, 37-45.	7.1	14
84	Cytogenetic, Genomic, and Functional Characterization of Pituitary Gonadotrope Cell Lines. Journal of the Endocrine Society, 2019, 3, 902-920.	0.2	13
85	Lesions of glucose-responsive neurons impair synchronizing effects of calorie restriction in mice. Brain Research, 1998, 801, 244-250.	2.2	12
86	Sex- and Age-Specific Impact of ERK Loss Within the Pituitary Gonadotrope in Mice. Endocrinology, 2018, 159, 1264-1276.	2.8	12
87	Cycloheximide inhibits follicle-stimulating hormone \hat{l}^2 subunit transcription by blocking de novo synthesis of the labile activin type II receptor in gonadotrope cells. Cellular Signalling, 2013, 25, 1403-1412.	3.6	11
88	The CpG Island in the Murine Foxl2 Proximal Promoter Is Differentially Methylated in Primary and Immortalized Cells. PLoS ONE, 2013, 8, e76642.	2.5	11
89	Inhibin Binding Protein in Rats: Alternative Transcripts and Regulation in the Pituitary across the Estrous Cycle. Molecular Endocrinology, 2001, 15, 654-667.	3.7	10
90	Activins regulate 17β-hydroxysteroid dehydrogenase type I transcription in murine gonadotrope cells. Journal of Endocrinology, 2009, 201, 89-104.	2.6	9

#	Article	IF	CITATIONS
91	Normal gonadotropin production and fertility in gonadotrope-specific Bmpr1a knockout mice. Journal of Endocrinology, 2016, 229, 331-341.	2.6	9
92	Impaired LH surge amplitude in gonadotrope-specific progesterone receptor knockout mice. Journal of Endocrinology, 2020, 244, 111-122.	2.6	9
93	Human Follicle-Stimulating Hormone ß Subunit Expression Depends on FOXL2 and SMAD4. Endocrinology, 2020, 161, .	2.8	8
94	The Hippo Pathway Effectors YAP and TAZ Regulate LH Release by Pituitary Gonadotrope Cells in Mice. Endocrinology, 2022, 163, .	2.8	8
95	A Novel IGSF1 Mutation in a Boy With Short Stature and Hypercholesterolemia: A Case Report. Journal of the Endocrine Society, 2017, 1, 731-736.	0.2	7
96	Gonadotrope-specific deletion of the BMP type 2 receptor does not affect reproductive physiology in miceâ€â€¡. Biology of Reproduction, 2020, 102, 639-646.	2.7	7
97	Kisspeptin-54 injection induces a physiological luteinizing hormone surge and ovulation in mice. Biology of Reproduction, 2021, 104, 1181-1183.	2.7	7
98	S100a4-Cre–mediated deletion of Ptch1 causes hypogonadotropic hypogonadism: role of pituitary hematopoietic cells in endocrine regulation. JCI Insight, 2019, 4, .	5.0	7
99	HDAC inhibitors impair Fshb subunit expression in murine gonadotrope cells. Journal of Molecular Endocrinology, 2019, 62, 67-78.	2.5	7
100	Transfer of serial stimulus relations by European starlings (Sturnus vulgaris): Loudness Journal of Experimental Psychology, 1992, 18, 323-334.	1.7	6
101	Cloning of a novel inhibin alpha cDNA from rhesus monkey testis. Reproductive Biology and Endocrinology, 2004, 2, 71.	3.3	6
102	Anterior Pituitary. , 2020, , 119-144.		6
103	Gold-thioglucose-induced hypothalamic lesions inhibit metabolic modulation of light-induced circadian phase shifts in mice. Brain Research, 1999, 824, 18-27.	2.2	5
104	Inhibin Inactivation in Female Mice Leads to Elevated FSH Levels, Ovarian Overstimulation, and Pregnancy Loss. Endocrinology, 2022, 163, .	2.8	5
105	Deletion of $\hat{Gl}\pm q/11$ or $\hat{Gl}\pm s$ Proteins in Gonadotropes Differentially Affects Gonadotropin Production and Secretion in Mice. Endocrinology, 2022, 163, .	2.8	5
106	Transcription factor GATA2 may potentiate follicle-stimulating hormone production in mice via induction of the BMP antagonist gremlin in gonadotrope cells. Journal of Biological Chemistry, 2022, 298, 102072.	3.4	5
107	Steroidogenic Factor 1 Regulation of the Hypothalamic-Pituitary-Ovarian Axis of Adult Female Mice. Endocrinology, 2022, 163 , .	2.8	4
108	SMAD Expression in the Testis Predicts Age―and Cellâ€Specific Responses to Activin and TGFβ. Journal of Andrology, 2003, 24, 201-203.	2.0	3

#	Article	IF	Citations
109	The short mRNA isoform of the immunoglobulin superfamily, member 1 gene encodes an intracellular glycoprotein. PLoS ONE, 2017, 12, e0180731.	2.5	3
110	IGSF1 Does Not Regulate Spermatogenesis or Modify FSH Synthesis in Response to Inhibins or Activins. Journal of the Endocrine Society, 2021, 5, bvab023.	0.2	2
111	Genetic Approaches to the Study of Pituitary Follicle-Stimulating Hormone Regulation., 2001,, 297-317.		2
112	Addition of a carboxy-terminal tail to the normally tailless gonadotropin-releasing hormone receptor impairs fertility in female mice. ELife, $2021,10,10$	6.0	2
113	IGSF1 Deficiency Leads to Reduced TSH Production Independent of Alterations in Thyroid Hormone Action in Male Mice. Endocrinology, 2022, 163, .	2.8	2
114	Disinhibiting an Inhibitor: Genetic Engineering Leads to Improvements in Recombinant Inhibin A Production. Endocrinology, 2016, 157, 2583-2585.	2.8	1
115	Mechanisms of Inhibin Actionâ~†., 2017, , .		0
116	Activins and Inhibins in Female Reproduction. , 2018, , 202-210.		0
117	Response to Letter to the Editor: "lGSF1 Deficiency Results in Human and Murine Somatotrope Neurosecretory Hyperfunction― Journal of Clinical Endocrinology and Metabolism, 2020, 105, e2315-e2316.	3.6	0
118	Ablation of TGFBR3 (betaglycan) in oocytes does not affect fertility in female mice. Reproduction, 2021, 161, 289-294.	2.6	0
119	Inhibin Receptor Signaling., 2003,, 297-303.		0
120	DIFFERENTIAL EFFECTS OF MONO-(2-ETHYLHEXYL) PHTHALATE (MEHP) ON HYDROXYSTEROID DEHYDROGENASE ACTIVITIES IN PRIMARY RAT LEYDIG CELLS AND IMMORTALIZED GONADOTROPES. Biology of Reproduction, 2007, 77, 74-74.	2.7	0
121	SAT-414 Cytogenetic, Genomic, and Functional Characterization of Pituitary Gonadotrope Cell Lines. Journal of the Endocrine Society, 2019, 3, .	0.2	0
122	SAT-416 IGSF1 Does Not Regulate FSH Synthesis or Secretion. Journal of the Endocrine Society, 2019, 3, .	0.2	0
123	SAT-546 Discovering the Function of IGSF1 and Its Role in the Hypothalamic-Pituitary-Thyroid Axis. Journal of the Endocrine Society, 2019, 3, .	0.2	0
124	The extant immunoglobulin superfamily, member 1 gene results from an ancestral gene duplication in eutherian mammals. PLoS ONE, 2022, 17, e0267744.	2.5	0