

Elizabeth M McClure

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1753536/publications.pdf>

Version: 2024-02-01

214
papers

9,788
citations

47006

47
h-index

48315

88
g-index

216
all docs

216
docs citations

216
times ranked

8806
citing authors

#	ARTICLE	IF	CITATIONS
1	Stillbirths: rates, risk factors, and acceleration towards 2030. <i>Lancet, The</i> , 2016, 387, 587-603.	13.7	1,220
2	Stillbirths: recall to action in high-income countries. <i>Lancet, The</i> , 2016, 387, 691-702.	13.7	481
3	Newborn-Care Training and Perinatal Mortality in Developing Countries. <i>New England Journal of Medicine</i> , 2010, 362, 614-623.	27.0	344
4	Stillbirths: why they matter. <i>Lancet, The</i> , 2011, 377, 1353-1366.	13.7	276
5	A population-based, multifaceted strategy to implement antenatal corticosteroid treatment versus standard care for the reduction of neonatal mortality due to preterm birth in low-income and middle-income countries: the ACT cluster-randomised trial. <i>Lancet, The</i> , 2015, 385, 629-639.	13.7	262
6	Stillbirths: progress and unfinished business. <i>Lancet, The</i> , 2016, 387, 574-586.	13.7	195
7	Low-dose aspirin for the prevention of preterm delivery in nulliparous women with a singleton pregnancy (ASPIRIN): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2020, 395, 285-293.	13.7	194
8	Global, regional, and national estimates and trends in stillbirths from 2000 to 2019: a systematic assessment. <i>Lancet, The</i> , 2021, 398, 772-785.	13.7	186
9	Neonatal mortality, risk factors and causes: a prospective population-based cohort study in urban Pakistan. <i>Bulletin of the World Health Organization</i> , 2009, 87, 130-138.	3.3	178
10	Infection-related stillbirths. <i>Lancet, The</i> , 2010, 375, 1482-1490.	13.7	177
11	Stillbirth in developing countries: a review of causes, risk factors and prevention strategies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 183-190.	1.5	167
12	Adverse maternal and perinatal outcomes in adolescent pregnancies: The Global Network's Maternal Newborn Health Registry study. <i>Reproductive Health</i> , 2015, 12, S8.	3.1	158
13	Stillbirths: the vision for 2020. <i>Lancet, The</i> , 2011, 377, 1798-1805.	13.7	150
14	A prospective study of maternal, fetal and neonatal deaths in low- and middle-income countries. <i>Bulletin of the World Health Organization</i> , 2014, 92, 605-612.	3.3	144
15	Maternal mortality, stillbirth and measures of obstetric care in developing and developed countries. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 96, 139-146.	2.3	141
16	Stillbirth in developing countries. <i>International Journal of Gynecology and Obstetrics</i> , 2006, 94, 82-90.	2.3	120
17	The relationship of intrapartum and antepartum stillbirth rates to measures of obstetric care in developed and developing countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 1303-1309.	2.8	120
18	Neonatal Mortality From Respiratory Distress Syndrome: Lessons for Low-Resource Countries. <i>Pediatrics</i> , 2011, 127, 1139-1146.	2.1	120

#	ARTICLE	IF	CITATIONS
19	Making stillbirths visible: a systematic review of globally reported causes of stillbirth. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 212-224.	2.3	119
20	Major causes of death in preterm infants in selected hospitals in Ethiopia (SIP): a prospective, cross-sectional, observational study. <i>The Lancet Global Health</i> , 2019, 7, e1130-e1138.	6.3	113
21	The Maternal and Newborn Health Registry Study of the Global Network for Women's and Children's Health Research. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 118, 190-193.	2.3	109
22	Postpartum contraceptive use and unmet need for family planning in five low-income countries. <i>Reproductive Health</i> , 2015, 12, S11.	3.1	106
23	The legacy of redlining in the effect of foreclosures on Detroit residentsâ€™ self-rated health. <i>Health and Place</i> , 2019, 55, 9-19.	3.3	99
24	Infection and stillbirth. <i>Seminars in Fetal and Neonatal Medicine</i> , 2009, 14, 182-189.	2.3	95
25	The Global Network Maternal Newborn Health Registry: a multi-national, community-based registry of pregnancy outcomes. <i>Reproductive Health</i> , 2015, 12, S1.	3.1	90
26	Stillbirth rates in low-middle income countries 2010 - 2013: a population-based, multi-country study from the Global Network. <i>Reproductive Health</i> , 2015, 12, S7.	3.1	89
27	Lessons for low-income regions following the reduction in hypertension-related maternal mortality in high-income countries. <i>International Journal of Gynecology and Obstetrics</i> , 2011, 113, 91-95.	2.3	84
28	The global network: a prospective study of stillbirths in developing countries. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 247.e1-247.e5.	1.3	79
29	Rates and determinants of early initiation of breastfeeding and exclusive breast feeding at 42 days postnatal in six low and middle-income countries: A prospective cohort study. <i>Reproductive Health</i> , 2015, 12, S10.	3.1	79
30	Risk factors for maternal death and trends in maternal mortality in low- and middle-income countries: a prospective longitudinal cohort analysis. <i>Reproductive Health</i> , 2015, 12, S5.	3.1	78
31	A multicountry randomized controlled trial of comprehensive maternal nutrition supplementation initiated before conception: the Women First trial. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 457-469.	4.7	77
32	Epidemiology of stillbirth in low-middle income countries: A Global Network Study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 1379-1385.	2.8	76
33	Preconception maternal nutrition: a multi-site randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 111.	2.4	68
34	Maternal anaemia and maternal, fetal, and neonatal outcomes in a prospective cohort study in India and Pakistan. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 737-743.	2.3	68
35	First look: a cluster-randomized trial of ultrasound to improve pregnancy outcomes in low income country settings. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 73.	2.4	64
36	Trends and determinants of stillbirth in developing countries: results from the Global Networkâ€™s Population-Based Birth Registry. <i>Reproductive Health</i> , 2018, 15, 100.	3.1	64

#	ARTICLE	IF	CITATIONS
37	Neonatal Death in Low- to Middle-Income Countries: A Global Network Study. <i>American Journal of Perinatology</i> , 2012, 29, 649-656.	1.4	58
38	The Association of Parasitic Infections in Pregnancy and Maternal and Fetal Anemia: A Cohort Study in Coastal Kenya. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2724.	3.0	58
39	Routine antenatal ultrasound in low- and middle-income countries: first look – a cluster randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 1591-1599.	2.3	58
40	Improving pregnancy outcomes in low- and middle-income countries. <i>Reproductive Health</i> , 2018, 15, 88.	3.1	58
41	Domestic violence prior to and during pregnancy among Pakistani women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1194-1201.	2.8	54
42	A systematic review of the impact of malaria prevention in pregnancy on low birth weight and maternal anemia. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 121, 103-109.	2.3	54
43	The use of chlorhexidine to reduce maternal and neonatal mortality and morbidity in low-resource settings. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 97, 89-94.	2.3	53
44	Pregnant Women in Four Low-Middle Income Countries Have a High Prevalence of Inadequate Dietary Intakes That Are Improved by Dietary Diversity. <i>Nutrients</i> , 2019, 11, 1560.	4.1	53
45	Stillbirth and early neonatal mortality in rural Central Africa. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 105, 112-117.	2.3	50
46	A prospective population-based study of maternal, fetal, and neonatal outcomes in the setting of prolonged labor, obstructed labor and failure to progress in low- and middle-income countries. <i>Reproductive Health</i> , 2015, 12, S9.	3.1	50
47	A prospective study of maternal, fetal and neonatal outcomes in the setting of cesarean section in low- and middle-income countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 410-420.	2.8	50
48	Prevalence of suicidal thoughts and attempts among pregnant Pakistani women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 1545-1551.	2.8	49
49	A combined community- and facility-based approach to improve pregnancy outcomes in low-resource settings: a Global Network cluster randomized trial. <i>BMC Medicine</i> , 2013, 11, 215.	5.5	49
50	Maternal and newborn outcomes in Pakistan compared to other low and middle income countries in the Global Network's Maternal Newborn Health Registry: an active, community-based, pregnancy surveillance mechanism. <i>Reproductive Health</i> , 2015, 12, S15.	3.1	47
51	Seeking order amidst chaos: a systematic review of classification systems for causes of stillbirth and neonatal death, 2009-2014. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 295.	2.4	47
52	Infectious Causes of Stillbirth: A Clinical Perspective. <i>Clinical Obstetrics and Gynecology</i> , 2010, 53, 635-645.	1.1	46
53	Classification of causes and associated conditions for stillbirths and neonatal deaths. <i>Seminars in Fetal and Neonatal Medicine</i> , 2017, 22, 176-185.	2.3	46
54	Why are the Pakistani maternal, fetal and newborn outcomes so poor compared to other low and middle-income countries?. <i>Reproductive Health</i> , 2020, 17, 190.	3.1	46

#	ARTICLE	IF	CITATIONS
55	Maternal, fetal and neonatal mortality: lessons learned from historical changes in high income countries and their potential application to low-income countries. <i>Maternal Health, Neonatology and Perinatology</i> , 2015, 1, 3.	2.2	45
56	Global Network for Women's and Children's Health Research: probable causes of stillbirth in low- and middle-income countries using a prospectively defined classification system. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 131-138.	2.3	45
57	High Mortality Rates for Very Low Birth Weight Infants in Developing Countries Despite Training. <i>Pediatrics</i> , 2010, 126, e1072-e1080.	2.1	44
58	Neighborhood-Level Interventions to Improve Childhood Opportunity and Lift Children Out of Poverty. <i>Academic Pediatrics</i> , 2016, 16, S128-S135.	2.0	43
59	Stillbirths in an urban community in Pakistan. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 257.e1-257.e8.	1.3	42
60	Communities, birth attendants and health facilities: a continuum of emergency maternal and newborn care (the global network's EmONC trial). <i>BMC Pregnancy and Childbirth</i> , 2010, 10, 82.	2.4	42
61	Assessment of Obstetric and Neonatal Health Services in Developing Country Health Facilities. <i>American Journal of Perinatology</i> , 2013, 30, 787-794.	1.4	42
62	Implementation and evaluation of the Helping Babies Breathe curriculum in three resource limited settings: does Helping Babies Breathe save lives? A study protocol. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 116.	2.4	42
63	Use of Vaginally Administered Chlorhexidine During Labor to Improve Pregnancy Outcomes. <i>Obstetrics and Gynecology</i> , 2006, 107, 1139-1146.	2.4	40
64	Resuscitation and Obstetrical Care to Reduce Intrapartum-Related Neonatal Deaths: A MANDATE Study. <i>Maternal and Child Health Journal</i> , 2015, 19, 1853-1863.	1.5	40
65	Diabetes during Pregnancy in Low- and Middle-Income Countries. <i>American Journal of Perinatology</i> , 2016, 33, 1227-1235.	1.4	40
66	Women's Perceptions and Experiences of Domestic Violence. <i>Journal of Interpersonal Violence</i> , 2017, 32, 76-100.	2.0	39
67	Reduced perinatal mortality following enhanced training of birth attendants in the Democratic Republic of Congo: a time-dependent effect. <i>BMC Medicine</i> , 2011, 9, 93.	5.5	38
68	Institutional deliveries and perinatal and neonatal mortality in Southern and Central India. <i>Reproductive Health</i> , 2015, 12, S13.	3.1	38
69	An approach to identify a minimum and rational proportion of caesarean sections in resource-poor settings: a global network study. <i>The Lancet Global Health</i> , 2018, 6, e894-e901.	6.3	38
70	Maternal mortality in six low and lower-middle income countries from 2010 to 2018: risk factors and trends. <i>Reproductive Health</i> , 2020, 17, 173.	3.1	38
71	The evolution of minimally invasive tissue sampling in postmortem examination: a narrative review. <i>Global Health Action</i> , 2020, 13, 1792682.	1.9	37
72	Rates and risk factors for preterm birth and low birthweight in the global network sites in six low- and low middle-income countries. <i>Reproductive Health</i> , 2020, 17, 187.	3.1	37

#	ARTICLE	IF	CITATIONS
73	Reducing intrapartum stillbirths and intrapartum-related neonatal deaths. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 107, S1-S3.	2.3	36
74	Home birth attendants in low income countries: who are they and what do they do?. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 34.	2.4	36
75	Reducing maternal mortality from preeclampsia and eclampsia in low-resource countries – what should work?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 148-155.	2.8	36
76	Trends of antenatal care during pregnancy in low- and middle-income countries: Findings from the global network maternal and newborn health registry. <i>Seminars in Perinatology</i> , 2019, 43, 297-307.	2.5	36
77	Exposure of pregnant women to indoor air pollution: a study from nine low and middle income countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 540-548.	2.8	35
78	Impact of exposure to cooking fuels on stillbirths, perinatal, very early and late neonatal mortality - a multicenter prospective cohort study in rural communities in India, Pakistan, Kenya, Zambia and Guatemala. <i>Maternal Health, Neonatology and Perinatology</i> , 2015, 1, 18.	2.2	35
79	Home-Based Early Intervention and the Influence of Family Resources on Cognitive Development. <i>Pediatrics</i> , 2016, 137, .	2.1	35
80	Chlorhexidine Vaginal and Infant Wipes to Reduce Perinatal Mortality and Morbidity. <i>Obstetrics and Gynecology</i> , 2010, 115, 1225-1232.	2.4	34
81	Antenatal corticosteroids trial in preterm births to increase neonatal survival in developing countries: study protocol. <i>Reproductive Health</i> , 2012, 9, 22.	3.1	34
82	The project to understand and research preterm pregnancy outcomes and stillbirths in South Asia (PURPOSE): a protocol of a prospective, cohort study of causes of mortality among preterm births and stillbirths. <i>Reproductive Health</i> , 2018, 15, 89.	3.1	33
83	Predictive Modeling for Perinatal Mortality in Resource-Limited Settings. <i>JAMA Network Open</i> , 2020, 3, e2026750.	5.9	33
84	ENC training reduces perinatal mortality in Karnataka, India. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 568-574.	1.5	31
85	Evaluation of Focused Obstetric Ultrasound Examinations by Health Care Personnel in the Democratic Republic of Congo, Guatemala, Kenya, Pakistan, and Zambia. <i>Current Problems in Diagnostic Radiology</i> , 2017, 46, 210-215.	1.4	31
86	A description of the methods of the aspirin supplementation for pregnancy indicated risk reduction in nulliparas (ASPIRIN) study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 135.	2.4	30
87	The Antenatal Corticosteroids Trial (ACT) – TM's explanations for neonatal mortality - a secondary analysis. <i>Reproductive Health</i> , 2016, 13, 62.	3.1	29
88	Maternal near miss in low-resource areas. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 138, 347-355.	2.3	29
89	Regional trends in birth weight in low- and middle-income countries 2013–2018. <i>Reproductive Health</i> , 2020, 17, 176.	3.1	27
90	A cohort study of <i>Plasmodium falciparum</i> malaria in pregnancy and associations with uteroplacental blood flow and fetal anthropometrics in Kenya. <i>International Journal of Gynecology and Obstetrics</i> , 2014, 126, 78-82.	2.3	26

#	ARTICLE	IF	CITATIONS
91	Reducing stillbirths in low-income countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 135-143.	2.8	26
92	The Global Network Maternal Newborn Health Registry: a multi-country, community-based registry of pregnancy outcomes. <i>Reproductive Health</i> , 2020, 17, 184.	3.1	26
93	Stillbirths. <i>Clinics in Perinatology</i> , 2016, 43, 439-453.	2.1	25
94	Maternal and fetal vascular lesions of malperfusion in the placentas associated with fetal and neonatal death: results of a prospective observational study. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 660.e1-660.e12.	1.3	25
95	Gender variations in neonatal and early infant mortality in India and Pakistan: a secondary analysis from the Global Network Maternal Newborn Health Registry. <i>Reproductive Health</i> , 2020, 17, 178.	3.1	25
96	Maternal mortality. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 293-295.	1.3	24
97	A prospective observational description of frequency and timing of antenatal care attendance and coverage of selected interventions from sites in Argentina, Guatemala, India, Kenya, Pakistan and Zambia. <i>Reproductive Health</i> , 2015, 12, S12.	3.1	24
98	A prospective cause of death classification system for maternal deaths in low and middle-income countries: results from the Global Network Maternal Newborn Health Registry. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 1137-1143.	2.3	24
99	Criteria for assigning cause of death for stillbirths and neonatal deaths in research studies in low-middle income countries. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 1915-1923.	1.5	24
100	Commentary: reducing the world's stillbirths. <i>BMC Pregnancy and Childbirth</i> , 2009, 9, S1.	2.4	23
101	A multi-country study of the 'intrapartum stillbirth and early neonatal death indicator' in hospitals in low-resource settings. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 122, 230-233.	2.3	23
102	Screening Obstetric Ultrasound Training for a 5-Country Cluster Randomized Controlled Trial. <i>Ultrasound Quarterly</i> , 2014, 30, 262-266.	0.8	23
103	Global network for women's and children's health research: a system for low-resource areas to determine probable causes of stillbirth, neonatal, and maternal death. <i>Maternal Health, Neonatology and Perinatology</i> , 2015, 1, 11.	2.2	23
104	Anthropometric indices for non-pregnant women of childbearing age differ widely among four low-middle income populations. <i>BMC Public Health</i> , 2018, 18, 45.	2.9	23
105	Hemoglobin concentrations and adverse birth outcomes in South Asian pregnant women: findings from a prospective Maternal and Neonatal Health Registry. <i>Reproductive Health</i> , 2020, 17, 154.	3.1	23
106	The relationship between birth intervals and adverse maternal and neonatal outcomes in six low and lower-middle income countries. <i>Reproductive Health</i> , 2020, 17, 157.	3.1	23
107	Perceptions of parents and religious leaders regarding minimal invasive tissue sampling to identify the cause of death in stillbirths and neonates: results from a qualitative study. <i>Reproductive Health</i> , 2019, 16, 53.	3.1	22
108	Oligohydramnios: a prospective study of fetal, neonatal and maternal outcomes in low-middle income countries. <i>Reproductive Health</i> , 2020, 17, 19.	3.1	22

#	ARTICLE	IF	CITATIONS
109	The MANDATE model for evaluating interventions to reduce postpartum hemorrhage. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 121, 5-9.	2.3	21
110	Stillbirths and neonatal mortality as outcomes. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 123, 252-253.	2.3	21
111	Evaluating WHO-Recommended Interventions for Preterm Birth: A Mathematical Model of the Potential Reduction of Preterm Mortality in Sub-Saharan Africa. <i>Global Health, Science and Practice</i> , 2019, 7, 215-227.	1.7	21
112	Web-Based Quality Assurance Process Drives Improvements in Obstetric Ultrasound in 5 Low- and Middle-Income Countries. <i>Global Health, Science and Practice</i> , 2016, 4, 675-683.	1.7	19
113	A Prospective Study of Causes of Illness and Death in Preterm Infants in Ethiopia: The SIP Study Protocol. <i>Reproductive Health</i> , 2018, 15, 116.	3.1	19
114	The Global Network for Women's and Children's Health Research: A model of capacity-building research. <i>Seminars in Fetal and Neonatal Medicine</i> , 2015, 20, 293-299.	2.3	18
115	The Global Network Neonatal Cause of Death algorithm for low-resource settings. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 904-911.	1.5	18
116	Interventions for investigating and identifying the causes of stillbirth. <i>The Cochrane Library</i> , 2018, 2018, CD012504.	2.8	18
117	Reducing neonatal mortality associated with preterm birth: gaps in knowledge of the impact of antenatal corticosteroids on preterm birth outcomes in low-middle income countries. <i>Reproductive Health</i> , 2016, 13, 61.	3.1	17
118	Challenges of Implementing Antenatal Ultrasound Screening in a Rural Study Site: A Case Study From the Democratic Republic of the Congo. <i>Global Health, Science and Practice</i> , 2017, 5, 315-324.	1.7	17
119	Challenges in classification and assignment of causes of stillbirths in low- and lower middle-income countries. <i>Seminars in Perinatology</i> , 2019, 43, 308-314.	2.5	17
120	Institutional deliveries and stillbirth and neonatal mortality in the Global Network's Maternal and Newborn Health Registry. <i>Reproductive Health</i> , 2020, 17, 179.	3.1	17
121	Knowledge, attitudes, and practices of pregnant women regarding COVID-19 vaccination in pregnancy in 7 low- and middle-income countries: An observational trial from the Global Network for Women and Children's Health Research. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 2002-2009.	2.3	17
122	The Relationship between Body Mass Index in Pregnancy and Adverse Maternal, Perinatal, and Neonatal Outcomes in Rural India and Pakistan. <i>American Journal of Perinatology</i> , 2018, 35, 844-851.	1.4	16
123	Clinical interventions to reduce stillbirths in sub-Saharan Africa: a mathematical model to estimate the potential reduction of stillbirths associated with specific obstetric conditions. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 119-129.	2.3	16
124	Early pregnancy loss in Belagavi, Karnataka, India 2014-2017: a prospective population-based observational study in a low-resource setting. <i>Reproductive Health</i> , 2018, 15, 95.	3.1	16
125	Interventions to reduce neonatal mortality: a mathematical model to evaluate impact of interventions in sub-Saharan Africa. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 1286-1295.	1.5	15
126	Prevalence and determinants of anemia among women of reproductive age in Thatta Pakistan: Findings from a cross-sectional study. <i>PLoS ONE</i> , 2020, 15, e0239320.	2.5	15

#	ARTICLE	IF	CITATIONS
127	Challenge of Reducing Perinatal Mortality in Rural Congo: Findings of a Prospective, Population-based Study. <i>Journal of Health, Population and Nutrition</i> , 2011, 29, 532-40.	2.0	15
128	A Review of Studies with Chlorhexidine Applied Directly to the Umbilical Cord. <i>American Journal of Perinatology</i> , 2013, 30, 699-702.	1.4	14
129	Lost to follow-up among pregnant women in a multi-site community based maternal and newborn health registry: a prospective study. <i>Reproductive Health</i> , 2015, 12, S4.	3.1	14
130	Trends in the incidence of possible severe bacterial infection and case fatality rates in rural communities in Sub-Saharan Africa, South Asia and Latin America, 2010–2013: a multicenter prospective cohort study. <i>Reproductive Health</i> , 2016, 13, 65.	3.1	14
131	Hypothermia in Preterm Newborns: Impact on Survival. <i>Global Pediatric Health</i> , 2020, 7, 2333794X2095765.	0.7	14
132	Trends in perinatal deaths from 2010 to 2013 in the Guatemalan Western Highlands. <i>Reproductive Health</i> , 2015, 12, S14.	3.1	13
133	Factors influencing referrals for ultrasound-diagnosed complications during prenatal care in five low and middle income countries. <i>Reproductive Health</i> , 2018, 15, 204.	3.1	13
134	Malpresentation in low- and middle-income countries: Associations with perinatal and maternal outcomes in the Global Network. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 300-308.	2.8	13
135	Minimally Invasive Tissue Sampling in Preterm Deaths: A Validation Study. <i>Global Pediatric Health</i> , 2020, 7, 2333794X2095326.	0.7	13
136	Association of parity with birthweight and neonatal death in five sites: The Global Network's Maternal Newborn Health Registry study. <i>Reproductive Health</i> , 2020, 17, 182.	3.1	13
137	Stillbirth 2010–2018: a prospective, population-based, multi-country study from the Global Network. <i>Reproductive Health</i> , 2020, 17, 146.	3.1	13
138	Growth from Birth Through Six Months for Infants of Mothers in the "Women First" Preconception Maternal Nutrition Trial. <i>Journal of Pediatrics</i> , 2021, 229, 199-206.e4.	1.8	13
139	Health care in pregnancy during the COVID-19 pandemic and pregnancy outcomes in six low- and middle-income countries: Evidence from a prospective, observational registry of the Global Network for Women's and Children's Health. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1298-1307.	2.3	13
140	Establishment of a Maternal Newborn Health Registry in the Belgaum District of Karnataka, India. <i>Reproductive Health</i> , 2015, 12, S3.	3.1	12
141	Appropriate Use of Antenatal Corticosteroid Prophylaxis. <i>Obstetrics and Gynecology</i> , 2015, 125, 285-287.	2.4	12
142	The Antenatal Corticosteroids Trial (ACT): a secondary analysis to explore site differences in a multi-country trial. <i>Reproductive Health</i> , 2016, 13, 64.	3.1	12
143	Perceptions of health professionals regarding minimally invasive tissue sampling (MITS) to identify the cause of death in stillbirths and neonates: results from a qualitative study. <i>Maternal Health, Neonatology and Perinatology</i> , 2019, 5, 17.	2.2	12
144	A comparison of MITS counseling and informed consent processes in Pakistan, India, Bangladesh, Kenya, and Ethiopia. <i>Reproductive Health</i> , 2020, 17, 120.	3.1	12

#	ARTICLE	IF	CITATIONS
145	Preventable stillbirths in India and Pakistan: a prospective, observational study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 1762-1773.	2.3	12
146	Disparities in interventions for child and maternal mortality. Lancet, The, 2012, 379, 1178-1180.	13.7	11
147	Development of a 12month screener based on items from the Bayley II Scales of Infant Development for use in Low Middle Income countries. Early Human Development, 2015, 91, 253-258.	1.8	11
148	Use of antenatal corticosteroids at health facilities and communities in low-and-middle income countries. Reproductive Health, 2016, 13, 66.	3.1	11
149	Place of delivery and perinatal mortality in Kenya. Seminars in Perinatology, 2019, 43, 252-259.	2.5	11
150	Cesarean birth in the Global Network for Women's and Children's Health Research: trends in utilization, risk factors, and subgroups with high cesarean birth rates. Reproductive Health, 2020, 17, 165.	3.1	11
151	Birth length is the strongest predictor of linear growth status and stunting in the first 2 years of life after a preconception maternal nutrition intervention: the children of the Women First trial. American Journal of Clinical Nutrition, 2022, 116, 86-96.	4.7	11
152	Knowledge, attitude and practices of pregnant women related to COVID-19 infection: A cross-sectional survey in seven countries from the Global Network for Women's and Children's Health. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1289-1297.	2.3	11
153	A conference report on prenatal corticosteroid use in low- and middle-income countries. International Journal of Gynecology and Obstetrics, 2011, 115, 215-219.	2.3	10
154	Tranexamic Acid to Reduce Postpartum Hemorrhage: A MANDATE Systematic Review and Analyses of Impact on Maternal Mortality. American Journal of Perinatology, 2015, 32, 469-474.	1.4	10
155	A multi-faceted intervention including antenatal corticosteroids to reduce neonatal mortality associated with preterm birth: a case study from the Guatemalan Western Highlands. Reproductive Health, 2016, 13, 63.	3.1	10
156	Neonatal deaths in infants born weighing $\leq 2500\text{g}$ in low and middle-income countries. Reproductive Health, 2020, 17, 158.	3.1	10
157	Association of haemoglobin levels in the first trimester and at 26-30 weeks with fetal and neonatal outcomes: a secondary analysis of the Global Network for Women's and Children's Health's ASPIRIN Trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 1487-1496.	2.3	10
158	Maternal Characteristics Affect Fetal Growth Response in the Women First Preconception Nutrition Trial. Nutrients, 2019, 11, 2534.	4.1	9
159	Bacterial Isolates and Resistance Patterns in Preterm Infants with Sepsis in Selected Hospitals in Ethiopia: A Longitudinal Observational Study. Global Pediatric Health, 2020, 7, 2333794X2095331.	0.7	9
160	Neonatal deaths in rural Karnataka, India 2014-2018: a prospective population-based observational study in a low-resource setting. Reproductive Health, 2020, 17, 161.	3.1	9
161	Methodology to Determine Cause of Death for Stillbirths and Neonatal Deaths Using Automated Case Reports and a Cause-of-Death Panel. Clinical Infectious Diseases, 2021, 73, S368-S373.	5.8	9
162	Development of the Global Network for Women's and Children's Health Research's socioeconomic status index for use in the network's sites in low and lower middle-income countries. Reproductive Health, 2020, 17, 193.	3.1	9

#	ARTICLE	IF	CITATIONS
163	Incidence and associated factors of extrauterine growth restriction (EUGR) in preterm infants, a cross-sectional study in selected NICUs in Ethiopia. <i>BMJ Paediatrics Open</i> , 2020, 4, e000765.	1.4	8
164	An Intervention to Enhance Obstetric and Newborn Care in India: A Cluster Randomized-Trial. <i>Maternal and Child Health Journal</i> , 2015, 19, 2698-2706.	1.5	7
165	The global network antenatal corticosteroids trial: impact on stillbirth. <i>Reproductive Health</i> , 2016, 13, 68.	3.1	7
166	Including ultrasound scans in antenatal care in low-resource settings: Considering the complementarity of obstetric ultrasound screening and maternity waiting homes in strengthening referral systems in low-resource, rural settings. <i>Seminars in Perinatology</i> , 2019, 43, 273-281.	2.5	7
167	Comparison of neonatal outcomes of small for gestational age and appropriate for gestational age preterm infants born at 28–36 weeks of gestation: a multicentre study in Ethiopia. <i>BMJ Paediatrics Open</i> , 2020, 4, e000740.	1.4	7
168	Changes in the Recreational Built Environment and Youth Body Mass Index. <i>Academic Pediatrics</i> , 2021, 21, 76-83.	2.0	7
169	A Color-Coded Tape for Uterine Height Measurement: A Tool to Identify Preterm Pregnancies in Low Resource Settings. <i>PLoS ONE</i> , 2015, 10, e0117134.	2.5	7
170	Antenatal corticosteroids to reduce preterm deaths in low-income settings. <i>The Lancet Global Health</i> , 2014, 2, e444.	6.3	6
171	Evaluating time between birth to cry or bag and mask ventilation using mobile delivery room timers in India: the NICHD Global Network's Helping Babies Breathe Trial. <i>BMC Pediatrics</i> , 2015, 15, 93.	1.7	6
172	Maternal and Neonatal Directed Assessment of Technologies (MANDATE): Methods and Assumptions for a Predictive Model for Maternal, Fetal, and Neonatal Mortality Interventions. <i>Global Health, Science and Practice</i> , 2017, 5, 571-580.	1.7	6
173	Preterm Nutrition and Clinical Outcomes. <i>Global Pediatric Health</i> , 2020, 7, 2333794X2093785.	0.7	6
174	Hyperbilirubinemia in Preterm Infants Admitted to Neonatal Intensive Care Units in Ethiopia. <i>Global Pediatric Health</i> , 2020, 7, 2333794X2098580.	0.7	6
175	Commentary: Improving Important Pregnancy Outcomes. <i>Birth</i> , 2009, 36, 51-53.	2.2	5
176	Understanding causes of stillbirth: moving in the right direction. <i>The Lancet Global Health</i> , 2019, 7, e400-e401.	6.3	5
177	It Takes a System: Magnesium Sulfate for Prevention of Eclampsia in a Resource-Limited Community Setting. <i>Global Health, Science and Practice</i> , 2019, 7, 340-343.	1.7	5
178	Factors Associated with the Death of Preterm Babies Admitted to Neonatal Intensive Care Units in Ethiopia: A Prospective, Cross-sectional, and Observational Study. <i>Global Pediatric Health</i> , 2020, 7, 2333794X2097000.	0.7	5
179	Prevalence of clinically-evident congenital anomalies in the Western highlands of Guatemala. <i>Reproductive Health</i> , 2020, 17, 153.	3.1	5
180	Enhancing routine surveillance to improve stillbirth data. <i>The Lancet Global Health</i> , 2020, 8, e464-e465.	6.3	5

#	ARTICLE	IF	CITATIONS
181	Factors Associated With Parental Acceptance of Minimally Invasive Tissue Sampling to Identify the Causes of Stillbirth and Neonatal Death. <i>Clinical Infectious Diseases</i> , 2021, 73, S422-S429.	5.8	5
182	Safety of daily low-dose aspirin use during pregnancy in low-income and middle-income countries. <i>AJOG Global Reports</i> , 2021, 1, 100003.	1.0	5
183	Lung Findings in Minimally Invasive Tissue Sampling (MITS) Examinations of Fetal and Preterm Neonatal Deaths: A Report From the PURPOSE Study. <i>Clinical Infectious Diseases</i> , 2021, 73, S430-S434.	5.8	5
184	Intravenous fluid contaminated with <i>Klebsiella oxytoca</i> as a source of sepsis in a preterm newborn: Case report. <i>American Journal of Infection Control</i> , 2019, 47, 840-842.	2.3	5
185	Birth asphyxia is under-rated as a cause of preterm neonatal mortality in low- and middle-income countries: A prospective, observational study from PURPOSE. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1993-2000.	2.3	5
186	Intrapartum perinatal mortality. <i>Indian Pediatrics</i> , 2012, 49, 187-190.	0.4	4
187	Antenatal corticosteroids for preterm births in resource-limited settings – Authors' reply. <i>Lancet</i> , 2015, 385, 1945.	13.7	4
188	Improved data informs efforts to end preventable stillbirths. <i>The Lancet Global Health</i> , 2016, 4, e70-e71.	6.3	4
189	Dengue and stillbirth. <i>Lancet Infectious Diseases</i> , 2017, 17, 886-888.	9.1	4
190	Use of antibiotics to reduce preterm birth. <i>The Lancet Global Health</i> , 2019, 7, e18-e19.	6.3	4
191	Thoughts on assigning cause of death for stillbirth and neonatal death: a commentary. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 532-535.	2.3	4
192	Maternal infection and stillbirth: a review. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 4442-4450.	1.5	4
193	Research results from a registry supporting efforts to improve maternal and child health in low and middle income countries. <i>Reproductive Health</i> , 2015, 12, 54.	3.1	3
194	Polyhydramnios among women in a cluster-randomized trial of ultrasound during prenatal care within five low and low-middle income countries: a secondary analysis of the first look study. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 258.	2.4	3
195	Relationship Between Foot Length and Gestational Age in Pakistan. <i>Global Pediatric Health</i> , 2020, 7, 2333794X2097420.	0.7	3
196	Predictors of <i>Plasmodium falciparum</i> Infection in the First Trimester Among Nulliparous Women From Kenya, Zambia, and the Democratic Republic of the Congo. <i>Journal of Infectious Diseases</i> , 2022, 225, 2002-2010.	4.0	3
197	Translating research evidence into practice: a report from the 2nd International Conference on Maternal and Newborn Health from KLE University - Belagavi, India. <i>Reproductive Health</i> , 2018, 15, 99.	3.1	2
198	Reports from the NICHD Global Network's Maternal and Newborn Health Registry: supplement introduction. <i>Reproductive Health</i> , 2020, 17, 177.	3.1	2

#	ARTICLE	IF	CITATIONS
199	Perceptions of women, their husbands and healthcare providers about anemia in rural Pakistan: Findings from a qualitative exploratory study. PLoS ONE, 2021, 16, e0249360.	2.5	2
200	OUP accepted manuscript. Clinical Infectious Diseases, 2021, 73, S390-S395.	5.8	2
201	The Great Recession and Immune Function. Rsf, 2018, 4, 62-81.	1.2	2
202	Stillbirths in developing countries. Expert Review of Obstetrics and Gynecology, 2008, 3, 657-664.	0.4	1
203	Challenges of Implementing an Individual Randomized Controlled Trial (Women First: Preconception) Tj ETQq1 1 0.784314 rgBT /Ove Insights, 2019, 12, 117863881985205.	1.9	1
204	Using maternal and neonatal data collection systems for coronavirus disease 2019 (COVID-19) vaccines active safety surveillance in low- and middle-income countries: an international modified Delphi study. Gates Open Research, 0, 5, 99.	1.1	1
205	Global, Regional, and National Levels and Trends in Stillbirths from 2000 to 2019: A Systematic Assessment. SSRN Electronic Journal, 0, , .	0.4	1
206	Placental vascular malperfusion lesions are associated with hypertension, growth restriction, and antepartum hemorrhage and ultimately with fetal and preterm neonatal death. American Journal of Obstetrics and Gynecology, 2022, 227, 363-364.	1.3	1
207	Preterm neonatal survival: what is the role of prognostic models?. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 539-539.	2.3	1
208	In Reply. Obstetrics and Gynecology, 2015, 125, 1494-1495.	2.4	0
209	Authors' reply re: Clinical interventions to reduce stillbirths in sub-Saharan Africa: a mathematical model to estimate the potential reduction of stillbirths associated with specific obstetric conditions. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 766-767.	2.3	0
210	Disparity in Birth Size of Ethiopian Preterm Infants in Comparison to International INTERGROWTH-21st Data. Global Pediatric Health, 2020, 7, 2333794X2097348.	0.7	0
211	Antenatal Steroid Utilization in Ethiopia. Global Pediatric Health, 2021, 8, 2333794X2199034.	0.7	0
212	Birth Outcomes. , 2014, , 272-287.		0
213	Preventability of stillbirths: context matters. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, , .	2.3	0
214	Antibiotics at delivery: do the benefits outweigh the risks?. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, , .	2.3	0