

Elizabeth M McClure

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1753536/publications.pdf>

Version: 2024-02-01

214
papers

9,788
citations

47006

47
h-index

48315

88
g-index

216
all docs

216
docs citations

216
times ranked

8806
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal infection and stillbirth: a review. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 4442-4450.	1.5	4
2	Birth length is the strongest predictor of linear growth status and stunting in the first 2 years of life after a preconception maternal nutrition intervention: the children of the Women First trial. American Journal of Clinical Nutrition, 2022, 116, 86-96.	4.7	11
3	Placental vascular malperfusion lesions are associated with hypertension, growth restriction, and antepartum hemorrhage and ultimately with fetal and preterm neonatal death. American Journal of Obstetrics and Gynecology, 2022, 227, 363-364.	1.3	1
4	Knowledge, attitude and practices of pregnant women related to COVID-19 infection: A cross-sectional survey in seven countries from the Global Network for Women's and Children's Health. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1289-1297.	2.3	11
5	Health care in pregnancy during the COVID-19 pandemic and pregnancy outcomes in six low-and-middle-income countries: Evidence from a prospective, observational registry of the Global Network for Women's and Children's Health. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1298-1307.	2.3	13
6	Preterm neonatal survival: what is the role of prognostic models?. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 539-539.	2.3	1
7	Predictors of <i>Plasmodium falciparum</i> Infection in the First Trimester Among Nulliparous Women From Kenya, Zambia, and the Democratic Republic of the Congo. Journal of Infectious Diseases, 2022, 225, 2002-2010.	4.0	3
8	Birth asphyxia is under-rated as a cause of preterm neonatal mortality in low-and middle-income countries: A prospective, observational study from PURPOSE. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1993-2000.	2.3	5
9	Knowledge, attitudes, and practices of pregnant women regarding COVID-19 vaccination in pregnancy in 7 low-and middle-income countries: An observational trial from the Global Network for Women and Children's Health Research. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 2002-2009.	2.3	17
10	Growth from Birth Through Six Months for Infants of Mothers in the Women First Preconception Maternal Nutrition Trial. Journal of Pediatrics, 2021, 229, 199-206.e4.	1.8	13
11	Changes in the Recreational Built Environment and Youth Body Mass Index. Academic Pediatrics, 2021, 21, 76-83.	2.0	7
12	Antenatal Steroid Utilization in Ethiopia. Global Pediatric Health, 2021, 8, 2333794X2199034.	0.7	0
13	Factors Associated With Parental Acceptance of Minimally Invasive Tissue Sampling to Identify the Causes of Stillbirth and Neonatal Death. Clinical Infectious Diseases, 2021, 73, S422-S429.	5.8	5
14	Methodology to Determine Cause of Death for Stillbirths and Neonatal Deaths Using Automated Case Reports and a Cause-of-Death Panel. Clinical Infectious Diseases, 2021, 73, S368-S373.	5.8	9
15	Safety of daily low-dose aspirin use during pregnancy in low-income and middle-income countries. AJOG Global Reports, 2021, 1, 100003.	1.0	5
16	Perceptions of women, their husbands and healthcare providers about anemia in rural Pakistan: Findings from a qualitative exploratory study. PLoS ONE, 2021, 16, e0249360.	2.5	2
17	Association of haemoglobin levels in the first trimester and at 26-30 weeks with fetal and neonatal outcomes: a secondary analysis of the Global Network for Women's and Children's Health's ASPIRIN Trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 1487-1496.	2.3	10
18	Maternal and fetal vascular lesions of malperfusion in the placentas associated with fetal and neonatal death: results of a prospective observational study. American Journal of Obstetrics and Gynecology, 2021, 225, 660.e1-660.e12.	1.3	25

#	ARTICLE	IF	CITATIONS
19	Preventable stillbirths in India and Pakistan: a prospective, observational study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 1762-1773.	2.3	12
20	Global, regional, and national estimates and trends in stillbirths from 2000 to 2019: a systematic assessment. Lancet, The, 2021, 398, 772-785.	13.7	186
21	OUP accepted manuscript. Clinical Infectious Diseases, 2021, 73, S390-S395.	5.8	2
22	Lung Findings in Minimally Invasive Tissue Sampling (MITS) Examinations of Fetal and Preterm Neonatal Deaths: A Report From the PURPOSE Study. Clinical Infectious Diseases, 2021, 73, S430-S434.	5.8	5
23	Preventability of stillbirths: context matters. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, , .	2.3	0
24	Antibiotics at delivery: do the benefits outweigh the risks?. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, , .	2.3	0
25	Thoughts on assigning cause of death for stillbirth and neonatal death: a commentary. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 532-535.	2.3	4
26	Incidence and associated factors of extrauterine growth restriction (EUGR) in preterm infants, a cross-sectional study in selected NICUs in Ethiopia. BMJ Paediatrics Open, 2020, 4, e000765.	1.4	8
27	Prevalence and determinants of anemia among women of reproductive age in Thatta Pakistan: Findings from a cross-sectional study. PLoS ONE, 2020, 15, e0239320.	2.5	15
28	Bacterial Isolates and Resistance Patterns in Preterm Infants with Sepsis in Selected Hospitals in Ethiopia: A Longitudinal Observational Study. Global Pediatric Health, 2020, 7, 2333794X2095331.	0.7	9
29	Factors Associated with the Death of Preterm Babies Admitted to Neonatal Intensive Care Units in Ethiopia: A Prospective, Cross-sectional, and Observational Study. Global Pediatric Health, 2020, 7, 2333794X2097000.	0.7	5
30	Disparity in Birth Size of Ethiopian Preterm Infants in Comparison to International INTERGROWTH-21st Data. Global Pediatric Health, 2020, 7, 2333794X2097348.	0.7	0
31	Hemoglobin concentrations and adverse birth outcomes in South Asian pregnant women: findings from a prospective Maternal and Neonatal Health Registry. Reproductive Health, 2020, 17, 154.	3.1	23
32	Neonatal deaths in infants born weighing ≤ 2500 g in low and middle-income countries. Reproductive Health, 2020, 17, 158.	3.1	10
33	The relationship between birth intervals and adverse maternal and neonatal outcomes in six low and lower-middle income countries. Reproductive Health, 2020, 17, 157.	3.1	23
34	Preterm Nutrition and Clinical Outcomes. Global Pediatric Health, 2020, 7, 2333794X2093785.	0.7	6
35	A comparison of MITS counseling and informed consent processes in Pakistan, India, Bangladesh, Kenya, and Ethiopia. Reproductive Health, 2020, 17, 120.	3.1	12
36	Comparison of neonatal outcomes of small for gestational age and appropriate for gestational age preterm infants born at 28–36 weeks of gestation: a multicentre study in Ethiopia. BMJ Paediatrics Open, 2020, 4, e000740.	1.4	7

#	ARTICLE	IF	CITATIONS
37	Hypothermia in Preterm Newborns: Impact on Survival. <i>Global Pediatric Health</i> , 2020, 7, 2333794X2095765.	0.7	14
38	The evolution of minimally invasive tissue sampling in postmortem examination: a narrative review. <i>Global Health Action</i> , 2020, 13, 1792682.	1.9	37
39	Minimally Invasive Tissue Sampling in Preterm Deaths: A Validation Study. <i>Global Pediatric Health</i> , 2020, 7, 2333794X2095326.	0.7	13
40	Association of parity with birthweight and neonatal death in five sites: The Global Network's Maternal Newborn Health Registry study. <i>Reproductive Health</i> , 2020, 17, 182.	3.1	13
41	Relationship Between Foot Length and Gestational Age in Pakistan. <i>Global Pediatric Health</i> , 2020, 7, 2333794X2097420.	0.7	3
42	Prevalence of clinically-evident congenital anomalies in the Western highlands of Guatemala. <i>Reproductive Health</i> , 2020, 17, 153.	3.1	5
43	Neonatal deaths in rural Karnataka, India 2014-2018: a prospective population-based observational study in a low-resource setting. <i>Reproductive Health</i> , 2020, 17, 161.	3.1	9
44	The Global Network Maternal Newborn Health Registry: a multi-country, community-based registry of pregnancy outcomes. <i>Reproductive Health</i> , 2020, 17, 184.	3.1	26
45	Cesarean birth in the Global Network for Women's and Children's Health Research: trends in utilization, risk factors, and subgroups with high cesarean birth rates. <i>Reproductive Health</i> , 2020, 17, 165.	3.1	11
46	Reports from the NICHD Global Network's Maternal and Newborn Health Registry: supplement introduction. <i>Reproductive Health</i> , 2020, 17, 177.	3.1	2
47	Stillbirth 2010-2018: a prospective, population-based, multi-country study from the Global Network. <i>Reproductive Health</i> , 2020, 17, 146.	3.1	13
48	Enhancing routine surveillance to improve stillbirth data. <i>The Lancet Global Health</i> , 2020, 8, e464-e465.	6.3	5
49	Low-dose aspirin for the prevention of preterm delivery in nulliparous women with a singleton pregnancy (ASPIRIN): a randomised, double-blind, placebo-controlled trial. <i>Lancet</i> , The, 2020, 395, 285-293.	13.7	194
50	Oligohydramnios: a prospective study of fetal, neonatal and maternal outcomes in low-middle income countries. <i>Reproductive Health</i> , 2020, 17, 19.	3.1	22
51	Predictive Modeling for Perinatal Mortality in Resource-Limited Settings. <i>JAMA Network Open</i> , 2020, 3, e2026750.	5.9	33
52	Maternal mortality in six low and lower-middle income countries from 2010 to 2018: risk factors and trends. <i>Reproductive Health</i> , 2020, 17, 173.	3.1	38
53	Institutional deliveries and stillbirth and neonatal mortality in the Global Network's Maternal and Newborn Health Registry. <i>Reproductive Health</i> , 2020, 17, 179.	3.1	17
54	Why are the Pakistani maternal, fetal and newborn outcomes so poor compared to other low and middle-income countries?. <i>Reproductive Health</i> , 2020, 17, 190.	3.1	46

#	ARTICLE	IF	CITATIONS
55	Regional trends in birth weight in low- and middle-income countries 2013–2018. <i>Reproductive Health</i> , 2020, 17, 176.	3.1	27
56	Gender variations in neonatal and early infant mortality in India and Pakistan: a secondary analysis from the Global Network Maternal Newborn Health Registry. <i>Reproductive Health</i> , 2020, 17, 178.	3.1	25
57	Rates and risk factors for preterm birth and low birthweight in the global network sites in six low- and low middle-income countries. <i>Reproductive Health</i> , 2020, 17, 187.	3.1	37
58	Development of the Global Network for Women’s and Children’s Health Research’s socioeconomic status index for use in the network’s sites in low and lower middle-income countries. <i>Reproductive Health</i> , 2020, 17, 193.	3.1	9
59	Hyperbilirubinemia in Preterm Infants Admitted to Neonatal Intensive Care Units in Ethiopia. <i>Global Pediatric Health</i> , 2020, 7, 2333794X2098580.	0.7	6
60	Pregnant Women in Four Low-Middle Income Countries Have a High Prevalence of Inadequate Dietary Intakes That Are Improved by Dietary Diversity. <i>Nutrients</i> , 2019, 11, 1560.	4.1	53
61	Major causes of death in preterm infants in selected hospitals in Ethiopia (SIP): a prospective, cross-sectional, observational study. <i>The Lancet Global Health</i> , 2019, 7, e1130-e1138.	6.3	113
62	Challenges of Implementing an Individual Randomized Controlled Trial (Women First: Preconception) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Insights, 2019, 12, 117863881985205.	1.9	1
63	Polyhydramnios among women in a cluster-randomized trial of ultrasound during prenatal care within five low and low-middle income countries: a secondary analysis of the first look study. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 258.	2.4	3
64	Maternal Characteristics Affect Fetal Growth Response in the Women First Preconception Nutrition Trial. <i>Nutrients</i> , 2019, 11, 2534.	4.1	9
65	Perceptions of parents and religious leaders regarding minimal invasive tissue sampling to identify the cause of death in stillbirths and neonates: results from a qualitative study. <i>Reproductive Health</i> , 2019, 16, 53.	3.1	22
66	Challenges in classification and assignment of causes of stillbirths in low- and lower middle-income countries. <i>Seminars in Perinatology</i> , 2019, 43, 308-314.	2.5	17
67	Place of delivery and perinatal mortality in Kenya. <i>Seminars in Perinatology</i> , 2019, 43, 252-259.	2.5	11
68	Understanding causes of stillbirth: moving in the right direction. <i>The Lancet Global Health</i> , 2019, 7, e400-e401.	6.3	5
69	Including ultrasound scans in antenatal care in low-resource settings: Considering the complementarity of obstetric ultrasound screening and maternity waiting homes in strengthening referral systems in low-resource, rural settings. <i>Seminars in Perinatology</i> , 2019, 43, 273-281.	2.5	7
70	Trends of antenatal care during pregnancy in low- and middle-income countries: Findings from the global network maternal and newborn health registry. <i>Seminars in Perinatology</i> , 2019, 43, 297-307.	2.5	36
71	A multicountry randomized controlled trial of comprehensive maternal nutrition supplementation initiated before conception: the Women First trial. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 457-469.	4.7	77
72	Evaluating WHO-Recommended Interventions for Preterm Birth: A Mathematical Model of the Potential Reduction of Preterm Mortality in Sub-Saharan Africa. <i>Global Health, Science and Practice</i> , 2019, 7, 215-227.	1.7	21

#	ARTICLE	IF	CITATIONS
73	It Takes a System: Magnesium Sulfate for Prevention of Eclampsia in a Resource-Limited Community Setting. <i>Global Health, Science and Practice</i> , 2019, 7, 340-343.	1.7	5
74	Perceptions of health professionals regarding minimally invasive tissue sampling (MITS) to identify the cause of death in stillbirths and neonates: results from a qualitative study. <i>Maternal Health, Neonatology and Perinatology</i> , 2019, 5, 17.	2.2	12
75	Criteria for assigning cause of death for stillbirths and neonatal deaths in research studies in low-middle income countries. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 1915-1923.	1.5	24
76	Use of antibiotics to reduce preterm birth. <i>The Lancet Global Health</i> , 2019, 7, e18-e19.	6.3	4
77	Maternal anaemia and maternal, fetal, and neonatal outcomes in a prospective cohort study in India and Pakistan. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 737-743.	2.3	68
78	The legacy of redlining in the effect of foreclosures on Detroit residents' self-rated health. <i>Health and Place</i> , 2019, 55, 9-19.	3.3	99
79	Malpresentation in low and middle income countries: Associations with perinatal and maternal outcomes in the Global Network. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 300-308.	2.8	13
80	Intravenous fluid contaminated with <i>Klebsiella oxytoca</i> as a source of sepsis in a preterm newborn: Case report. <i>American Journal of Infection Control</i> , 2019, 47, 840-842.	2.3	5
81	The Relationship between Body Mass Index in Pregnancy and Adverse Maternal, Perinatal, and Neonatal Outcomes in Rural India and Pakistan. <i>American Journal of Perinatology</i> , 2018, 35, 844-851.	1.4	16
82	Making stillbirths visible: a systematic review of globally reported causes of stillbirth. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 212-224.	2.3	119
83	Interventions for investigating and identifying the causes of stillbirth. <i>The Cochrane Library</i> , 2018, 2018, CD012504.	2.8	18
84	Authors' reply re: Clinical interventions to reduce stillbirths in sub-Saharan Africa: a mathematical model to estimate the potential reduction of stillbirths associated with specific obstetric conditions. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 766-767.	2.3	0
85	Clinical interventions to reduce stillbirths in sub-Saharan Africa: a mathematical model to estimate the potential reduction of stillbirths associated with specific obstetric conditions. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 119-129.	2.3	16
86	Global Network for Women's and Children's Health Research: probable causes of stillbirth in low and middle income countries using a prospectively defined classification system. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 131-138.	2.3	45
87	A prospective cause of death classification system for maternal deaths in low and middle income countries: results from the Global Network Maternal Newborn Health Registry. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 1137-1143.	2.3	24
88	Factors influencing referrals for ultrasound-diagnosed complications during prenatal care in five low and middle income countries. <i>Reproductive Health</i> , 2018, 15, 204.	3.1	13
89	Routine antenatal ultrasound in low and middle income countries: first look – a cluster randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 1591-1599.	2.3	58
90	A Prospective Study of Causes of Illness and Death in Preterm Infants in Ethiopia: The SIP Study Protocol. <i>Reproductive Health</i> , 2018, 15, 116.	3.1	19

#	ARTICLE	IF	CITATIONS
91	The project to understand and research preterm pregnancy outcomes and stillbirths in South Asia (PURPOSE): a protocol of a prospective, cohort study of causes of mortality among preterm births and stillbirths. <i>Reproductive Health</i> , 2018, 15, 89.	3.1	33
92	Improving pregnancy outcomes in low- and middle-income countries. <i>Reproductive Health</i> , 2018, 15, 88.	3.1	58
93	Early pregnancy loss in Belagavi, Karnataka, India 2014–2017: a prospective population-based observational study in a low-resource setting. <i>Reproductive Health</i> , 2018, 15, 95.	3.1	16
94	Translating research evidence into practice: a report from the 2nd International Conference on Maternal and Newborn Health from KLE University - Belagavi, India. <i>Reproductive Health</i> , 2018, 15, 99.	3.1	2
95	Trends and determinants of stillbirth in developing countries: results from the Global Network's Population-Based Birth Registry. <i>Reproductive Health</i> , 2018, 15, 100.	3.1	64
96	An approach to identify a minimum and rational proportion of caesarean sections in resource-poor settings: a global network study. <i>The Lancet Global Health</i> , 2018, 6, e894-e901.	6.3	38
97	Anthropometric indices for non-pregnant women of childbearing age differ widely among four low-middle income populations. <i>BMC Public Health</i> , 2018, 18, 45.	2.9	23
98	The Great Recession and Immune Function. <i>Rsf</i> , 2018, 4, 62-81.	1.2	2
99	Women's Perceptions and Experiences of Domestic Violence. <i>Journal of Interpersonal Violence</i> , 2017, 32, 76-100.	2.0	39
100	A prospective study of maternal, fetal and neonatal outcomes in the setting of cesarean section in low- and middle-income countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 410-420.	2.8	50
101	Classification of causes and associated conditions for stillbirths and neonatal deaths. <i>Seminars in Fetal and Neonatal Medicine</i> , 2017, 22, 176-185.	2.3	46
102	The Global Network Neonatal Cause of Death algorithm for low-resource settings. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 904-911.	1.5	18
103	A description of the methods of the aspirin supplementation for pregnancy indicated risk reduction in nulliparas (ASPIRIN) study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 135.	2.4	30
104	Maternal near miss in low-resource areas. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 138, 347-355.	2.3	29
105	Evaluation of Focused Obstetric Ultrasound Examinations by Health Care Personnel in the Democratic Republic of Congo, Guatemala, Kenya, Pakistan, and Zambia. <i>Current Problems in Diagnostic Radiology</i> , 2017, 46, 210-215.	1.4	31
106	Interventions to reduce neonatal mortality: a mathematical model to evaluate impact of interventions in sub-Saharan Africa. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 1286-1295.	1.5	15
107	Dengue and stillbirth. <i>Lancet Infectious Diseases</i> , The, 2017, 17, 886-888.	9.1	4
108	Challenges of Implementing Antenatal Ultrasound Screening in a Rural Study Site: A Case Study From the Democratic Republic of the Congo. <i>Global Health, Science and Practice</i> , 2017, 5, 315-324.	1.7	17

#	ARTICLE	IF	CITATIONS
109	Maternal and Neonatal Directed Assessment of Technologies (MANDATE): Methods and Assumptions for a Predictive Model for Maternal, Fetal, and Neonatal Mortality Interventions. <i>Global Health, Science and Practice</i> , 2017, 5, 571-580.	1.7	6
110	Seeking order amidst chaos: a systematic review of classification systems for causes of stillbirth and neonatal death, 2009–2014. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 295.	2.4	47
111	Trends in the incidence of possible severe bacterial infection and case fatality rates in rural communities in Sub-Saharan Africa, South Asia and Latin America, 2010–2013: a multicenter prospective cohort study. <i>Reproductive Health</i> , 2016, 13, 65.	3.1	14
112	A multi-faceted intervention including antenatal corticosteroids to reduce neonatal mortality associated with preterm birth: a case study from the Guatemalan Western Highlands. <i>Reproductive Health</i> , 2016, 13, 63.	3.1	10
113	Reducing stillbirths in low-income countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 135-143.	2.8	26
114	Diabetes during Pregnancy in Low- and Middle-Income Countries. <i>American Journal of Perinatology</i> , 2016, 33, 1227-1235.	1.4	40
115	The global network antenatal corticosteroids trial: impact on stillbirth. <i>Reproductive Health</i> , 2016, 13, 68.	3.1	7
116	The Antenatal Corticosteroids Trial (ACT)™s explanations for neonatal mortality - a secondary analysis. <i>Reproductive Health</i> , 2016, 13, 62.	3.1	29
117	The Antenatal Corticosteroids Trial (ACT): a secondary analysis to explore site differences in a multi-country trial. <i>Reproductive Health</i> , 2016, 13, 64.	3.1	12
118	Web-Based Quality Assurance Process Drives Improvements in Obstetric Ultrasound in 5 Low- and Middle-Income Countries. <i>Global Health, Science and Practice</i> , 2016, 4, 675-683.	1.7	19
119	Stillbirths. <i>Clinics in Perinatology</i> , 2016, 43, 439-453.	2.1	25
120	Reducing neonatal mortality associated with preterm birth: gaps in knowledge of the impact of antenatal corticosteroids on preterm birth outcomes in low-middle income countries. <i>Reproductive Health</i> , 2016, 13, 61.	3.1	17
121	Use of antenatal corticosteroids at health facilities and communities in low-and-middle income countries. <i>Reproductive Health</i> , 2016, 13, 66.	3.1	11
122	Neighborhood-Level Interventions to Improve Childhood Opportunity and Lift Children Out of Poverty. <i>Academic Pediatrics</i> , 2016, 16, S128-S135.	2.0	43
123	Improved data informs efforts to end preventable stillbirths. <i>The Lancet Global Health</i> , 2016, 4, e70-e71.	6.3	4
124	Stillbirths: progress and unfinished business. <i>Lancet, The</i> , 2016, 387, 574-586.	13.7	195
125	Stillbirths: rates, risk factors, and acceleration towards 2030. <i>Lancet, The</i> , 2016, 387, 587-603.	13.7	1,220
126	Stillbirths: recall to action in high-income countries. <i>Lancet, The</i> , 2016, 387, 691-702.	13.7	481

#	ARTICLE	IF	CITATIONS
127	Home-Based Early Intervention and the Influence of Family Resources on Cognitive Development. <i>Pediatrics</i> , 2016, 137, .	2.1	35
128	Adverse maternal and perinatal outcomes in adolescent pregnancies: The Global Network's Maternal Newborn Health Registry study. <i>Reproductive Health</i> , 2015, 12, S8.	3.1	158
129	Postpartum contraceptive use and unmet need for family planning in five low-income countries. <i>Reproductive Health</i> , 2015, 12, S11.	3.1	106
130	A prospective population-based study of maternal, fetal, and neonatal outcomes in the setting of prolonged labor, obstructed labor and failure to progress in low- and middle-income countries. <i>Reproductive Health</i> , 2015, 12, S9.	3.1	50
131	Maternal and newborn outcomes in Pakistan compared to other low and middle income countries in the Global Network's Maternal Newborn Health Registry: an active, community-based, pregnancy surveillance mechanism. <i>Reproductive Health</i> , 2015, 12, S15.	3.1	47
132	Stillbirth rates in low-middle income countries 2010 - 2013: a population-based, multi-country study from the Global Network. <i>Reproductive Health</i> , 2015, 12, S7.	3.1	89
133	The Global Network Maternal Newborn Health Registry: a multi-national, community-based registry of pregnancy outcomes. <i>Reproductive Health</i> , 2015, 12, S1.	3.1	90
134	Rates and determinants of early initiation of breastfeeding and exclusive breast feeding at 42 days postnatal in six low and middle-income countries: A prospective cohort study. <i>Reproductive Health</i> , 2015, 12, S10.	3.1	79
135	A prospective observational description of frequency and timing of antenatal care attendance and coverage of selected interventions from sites in Argentina, Guatemala, India, Kenya, Pakistan and Zambia. <i>Reproductive Health</i> , 2015, 12, S12.	3.1	24
136	Institutional deliveries and perinatal and neonatal mortality in Southern and Central India. <i>Reproductive Health</i> , 2015, 12, S13.	3.1	38
137	Trends in perinatal deaths from 2010 to 2013 in the Guatemalan Western Highlands. <i>Reproductive Health</i> , 2015, 12, S14.	3.1	13
138	Establishment of a Maternal Newborn Health Registry in the Belgaum District of Karnataka, India. <i>Reproductive Health</i> , 2015, 12, S3.	3.1	12
139	Lost to follow-up among pregnant women in a multi-site community based maternal and newborn health registry: a prospective study. <i>Reproductive Health</i> , 2015, 12, S4.	3.1	14
140	Research results from a registry supporting efforts to improve maternal and child health in low and middle income countries. <i>Reproductive Health</i> , 2015, 12, S4.	3.1	3
141	In Reply. <i>Obstetrics and Gynecology</i> , 2015, 125, 1494-1495.	2.4	0
142	Global network for women's and children's health research: a system for low-resource areas to determine probable causes of stillbirth, neonatal, and maternal death. <i>Maternal Health, Neonatology and Perinatology</i> , 2015, 1, 11.	2.2	23
143	Risk factors for maternal death and trends in maternal mortality in low- and middle-income countries: a prospective longitudinal cohort analysis. <i>Reproductive Health</i> , 2015, 12, S5.	3.1	78
144	Maternal, fetal and neonatal mortality: lessons learned from historical changes in high income countries and their potential application to low-income countries. <i>Maternal Health, Neonatology and Perinatology</i> , 2015, 1, 3.	2.2	45

#	ARTICLE	IF	CITATIONS
145	Reducing maternal mortality from preeclampsia and eclampsia in low-resource countries – what should work?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 148-155.	2.8	36
146	Resuscitation and Obstetrical Care to Reduce Intrapartum-Related Neonatal Deaths: A MANDATE Study. <i>Maternal and Child Health Journal</i> , 2015, 19, 1853-1863.	1.5	40
147	The Global Network for Women's and Children's Health Research: A model of capacity-building research. <i>Seminars in Fetal and Neonatal Medicine</i> , 2015, 20, 293-299.	2.3	18
148	Antenatal corticosteroids for preterm births in resource-limited settings – Authors' reply. <i>Lancet, The</i> , 2015, 385, 1945.	13.7	4
149	Tranexamic Acid to Reduce Postpartum Hemorrhage: A MANDATE Systematic Review and Analyses of Impact on Maternal Mortality. <i>American Journal of Perinatology</i> , 2015, 32, 469-474.	1.4	10
150	Development of a 12month screener based on items from the Bayley II Scales of Infant Development for use in Low Middle Income countries. <i>Early Human Development</i> , 2015, 91, 253-258.	1.8	11
151	Appropriate Use of Antenatal Corticosteroid Prophylaxis. <i>Obstetrics and Gynecology</i> , 2015, 125, 285-287.	2.4	12
152	Impact of exposure to cooking fuels on stillbirths, perinatal, very early and late neonatal mortality - a multicenter prospective cohort study in rural communities in India, Pakistan, Kenya, Zambia and Guatemala. <i>Maternal Health, Neonatology and Perinatology</i> , 2015, 1, 18.	2.2	35
153	Evaluating time between birth to cry or bag and mask ventilation using mobile delivery room timers in India: the NICHD Global Network's Helping Babies Breathe Trial. <i>BMC Pediatrics</i> , 2015, 15, 93.	1.7	6
154	An Intervention to Enhance Obstetric and Newborn Care in India: A Cluster Randomized-Trial. <i>Maternal and Child Health Journal</i> , 2015, 19, 2698-2706.	1.5	7
155	A population-based, multifaceted strategy to implement antenatal corticosteroid treatment versus standard care for the reduction of neonatal mortality due to preterm birth in low-income and middle-income countries: the ACT cluster-randomised trial. <i>Lancet, The</i> , 2015, 385, 629-639.	13.7	262
156	A Color-Coded Tape for Uterine Height Measurement: A Tool to Identify Preterm Pregnancies in Low Resource Settings. <i>PLoS ONE</i> , 2015, 10, e0117134.	2.5	7
157	The Association of Parasitic Infections in Pregnancy and Maternal and Fetal Anemia: A Cohort Study in Coastal Kenya. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2724.	3.0	58
158	A prospective study of maternal, fetal and neonatal deaths in low- and middle-income countries. <i>Bulletin of the World Health Organization</i> , 2014, 92, 605-612.	3.3	144
159	Preconception maternal nutrition: a multi-site randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 111.	2.4	68
160	First look: a cluster-randomized trial of ultrasound to improve pregnancy outcomes in low income country settings. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 73.	2.4	64
161	Screening Obstetric Ultrasound Training for a 5-Country Cluster Randomized Controlled Trial. <i>Ultrasound Quarterly</i> , 2014, 30, 262-266.	0.8	23
162	Antenatal corticosteroids to reduce preterm deaths in low-income settings. <i>The Lancet Global Health</i> , 2014, 2, e444.	6.3	6

#	ARTICLE	IF	CITATIONS
163	Implementation and evaluation of the Helping Babies Breathe curriculum in three resource limited settings: does Helping Babies Breathe save lives? A study protocol. BMC Pregnancy and Childbirth, 2014, 14, 116.	2.4	42
164	A cohort study of <i>Plasmodium falciparum</i> malaria in pregnancy and associations with uteroplacental blood flow and fetal anthropometrics in Kenya. International Journal of Gynecology and Obstetrics, 2014, 126, 78-82.	2.3	26
165	Birth Outcomes. , 2014, , 272-287.		0
166	The MANDATE model for evaluating interventions to reduce postpartum hemorrhage. International Journal of Gynecology and Obstetrics, 2013, 121, 5-9.	2.3	21
167	A combined community- and facility-based approach to improve pregnancy outcomes in low-resource settings: a Global Network cluster randomized trial. BMC Medicine, 2013, 11, 215.	5.5	49
168	Stillbirths and neonatal mortality as outcomes. International Journal of Gynecology and Obstetrics, 2013, 123, 252-253.	2.3	21
169	A multi-country study of the intrapartum stillbirth and early neonatal death indicator in hospitals in low-resource settings. International Journal of Gynecology and Obstetrics, 2013, 122, 230-233.	2.3	23
170	A systematic review of the impact of malaria prevention in pregnancy on low birth weight and maternal anemia. International Journal of Gynecology and Obstetrics, 2013, 121, 103-109.	2.3	54
171	Assessment of Obstetric and Neonatal Health Services in Developing Country Health Facilities. American Journal of Perinatology, 2013, 30, 787-794.	1.4	42
172	A Review of Studies with Chlorhexidine Applied Directly to the Umbilical Cord. American Journal of Perinatology, 2013, 30, 699-702.	1.4	14
173	Neonatal Death in Low- to Middle-Income Countries: A Global Network Study. American Journal of Perinatology, 2012, 29, 649-656.	1.4	58
174	Disparities in interventions for child and maternal mortality. Lancet, The, 2012, 379, 1178-1180.	13.7	11
175	ENC training reduces perinatal mortality in Karnataka, India. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 568-574.	1.5	31
176	The Maternal and Newborn Health Registry Study of the Global Network for Women's and Children's Health Research. International Journal of Gynecology and Obstetrics, 2012, 118, 190-193.	2.3	109
177	Home birth attendants in low income countries: who are they and what do they do?. BMC Pregnancy and Childbirth, 2012, 12, 34.	2.4	36
178	Antenatal corticosteroids trial in preterm births to increase neonatal survival in developing countries: study protocol. Reproductive Health, 2012, 9, 22.	3.1	34
179	Intrapartum perinatal mortality. Indian Pediatrics, 2012, 49, 187-190.	0.4	4
180	Lessons for low-income regions following the reduction in hypertension-related maternal mortality in high-income countries. International Journal of Gynecology and Obstetrics, 2011, 113, 91-95.	2.3	84

#	ARTICLE	IF	CITATIONS
181	A conference report on prenatal corticosteroid use in low- and middle-income countries. <i>International Journal of Gynecology and Obstetrics</i> , 2011, 115, 215-219.	2.3	10
182	Stillbirths: why they matter. <i>Lancet, The</i> , 2011, 377, 1353-1366.	13.7	276
183	Stillbirths: the vision for 2020. <i>Lancet, The</i> , 2011, 377, 1798-1805.	13.7	150
184	Epidemiology of stillbirth in low- and middle income countries: A Global Network Study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2011, 90, 1379-1385.	2.8	76
185	Maternal mortality. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 293-295.	1.3	24
186	Reduced perinatal mortality following enhanced training of birth attendants in the Democratic Republic of Congo: a time-dependent effect. <i>BMC Medicine</i> , 2011, 9, 93.	5.5	38
187	Neonatal Mortality From Respiratory Distress Syndrome: Lessons for Low-Resource Countries. <i>Pediatrics</i> , 2011, 127, 1139-1146.	2.1	120
188	Challenge of Reducing Perinatal Mortality in Rural Congo: Findings of a Prospective, Population-based Study. <i>Journal of Health, Population and Nutrition</i> , 2011, 29, 532-40.	2.0	15
189	Prevalence of suicidal thoughts and attempts among pregnant Pakistani women. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2010, 89, 1545-1551.	2.8	49
190	Communities, birth attendants and health facilities: a continuum of emergency maternal and newborn care (the global network's EmONC trial). <i>BMC Pregnancy and Childbirth</i> , 2010, 10, 82.	2.4	42
191	High Mortality Rates for Very Low Birth Weight Infants in Developing Countries Despite Training. <i>Pediatrics</i> , 2010, 126, e1072-e1080.	2.1	44
192	Infectious Causes of Stillbirth: A Clinical Perspective. <i>Clinical Obstetrics and Gynecology</i> , 2010, 53, 635-645.	1.1	46
193	Chlorhexidine Vaginal and Infant Wipes to Reduce Perinatal Mortality and Morbidity. <i>Obstetrics and Gynecology</i> , 2010, 115, 1225-1232.	2.4	34
194	Newborn-Care Training and Perinatal Mortality in Developing Countries. <i>New England Journal of Medicine</i> , 2010, 362, 614-623.	27.0	344
195	Exposure of pregnant women to indoor air pollution: a study from nine low and middle income countries. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2010, 89, 540-548.	2.8	35
196	Infection-related stillbirths. <i>Lancet, The</i> , 2010, 375, 1482-1490.	13.7	177
197	Neonatal mortality, risk factors and causes: a prospective population-based cohort study in urban Pakistan. <i>Bulletin of the World Health Organization</i> , 2009, 87, 130-138.	3.3	178
198	Commentary: reducing the world's stillbirths. <i>BMC Pregnancy and Childbirth</i> , 2009, 9, S1.	2.4	23

#	ARTICLE	IF	CITATIONS
199	Commentary: Improving Important Pregnancy Outcomes. <i>Birth</i> , 2009, 36, 51-53.	2.2	5
200	Stillbirth and early neonatal mortality in rural Central Africa. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 105, 112-117.	2.3	50
201	Reducing intrapartum stillbirths and intrapartum-related neonatal deaths. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 107, S1-S3.	2.3	36
202	Infection and stillbirth. <i>Seminars in Fetal and Neonatal Medicine</i> , 2009, 14, 182-189.	2.3	95
203	Stillbirth in developing countries: a review of causes, risk factors and prevention strategies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 183-190.	1.5	167
204	Domestic violence prior to and during pregnancy among Pakistani women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1194-1201.	2.8	54
205	Stillbirths in developing countries. <i>Expert Review of Obstetrics and Gynecology</i> , 2008, 3, 657-664.	0.4	1
206	Maternal mortality, stillbirth and measures of obstetric care in developing and developed countries. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 96, 139-146.	2.3	141
207	The use of chlorhexidine to reduce maternal and neonatal mortality and morbidity in low-resource settings. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 97, 89-94.	2.3	53
208	The global network: a prospective study of stillbirths in developing countries. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 247.e1-247.e5.	1.3	79
209	Stillbirths in an urban community in Pakistan. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 257.e1-257.e8.	1.3	42
210	The relationship of intrapartum and antepartum stillbirth rates to measures of obstetric care in developed and developing countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 1303-1309.	2.8	120
211	Stillbirth in developing countries. <i>International Journal of Gynecology and Obstetrics</i> , 2006, 94, 82-90.	2.3	120
212	Use of Vaginally Administered Chlorhexidine During Labor to Improve Pregnancy Outcomes. <i>Obstetrics and Gynecology</i> , 2006, 107, 1139-1146.	2.4	40
213	Using maternal and neonatal data collection systems for coronavirus disease 2019 (COVID-19) vaccines active safety surveillance in low- and middle-income countries: an international modified Delphi study. <i>Gates Open Research</i> , 0, 5, 99.	1.1	1
214	Global, Regional, and National Levels and Trends in Stillbirths from 2000 to 2019: A Systematic Assessment. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1