

Jun Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1755572/publications.pdf>

Version: 2024-02-01

100
papers

31,082
citations

13827

67
h-index

33814

99
g-index

101
all docs

101
docs citations

101
times ranked

21132
citing authors

#	ARTICLE	IF	CITATIONS
1	Electrochemical Energy Storage for Green Grid. <i>Chemical Reviews</i> , 2011, 111, 3577-3613.	23.0	4,276
2	Reversible aqueous zinc/manganese oxide energy storage from conversion reactions. <i>Nature Energy</i> , 2016, 1, .	19.8	2,186
3	Pathways for practical high-energy long-cycling lithium metal batteries. <i>Nature Energy</i> , 2019, 4, 180-186.	19.8	2,101
4	Dendrite-Free Lithium Deposition via Self-Healing Electrostatic Shield Mechanism. <i>Journal of the American Chemical Society</i> , 2013, 135, 4450-4456.	6.6	1,736
5	Complex and oriented ZnO nanostructures. <i>Nature Materials</i> , 2003, 2, 821-826.	13.3	1,404
6	Mesoporous silicon sponge as an anti-pulverization structure for high-performance lithium-ion battery anodes. <i>Nature Communications</i> , 2014, 5, 4105.	5.8	1,160
7	Stable cycling of high-voltage lithium metal batteries in ether electrolytes. <i>Nature Energy</i> , 2018, 3, 739-746.	19.8	767
8	High-Voltage Lithium-Metal Batteries Enabled by Localized High-Concentration Electrolytes. <i>Advanced Materials</i> , 2018, 30, e1706102.	11.1	761
9	A Stable Vanadium Redox-Flow Battery with High Energy Density for Large-Scale Energy Storage. <i>Advanced Energy Materials</i> , 2011, 1, 394-400.	10.2	688
10	Localized High-Concentration Sulfone Electrolytes for High-Efficiency Lithium-Metal Batteries. <i>Chem</i> , 2018, 4, 1877-1892.	5.8	628
11	Monolithic solid-electrolyte interphases formed in fluorinated orthoformate-based electrolytes minimize Li depletion and pulverization. <i>Nature Energy</i> , 2019, 4, 796-805.	19.8	621
12	Enabling High-Voltage Lithium-Metal Batteries under Practical Conditions. <i>Joule</i> , 2019, 3, 1662-1676.	11.7	598
13	Non-flammable electrolytes with high salt-to-solvent ratios for Li-ion and Li-metal batteries. <i>Nature Energy</i> , 2018, 3, 674-681.	19.8	557
14	Failure Mechanism for Fast-Charged Lithium Metal Batteries with Liquid Electrolytes. <i>Advanced Energy Materials</i> , 2015, 5, 1400993.	10.2	540
15	Understanding and applying coulombic efficiency in lithium metal batteries. <i>Nature Energy</i> , 2020, 5, 561-568.	19.8	526
16	High-energy lithium metal pouch cells with limited anode swelling and long stable cycles. <i>Nature Energy</i> , 2019, 4, 551-559.	19.8	492
17	High Energy Density Lithium-Sulfur Batteries: Challenges of Thick Sulfur Cathodes. <i>Advanced Energy Materials</i> , 2015, 5, 1402290.	10.2	483
18	Self-smoothing anode for achieving high-energy lithium metal batteries under realistic conditions. <i>Nature Nanotechnology</i> , 2019, 14, 594-601.	15.6	451

#	ARTICLE	IF	CITATIONS
19	High-Efficiency Lithium Metal Batteries with Fire-Retardant Electrolytes. <i>Joule</i> , 2018, 2, 1548-1558.	11.7	436
20	Bridging the academic and industrial metrics for next-generation practical batteries. <i>Nature Nanotechnology</i> , 2019, 14, 200-207.	15.6	420
21	Lithium Metal Anodes with Nonaqueous Electrolytes. <i>Chemical Reviews</i> , 2020, 120, 13312-13348.	23.0	393
22	Ambipolar zinc-polyiodide electrolyte for a high-energy density aqueous redox flow battery. <i>Nature Communications</i> , 2015, 6, 6303.	5.8	392
23	Materials and Systems for Organic Redox Flow Batteries: Status and Challenges. <i>ACS Energy Letters</i> , 2017, 2, 2187-2204.	8.8	359
24	Critical Parameters for Evaluating Coin Cells and Pouch Cells of Rechargeable Li-Metal Batteries. <i>Joule</i> , 2019, 3, 1094-1105.	11.7	358
25	A biomimetic high-capacity phenazine-based anolyte for aqueous organic redox flow batteries. <i>Nature Energy</i> , 2018, 3, 508-514.	19.8	337
26	Non-encapsulation approach for high-performance Li-S batteries through controlled nucleation and growth. <i>Nature Energy</i> , 2017, 2, 813-820.	19.8	326
27	New Insights on the Structure of Electrochemically Deposited Lithium Metal and Its Solid Electrolyte Interphases via Cryogenic TEM. <i>Nano Letters</i> , 2017, 17, 7606-7612.	4.5	308
28	High-Concentration Ether Electrolytes for Stable High-Voltage Lithium Metal Batteries. <i>ACS Energy Letters</i> , 2019, 4, 896-902.	8.8	302
29	Capacity Fading of Ni-Rich NCA Cathodes: Effect of Microcracking Extent. <i>ACS Energy Letters</i> , 2019, 4, 2995-3001.	8.8	297
30	Manipulating surface reactions in lithium-sulphur batteries using hybrid anode structures. <i>Nature Communications</i> , 2014, 5, 3015.	5.8	290
31	Balancing interfacial reactions to achieve long cycle life in high-energy lithium metal batteries. <i>Nature Energy</i> , 2021, 6, 723-732.	19.8	285
32	Heuristic solution for achieving long-term cycle stability for Ni-rich layered cathodes at full depth of discharge. <i>Nature Energy</i> , 2020, 5, 860-869.	19.8	278
33	A Localized High-Concentration Electrolyte with Optimized Solvents and Lithium Difluoro(oxalate)borate Additive for Stable Lithium Metal Batteries. <i>ACS Energy Letters</i> , 2018, 3, 2059-2067.	8.8	257
34	Ionic liquid-enhanced solid state electrolyte interface (SEI) for lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 8464.	5.2	229
35	Origin of lithium whisker formation and growth under stress. <i>Nature Nanotechnology</i> , 2019, 14, 1042-1047.	15.6	211
36	Molecular structure and stability of dissolved lithium polysulfide species. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 10923-10932.	1.3	210

#	ARTICLE	IF	CITATIONS
37	Controlling Solidâ€“Liquid Conversion Reactions for a Highly Reversible Aqueous Zincâ€“Iodine Battery. ACS Energy Letters, 2017, 2, 2674-2680.	8.8	207
38	Advances in the Development of Singleâ€“Atom Catalysts for Highâ€“Energyâ€“Density Lithiumâ€“Sulfur Batteries. Advanced Materials, 2022, 34, e2200102.	11.1	202
39	Reaction Mechanisms for Long-Life Rechargeable Zn/MnO ₂ Batteries. Chemistry of Materials, 2019, 31, 2036-2047.	3.2	195
40	Role of inner solvation sheath within saltâ€“solvent complexes in tailoring electrode/electrolyte interphases for lithium metal batteries. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 28603-28613.	3.3	191
41	Towards Highâ€“Performance Nonaqueous Redox Flow Electrolyte Via Ionic Modification of Active Species. Advanced Energy Materials, 2015, 5, 1400678.	10.2	181
42	Identification of LiH and nanocrystalline LiF in the solidâ€“electrolyte interphase of lithium metal anodes. Nature Nanotechnology, 2021, 16, 549-554.	15.6	171
43	A symmetric organic-based nonaqueous redox flow battery and its state of charge diagnostics by FTIR. Journal of Materials Chemistry A, 2016, 4, 5448-5456.	5.2	167
44	Glassy Li metal anode for high-performance rechargeable Li batteries. Nature Materials, 2020, 19, 1339-1345.	13.3	162
45	â€œWine-Dark Seaâ€“in an Organic Flow Battery: Storing Negative Charge in 2,1,3-Benzothiadiazole Radicals Leads to Improved Cyclability. ACS Energy Letters, 2017, 2, 1156-1161.	8.8	160
46	How to Obtain Reproducible Results for Lithium Sulfur Batteries?. Journal of the Electrochemical Society, 2013, 160, A2288-A2292.	1.3	149
47	Stable Li Metal Anode with â€œlonâ€“Solvent-Coordinatedâ€“Nonflammable Electrolyte for Safe Li Metal Batteries. ACS Energy Letters, 2019, 4, 483-488.	8.8	148
48	Addressing Passivation in Lithiumâ€“Sulfur Battery Under Lean Electrolyte Condition. Advanced Functional Materials, 2018, 28, 1707234.	7.8	143
49	On the Way Toward Understanding Solution Chemistry of Lithium Polysulfides for High Energy Liâ€“S Redox Flow Batteries. Advanced Energy Materials, 2015, 5, 1500113.	10.2	142
50	Suppressing Lithium Dendrite Growth by Metallic Coating on a Separator. Advanced Functional Materials, 2017, 27, 1704391.	7.8	141
51	Low-solvation electrolytes for high-voltage sodium-ion batteries. Nature Energy, 2022, 7, 718-725.	19.8	137
52	Progress and directions in low-cost redox-flow batteries for large-scale energy storage. National Science Review, 2017, 4, 91-105.	4.6	131
53	Effects of fluorinated solvents on electrolyte solvation structures and electrode/electrolyte interphases for lithium metal batteries. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	131
54	Reaction heterogeneity in practical high-energy lithiumâ€“sulfur pouch cells. Energy and Environmental Science, 2020, 13, 3620-3632.	15.6	127

#	ARTICLE	IF	CITATIONS
55	Designing Advanced In Situ Electrode/Electrolyte Interphases for Wide Temperature Operation of 4.5 V Li LiCoO ₂ Batteries. <i>Advanced Materials</i> , 2020, 32, e2004898.	11.1	123
56	Improving Lithium-Sulfur Battery Performance under Lean Electrolyte through Nanoscale Confinement in Soft Swellable Gels. <i>Nano Letters</i> , 2017, 17, 3061-3067.	4.5	122
57	Mechanism of Formation of Li ₇ P ₃ S ₁₁ Solid Electrolytes through Liquid Phase Synthesis. <i>Chemistry of Materials</i> , 2018, 30, 990-997.	3.2	118
58	Effect of the Anion Activity on the Stability of Li Metal Anodes in Lithium-Sulfur Batteries. <i>Advanced Functional Materials</i> , 2016, 26, 3059-3066.	7.8	117
59	New Prelithiated V ₂ O ₅ Superstructure for Lithium-Ion Batteries with Long Cycle Life and High Power. <i>ACS Energy Letters</i> , 2020, 5, 31-38.	8.8	113
60	Following the Transient Reactions in Lithium-Sulfur Batteries Using an In Situ Nuclear Magnetic Resonance Technique. <i>Nano Letters</i> , 2015, 15, 3309-3316.	4.5	107
61	Revisit Carbon/Sulfur Composite for Li-S Batteries. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1624-A1628.	1.3	98
62	Free-standing V ₂ O ₅ electrode for flexible lithium ion batteries. <i>Electrochemistry Communications</i> , 2011, 13, 383-386.	2.3	93
63	Formation of Reversible Solid Electrolyte Interface on Graphite Surface from Concentrated Electrolytes. <i>Nano Letters</i> , 2017, 17, 1602-1609.	4.5	91
64	Controlled Nucleation and Growth Process of Li ₂ S ₂ /Li ₂ S in Lithium-Sulfur Batteries. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1992-A1996.	1.3	89
65	Detrimental Effects of Chemical Crossover from the Lithium Anode to Cathode in Rechargeable Lithium Metal Batteries. <i>ACS Energy Letters</i> , 2018, 3, 2921-2930.	8.8	89
66	Direct Observation of the Redistribution of Sulfur and Polysulfides in Li-S Batteries During the First Cycle by In Situ X-Ray Fluorescence Microscopy. <i>Advanced Energy Materials</i> , 2015, 5, 1500072.	10.2	84
67	Metal-Organic Frameworks as Highly Active Electrocatalysts for High-Energy Density, Aqueous Zinc-Polyiodide Redox Flow Batteries. <i>Nano Letters</i> , 2016, 16, 4335-4340.	4.5	79
68	Enabling High-Energy-Density Cathode for Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 23094-23102.	4.0	67
69	Restricting the Solubility of Polysulfides in Li-S Batteries Via Electrolyte Salt Selection. <i>Advanced Energy Materials</i> , 2016, 6, 1600160.	10.2	66
70	Optimization of fluorinated orthoformate based electrolytes for practical high-voltage lithium metal batteries. <i>Energy Storage Materials</i> , 2021, 34, 76-84.	9.5	65
71	An Aqueous Redox Flow Battery Based on Neutral Alkali Metal Ferri/ferrocyanide and Polysulfide Electrolytes. <i>Journal of the Electrochemical Society</i> , 2016, 163, A5150-A5153.	1.3	64
72	Interface engineering for composite cathodes in sulfide-based all-solid-state lithium batteries. <i>Journal of Energy Chemistry</i> , 2021, 60, 32-60.	7.1	64

#	ARTICLE	IF	CITATIONS
73	Anion-Tunable Properties and Electrochemical Performance of Functionalized Ferrocene Compounds. <i>Scientific Reports</i> , 2015, 5, 14117.	1.6	62
74	Enhanced Stability of Lithium Metal Anode by using a 3D Porous Nickel Substrate. <i>ChemElectroChem</i> , 2018, 5, 761-769.	1.7	58
75	High-Performance Aqueous Zinc-Manganese Battery with Reversible Mn ²⁺ /Mn ⁴⁺ Double Redox Achieved by Carbon Coated MnOx Nanoparticles. <i>Nano-Micro Letters</i> , 2020, 12, 110.	14.4	58
76	In situ TEM visualization of LiF nanosheet formation on the cathode-electrolyte interphase (CEI) in liquid-electrolyte lithium-ion batteries. <i>Matter</i> , 2022, 5, 1235-1250.	5.0	56
77	High performance Li-ion sulfur batteries enabled by intercalation chemistry. <i>Chemical Communications</i> , 2015, 51, 13454-13457.	2.2	55
78	Unlocking the passivation nature of the cathode-air interfacial reactions in lithium ion batteries. <i>Nature Communications</i> , 2020, 11, 3204.	5.8	55
79	Molecular-confinement of polysulfides within mesoscale electrodes for the practical application of lithium sulfur batteries. <i>Nano Energy</i> , 2015, 13, 267-274.	8.2	50
80	Near surface nucleation and particle mediated growth of colloidal Au nanocrystals. <i>Nanoscale</i> , 2018, 10, 11907-11912.	2.8	48
81	Multinuclear NMR Study of the Solid Electrolyte Interface Formed in Lithium Metal Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 14741-14748.	4.0	47
82	Reversible Electrochemical Interface of Mg Metal and Conventional Electrolyte Enabled by Intermediate Adsorption. <i>ACS Energy Letters</i> , 2020, 5, 200-206.	8.8	44
83	Good Practices for Rechargeable Lithium Metal Batteries. <i>Journal of the Electrochemical Society</i> , 2019, 166, A4141-A4149.	1.3	42
84	The Quest for Stable Potassium-Ion Battery Chemistry. <i>Advanced Materials</i> , 2022, 34, e2106876.	11.1	41
85	Electrode materials for aqueous multivalent metal-ion batteries: Current status and future prospect. <i>Journal of Energy Chemistry</i> , 2022, 67, 563-584.	7.1	36
86	Effects of Anion Mobility on Electrochemical Behaviors of Lithium-Sulfur Batteries. <i>Chemistry of Materials</i> , 2017, 29, 9023-9029.	3.2	35
87	Surface/Interface Structure and Chemistry of Lithium-Sulfur Batteries: From Density Functional Theory Calculations Perspective. <i>Advanced Energy and Sustainability Research</i> , 2021, 2, 2100007.	2.8	27
88	Revisiting the Growth Mechanism of Hierarchical Semiconductor Nanostructures: The Role of Secondary Nucleation in Branch Formation. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 6827-6834.	2.1	20
89	High-Performance Lithium-Rich Layered Oxide Material: Effects of Preparation Methods on Microstructure and Electrochemical Properties. <i>Materials</i> , 2020, 13, 334.	1.3	20
90	Systematic Evaluation of Carbon Hosts for High-Energy Rechargeable Lithium-Metal Batteries. <i>ACS Energy Letters</i> , 0, , 1550-1559.	8.8	20

#	ARTICLE	IF	CITATIONS
91	Designing Advanced Liquid Electrolytes for Alkali Metal Batteries: Principles, Progress, and Perspectives. <i>Energy and Environmental Materials</i> , 2023, 6, .	7.3	19
92	Minimizing Polysulfide Shuttle Effect in Lithium-Ion Sulfur Batteries by Anode Surface Passivation. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 21965-21972.	4.0	18
93	Controlling Metal-Organic Framework/ZnO Heterostructure Kinetics through Selective Ligand Binding to ZnO Surface Steps. <i>Chemistry of Materials</i> , 2020, 32, 6666-6675.	3.2	16
94	Energy Material Advances: From Fundamental Discoveries to Practical Applications. <i>Energy Material Advances</i> , 2020, 2020, .	4.7	16
95	Wet-chemical synthesis of Li ₇ P ₃ S ₁₁ with tailored particle size for solid state electrolytes. <i>Chemical Engineering Journal</i> , 2022, 429, 132334.	6.6	12
96	Early Failure of Lithium-Sulfur Batteries at Practical Conditions: Crosstalk between Sulfur Cathode and Lithium Anode. <i>Advanced Science</i> , 2022, 9, e2201640.	5.6	12
97	Role of the Solvent-Surfactant Duality of Ionic Liquids in Directing Two-Dimensional Particle Assembly. <i>Journal of Physical Chemistry C</i> , 2020, 124, 24215-24222.	1.5	8
98	Lithium-Metal Batteries: High-Voltage Lithium-Metal Batteries Enabled by Localized High-Concentration Electrolytes (<i>Adv. Mater.</i> 21/2018). <i>Advanced Materials</i> , 2018, 30, 1870144.	11.1	4
99	Double Epitaxy as a Paradigm for Templated Growth of Highly Ordered Three-Dimensional Mesophase Crystals. <i>ACS Nano</i> , 2016, 10, 8670-8675.	7.3	2
100	Enabling High-Voltage Lithium Metal Batteries Under Practical Conditions. <i>SSRN Electronic Journal</i> , 0, .	0.4	0