
## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1755572/publications.pdf Version: 2024-02-01



Пля Гля

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Designing Advanced Liquid Electrolytes for Alkali Metal Batteries: Principles, Progress, and<br>Perspectives. Energy and Environmental Materials, 2023, 6, .   | 7.3  | 19        |
| 2  | Electrode materials for aqueous multivalent metal-ion batteries: Current status and future prospect.<br>Journal of Energy Chemistry, 2022, 67, 563-584.  | 7.1  | 36        |
| 3  | Wet-chemical synthesis of Li7P3S11 with tailored particle size for solid state electrolytes. Chemical Engineering Journal, 2022, 429, 132334.  | 6.6  | 12        |
| 4  | The Quest for Stable Potassiumâ€lon Battery Chemistry. Advanced Materials, 2022, 34, e2106876.   | 11.1 | 41        |
| 5  | In situ TEM visualization of LiF nanosheet formation on the cathode-electrolyte interphase (CEI) in<br>liquid-electrolyte lithium-ion batteries. Matter, 2022, 5, 1235-1250.   | 5.0  | 56        |
| 6  | Advances in the Development of Singleâ€Atom Catalysts for Highâ€Energyâ€Density Lithium–Sulfur<br>Batteries. Advanced Materials, 2022, 34, e2200102.   | 11.1 | 202       |
| 7  | Early Failure of Lithium–Sulfur Batteries at Practical Conditions: Crosstalk between Sulfur Cathode<br>and Lithium Anode. Advanced Science, 2022, 9, e2201640.   | 5.6  | 12        |
| 8  | Low-solvation electrolytes for high-voltage sodium-ion batteries. Nature Energy, 2022, 7, 718-725.   | 19.8 | 137       |
| 9  | Optimization of fluorinated orthoformate based electrolytes for practical high-voltage lithium metal batteries. Energy Storage Materials, 2021, 34, 76-84.   | 9.5  | 65        |
| 10 | Identification of LiH and nanocrystalline LiF in the solid–electrolyte interphase of lithium metal anodes. Nature Nanotechnology, 2021, 16, 549-554.   | 15.6 | 171       |
| 11 | Effects of fluorinated solvents on electrolyte solvation structures and electrode/electrolyte interphases for lithium metal batteries. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, . | 3.3  | 131       |
| 12 | Surface/Interface Structure and Chemistry of Lithium–Sulfur Batteries: From Density Functional<br>Theory Calculations' Perspective. Advanced Energy and Sustainability Research, 2021, 2, 2100007.                                   | 2.8  | 27        |
| 13 | Balancing interfacial reactions to achieve long cycle life in high-energy lithium metal batteries.<br>Nature Energy, 2021, 6, 723-732.   | 19.8 | 285       |
| 14 | Interface engineering for composite cathodes in sulfide-based all-solid-state lithium batteries. Journal of Energy Chemistry, 2021, 60, 32-60.   | 7.1  | 64        |
| 15 | New Prelithiated V <sub>2</sub> O <sub>5</sub> Superstructure for Lithium-Ion Batteries with Long<br>Cycle Life and High Power. ACS Energy Letters, 2020, 5, 31-38.  | 8.8  | 113       |
| 16 | Reversible Electrochemical Interface of Mg Metal and Conventional Electrolyte Enabled by<br>Intermediate Adsorption. ACS Energy Letters, 2020, 5, 200-206.   | 8.8  | 44        |
| 17 | Lithium Metal Anodes with Nonaqueous Electrolytes. Chemical Reviews, 2020, 120, 13312-13348.   | 23.0 | 393       |
| 18 | Glassy Li metal anode for high-performance rechargeable Li batteries. Nature Materials, 2020, 19,<br>1339-1345.  | 13.3 | 162       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Role of the Solvent–Surfactant Duality of Ionic Liquids in Directing Two-Dimensional Particle<br>Assembly. Journal of Physical Chemistry C, 2020, 124, 24215-24222.   | 1.5  | 8         |
| 20 | Reaction heterogeneity in practical high-energy lithium–sulfur pouch cells. Energy and<br>Environmental Science, 2020, 13, 3620-3632.   | 15.6 | 127       |
| 21 | Heuristic solution for achieving long-term cycle stability for Ni-rich layered cathodes at full depth<br>of discharge. Nature Energy, 2020, 5, 860-869.   | 19.8 | 278       |
| 22 | Role of inner solvation sheath within salt–solvent complexes in tailoring electrode/electrolyte<br>interphases for lithium metal batteries. Proceedings of the National Academy of Sciences of the<br>United States of America, 2020, 117, 28603-28613. | 3.3  | 191       |
| 23 | Designing Advanced In Situ Electrode/Electrolyte Interphases for Wide Temperature Operation of 4.5 V<br>Li  LiCoO <sub>2</sub> Batteries. Advanced Materials, 2020, 32, e2004898.   | 11.1 | 123       |
| 24 | High-Performance Aqueous Zinc–Manganese Battery with Reversible Mn2+/Mn4+ Double Redox<br>Achieved by Carbon Coated MnOx Nanoparticles. Nano-Micro Letters, 2020, 12, 110.  | 14.4 | 58        |
| 25 | Controlling Metal–Organic Framework/ZnO Heterostructure Kinetics through Selective Ligand<br>Binding to ZnO Surface Steps. Chemistry of Materials, 2020, 32, 6666-6675.   | 3.2  | 16        |
| 26 | Unlocking the passivation nature of the cathode–air interfacial reactions in lithium ion batteries.<br>Nature Communications, 2020, 11, 3204.   | 5.8  | 55        |
| 27 | Understanding and applying coulombic efficiency in lithium metal batteries. Nature Energy, 2020, 5, 561-568.  | 19.8 | 526       |
| 28 | High-Performance Lithium-Rich Layered Oxide Material: Effects of Preparation Methods on Microstructure and Electrochemical Properties. Materials, 2020, 13, 334.  | 1.3  | 20        |
| 29 | Energy Material Advances: From Fundamental Discoveries to Practical Applications. Energy Material Advances, 2020, 2020, .   | 4.7  | 16        |
| 30 | Enabling High-Voltage Lithium-Metal Batteries under Practical Conditions. Joule, 2019, 3, 1662-1676.  | 11.7 | 598       |
| 31 | Origin of lithium whisker formation and growth under stress. Nature Nanotechnology, 2019, 14, 1042-1047.  | 15.6 | 211       |
| 32 | Capacity Fading of Ni-Rich NCA Cathodes: Effect of Microcracking Extent. ACS Energy Letters, 2019, 4, 2995-3001.  | 8.8  | 297       |
| 33 | Monolithic solid–electrolyte interphases formed in fluorinated orthoformate-based electrolytes<br>minimize Li depletion and pulverization. Nature Energy, 2019, 4, 796-805.   | 19.8 | 621       |
| 34 | Revisiting the Growth Mechanism of Hierarchical Semiconductor Nanostructures: The Role of<br>Secondary Nucleation in Branch Formation. Journal of Physical Chemistry Letters, 2019, 10, 6827-6834.  | 2.1  | 20        |
| 35 | High-energy lithium metal pouch cells with limited anode swelling and long stable cycles. Nature<br>Energy, 2019, 4, 551-559.   | 19.8 | 492       |
| 36 | Self-smoothing anode for achieving high-energy lithium metal batteries under realistic conditions.<br>Nature Nanotechnology, 2019, 14, 594-601.   | 15.6 | 451       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | High-Concentration Ether Electrolytes for Stable High-Voltage Lithium Metal Batteries. ACS Energy<br>Letters, 2019, 4, 896-902.   | 8.8  | 302       |
| 38 | Reaction Mechanisms for Long-Life Rechargeable Zn/MnO <sub>2</sub> Batteries. Chemistry of Materials, 2019, 31, 2036-2047.  | 3.2  | 195       |
| 39 | Pathways for practical high-energy long-cycling lithium metal batteries. Nature Energy, 2019, 4, 180-186.   | 19.8 | 2,101     |
| 40 | Critical Parameters for Evaluating Coin Cells and Pouch Cells of Rechargeable Li-Metal Batteries.<br>Joule, 2019, 3, 1094-1105.   | 11.7 | 358       |
| 41 | Bridging the academic and industrial metrics for next-generation practical batteries. Nature<br>Nanotechnology, 2019, 14, 200-207.  | 15.6 | 420       |
| 42 | Good Practices for Rechargeable Lithium Metal Batteries. Journal of the Electrochemical Society, 2019, 166, A4141-A4149.  | 1.3  | 42        |
| 43 | Stable Li Metal Anode with "Ion–Solvent-Coordinated―Nonflammable Electrolyte for Safe Li Metal<br>Batteries. ACS Energy Letters, 2019, 4, 483-488.  | 8.8  | 148       |
| 44 | Addressing Passivation in Lithium–Sulfur Battery Under Lean Electrolyte Condition. Advanced<br>Functional Materials, 2018, 28, 1707234.   | 7.8  | 143       |
| 45 | Enhanced Stability of Lithium Metal Anode by using a 3D Porous Nickel Substrate. ChemElectroChem, 2018, 5, 761-769.   | 1.7  | 58        |
| 46 | Mechanism of Formation of Li <sub>7</sub> P <sub>3</sub> S <sub>11</sub> Solid Electrolytes through<br>Liquid Phase Synthesis. Chemistry of Materials, 2018, 30, 990-997.                         | 3.2  | 118       |
| 47 | Highâ€Voltage Lithiumâ€Metal Batteries Enabled by Localized Highâ€Concentration Electrolytes. Advanced<br>Materials, 2018, 30, e1706102.  | 11.1 | 761       |
| 48 | Detrimental Effects of Chemical Crossover from the Lithium Anode to Cathode in Rechargeable<br>Lithium Metal Batteries. ACS Energy Letters, 2018, 3, 2921-2930.                                   | 8.8  | 89        |
| 49 | High-Efficiency Lithium Metal Batteries with Fire-Retardant Electrolytes. Joule, 2018, 2, 1548-1558.  | 11.7 | 436       |
| 50 | Lithiumâ€Metal Batteries: Highâ€Voltage Lithiumâ€Metal Batteries Enabled by Localized Highâ€Concentration<br>Electrolytes (Adv. Mater. 21/2018). Advanced Materials, 2018, 30, 1870144.           | 11.1 | 4         |
| 51 | Non-flammable electrolytes with high salt-to-solvent ratios for Li-ion and Li-metal batteries. Nature<br>Energy, 2018, 3, 674-681.  | 19.8 | 557       |
| 52 | Stable cycling of high-voltage lithium metal batteries in ether electrolytes. Nature Energy, 2018, 3,<br>739-746.   | 19.8 | 767       |
| 53 | A Localized High-Concentration Electrolyte with Optimized Solvents and Lithium<br>Difluoro(oxalate)borate Additive for Stable Lithium Metal Batteries. ACS Energy Letters, 2018, 3,<br>2059-2067. | 8.8  | 257       |
| 54 | A biomimetic high-capacity phenazine-based anolyte for aqueous organic redox flow batteries. Nature<br>Energy, 2018, 3, 508-514.  | 19.8 | 337       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Minimizing Polysulfide Shuttle Effect in Lithium-Ion Sulfur Batteries by Anode Surface Passivation.<br>ACS Applied Materials & Interfaces, 2018, 10, 21965-21972.               | 4.0  | 18        |
| 56 | Enabling High-Energy-Density Cathode for Lithium–Sulfur Batteries. ACS Applied Materials &<br>Interfaces, 2018, 10, 23094-23102.  | 4.0  | 67        |
| 57 | Near surface nucleation and particle mediated growth of colloidal Au nanocrystals. Nanoscale, 2018, 10, 11907-11912.  | 2.8  | 48        |
| 58 | Localized High-Concentration Sulfone Electrolytes for High-Efficiency Lithium-Metal Batteries. CheM, 2018, 4, 1877-1892.  | 5.8  | 628       |
| 59 | Formation of Reversible Solid Electrolyte Interface on Graphite Surface from Concentrated<br>Electrolytes. Nano Letters, 2017, 17, 1602-1609.                                   | 4.5  | 91        |
| 60 | "Wine-Dark Sea―in an Organic Flow Battery: Storing Negative Charge in 2,1,3-Benzothiadiazole Radicals<br>Leads to Improved Cyclability. ACS Energy Letters, 2017, 2, 1156-1161. | 8.8  | 160       |
| 61 | Progress and directions in low-cost redox-flow batteries for large-scale energy storage. National<br>Science Review, 2017, 4, 91-105.   | 4.6  | 131       |
| 62 | Improving Lithium–Sulfur Battery Performance under Lean Electrolyte through Nanoscale<br>Confinement in Soft Swellable Gels. Nano Letters, 2017, 17, 3061-3067.                 | 4.5  | 122       |
| 63 | Multinuclear NMR Study of the Solid Electrolyte Interface Formed in Lithium Metal Batteries. ACS<br>Applied Materials & Interfaces, 2017, 9, 14741-14748.                       | 4.0  | 47        |
| 64 | New Insights on the Structure of Electrochemically Deposited Lithium Metal and Its Solid Electrolyte<br>Interphases via Cryogenic TEM. Nano Letters, 2017, 17, 7606-7612.       | 4.5  | 308       |
| 65 | Controlling Solid–Liquid Conversion Reactions for a Highly Reversible Aqueous Zinc–Iodine Battery.<br>ACS Energy Letters, 2017, 2, 2674-2680.                                   | 8.8  | 207       |
| 66 | Suppressing Lithium Dendrite Growth by Metallic Coating on a Separator. Advanced Functional<br>Materials, 2017, 27, 1704391.  | 7.8  | 141       |
| 67 | Non-encapsulation approach for high-performance Li–S batteries through controlled nucleation and growth. Nature Energy, 2017, 2, 813-820.                                       | 19.8 | 326       |
| 68 | Effects of Anion Mobility on Electrochemical Behaviors of Lithium–Sulfur Batteries. Chemistry of<br>Materials, 2017, 29, 9023-9029.   | 3.2  | 35        |
| 69 | Materials and Systems for Organic Redox Flow Batteries: Status and Challenges. ACS Energy Letters, 2017, 2, 2187-2204.  | 8.8  | 359       |
| 70 | Restricting the Solubility of Polysulfides in Li‣ Batteries Via Electrolyte Salt Selection. Advanced<br>Energy Materials, 2016, 6, 1600160.                                     | 10.2 | 66        |
| 71 | Effect of the Anion Activity on the Stability of Li Metal Anodes in Lithium‧ulfur Batteries. Advanced<br>Functional Materials, 2016, 26, 3059-3066.                             | 7.8  | 117       |
| 72 | Double Epitaxy as a Paradigm for Templated Growth of Highly Ordered Three-Dimensional Mesophase<br>Crystals. ACS Nano, 2016, 10, 8670-8675.                                     | 7.3  | 2         |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | A symmetric organic-based nonaqueous redox flow battery and its state of charge diagnostics by FTIR.<br>Journal of Materials Chemistry A, 2016, 4, 5448-5456.  | 5.2  | 167       |
| 74 | Reversible aqueous zinc/manganese oxide energy storage from conversion reactions. Nature Energy, 2016, 1, .  | 19.8 | 2,186     |
| 75 | Metal–Organic Frameworks as Highly Active Electrocatalysts for High-Energy Density, Aqueous<br>Zinc-Polyiodide Redox Flow Batteries. Nano Letters, 2016, 16, 4335-4340.                                | 4.5  | 79        |
| 76 | An Aqueous Redox Flow Battery Based on Neutral Alkali Metal Ferri/ferrocyanide and Polysulfide<br>Electrolytes. Journal of the Electrochemical Society, 2016, 163, A5150-A5153.                        | 1.3  | 64        |
| 77 | Anion-Tunable Properties and Electrochemical Performance of Functionalized Ferrocene Compounds.<br>Scientific Reports, 2015, 5, 14117.   | 1.6  | 62        |
| 78 | Molecular-confinement of polysulfides within mesoscale electrodes for the practical application of lithium sulfur batteries. Nano Energy, 2015, 13, 267-274.   | 8.2  | 50        |
| 79 | High performance Li-ion sulfur batteries enabled by intercalation chemistry. Chemical Communications, 2015, 51, 13454-13457.   | 2.2  | 55        |
| 80 | On the Way Toward Understanding Solution Chemistry of Lithium Polysulfides for High Energy Li–S<br>Redox Flow Batteries. Advanced Energy Materials, 2015, 5, 1500113.                                  | 10.2 | 142       |
| 81 | Following the Transient Reactions in Lithium–Sulfur Batteries Using an In Situ Nuclear Magnetic<br>Resonance Technique. Nano Letters, 2015, 15, 3309-3316.   | 4.5  | 107       |
| 82 | Ambipolar zinc-polyiodide electrolyte for a high-energy density aqueous redox flow battery. Nature<br>Communications, 2015, 6, 6303.   | 5.8  | 392       |
| 83 | Direct Observation of the Redistribution of Sulfur and Polysufides in Li–S Batteries During the First<br>Cycle by In Situ Xâ€Ray Fluorescence Microscopy. Advanced Energy Materials, 2015, 5, 1500072. | 10.2 | 84        |
| 84 | High Energy Density Lithium–Sulfur Batteries: Challenges of Thick Sulfur Cathodes. Advanced Energy<br>Materials, 2015, 5, 1402290.   | 10.2 | 483       |
| 85 | Towards Highâ€Performance Nonaqueous Redox Flow Electrolyte Via Ionic Modification of Active<br>Species. Advanced Energy Materials, 2015, 5, 1400678.  | 10.2 | 181       |
| 86 | Failure Mechanism for Fastâ€Charged Lithium Metal Batteries with Liquid Electrolytes. Advanced Energy<br>Materials, 2015, 5, 1400993.  | 10.2 | 540       |
| 87 | Manipulating surface reactions in lithium–sulphur batteries using hybrid anode structures. Nature<br>Communications, 2014, 5, 3015.  | 5.8  | 290       |
| 88 | Mesoporous silicon sponge as an anti-pulverization structure for high-performance lithium-ion battery anodes. Nature Communications, 2014, 5, 4105.  | 5.8  | 1,160     |
| 89 | Molecular structure and stability of dissolved lithium polysulfide species. Physical Chemistry<br>Chemical Physics, 2014, 16, 10923-10932.   | 1.3  | 210       |
| 90 | Dendrite-Free Lithium Deposition via Self-Healing Electrostatic Shield Mechanism. Journal of the<br>American Chemical Society, 2013, 135, 4450-4456.   | 6.6  | 1,736     |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Ionic liquid-enhanced solid state electrolyte interface (SEI) for lithium–sulfur batteries. Journal of<br>Materials Chemistry A, 2013, 1, 8464.   | 5.2  | 229       |
| 92  | Controlled Nucleation and Growth Process of Li <sub>2</sub> S <sub>2</sub> /Li <sub>2</sub> S in<br>Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2013, 160, A1992-A1996. | 1.3  | 89        |
| 93  | How to Obtain Reproducible Results for Lithium Sulfur Batteries?. Journal of the Electrochemical Society, 2013, 160, A2288-A2292.   | 1.3  | 149       |
| 94  | Revisit Carbon/Sulfur Composite for Li-S Batteries. Journal of the Electrochemical Society, 2013, 160, A1624-A1628.   | 1.3  | 98        |
| 95  | Electrochemical Energy Storage for Green Grid. Chemical Reviews, 2011, 111, 3577-3613.  | 23.0 | 4,276     |
| 96  | A Stable Vanadium Redoxâ€Flow Battery with High Energy Density for Largeâ€Scale Energy Storage.<br>Advanced Energy Materials, 2011, 1, 394-400.   | 10.2 | 688       |
| 97  | Free-standing V2O5 electrode for flexible lithium ion batteries. Electrochemistry Communications, 2011, 13, 383-386.  | 2.3  | 93        |
| 98  | Complex and oriented ZnO nanostructures. Nature Materials, 2003, 2, 821-826.  | 13.3 | 1,404     |
| 99  | Systematic Evaluation of Carbon Hosts for High-Energy Rechargeable Lithium-Metal Batteries. ACS<br>Energy Letters, 0, , 1550-1559.  | 8.8  | 20        |
| 100 | Enabling High-Voltage Lithium Metal Batteries Under Practical Conditions. SSRN Electronic Journal, 0,   | 0.4  | 0         |