## Jun Pyo Myong

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1760408/publications.pdf

Version: 2024-02-01

89 papers

1,283 citations

331670 21 h-index 454955 30 g-index

94 all docs 94 docs citations

94 times ranked 2300 citing authors

#	Article	IF	CITATIONS
1	BRAF <sup>V600E</sup> Mutation is Associated with Tumor Aggressiveness in Papillary Thyroid Cancer. World Journal of Surgery, 2012, 36, 310-317.	1.6	137
2	Outcomes of Direct Oral Anticoagulants in Patients With Mitral Stenosis. Journal of the American College of Cardiology, 2019, 73, 1123-1131.	2.8	59
3	Risk Factors for Recurrence After Therapeutic Lateral Neck Dissection for Primary Papillary Thyroid Cancer. Annals of Surgical Oncology, 2014, 21, 1884-1890.	1.5	48
4	The modifying role of caregiver burden on predictors of quality of life of caregivers of hospitalized chronic stroke patients. Disability and Health Journal, 2015, 8, 619-625.	2.8	41
5	Long Work Hours and Obesity in Korean Adult Workers. Journal of Occupational Health, 2013, 55, 359-366.	2.1	35
6	Factors associated with participation in cervical cancer screening among young Koreans: a nationwide cross-sectional study. BMJ Open, 2017, 7, e013868.	1.9	35
7	Recovery of Sensation in the Anterior Chest Area after Bilateral Axillo-breast Approach Endoscopic/Robotic Thyroidectomy. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2011, 21, 366-371.	0.8	33
8	Association between Blood Cadmium Levels and 10-Year Coronary Heart Disease Risk in the General Korean Population: The Korean National Health and Nutrition Examination Survey 2008–2010. PLoS ONE, 2014, 9, e111909.	2.5	33
9	Optimal Cutoff Age for Predicting Mortality Associated with Differentiated Thyroid Cancer. PLoS ONE, 2015, 10, e0130848.	2.5	31
10	Combined effect of Hashimoto's thyroiditis and <i>BRAF</i> <sup>V600E</sup> mutation status on aggressiveness in papillary thyroid cancer. Head and Neck, 2016, 38, 95-101.	2.0	30
11	Blood cadmium and moderate-to-severe glomerular dysfunction in Korean adults: analysis of KNHANES 2005–2008 data. International Archives of Occupational and Environmental Health, 2012, 85, 885-893.	2.3	29
12	Association Between Work Conditions and Smoking in South Korea. Safety and Health at Work, 2013, 4, 197-200.	0.6	29
13	Epidemiology and Antifungal Susceptibility Profile of <i>Aspergillus</i> Species: Comparison between Environmental and Clinical Isolates from Patients with Hematologic Malignancies. Journal of Clinical Microbiology, 2019, 57, .	3.9	29
14	Factors associated with participation in colorectal cancer screening in Korea: the Fourth Korean National Health and Nutrition Examination Survey (KNHANES IV). International Journal of Colorectal Disease, 2012, 27, 1061-1069.	2.2	28
15	Occupational exposure and idiopathic pulmonary fibrosis: a multicentre case-control study in Korea. International Journal of Tuberculosis and Lung Disease, 2017, 21, 107-112.	1.2	28
16	Prospective Study of Sensation in Anterior Chest Areas Before and After a Bilateral Axilloâ€breast Approach for Endoscopic/Robotic Thyroid Surgery. World Journal of Surgery, 2013, 37, 1147-1153.	1.6	27
17	Impact of smoking on thyroid gland: dose-related effect of urinary cotinine levels on thyroid function and thyroid autoimmunity. Scientific Reports, 2019, 9, 4213.	3.3	27
18	Dose-related effect of urinary cotinine levels on bone mineral density among Korean females. Osteoporosis International, 2013, 24, 1339-1346.	3.1	25

#	Article	IF	CITATIONS
19	Disparities of Metabolic Syndrome Prevalence by Age, Gender and Occupation among Korean Adult Workers. Industrial Health, 2012, 50, 115-122.	1.0	24
20	Profiles of Environmental Mold: Indoor and Outdoor Air Sampling in a Hematology Hospital in Seoul, South Korea. International Journal of Environmental Research and Public Health, 2018, 15, 2560.	2.6	23
21	Incidence and prevalence of idiopathic interstitial pneumonia and idiopathic pulmonary fibrosis in Korea. International Journal of Tuberculosis and Lung Disease, 2016, 20, 978-984.	1.2	22
22	Which type of cane is the most efficient, based on oxygen consumption and balance capacity, in chronic stroke patients?. Gait and Posture, 2015, 41, 493-498.	1.4	18
23	Overwork and cerebrocardiovascular disease in Korean adult workers. Journal of Occupational Health, 2015, 57, 51-57.	2.1	17
24	CT Characteristics of Pleural Plaques Related to Occupational or Environmental Asbestos Exposure from South Korean Asbestos Mines. Korean Journal of Radiology, 2015, 16, 1142.	3.4	17
25	Smoking Rate Trends in Korean Occupational Groups: Analysis of KNHANES 1998–2009 Data. Journal of Occupational Health, 2012, 54, 452-458.	2.1	16
26	The Effect of Socioeconomic Position on Bone Health Among Koreans by Gender and Menopausal Status. Calcified Tissue International, 2012, 90, 488-495.	3.1	16
27	Incidence and costs of cervical intraepithelial neoplasia in the Korean population. Journal of Gynecologic Oncology, 2019, 30, e37.	2.2	16
28	Bone mineral density among Korean females aged 20–50Âyears: influence of age at menarche (The Korea) Ţ 2129-2136.	j ETQq0 0 0 3.1	rgBT /Overloo
29	Risk factors for lung function impairment among the general non-smoking Korean population. International Journal of Tuberculosis and Lung Disease, 2015, 19, 1019-1026.	1.2	14
30	Impacts of Household Income and Economic Recession on Participation in Colorectal Cancer Screening in Korea. Asian Pacific Journal of Cancer Prevention, 2012, 13, 1857-1862.	1.2	14
31	Relationship between Bone Mineral Density and Moderate to Severe Chronic Kidney Disease among General Population in Korea. Journal of Korean Medical Science, 2013, 28, 569.	9.5	10
	General Population in Rolea. Journal of Rolean Medical Science, 2013, 20, 307.	2.5	13
32	Health care burden and medical resource utilisation of idiopathic pulmonary fibrosis in Korea. International Journal of Tuberculosis and Lung Disease, 2017, 21, 230-235.	1,2	13
32	Health care burden and medical resource utilisation of idiopathic pulmonary fibrosis in Korea.		
	Health care burden and medical resource utilisation of idiopathic pulmonary fibrosis in Korea. International Journal of Tuberculosis and Lung Disease, 2017, 21, 230-235.  Does increased body mass index lead to elevated prostate cancer risk? It depends on waist	1.2	13
33	Health care burden and medical resource utilisation of idiopathic pulmonary fibrosis in Korea. International Journal of Tuberculosis and Lung Disease, 2017, 21, 230-235.  Does increased body mass index lead to elevated prostate cancer risk? It depends on waist circumference. BMC Cancer, 2020, 20, 589.  Time Trends of Allergic Rhinitis and Effects of Residence on Allergic Rhinitis in Korea From 1998	1.2 2.6	<b>13</b>

#	Article	IF	CITATIONS
37	Ten-year trends in the incidence, treatment and outcomes of patients with mitral stenosis in Korea. Heart, 2020, 106, 746-750.	2.9	12
38	The Relation between Employees' Lifestyle and Their Health Status in an Electronics Research and Development Company. Korean Journal of Occupational and Environmental Medicine, 2009, 21, 1.	0.4	12
39	Work-related COPD after years of occupational exposure. Annals of Occupational and Environmental Medicine, 2015, 27, 6.	1.0	11
40	Brief Report: Atypical Femoral Fracture in Rheumatoid Arthritis Patients Treated With Bisphosphonates: A Nested Case–Control Study. Arthritis and Rheumatology, 2016, 68, 77-82.	5.6	11
41	The relationship between spontaneous abortion and female workers in the semiconductor industry. Annals of Occupational and Environmental Medicine, 2017, 29, 49.	1.0	11
42	Are higher blood mercury levels associated with dry eye symptoms in adult Koreans? A population-based cross-sectional study. BMJ Open, 2016, 6, e010985.	1.9	10
43	Association between air pollution in the 2015 winter in South Korea and population size, car emissions, industrial activity, and fossil-fuel power plants: an ecological study. Annals of Occupational and Environmental Medicine, 2018, 30, 60.	1.0	10
44	Does working long hours increase the risk of cardiovascular disease for everyone?. Journal of Occupational Health, 2019, 61, 431-441.	2.1	10
45	Asbestosis diagnosis algorithm combining the lung segmentation method and deep learning model in computed tomography image. International Journal of Medical Informatics, 2022, 158, 104667.	3.3	10
46	Comparison of work environment and occupational injury in direct and indirect employment in Korea and Europe. Annals of Occupational and Environmental Medicine, 2019, 31, e24.	1.0	9
47	Inhibition of ERK activity enhances the cytotoxic effect of peroxisome proliferator-activated receptor γ (PPARγ) agonists in HeLa cells. Biochemical and Biophysical Research Communications, 2017, 482, 843-848.	2.1	8
48	Overview of occupational cancer in painters in Korea. Annals of Occupational and Environmental Medicine, 2018, 30, 10.	1.0	8
49	Latent tuberculosis infection screening and treatment in congregate settings (TB FREE COREA): protocol for a prospective observational study in Korea. BMJ Open, 2020, 10, e034098.	1.9	7
50	Factors Affecting Diabetic Screening Behavior of Korean Adults: A Multilevel Analysis. Asian Nursing Research, 2013, 7, 67-73.	1.4	6
51	Dose-related effect of urinary cotinine levels on pulmonary function among Korean women. International Journal of Tuberculosis and Lung Disease, 2014, 18, 622-627.	1.2	6
52	Weekend work and depressive symptoms among Korean employees. Chronobiology International, 2015, 32, 262-269.	2.0	6
53	Reference Values for Spirometry Derived Using Lambda, Mu, Sigma (LMS) Method in Korean Adults: in Comparison with Previous References. Journal of Korean Medical Science, 2018, 33, e16.	2.5	6
54	Fixed night workers and failed smoking cessation. Journal of Occupational Medicine and Toxicology, 2019, 14, 23.	2.2	6

#	Article	IF	Citations
55	Trends in Obesity Prevalence by Occupation Based on Korean National Health and Nutrition Examination Survey From 1998 to 2015. Safety and Health at Work, 2020, 11, 97-102.	0.6	6
56	Dose-Response Relationship between Night Work and the Prevalence of Impaired Fasting Glucose: The Korean Worker's Special Health Examination for Night Workers Cohort. International Journal of Environmental Research and Public Health, 2021, 18, 1854.	2.6	6
57	Risk factors for primary lung cancer among never-smoking women in South Korea: a retrospective nationwide population-based cohort study. Korean Journal of Internal Medicine, 2020, 35, 692-702.	1.7	6
58	Working for Long Hours Is Associated With Dietary Fiber Insufficiency. Frontiers in Nutrition, 2022, 9, 786569.	3.7	6
59	Latent Tuberculosis Cascade of Care Among Healthcare Workers: A Nationwide Cohort Analysis in Korea Between 2017 and 2018. Journal of Korean Medical Science, 2022, 37, .	2.5	6
60	Risk factors associated with mortality from pneumonia among patients with pneumoconiosis. Annals of Occupational and Environmental Medicine, 2016, 28, 19.	1.0	5
61	Participation inequality in the National General Health Examination based on enterprise size. Annals of Occupational and Environmental Medicine, 2017, 29, 3.	1.0	5
62	Job characteristics as risk factors for early retirement due to ill health: The Korean Longitudinal Study of Aging (2006â€2014). Journal of Occupational Health, 2019, 61, 63-72.	2.1	5
63	Latent Tuberculosis Infection Screening and Treatment in Congregate Settings (TB FREE COREA): Demographic Profiles of Interferon-Gamma Release Assay Cohort. Journal of Korean Medical Science, 2021, 36, e246.	2.5	5
64	Increased risk of gastric cancer in workers with occupational dust exposure. Korean Journal of Internal Medicine, 2021, 36, S18-S26.	1.7	5
65	Estimating the burden of nosocomial exposure to tuberculosis in South Korea, a nationwide population based cross-sectional study. Korean Journal of Internal Medicine, 2021, 36, 1134-1145.	1.7	5
66	Factors Associated with Cervical Cancer Screening among Married Female Immigrants with Korean Husbands in South Korea. International Journal of Environmental Research and Public Health, 2018, 15, 2528.	2.6	4
67	Trends in the of epidemiological perspectives on the causality of occupational diseases. Journal of the Korean Medical Association, 2018, 61, 466.	0.3	4
68	Factors Associated with General Health Screening Participation among Married Immigrant Women in Korea. International Journal of Environmental Research and Public Health, 2019, 16, 3971.	2.6	4
69	Association between Occupational and Radiological Factors and Nontuberculous Mycobacteria Lung Infection in Workers with Prior Dust Exposure. International Journal of Environmental Research and Public Health, 2019, 16, 1966.	2.6	4
70	The Effect of Special Medical Examination for Night Shift Workers and Follow-Up Management Against Hypertension. International Journal of Environmental Research and Public Health, 2019, 16, 719.	2.6	4
71	Association between morbidity of non-communicable disease and employment status: a comparison between Korea and the United States. BMC Public Health, 2020, 20, 763.	2.9	4
72	Work-related infectious diseases among Korean workers compensated under the Industrial Accident Compensation Insurance Law, 2006†2011. International Journal of Occupational and Environmental Health, 2013, 19, 344-351.	1.2	3

#	Article	IF	CITATIONS
73	Diagnosis of perinuclear anti-neutrophil cytoplasmic antibody-associated microscopic polyangiitis in silicotics: case report. Annals of Occupational and Environmental Medicine, 2016, 28, 21.	1.0	3
74	Service and sales workers, are they vulnerable to smoking cessation?. Industrial Health, 2017, 55, 406-415.	1.0	3
75	Dose–Response Relationship between Environmental Exposure to Nickel and Pulmonary Function in the Korean General Population Aged 40 or Older. International Journal of Environmental Research and Public Health, 2021, 18, 7016.	2.6	3
76	Continuing Quality Assessment Program Improves Clinical Outcomes of Hospitalized Community-Acquired Pneumonia: A Nationwide Cross-Sectional Study in Korea. Journal of Korean Medical Science, 2022, 37, .	2.5	3
77	The association between bronchial anthracofibrosis and pneumoconiosis: A retrospective crossâ€sectional study. Journal of Occupational Health, 2015, 57, 110-117.	2.1	2
78	Effectiveness of workers' general health examination in Korea by health examination period and compliance: retrospective cohort study using nationwide data. Annals of Occupational and Environmental Medicine, 2017, 29, 2.	1.0	2
79	The Mediating Effects of Marital Intimacy and Work Satisfaction in the Relationship between Husbands' Domestic Labor and Depressive Mood of Married Working Women. International Journal of Environmental Research and Public Health, 2020, 17, 4547.	2.6	2
80	Is Educational Level Linked to Unable to Work Due to Ill-health?. Safety and Health at Work, 2020, 11, 159-164.	0.6	2
81	Establishment and operation of a cooperative program to identify work-related acute myeloid leukemia in a general hospital. Annals of Occupational and Environmental Medicine, 2019, 31, e33.	1.0	2
82	Poor worker's long working hours paradox: evidence from the Korea National Health and Nutrition Examination Survey, 2013-2018. Annals of Occupational and Environmental Medicine, 2022, 34, e2.	1.0	2
83	Impact of age and metabolic syndrome-like components on prostate cancer development: a nationwide population-based cohort study. Translational Andrology and Urology, 2021, 10, 2990-2997.	1.4	1
84	Lymphedema in Endometrial Cancer Survivor: A Nationwide Cohort Study. Journal of Clinical Medicine, 2021, 10, 4647.	2.4	1
85	1068â€Musculoskeletal pain predicts ill-health retirement among korean workers. , 2018, , .		0
86	Clinical Significance of Abdominal Fat Distribution in Korean Male Children and Adolescents. Korean Journal of Pediatric Gastroenterology and Nutrition, 2010, 13, 172.	0.2	0
87	Validation of health screening questionnaire used for screening gastrointestinal disorder in worker's special health examination for night time work. Annals of Occupational and Environmental Medicine, 2019, 31, e8.	1.0	0
88	Impact of Proper Antibiotics Use in Prognosis of Mild Community-Acquired Pneumonia, Korean Nationwide Study., 2022,,.		0
89	Relationship between Bone Mineral Density and Dental Caries in Koreans by Sex and Menopausal State. International Journal of Environmental Research and Public Health, 2022, 19, 6917.	2.6	0