

Glen P Kenny

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1765130/publications.pdf>

Version: 2024-02-01

386
papers

15,688
citations

26630

56
h-index

24258

110
g-index

388
all docs

388
docs citations

388
times ranked

12302
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Exercise on Glycemic Control and Body Mass in Type 2 Diabetes Mellitus. JAMA - Journal of the American Medical Association, 2001, 286, 1218.	7.4	1,478
2	Effects of Aerobic Training, Resistance Training, or Both on Glycemic Control in Type 2 Diabetes. Annals of Internal Medicine, 2007, 147, 357.	3.9	958
3	Physical Activity/Exercise and Type 2 Diabetes. Diabetes Care, 2006, 29, 1433-1438.	8.6	800
4	Physical Activity/Exercise and Type 2 Diabetes. Diabetes Care, 2004, 27, 2518-2539.	8.6	617
5	Randomized Controlled Trial of Resistance or Aerobic Exercise in Men Receiving Radiation Therapy for Prostate Cancer. Journal of Clinical Oncology, 2009, 27, 344-351.	1.6	476
6	Heat stress in older individuals and patients with common chronic diseases. Cmaj, 2010, 182, 1053-1060.	2.0	396
7	Considerations for the measurement of core, skin and mean body temperatures. Journal of Thermal Biology, 2014, 46, 72-101.	2.5	298
8	Workers' health and productivity under occupational heat strain: a systematic review and meta-analysis. Lancet Planetary Health, The, 2018, 2, e521-e531.	11.4	243
9	Physical work capacity in older adults: Implications for the aging worker. American Journal of Industrial Medicine, 2008, 51, 610-625.	2.1	237
10	Thermographic imaging in sports and exercise medicine: A Delphi study and consensus statement on the measurement of human skin temperature. Journal of Thermal Biology, 2017, 69, 155-162.	2.5	225
11	Thermometry, Calorimetry, and Mean Body Temperature during Heat Stress. , 2013, 3, 1689-1719.		195
12	Exertional Heat Stroke. Current Sports Medicine Reports, 2012, 11, 115-123.	1.2	185
13	Resistance Versus Aerobic Exercise. Diabetes Care, 2013, 36, 537-542.	8.6	184
14	Sex differences in thermoeffector responses during exercise at fixed requirements for heat loss. Journal of Applied Physiology, 2012, 113, 746-757.	2.5	168
15	The evaporative requirement for heat balance determines whole-body sweat rate during exercise under conditions permitting full evaporation. Journal of Physiology, 2013, 591, 2925-2935.	2.9	156
16	Effects of Performing Resistance Exercise Before Versus After Aerobic Exercise on Glycemia in Type 1 Diabetes. Diabetes Care, 2012, 35, 669-675.	8.6	154
17	Body temperature regulation in diabetes. Temperature, 2016, 3, 119-145.	3.0	154
18	Does sex have an independent effect on thermoeffector responses during exercise in the heat?. Journal of Physiology, 2012, 590, 5963-5973.	2.9	153

#	ARTICLE	IF	CITATIONS
19	Physical Activity and Diabetes. Canadian Journal of Diabetes, 2013, 37, S40-S44.	0.8	152
20	Effects of Aerobic Training, Resistance Training, or Both on Percentage Body Fat and Cardiometabolic Risk Markers in Obese Adolescents. JAMA Pediatrics, 2014, 168, 1006.	6.2	150
21	The Ottawa panel clinical practice guidelines for the management of knee osteoarthritis. Part two: strengthening exercise programs. Clinical Rehabilitation, 2017, 31, 596-611.	2.2	128
22	Physical Activity and Diabetes. Canadian Journal of Diabetes, 2018, 42, S54-S63.	0.8	127
23	Physiological factors characterizing heat-vulnerable older adults: A narrative review. Environment International, 2020, 144, 105909.	10.0	116
24	Effect of cold exposure on fuel utilization in humans: plasma glucose, muscle glycogen, and lipids. Journal of Applied Physiology, 2002, 93, 77-84.	2.5	111
25	Sex modulates whole-body sudomotor thermosensitivity during exercise. Journal of Physiology, 2011, 589, 6205-6217.	2.9	104
26	Sex differences in postsynaptic sweating and cutaneous vasodilation. Journal of Applied Physiology, 2013, 114, 394-401.	2.5	102
27	Ice Cooling Vest on Tolerance for Exercise under Uncompensable Heat Stress. Journal of Occupational and Environmental Hygiene, 2011, 8, 484-491.	1.0	95
28	Age, human performance, and physical employment standards. Applied Physiology, Nutrition and Metabolism, 2016, 41, S92-S107.	1.9	92
29	Human thermoregulation: separating thermal and nonthermal effects on heat loss. Frontiers in Bioscience - Landmark, 2010, 15, 259.	3.0	91
30	Direct calorimetry: a brief historical review of its use in the study of human metabolism and thermoregulation. European Journal of Applied Physiology, 2017, 117, 1765-1785.	2.5	87
31	Heat health planning: The importance of social and community factors. Global Environmental Change, 2011, 21, 670-679.	7.8	86
32	Age-Related Decrements in Heat Dissipation during Physical Activity Occur as Early as the Age of 40. PLoS ONE, 2013, 8, e83148.	2.5	84
33	Aging impairs heat loss, but when does it matter?. Journal of Applied Physiology, 2015, 118, 299-309.	2.5	83
34	Ottawa Panel Evidence-Based Clinical Practice Guidelines for Aerobic Walking Programs in the Management of Osteoarthritis. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1269-1285.	0.9	82
35	Hyperthermia and cardiovascular strain during an extreme heat exposure in young versus older adults. Temperature, 2017, 4, 79-88.	3.0	80
36	Ottawa Panel Evidence-Based Clinical Practice Guidelines for the Management of Osteoarthritis in Adults Who Are Obese or Overweight. Physical Therapy, 2011, 91, 843-861.	2.4	79

#	ARTICLE	IF	CITATIONS
37	The Snellen human calorimeter revisited, re-engineered and upgraded: design and performance characteristics. Medical and Biological Engineering and Computing, 2006, 44, 721-728.	2.8	75
38	The Ottawa panel clinical practice guidelines for the management of knee osteoarthritis. Part one: introduction, and mind-body exercise programs. Clinical Rehabilitation, 2017, 31, 582-595.	2.2	75
39	Heat exposure in the Canadian workplace. American Journal of Industrial Medicine, 2010, 53, 842-853.	2.1	74
40	Restoration of thermoregulation after exercise. Journal of Applied Physiology, 2017, 122, 933-944.	2.5	74
41	Time-motion analysis as a novel approach for evaluating the impact of environmental heat exposure on labor loss in agriculture workers. Temperature, 2017, 4, 330-340.	3.0	72
42	Insulin Pump Therapy Is Associated with Less Post-Exercise Hyperglycemia than Multiple Daily Injections: An Observational Study of Physically Active Type 1 Diabetes Patients. Diabetes Technology and Therapeutics, 2013, 15, 84-88.	4.4	71
43	Sex-related differences in evaporative heat loss: the importance of metabolic heat production. European Journal of Applied Physiology, 2008, 104, 821-829.	2.5	69
44	The Ottawa panel clinical practice guidelines for the management of knee osteoarthritis. Part three: aerobic exercise programs. Clinical Rehabilitation, 2017, 31, 612-624.	2.2	68
45	A three-compartment thermometry model for the improved estimation of changes in body heat content. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2007, 292, R167-R175.	1.8	67
46	Partitioning oxidative fuels during cold exposure in humans: muscle glycogen becomes dominant as shivering intensifies. Journal of Physiology, 2005, 566, 247-256.	2.9	66
47	Estimating changes in mean body temperature for humans during exercise using core and skin temperatures is inaccurate even with a correction factor. Journal of Applied Physiology, 2007, 103, 443-451.	2.5	66
48	A Field Evaluation of the Physiological Demands of Miners in Canada's Deep Mechanized Mines. Journal of Occupational and Environmental Hygiene, 2012, 9, 491-501.	1.0	66
49	On the use of wearable physiological monitors to assess heat strain during occupational heat stress. Applied Physiology, Nutrition and Metabolism, 2018, 43, 869-881.	1.9	65
50	Understanding physical activity in adults with type 2 diabetes after completing an exercise intervention trial: A mediation model of self-efficacy and autonomous motivation. Psychology, Health and Medicine, 2009, 14, 419-429.	2.4	64
51	Age-related differences in heat loss capacity occur under both dry and humid heat stress conditions. Journal of Applied Physiology, 2014, 117, 69-79.	2.5	64
52	Age and androgen-deprivation therapy on exercise outcomes in men with prostate cancer. Supportive Care in Cancer, 2012, 20, 971-981.	2.2	63
53	Video Game Playing Is Independently Associated with Blood Pressure and Lipids in Overweight and Obese Adolescents. PLoS ONE, 2011, 6, e26643.	2.5	62
54	Older Adults with Type 2 Diabetes Store More Heat during Exercise. Medicine and Science in Sports and Exercise, 2013, 45, 1906-1914.	0.4	62

#	ARTICLE	IF	CITATIONS
55	Cold-Water Immersion and the Treatment of Hyperthermia: Using 38.6°C as a Safe Rectal Temperature Cooling Limit. <i>Journal of Athletic Training</i> , 2010, 45, 439-444.	1.8	61
56	Effect of Exercise Training on Physical Fitness in Type II Diabetes Mellitus. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 1439-1447.	0.4	60
57	Whole body heat loss is reduced in older males during short bouts of intermittent exercise. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013, 305, R619-R629.	1.8	60
58	Body composition and energy intake “ skeletal muscle mass is the strongest predictor of food intake in obese adolescents: The HEARTY trial. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 611-617.	1.9	59
59	Prolonged sitting and markers of cardiometabolic disease risk in children and youth: A randomized crossover study. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 1423-1428.	3.4	58
60	Calorimetric Measurement of Postexercise Net Heat Loss and Residual Body Heat Storage. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 1629-1636.	0.4	57
61	Evidence for cyclooxygenase-dependent sweating in young males during intermittent exercise in the heat. <i>Journal of Physiology</i> , 2014, 592, 5327-5339.	2.9	56
62	Whole-Body Heat Exchange during Heat Acclimation and Its Decay. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 390-400.	0.4	56
63	Effects of carbohydrate availability on sustained shivering I. Oxidation of plasma glucose, muscle glycogen, and proteins. <i>Journal of Applied Physiology</i> , 2004, 96, 32-40.	2.5	54
64	An Evaluation of the Physiological Strain Experienced by Electrical Utility Workers in North America. <i>Journal of Occupational and Environmental Hygiene</i> , 2015, 12, 708-720.	1.0	54
65	Effects of aerobic training, resistance training, or both on psychological health in adolescents with obesity: The HEARTY randomized controlled trial.. <i>Journal of Consulting and Clinical Psychology</i> , 2015, 83, 1123-1135.	2.0	53
66	Immersion Treatment for Exertional Hyperthermia. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 1246-1252.	0.4	52
67	The implementation of a community-based aerobic walking program for mild to moderate knee osteoarthritis (OA): a knowledge translation (KT) randomized controlled trial (RCT): Part I: The Uptake of the Ottawa Panel clinical practice guidelines (CPGs). <i>BMC Public Health</i> , 2012, 12, 871.	2.9	50
68	Ottawa Panel evidence-based clinical practice guidelines for therapeutic exercise in the management of hip osteoarthritis. <i>Clinical Rehabilitation</i> , 2016, 30, 935-946.	2.2	50
69	Screening criteria for increased susceptibility to heat stress during work or leisure in hot environments in healthy individuals aged 31-70 years. <i>Temperature</i> , 2018, 5, 86-99.	3.0	50
70	Aural Canal, Esophageal, and Rectal Temperatures During Exertional Heat Stress and the Subsequent Recovery Period. <i>Journal of Athletic Training</i> , 2010, 45, 157-163.	1.8	49
71	Exercise Facilitators and Barriers from Adoption to Maintenance in the Diabetes Aerobic and Resistance Exercise Trial. <i>Canadian Journal of Diabetes</i> , 2013, 37, 367-374.	0.8	49
72	Do older adults experience greater thermal strain during heat waves?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2014, 39, 292-298.	1.9	49

#	ARTICLE	IF	CITATIONS
73	At What Level of Heat Load Are Age-Related Impairments in the Ability to Dissipate Heat Evident in Females?. PLoS ONE, 2015, 10, e0119079.	2.5	49
74	Core temperature differences between males and females during intermittent exercise: physical considerations. European Journal of Applied Physiology, 2009, 105, 453-461.	2.5	48
75	Diminished nitric oxide-dependent sweating in older males during intermittent exercise in the heat. Experimental Physiology, 2014, 99, 921-932.	2.0	48
76	The implementation of a community-based aerobic walking program for mild to moderate knee osteoarthritis: A knowledge translation randomized controlled trial: Part II: Clinical outcomes. BMC Public Health, 2012, 12, 1073.	2.9	47
77	Point Accuracy of Interstitial Continuous Glucose Monitoring During Exercise in Type 1 Diabetes. Diabetes Technology and Therapeutics, 2013, 15, 46-49.	4.4	47
78	Changes in heart rate variability during the induction and decay of heat acclimation. European Journal of Applied Physiology, 2014, 114, 2119-2128.	2.5	46
79	Effects of aerobic training, resistance training, or both on cardiorespiratory and musculoskeletal fitness in adolescents with obesity: the HEARTY trial. Applied Physiology, Nutrition and Metabolism, 2016, 41, 255-265.	1.9	46
80	Towards establishing evidence-based guidelines on maximum indoor temperatures during hot weather in temperate continental climates. Temperature, 2019, 6, 11-36.	3.0	46
81	iNOS-dependent sweating and eNOS-dependent cutaneous vasodilation are evident in younger adults, but are diminished in older adults exercising in the heat. Journal of Applied Physiology, 2016, 120, 318-327.	2.5	45
82	Impairments in Local Heat Loss in Type 1 Diabetes during Exercise in the Heat. Medicine and Science in Sports and Exercise, 2014, 46, 2224-2233.	0.4	44
83	The Impacts of Sun Exposure on Worker Physiology and Cognition: Multi-Country Evidence and Interventions. International Journal of Environmental Research and Public Health, 2021, 18, 7698.	2.6	44
84	Control of cutaneous vascular conductance and sweating during recovery from dynamic exercise in humans. Journal of Applied Physiology, 2004, 96, 2207-2212.	2.5	43
85	Modified iodine-paper technique for the standardized determination of sweat gland activation. Journal of Applied Physiology, 2012, 112, 1419-1425.	2.5	43
86	The effect of exercise intensity on the post-exercise esophageal temperature response. European Journal of Applied Physiology, 2002, 86, 342-346.	2.5	42
87	Does metformin modify the effect on glycaemic control of aerobic exercise, resistance exercise or both?. Diabetologia, 2013, 56, 2378-2382.	6.3	42
88	Sex differences in postexercise esophageal and muscle tissue temperature response. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2007, 292, R1632-R1640.	1.8	40
89	Exploring the mechanisms underpinning sweating: the development of a specialized ventilated capsule for use with intradermal microdialysis. Physiological Reports, 2016, 4, e12738.	1.7	40
90	Clonidine decreases vasoconstriction and shivering thresholds, without affecting the sweating threshold. Canadian Journal of Anaesthesia, 1997, 44, 636-642.	1.6	39

#	ARTICLE	IF	CITATIONS
91	Effect of exercise intensity on the postexercise sweating threshold. Journal of Applied Physiology, 2003, 95, 2355-2360.	2.5	39
92	Differences between Sexes in Rectal Cooling Rates after Exercise-Induced Hyperthermia. Medicine and Science in Sports and Exercise, 2009, 41, 1633-1639.	0.4	39
93	Heat exhaustion. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 157, 505-529.	1.8	39
94	Cutaneous active vasodilation in humans during passive heating postexercise. Journal of Applied Physiology, 2003, 95, 1025-1031.	2.5	38
95	Resistance Exercise in Type 1 Diabetes. Canadian Journal of Diabetes, 2013, 37, 420-426.	0.8	38
96	Cyclooxygenase inhibition does not alter methacholine-induced sweating. Journal of Applied Physiology, 2014, 117, 1055-1062.	2.5	38
97	Do the Threshold Limit Values for Work in Hot Conditions Adequately Protect Workers?. Medicine and Science in Sports and Exercise, 2016, 48, 1187-1196.	0.4	38
98	Screen time is associated with depressive symptomatology among obese adolescents: a HEARTY study. European Journal of Pediatrics, 2016, 175, 909-919.	2.7	38
99	Occupational heat strain in outdoor workers: A comprehensive review and meta-analysis. Temperature, 2022, 9, 67-102.	3.0	38
100	Upright LBPP application attenuates elevated postexercise resting thresholds for cutaneous vasodilation and sweating. Journal of Applied Physiology, 2003, 95, 121-128.	2.5	36
101	Ottawa Panel Evidence-Based Clinical Practice Guidelines for Structured Physical Activity in the Management of Juvenile Idiopathic Arthritis. Archives of Physical Medicine and Rehabilitation, 2017, 98, 1018-1041.	0.9	36
102	Postexercise hypotension causes a prolonged perturbation in esophageal and active muscle temperature recovery. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2006, 291, R580-R588.	1.8	35
103	Heat Balance and Cumulative Heat Storage during Intermittent Bouts of Exercise. Medicine and Science in Sports and Exercise, 2009, 41, 588-596.	0.4	35
104	Time following ingestion does not influence the validity of telemetry pill measurements of core temperature during exercise-heat stress: The journal <i>Temperature</i> toolbox. Temperature, 2021, 8, 12-20.	3.0	35
105	The recommended Threshold Limit Values for heat exposure fail to maintain body core temperature within safe limits in older working adults. Journal of Occupational and Environmental Hygiene, 2017, 14, 703-711.	1.0	34
106	Menstrual cycle phase does not modulate whole body heat loss during exercise in hot, dry conditions. Journal of Applied Physiology, 2019, 126, 286-293.	2.5	34
107	The Determination of Changes in Body Heat Content during Exercise Using Calorimetry and Thermometry. Journal of the Human-Environment System, 2007, 10, 19-29.	0.1	33
108	Do Heat Events Pose a Greater Health Risk for Individuals with Type 2 Diabetes?. Diabetes Technology and Therapeutics, 2013, 15, 520-529.	4.4	33

#	ARTICLE	IF	CITATIONS
109	Age-related differences in postsynaptic increases in sweating and skin blood flow postexercise. <i>Physiological Reports</i> , 2014, 2, e12078.	1.7	33
110	Water Immersion in the Treatment of Exertional Hyperthermia. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 1727-1735.	0.4	33
111	The physiological strain incurred during electrical utilities work over consecutive work shifts in hot environments: A case report. <i>Journal of Occupational and Environmental Hygiene</i> , 2017, 14, 986-994.	1.0	33
112	Cognitive consequences of sleep deprivation, shiftwork, and heat exposure for underground miners. <i>Applied Ergonomics</i> , 2017, 58, 144-150.	3.1	33
113	Do Older Females Store More Heat than Younger Females during Exercise in the Heat?. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 2265-2276.	0.4	32
114	Self-determination and Exercise Stages of Change: Results from the Diabetes Aerobic and Resistance Exercise Trial. <i>Journal of Health Psychology</i> , 2012, 17, 87-99.	2.3	31
115	Divergent roles of plasma osmolality and the baroreflex on sweating and skin blood flow. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 302, R634-R642.	1.8	31
116	Resistance exercise but not aerobic exercise lowers remnant-like lipoprotein particle cholesterol in type 2 diabetes: A randomized controlled trial. <i>Atherosclerosis</i> , 2010, 213, 552-557.	0.8	30
117	Screen Viewing and Diabetes Risk Factors in Overweight and Obese Adolescents. <i>American Journal of Preventive Medicine</i> , 2013, 44, S364-S370.	3.0	30
118	Heart rate variability during high heat stress: a comparison between young and older adults with and without Type 2 diabetes. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R669-R675.	1.8	30
119	The physical demands of electrical utilities work in North America. <i>Journal of Occupational and Environmental Hygiene</i> , 2016, 13, 60-70.	1.0	30
120	Current evidence does not support an anticipatory regulation of exercise intensity mediated by rate of body heat storage. <i>Journal of Applied Physiology</i> , 2009, 107, 630-631.	2.5	29
121	Do nitric oxide synthase and cyclooxygenase contribute to the heat loss responses in older males exercising in the heat?. <i>Journal of Physiology</i> , 2015, 593, 3169-3180.	2.9	29
122	Fitness-related differences in the rate of whole-body evaporative heat loss in exercising men are heat-load dependent. <i>Experimental Physiology</i> , 2018, 103, 101-110.	2.0	29
123	Exercise Heat Stress in Patients With and Without Type 2 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 1409.	7.4	29
124	Seven days of cold acclimation substantially reduces shivering intensity and increases nonshivering thermogenesis in adult humans. <i>Journal of Applied Physiology</i> , 2019, 126, 1598-1606.	2.5	29
125	Intradermal administration of ATP augments methacholine-induced cutaneous vasodilation but not sweating in young males and females. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R912-R919.	1.8	28
126	15° Head-down tilt attenuates the postexercise reduction in cutaneous vascular conductance and sweating and decreases esophageal temperature recovery time. <i>Journal of Applied Physiology</i> , 2006, 101, 840-847.	2.5	27

#	ARTICLE	IF	CITATIONS
127	Hyperthermia Modifies the Nonthermal Contribution to Postexercise Heat Loss Responses. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 513-522.	0.4	27
128	Cutaneous vascular and sweating responses to intradermal administration of ATP: a role for nitric oxide synthase and cyclooxygenase?. <i>Journal of Physiology</i> , 2015, 593, 2515-2525.	2.9	27
129	The Relation between Age and Sex on Whole-Body Heat Loss during Exercise-Heat Stress. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 2242-2249.	0.4	27
130	The effect of ambient temperature and exercise intensity on post-exercise thermal homeostasis. <i>European Journal of Applied Physiology</i> , 1997, 76, 109-115.	2.5	26
131	Disturbance of thermal homeostasis following dynamic exercise. <i>Applied Physiology, Nutrition and Metabolism</i> , 2007, 32, 818-831.	1.9	26
132	Influence of adiposity on cooling efficiency in hyperthermic individuals. <i>European Journal of Applied Physiology</i> , 2008, 104, 67-74.	2.5	26
133	Heart rate variability during exertional heat stress: effects of heat production and treatment. <i>European Journal of Applied Physiology</i> , 2014, 114, 785-792.	2.5	26
134	K ⁺ channel mechanisms underlying cholinergic cutaneous vasodilation and sweating in young humans: roles of K _{Ca} , K _{ATP} , and K _V channels?. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R600-R606.	1.8	26
135	Aging Impairs Whole-Body Heat Loss in Women under Both Dry and Humid Heat Stress. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2324-2332.	0.4	26
136	Effects of aerobic training, resistance training, or both on brain-derived neurotrophic factor in adolescents with obesity: The hearty randomized controlled trial. <i>Physiology and Behavior</i> , 2018, 191, 138-145.	2.1	26
137	Aging and human heat dissipation during exercise-heat stress: an update and future directions. <i>Current Opinion in Physiology</i> , 2019, 10, 219-225.	1.8	26
138	Occupational heat stress management: Does one size fit all?. <i>American Journal of Industrial Medicine</i> , 2019, 62, 1017-1023.	2.1	26
139	Evidence of a greater onset threshold for sweating in females following intense exercise. <i>European Journal of Applied Physiology</i> , 2007, 101, 487-493.	2.5	25
140	Mechanisms underlying the postexercise baroreceptor-mediated suppression of heat loss. <i>Physiological Reports</i> , 2014, 2, e12168.	1.7	25
141	Revisiting the influence of individual factors on heat exchange during exercise in dry heat using direct calorimetry. <i>Experimental Physiology</i> , 2019, 104, 1038-1050.	2.0	25
142	The Effect of Exercise Training on Resting Metabolic Rate in Type 2 Diabetes Mellitus. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 1558-1565.	0.4	24
143	Heat balance and cumulative heat storage during exercise performed in the heat in physically active younger and middle-aged men. <i>European Journal of Applied Physiology</i> , 2010, 109, 81-92.	2.5	24
144	Performing resistance exercise before versus after aerobic exercise influences growth hormone secretion in type 1 diabetes. <i>Applied Physiology, Nutrition and Metabolism</i> , 2014, 39, 262-265.	1.9	24

#	ARTICLE	IF	CITATIONS
145	Heat Loss Is Impaired in Older Men on the Day after Prolonged Work in the Heat. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 1859-1867.	0.4	24
146	Interindividual variability and individual responses to exercise training in adolescents with obesity. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, 45-54.	1.9	24
147	Heat Tolerance and Occupational Heat Exposure Limits in Older Men with and without Type 2 Diabetes or Hypertension. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 2196-2206.	0.4	24
148	COST-EFFECTIVENESS OF EXERCISE PROGRAMS IN TYPE 2 DIABETES. <i>International Journal of Technology Assessment in Health Care</i> , 2012, 28, 228-234.	0.5	23
149	Noninvasive assessment of muscle temperature during rest, exercise, and postexercise recovery in different environments. <i>Journal of Applied Physiology</i> , 2015, 118, 1310-1320.	2.5	23
150	Increasing age is a major risk factor for susceptibility to heat stress during physical activity. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 1232-1235.	1.9	23
151	Sex-Related Differences in Blood Glucose Responses to Resistance Exercise in Adults With Type 1 Diabetes: A Secondary Data Analysis. <i>Canadian Journal of Diabetes</i> , 2020, 44, 267-273.e1.	0.8	23
152	Nonthermoregulatory control of cutaneous vascular conductance and sweating during recovery from dynamic exercise in women. <i>Journal of Applied Physiology</i> , 2005, 99, 1816-1821.	2.5	22
153	Exercise-rest cycles do not alter local and whole body heat loss responses. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011, 300, R958-R968.	1.8	22
154	Whole-Body Heat Loss during Exercise in the Heat Is Not Impaired in Type 1 Diabetes. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1656-1664.	0.4	22
155	Local infusion of ascorbate augments NO-dependent cutaneous vasodilatation during intense exercise in the heat. <i>Journal of Physiology</i> , 2015, 593, 4055-4065.	2.9	22
156	The mediating role of energy intake on the relationship between screen time behaviour and body mass index in adolescents with obesity: The HEARTY study. <i>Appetite</i> , 2016, 107, 437-444.	3.7	22
157	Exercise Thermoregulation in Prepubertal Children: A Brief Methodological Review. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 2412-2422.	0.4	22
158	Effect of Human Skin Grafts on Whole-Body Heat Loss During Exercise Heat Stress. <i>Journal of Burn Care and Research</i> , 2013, 34, e263-e270.	0.4	21
159	Are circulating cytokine responses to exercise in the heat augmented in older men?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2014, 39, 117-123.	1.9	21
160	Local versus whole-body sweating adaptations following 14 days of traditional heat acclimation. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 816-824.	1.9	21
161	Indicators to assess physiological heat strain – Part 3: Multi-country field evaluation and consensus recommendations. <i>Temperature</i> , 2022, 9, 274-291.	3.0	21
162	Diurnal Variation in Heart Rate Variability before and after Maximal Exercise Testing. <i>Chronobiology International</i> , 2011, 28, 344-351.	2.0	20

#	ARTICLE	IF	CITATIONS
163	The interactive contributions of Na ⁺ /K ⁺ -ATPase and nitric oxide synthase to sweating and cutaneous vasodilatation during exercise in the heat. <i>Journal of Physiology</i> , 2016, 594, 3453-3462.	2.9	20
164	Heat shock protein 90 contributes to cutaneous vasodilation through activating nitric oxide synthase in young male adults exercising in the heat. <i>Journal of Applied Physiology</i> , 2017, 123, 844-850.	2.5	20
165	Fitness-related differences in the rate of whole-body total heat loss in exercising young healthy women are heat-load dependent. <i>Experimental Physiology</i> , 2018, 103, 312-317.	2.0	20
166	Cumulative effects of successive workdays in the heat on thermoregulatory function in the aging worker. <i>Temperature</i> , 2018, 5, 293-295.	3.0	20
167	Changes in exercise and post-exercise core temperature under different clothing conditions. <i>International Journal of Biometeorology</i> , 1999, 43, 8-13.	3.0	19
168	Human heat balance during postexercise recovery: separating metabolic and nonthermal effects. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 294, R1586-R1592.	1.8	19
169	Hyperthermia modifies muscle metaboreceptor and baroreceptor modulation of heat loss in humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 302, R417-R423.	1.8	19
170	Older Firefighters Are Susceptible to Age-Related Impairments in Heat Dissipation. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 1281-1290.	0.4	19
171	An evidence-based walking program among older people with knee osteoarthritis: the PEP (participant) Tj ETQq1 1 0.784314 rgBT /Ow	2.2	19
172	Evidence for TRPV4 channel induced skin vasodilatation through NOS, COX, and KCa channel mechanisms with no effect on sweat rate in humans. <i>European Journal of Pharmacology</i> , 2019, 858, 172462.	3.5	19
173	Fueling shivering thermogenesis during passive hypothermic recovery. <i>Journal of Applied Physiology</i> , 2007, 103, 1346-1351.	2.5	18
174	A Review of Resistance Exercise Training in Obese Adolescents. <i>Physician and Sportsmedicine</i> , 2011, 39, 50-63.	2.1	18
175	Is Whole-Body Thermoregulatory Function Impaired in Type 1 Diabetes Mellitus?. <i>Current Diabetes Reviews</i> , 2013, 9, 126-136.	1.3	18
176	Short-term exercise training does not improve whole-body heat loss when rate of metabolic heat production is considered. <i>European Journal of Applied Physiology</i> , 2010, 109, 437-446.	2.5	17
177	Inflammatory responses of older Firefighters to intermittent exercise in the heat. <i>European Journal of Applied Physiology</i> , 2014, 114, 1163-1174.	2.5	17
178	No effect of ascorbate on cutaneous vasodilation and sweating in older men and those with type 2 diabetes exercising in the heat. <i>Physiological Reports</i> , 2017, 5, e13238.	1.7	17
179	Differences in the postexercise threshold for cutaneous active vasodilation between men and women. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006, 290, R172-R179.	1.8	16
180	Influence of circulating cytokines on prolactin during slow vs. fast exertional heat stress followed by active or passive recovery. <i>Journal of Applied Physiology</i> , 2012, 113, 574-583.	2.5	16

#	ARTICLE	IF	CITATIONS
181	Adenosine receptor inhibition attenuates the suppression of postexercise cutaneous blood flow. <i>Journal of Physiology</i> , 2014, 592, 2667-2678.	2.9	16
182	Osmoreceptors do not exhibit a sex-dependent modulation of forearm skin blood flow and sweating. <i>Physiological Reports</i> , 2014, 2, e00226.	1.7	16
183	Temperature of Ingested Water during Exercise Does Not Affect Body Heat Storage. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 1272-1280.	0.4	16
184	Individual variations in nitric oxide synthase-dependent sweating in young and older males during exercise in the heat: role of aerobic power. <i>Physiological Reports</i> , 2017, 5, e13208.	1.7	16
185	Lower body positive and negative pressure alter thermal and hemodynamic responses after exercise. <i>Aviation, Space, and Environmental Medicine</i> , 2004, 75, 841-9.	0.5	16
186	Menstrual cycle and oral contraceptive use do not modify postexercise heat loss responses. <i>Journal of Applied Physiology</i> , 2008, 105, 1156-1165.	2.5	15
187	The Influence of Arc-Flash and Fire-Resistant Clothing on Thermoregulation during Exercise in the Heat. <i>Journal of Occupational and Environmental Hygiene</i> , 2015, 12, 654-667.	1.0	15
188	Factors influencing adherence among older people with osteoarthritis. <i>Clinical Rheumatology</i> , 2016, 35, 2283-2291.	2.2	15
189	Mechanisms of nicotine-induced cutaneous vasodilation and sweating in young adults: roles for K_{Ca} , K_{ATP} , and K_V channels, nitric oxide, and prostanoids. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 470-478.	1.9	15
190	Evidence for age-related differences in heat acclimatisation responsiveness. <i>Experimental Physiology</i> , 2020, 105, 1491-1499.	2.0	15
191	A comparison of human thermoregulatory response following dynamic exercise and warm-water immersion. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1996, 74, 336-341.	1.2	14
192	Insulation disks on the skin to estimate muscle temperature. <i>European Journal of Applied Physiology</i> , 2006, 97, 761-765.	2.5	14
193	Postexercise Heat Loss and Hemodynamic Responses during Head-down Tilt Are Similar between Genders. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1308-1314.	0.4	14
194	Body heat storage during intermittent work in hot "dry and warm" wet environments. <i>Applied Physiology, Nutrition and Metabolism</i> , 2012, 37, 840-849.	1.9	14
195	Do Older Firefighters Show Long-Term Adaptations to Work in the Heat?. <i>Journal of Occupational and Environmental Hygiene</i> , 2013, 10, 705-715.	1.0	14
196	Administration of prostacyclin modulates cutaneous blood flow but not sweating in young and older males: roles for nitric oxide and calcium-activated potassium channels. <i>Journal of Physiology</i> , 2016, 594, 6419-6429.	2.9	14
197	The roles of the Na^{+}/K^{+} -ATPase, NKCC, and K^{+} channels in regulating local sweating and cutaneous blood flow during exercise in humans in vivo. <i>Physiological Reports</i> , 2016, 4, e13024.	1.7	14
198	Effects of aerobic or resistance training or both on health-related quality of life in youth with obesity: the HEARTY Trial. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 361-370.	1.9	14

#	ARTICLE	IF	CITATIONS
199	Nicotinic receptor activation augments muscarinic receptor-mediated eccrine sweating but not cutaneous vasodilatation in young males. <i>Experimental Physiology</i> , 2017, 102, 245-254.	2.0	14
200	Nitric oxide synthase and cyclooxygenase modulate α -adrenergic cutaneous vasodilatation and sweating in young men. <i>Journal of Physiology</i> , 2017, 595, 1173-1184.	2.9	14
201	Therapeutic validity of exercise interventions in the management of fibromyalgia. <i>Journal of Sports Medicine and Physical Fitness</i> , 2019, 59, 828-838.	0.7	14
202	Autophagy and heat: a potential role for heat therapy to improve autophagic function in health and disease. <i>Journal of Applied Physiology</i> , 2021, 130, 1-9.	2.5	14
203	Post-exercise thermal homeostasis as a function of changes in pre-exercise core temperature. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1996, 74, 258-263.	1.2	13
204	Type 1 diabetes modulates cyclooxygenase- and nitric oxide-dependent mechanisms governing sweating but not cutaneous vasodilation during exercise in the heat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R1076-R1084.	1.8	13
205	Heart rate variability responses to acute and repeated postexercise sauna in trained cyclists. <i>Applied Physiology, Nutrition and Metabolism</i> , 2018, 43, 704-710.	1.9	13
206	The Ottawa Panel guidelines on programmes involving therapeutic exercise for the management of hand osteoarthritis. <i>Clinical Rehabilitation</i> , 2018, 32, 026921551878097.	2.2	13
207	Fluid Loss during Exercise-Heat Stress Reduces Cardiac Vagal Autonomic Modulation. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 362-369.	0.4	13
208	Thermoregulatory control following dynamic exercise. <i>Aviation, Space, and Environmental Medicine</i> , 2006, 77, 1174-82.	0.5	13
209	Acute head-down tilt decreases the postexercise resting threshold for forearm cutaneous vasodilation. <i>Journal of Applied Physiology</i> , 2000, 89, 2306-2311.	2.5	12
210	Cardiovascular responses to apneic facial immersion during altered cardiac filling. <i>Journal of Applied Physiology</i> , 2003, 94, 2249-2254.	2.5	12
211	Moderate-Intensity Intermittent Work in the Heat Results in Similar Low-Level Dehydration in Young and Older Males. <i>Journal of Occupational and Environmental Hygiene</i> , 2014, 11, 144-153.	1.0	12
212	Treatment of exertional heat stress developed during low or moderate physical work. <i>European Journal of Applied Physiology</i> , 2014, 114, 2551-2560.	2.5	12
213	Cutaneous blood flow during intradermal NO administration in young and older adults: roles for calcium-activated potassium channels and cyclooxygenase?. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 310, R1081-R1087.	1.8	12
214	The roles of K_{Ca} , K_{ATP} , and K_V channels in regulating cutaneous vasodilation and sweating during exercise in the heat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017, 312, R821-R827.	1.8	12
215	Are All Heat Loads Created Equal?. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 1796-1804.	0.4	12
216	Interactive effects of age and hydration state on human thermoregulatory function during exercise in hot-dry conditions. <i>Acta Physiologica</i> , 2019, 226, e13226.	3.8	12

#	ARTICLE	IF	CITATIONS
217	Does a Prolonged Work Day in the Heat Impair Heat Loss on the Next Day in Young Men?. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 318-326.	0.4	12
218	Combined Aerobic and Resistance Exercise for Patients With Type 2 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 2298.	7.4	11
219	Is there evidence for nonthermal modulation of whole body heat loss during intermittent exercise?. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010, 299, R119-R128.	1.8	11
220	Heat stress attenuates the increase in arterial blood pressure during isometric handgrip exercise. <i>European Journal of Applied Physiology</i> , 2013, 113, 183-190.	2.5	11
221	Do metaboreceptors alter heat loss responses following dynamic exercise?. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014, 306, R82-R89.	1.8	11
222	Can intradermal administration of angiotensin II influence human heat loss responses during whole body heat stress?. <i>Journal of Applied Physiology</i> , 2015, 118, 1145-1153.	2.5	11
223	Increased Air Velocity Reduces Thermal and Cardiovascular Strain in Young and Older Males during Humid Exertional Heat Stress. <i>Journal of Occupational and Environmental Hygiene</i> , 2015, 12, 625-634.	1.0	11
224	Cardiometabolic risk factors in type 2 diabetes with high fat and low muscle mass: At baseline and in response to exercise. <i>Obesity</i> , 2017, 25, 881-891.	3.0	11
225	Does exercise training affect resting metabolic rate in adolescents with obesity?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 15-22.	1.9	11
226	Effects of isomaltulose ingestion on postexercise hydration state and heat loss responses in young men. <i>Experimental Physiology</i> , 2019, 104, 1494-1504.	2.0	11
227	Effect of aerobic fitness on the relation between age and whole-body heat exchange during exercise-heat stress: a retrospective analysis. <i>Experimental Physiology</i> , 2020, 105, 1550-1560.	2.0	11
228	TRPV4 channel blockade does not modulate skin vasodilation and sweating during hyperthermia or cutaneous postocclusive reactive and thermal hyperemia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021, 320, R563-R573.	1.8	11
229	Climate Change and Heat Exposure: Impact on Health in Occupational and General Populations. , 2020, , 225-261.		11
230	Indicators to assess physiological heat strain – Part 2: Delphi exercise. <i>Temperature</i> , 0, , 1-11.	3.0	11
231	The Influence of Activewear Worn Under Standard Work Coveralls on Whole-Body Heat Loss. <i>Journal of Occupational and Environmental Hygiene</i> , 2011, 8, 652-661.	1.0	10
232	Resistance Exercise in Already-Active Diabetic Individuals (READI): Study rationale, design and methods for a randomized controlled trial of resistance and aerobic exercise in type 1 diabetes. <i>Contemporary Clinical Trials</i> , 2015, 41, 129-138.	1.8	10
233	Cutaneous vascular and sweating responses to intradermal administration of prostaglandin E ₁ and E ₂ in young and older adults: a role for nitric oxide?. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 310, R1064-R1072.	1.8	10
234	Fluid replacement modulates oxidative stress- but not nitric oxide-mediated cutaneous vasodilation and sweating during prolonged exercise in the heat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017, 313, R730-R739.	1.8	10

#	ARTICLE	IF	CITATIONS
235	Cyclooxygenase-1 and -2 modulate sweating but not cutaneous vasodilation during exercise in the heat in young men. <i>Physiological Reports</i> , 2018, 6, e13844.	1.7	10
236	Aging attenuates adenosine triphosphate-induced, but not muscarinic and nicotinic, cutaneous vasodilation in men. <i>Microcirculation</i> , 2018, 25, e12462.	1.8	10
237	Age-related reductions in heart rate variability do not worsen during exposure to humid compared to dry heat: A secondary analysis. <i>Temperature</i> , 2019, 6, 341-345.	3.0	10
238	Heat stress assessment during intermittent work under different environmental conditions and clothing combinations of effective wet bulb globe temperature (WBGT). <i>Journal of Occupational and Environmental Hygiene</i> , 2019, 16, 467-476.	1.0	10
239	NO-mediated activation of K _{ATP} channels contributes to cutaneous thermal hyperemia in young adults. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020, 318, R390-R398.	1.8	10
240	Regulation of autophagy following ex vivo heating in peripheral blood mononuclear cells from young adults. <i>Journal of Thermal Biology</i> , 2020, 91, 102643.	2.5	10
241	Exercise in the heat induces similar elevations in serum irisin in young and older men despite lower resting irisin concentrations in older adults. <i>Journal of Thermal Biology</i> , 2022, 104, 103189.	2.5	10
242	Influence of nonthermal baroreceptor modulation of heat loss responses during uncompensable heat stress. <i>European Journal of Applied Physiology</i> , 2010, 108, 541-548.	2.5	9
243	Cortisol and Interleukin-6 Responses During Intermittent Exercise in Two Different Hot Environments with Equivalent WBGT. <i>Journal of Occupational and Environmental Hygiene</i> , 2012, 9, 269-279.	1.0	9
244	The effect of walking on cardiorespiratory fitness in adults with knee osteoarthritis. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013, 38, 886-891.	1.9	9
245	Adenosine receptor inhibition attenuates the decrease in cutaneous vascular conductance during whole-body cooling from hyperthermia. <i>Experimental Physiology</i> , 2014, 99, 196-204.	2.0	9
246	Muscle metaboreceptors modulate postexercise sweating, but not cutaneous blood flow, independent of baroreceptor loading status. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R1415-R1424.	1.8	9
247	Endothelin-1 modulates methacholine-induced cutaneous vasodilatation but not sweating in young human skin. <i>Journal of Physiology</i> , 2016, 594, 3439-3452.	2.9	9
248	Type 2 diabetes specifically attenuates purinergic skin vasodilatation without affecting muscarinic and nicotinic skin vasodilatation and sweating. <i>Experimental Physiology</i> , 2018, 103, 212-221.	2.0	9
249	Local arginase inhibition does not modulate cutaneous vasodilation or sweating in young and older men during exercise. <i>Journal of Applied Physiology</i> , 2019, 126, 1129-1137.	2.5	9
250	Do sex differences in thermoregulation pose a concern for female athletes preparing for the Tokyo Olympics?. <i>British Journal of Sports Medicine</i> , 2021, 55, 298-299.	6.7	9
251	Impaired autophagy following ex vivo heating at physiologically relevant temperatures in peripheral blood mononuclear cells from elderly adults. <i>Journal of Thermal Biology</i> , 2021, 95, 102790.	2.5	9
252	Heat strain in children during unstructured outdoor physical activity in a continental summer climate. <i>Temperature</i> , 2021, 8, 80-89.	3.0	9

#	ARTICLE	IF	CITATIONS
253	Heat remains unaccounted for in thermal physiology and climate change research. F1000Research, 2017, 6, 221.	1.6	9
254	Heat remains unaccounted for in thermal physiology and climate change research. F1000Research, 2017, 6, 221.	1.6	9
255	Tissue Temperature Transients in Resting Contra-Lateral Leg Muscle Tissue During Isolated Knee Extension. Applied Physiology, Nutrition, and Metabolism, 2002, 27, 535-550.	1.7	8
256	Carotid chemoreceptors have a limited role in mediating the hyperthermia-induced hyperventilation in exercising humans. Journal of Applied Physiology, 2019, 126, 305-313.	2.5	8
257	Ageing attenuates the effect of extracellular hyperosmolality on whole-body heat exchange during exercise-heat stress. Journal of Physiology, 2020, 598, 5133-5148.	2.9	8
258	Type 2 diabetes does not exacerbate body heat storage in older adults during brief, extreme passive heat exposure. Temperature, 2020, 7, 263-269.	3.0	8
259	Heart rate variability in older workers during work under the Threshold Limit Values for heat exposure. American Journal of Industrial Medicine, 2020, 63, 787-795.	2.1	8
260	Heart rate variability in older men on the day following prolonged work in the heat. Journal of Occupational and Environmental Hygiene, 2020, 17, 383-389.	1.0	8
261	Impact of uncomplicated controlled hypertension on thermoregulation during exercise-heat stress. Journal of Human Hypertension, 2020, 35, 880-883.	2.2	8
262	Regional variation in the reliability of sweat rate measured via the ventilated capsule technique during passive heating. Experimental Physiology, 2021, 106, 615-633.	2.0	8
263	The Postexercise Increase in the Threshold for Cutaneous Vasodilation and Sweating is Not Observed With Extended Recovery. Applied Physiology, Nutrition, and Metabolism, 2005, 30, 113-121.	1.7	7
264	Can supine recovery mitigate the exercise intensity dependent attenuation of post-exercise heat loss responses?. Applied Physiology, Nutrition and Metabolism, 2008, 33, 682-689.	1.9	7
265	Heart rate variability and baroreceptor sensitivity following exercise-induced hyperthermia in endurance trained men. European Journal of Applied Physiology, 2012, 112, 501-511.	2.5	7
266	Influence of forearm muscle metaboreceptor activation on sweating and cutaneous vascular responses during dynamic exercise. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2016, 310, R1332-R1339.	1.8	7
267	Wearing graduated compression stockings augments cutaneous vasodilation but not sweating during exercise in the heat. Physiological Reports, 2017, 5, e13252.	1.7	7
268	Activation of protease-activated receptor 2 mediates cutaneous vasodilatation but not sweating: roles of nitric oxide synthase and cyclooxygenase. Experimental Physiology, 2017, 102, 265-272.	2.0	7
269	Voltage-gated potassium channels and NOS contribute to a sustained cutaneous vasodilation elicited by local heating in an interactive manner in young adults. Microvascular Research, 2018, 117, 22-27.	2.5	7
270	Physical characteristics cannot be used to predict cooling time using cold-water immersion as a treatment for exertional hyperthermia. Applied Physiology, Nutrition and Metabolism, 2018, 43, 857-860.	1.9	7

#	ARTICLE	IF	CITATIONS
271	Separate and combined effects of K _{Ca} and K _{ATP} channel blockade with NOS inhibition on cutaneous vasodilation and sweating in older men during heat stress. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2019, 317, R113-R120.	1.8	7
272	Impaired whole-body heat loss in type 1 diabetes during exercise in the heat: a cause for concern?. Diabetologia, 2019, 62, 1087-1089.	6.3	7
273	Heart rate variability dynamics during treatment for exertional heat strain when immediate response is not possible. Experimental Physiology, 2019, 104, 845-854.	2.0	7
274	The relative contribution of α - and β -adrenergic sweating during heat exposure and the influence of sex and training status. Experimental Dermatology, 2020, 29, 1216-1224.	2.9	7
275	Significant Dose-Response between Exercise Adherence and Hemoglobin A1c Change. Medicine and Science in Sports and Exercise, 2020, 52, 1960-1965.	0.4	7
276	Screen time is independently associated with serum brain-derived neurotrophic factor (BDNF) in youth with obesity. Applied Physiology, Nutrition and Metabolism, 2021, 46, 1083-1090.	1.9	7
277	Warming by immersion or exercise affects initial cooling rate during subsequent cold water immersion. Aviation, Space, and Environmental Medicine, 2004, 75, 956-63.	0.5	7
278	Role of Resistance Exercise in Reducing Risk for Cardiometabolic Disease. Current Cardiovascular Risk Reports, 2010, 4, 383-389.	2.0	6
279	Estimating changes in volume-weighted mean body temperature using thermometry with an individualized correction factor. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 299, R387-R394.	1.8	6
280	Increased air velocity during exercise in the heat leads to equal reductions in hydration shifts and interleukin-6 with age. European Journal of Applied Physiology, 2014, 114, 2081-2092.	2.5	6
281	Aerobic and resistance training do not influence plasma carnosinase content or activity in type 2 diabetes. American Journal of Physiology - Endocrinology and Metabolism, 2015, 309, E663-E669.	3.5	6
282	The mechanisms underlying the muscle metaboreflex modulation of sweating and cutaneous blood flow in passively heated humans. Physiological Reports, 2017, 5, e13123.	1.7	6
283	Prostacyclin does not affect sweating but induces skin vasodilatation to a greater extent in older versus younger women: roles of NO and K _{Ca} channels. Experimental Physiology, 2017, 102, 578-586.	2.0	6
284	Body temperature and cold sensation during and following exercise under temperate room conditions in cold-sensitive young trained females. Physiological Reports, 2017, 5, e13465.	1.7	6
285	Age alters cardiac autonomic modulations during and following exercise-induced heat stress in females. Temperature, 2018, 5, 184-196.	3.0	6
286	Oxidative stress does not influence local sweat rate during high-intensity exercise. Experimental Physiology, 2018, 103, 172-178.	2.0	6
287	Nicotinic receptors modulate skin perfusion during normothermia, and have a limited role in skin vasodilatation and sweating during hyperthermia. Experimental Physiology, 2019, 104, 1808-1818.	2.0	6
288	Age differences in cardiac autonomic regulation during intermittent exercise in the heat. European Journal of Applied Physiology, 2020, 120, 453-465.	2.5	6

#	ARTICLE	IF	CITATIONS
289	Sex-differences in cholinergic, nicotinic, and \hat{I}^2 -adrenergic cutaneous vasodilation: Roles of nitric oxide synthase, cyclooxygenase, and K ⁺ channels. <i>Microvascular Research</i> , 2020, 131, 104030.	2.5	6
290	Does \hat{I}^2 -adrenergic receptor blockade modulate sweating during incremental exercise in young endurance-trained men?. <i>European Journal of Applied Physiology</i> , 2020, 120, 1123-1129.	2.5	6
291	Exercise-heat tolerance in middle-aged-to-older men with type 2 diabetes. <i>Acta Diabetologica</i> , 2021, 58, 809-812.	2.5	6
292	Associations of the BDNF Val66Met Polymorphism With Body Composition, Cardiometabolic Risk Factors, and Energy Intake in Youth With Obesity: Findings From the HEARTY Study. <i>Frontiers in Neuroscience</i> , 2021, 15, 715330.	2.8	6
293	Serum Klotho Concentrations in Young and Older Men During Prolonged Exercise in Temperate and Hot Conditions. <i>Current Aging Science</i> , 2022, 15, 180-185.	1.2	6
294	Older Adults Experience Greater Levels of Thermal and Cardiovascular Strain During Extreme Heat Exposures.. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 497.	0.4	5
295	The effect of plasma osmolality and baroreceptor loading status on postexercise heat loss responses. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 310, R522-R531.	1.8	5
296	Do nitric oxide synthase and cyclooxygenase contribute to sweating response during passive heating in endurance-trained athletes?. <i>Physiological Reports</i> , 2017, 5, e13403.	1.7	5
297	Self-reported physical activity level does not alter whole-body total heat loss independently of aerobic fitness in young adults during exercise in the heat. <i>Applied Physiology, Nutrition and Metabolism</i> , 2019, 44, 99-102.	1.9	5
298	Ageing augments nicotinic and adenosine triphosphate-induced, but not muscarinic, cutaneous vasodilatation in women. <i>Experimental Physiology</i> , 2019, 104, 1801-1807.	2.0	5
299	Ageing attenuates muscarinic-mediated sweating differently in men and women with no effect on nicotinic-mediated sweating. <i>Experimental Dermatology</i> , 2019, 28, 968-971.	2.9	5
300	Whole-body heat exchange in black-African and Caucasian men during exercise eliciting matched heat-loss requirements in dry heat. <i>Experimental Physiology</i> , 2020, 105, 7-12.	2.0	5
301	Cardiac autonomic modulation in type 1 diabetes during exercise-heat stress. <i>Acta Diabetologica</i> , 2020, 57, 959-963.	2.5	5
302	Myths and methodologies: Reliability of forearm cutaneous vasodilatation measured using laser-Doppler flowmetry during whole-body passive heating. <i>Experimental Physiology</i> , 2021, 106, 634-652.	2.0	5
303	Effect of exercise-heat acclimation on cardiac autonomic modulation in type 2 diabetes: a pilot study. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021, 46, 284-287.	1.9	5
304	Diminished heart rate variability in type 2 diabetes is exacerbated during exercise-heat stress. <i>Acta Diabetologica</i> , 2020, 57, 899-901.	2.5	5
305	Determinants of heat stress and strain in electrical utilities workers across North America as assessed by means of an exploratory questionnaire. <i>Journal of Occupational and Environmental Hygiene</i> , 2022, 19, 12-22.	1.0	5
306	Ultra-sound Imaging for Precision Implantation of a Multi Sensor Temperature Probe in Skeletal Muscle Tissue. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2002, 27, 527-532.	1.7	4

#	ARTICLE	IF	CITATIONS
307	Wearing graduated compression stockings augments cutaneous vasodilation in heat-stressed resting humans. <i>European Journal of Applied Physiology</i> , 2017, 117, 921-929.	2.5	4
308	Intradermal administration of atrial natriuretic peptide has no effect on sweating and cutaneous vasodilator responses in young male adults*. <i>Temperature</i> , 2017, 4, 406-413.	3.0	4
309	Human Heat Physiology. , 2018, , 15-30.		4
310	Work Rate during Self-paced Exercise is not Mediated by the Rate of Heat Storage. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 159-168.	0.4	4
311	Greater fluid loss does not fully explain the divergent hemodynamic balance mediating postexercise hypotension in endurance-trained men. <i>Journal of Applied Physiology</i> , 2018, 124, 1264-1273.	2.5	4
312	The Hexoskin physiological monitoring shirt does not impair whole-body heat loss during exercise in hot-dry conditions. <i>Applied Physiology, Nutrition and Metabolism</i> , 2019, 44, 332-335.	1.9	4
313	Tetraethylammonium, glibenclamide, and 4-aminopyridine modulate postocclusive reactive hyperemia in non-glabrous human skin with no roles of NOS and COX. <i>Microcirculation</i> , 2020, 27, e12586.	1.8	4
314	KCa and KV channels modulate the venoarteriolar reflex in non-glabrous human skin with no roles of KATP channels, NOS, and COX. <i>European Journal of Pharmacology</i> , 2020, 866, 172828.	3.5	4
315	Effects of L-type voltage-gated Ca ²⁺ channel blockade on cholinergic and thermal sweating in habitually trained and untrained men. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020, 319, R584-R591.	1.8	4
316	Blunted circulating irisin in adults with type 1 diabetes during aerobic exercise in a hot environment: a pilot study. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, 679-682.	1.9	4
317	Comparisons of isomaltulose, sucrose, and mixture of glucose and fructose ingestions on postexercise hydration state in young men. <i>European Journal of Nutrition</i> , 2021, 60, 4519-4529.	3.9	4
318	Afternoon aerobic and resistance exercise have limited impact on 24-h CGM outcomes in adults with type 1 diabetes: A secondary analysis. <i>Diabetes Research and Clinical Practice</i> , 2021, 177, 108874.	2.8	4
319	Heat Exchange in Young and Older Men during Constant- and Variable-Intensity Work. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 2628-2636.	0.4	4
320	Point Accuracy of Interstitial Continuous Glucose Monitoring During Resistance and Aerobic Exercise in Type 1 Diabetes. <i>Canadian Journal of Diabetes</i> , 2012, 36, S14-S15.	0.8	3
321	Sustainable canadian mining. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2013, 57, 1071-1074.	0.3	3
322	Autonomic dysfunction associated with Type 1 diabetes: a role for fitness?. <i>Clinical Autonomic Research</i> , 2014, 24, 249-251.	2.5	3
323	What we can learn from existing evidence about physical activity for juvenile idiopathic arthritis?. <i>Rheumatology</i> , 2015, 55, kev389.	1.9	3
324	Ottawa Panel Evidence-Based Clinical Practice Guidelines for Foot Care in the Management of Juvenile Idiopathic Arthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 1163-1181.e14.	0.9	3

#	ARTICLE	IF	CITATIONS
325	Using heat as a therapeutic tool for the aging vascular tree. American Journal of Physiology - Heart and Circulatory Physiology, 2017, 312, H806-H807.	3.2	3
326	Superoxide and NADPH oxidase do not modulate skin blood flow in older exercising adults with and without type 2 diabetes. Microvascular Research, 2019, 125, 103886.	2.5	3
327	Does the iontophoretic application of bretylium tosylate modulate sweating during exercise in the heat in habitually trained and untrained men?. Experimental Physiology, 2020, 105, 1692-1699.	2.0	3
328	Whole-body heat exchange in women during constant- and variable-intensity work in the heat. European Journal of Applied Physiology, 2020, 120, 2665-2675.	2.5	3
329	Effects of exercise-heat stress on circulating stress hormones and interleukin-6 in young and older men. Temperature, 2020, 7, 389-393.	3.0	3
330	Regional contributions of nitric oxide synthase to cholinergic cutaneous vasodilatation and sweating in young men. Experimental Physiology, 2020, 105, 236-243.	2.0	3
331	Regional variation in nitric oxide-dependent cutaneous vasodilatation during local heating in young adults. Experimental Physiology, 2021, 106, 1671-1678.	2.0	3
332	Type 2 diabetes impairs vascular responsiveness to nitric oxide, but not the venoarteriolar reflex or post-occlusive reactive hyperaemia in forearm skin. Experimental Dermatology, 2021, 30, 1807-1813.	2.9	3
333	Regional cutaneous vasodilator responses to rapid and gradual local heating in young adults. Journal of Thermal Biology, 2021, 99, 102978.	2.5	3
334	An exploratory survey of heat stress management programs in the electric power industry. Journal of Occupational and Environmental Hygiene, 2021, 18, 436-445.	1.0	3
335	Heat shock protein 90 modulates cutaneous vasodilation during an exercise-heat stress, but not during passive whole-body heating in young women. Physiological Reports, 2020, 8, e14552.	1.7	3
336	The impact of age, type 2 diabetes and hypertension on heart rate variability during rest and exercise at increasing levels of heat stress. European Journal of Applied Physiology, 2022, 122, 1249-1259.	2.5	3
337	Comparison of hydration efficacy of carbohydrate-electrolytes beverages consisting of isomaltulose and sucrose in healthy young adults: A randomized crossover trial. Physiology and Behavior, 2022, 249, 113770.	2.1	3
338	Revisiting regional variation in the age-related reduction in sweat rate during passive heat stress. Physiological Reports, 2022, 10, e15250.	1.7	3
339	Cardiovascular and Thermal Responses to Repeated Head-Up Tilts Following Exercise-Induced Heat Stress. Aviation, Space, and Environmental Medicine, 2010, 81, 646-653.	0.5	2
340	Experimental evidence is available for safe cooling limits from exertional heat stroke. European Journal of Applied Physiology, 2012, 112, 2783-2784.	2.5	2
341	Effect of P2 receptor blockade on cutaneous vasodilation during rest and exercise in the heat in young men. Applied Physiology, Nutrition and Metabolism, 2018, 43, 312-315.	1.9	2
342	Intermittent sequential pneumatic compression does not enhance whole-body heat loss in elderly adults during extreme heat exposure. Applied Physiology, Nutrition and Metabolism, 2019, 44, 1383-1386.	1.9	2

#	ARTICLE	IF	CITATIONS
343	Contribution of nitric oxide synthase to cutaneous vasodilatation and sweating in men of black and Caucasian descent during exercise in the heat. <i>Experimental Physiology</i> , 2019, 104, 1762-1768.	2.0	2
344	Heat shock protein 90 does not contribute to cutaneous vasodilatation in older adults during heat stress. <i>Microcirculation</i> , 2019, 26, e12541.	1.8	2
345	Ageing augments $\dot{V}_{E_{ad}}$ adrenergic cutaneous vasodilatation differently in men and women, with no effect on $\dot{V}_{E_{ad}}$ adrenergic sweating. <i>Experimental Physiology</i> , 2020, 105, 1720-1729.	2.0	2
346	Regional influence of nitric oxide on cutaneous vasodilatation and sweating during exercise heat stress in young men. <i>Experimental Physiology</i> , 2020, 105, 773-782.	2.0	2
347	Myths and methodologies: Reliability of non-invasive estimates of cardiac autonomic modulation during whole-body passive heating. <i>Experimental Physiology</i> , 2021, 106, 593-614.	2.0	2
348	$Na^{+}-K^{+}-ATPase$ plays a major role in mediating cutaneous thermal hyperemia achieved by local skin heating to 39°C. <i>Journal of Applied Physiology</i> , 2021, 131, 1408-1416.	2.5	2
349	Initial stay times for uncompensable occupational heat stress in young and older men: a preliminary assessment. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021, .	1.9	2
350	Effects of short-term heat acclimation on whole-body heat exchange and local nitric oxide synthase and cyclooxygenase-dependent heat loss responses in exercising older men. <i>Experimental Physiology</i> , 2021, 106, 450-462.	2.0	2
351	Effects of sex and wet-bulb globe temperature on heart rate variability during prolonged moderate-intensity exercise: a secondary analysis. <i>Applied Physiology, Nutrition and Metabolism</i> , 2022, 47, 725-736.	1.9	2
352	TRPA1 Channel Activation With Cinnamaldehyde Induces Cutaneous Vasodilation Through NOS, but Not COX and KCa Channel, Mechanisms in Humans. <i>Journal of Cardiovascular Pharmacology</i> , 2022, 79, 375-382.	1.9	2
353	Effect of extracellular hyperosmolality during normothermia and hyperthermia on the autophagic response in peripheral blood mononuclear cells from young men. <i>Journal of Applied Physiology</i> , 2022, 132, 995-1004.	2.5	2
354	The influence of thermal factors on post-exercise haemodynamics in endurance exercise-trained men. <i>Journal of Physiology</i> , 2009, 587, 3419-3420.	2.9	1
355	Calorimetric Evidence for an Exercise Intensity Dependent Increase in the Level of Postexercise Hyperthermia. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 803-804.	0.4	1
356	Activit� physique et diab�te. <i>Canadian Journal of Diabetes</i> , 2013, 37, S403-S408.	0.8	1
357	Response. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 1318.	0.4	1
358	Preservation of Cognitive Performance with Age during Exertional Heat Stress under Low and High Air Velocity. <i>BioMed Research International</i> , 2015, 2015, 1-10.	1.9	1
359	Intradermal administration of endothelin-1 attenuates endothelium-dependent and -independent cutaneous vasodilation via Rho kinase in young adults. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017, 312, R23-R30.	1.8	1
360	Postexercise whole-body sweating increases during muscle metaboreceptor activation in young men. <i>Applied Physiology, Nutrition and Metabolism</i> , 2018, 43, 423-426.	1.9	1

#	ARTICLE	IF	CITATIONS
361	The effect of exogenous activation of protease-activated receptor 2 on cutaneous vasodilatation and sweating in young males during rest and exercise in the heat. <i>Temperature</i> , 2018, 5, 257-266.	3.0	1
362	Exogenous Activation of Protease-Activated Receptor 2 Attenuates Cutaneous Vasodilatation and Sweating in Older Men Exercising in the Heat. <i>Skin Pharmacology and Physiology</i> , 2019, 32, 235-243.	2.5	1
363	Attenuated Exercise-Heat Tolerance in Type 2 Diabetes and Hypertension. <i>FASEB Journal</i> , 2021, 35, .	0.5	1
364	A comparison of human thermoregulatory response following dynamic exercise and warm-water immersion. <i>European Journal of Applied Physiology</i> , 1996, 74, 336-341.	2.5	1
365	The effect of extracellular hyperosmolality on sweat rate during metaboreflex activation in passively heated young men. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021, , .	1.8	1
366	Influence of uncomplicated, controlled hypertension on local heat-induced vasodilation in nonglabrous skin across the body. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2022, 322, R326-R335.	1.8	1
367	Effects of tetraethylammonium-sensitive K ⁺ channel blockade on cholinergic and thermal sweating in endurance-trained and untrained men. <i>Experimental Physiology</i> , 2022, 107, 441-449.	2.0	1
368	Does aging alter skin vascular function in humans when spatial variation is considered?. <i>Microcirculation</i> , 2022, 29, e12743.	1.8	1
369	The effect of acute intradermal administration of ascorbate on heat loss responses in older adults with uncomplicated controlled hypertension. <i>Experimental Physiology</i> , 2022, 107, 834-843.	2.0	1
370	The interrelation of thermal and nonthermal reflexes in the control of postexercise heat loss responses. <i>Elsevier Ergonomics Book Series</i> , 2005, 3, 11-15.	0.1	0
371	When filling the glass only leaves it half empty!â€“ Insight into the cardiovascular physiology of haemorrhage under heat stress. <i>Journal of Physiology</i> , 2012, 590, 1011-1012.	2.9	0
372	Is Whole-Body Thermoregulatory Function Impaired in Type 1 Diabetes Mellitus?. <i>Current Diabetes Reviews</i> , 2013, 9, 126-136.	1.3	0
373	Pushing the limits of blood pressure control under severe heat stress. Focus on “Active and passive heat stress similarly compromise tolerance to a simulated hemorrhagic challenge”. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014, 307, R817-R818.	1.8	0
374	Angiotensin II in human skin: an age-dependent role for core temperature regulation?. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 308, H1192-H1193.	3.2	0
375	The effect of endothelin A and B receptor blockade on cutaneous vascular and sweating responses in young men during and following exercise in the heat. <i>Journal of Applied Physiology</i> , 2016, 121, 1263-1271.	2.5	0
376	Reply to Carter and Green: HSP90: an unappreciated mediator of cutaneous vascular adaptation?. <i>Journal of Applied Physiology</i> , 2018, 124, 522-522.	2.5	0
377	Intradermal Administration of Atrial Natriuretic Peptide Attenuates Cutaneous Vasodilation but Not Sweating in Young Men during Exercise in the Heat. <i>Skin Pharmacology and Physiology</i> , 2020, 33, 86-93.	2.5	0
378	Variability Predictors of Vasospasm in Subarachnoid Hemorrhage: A Feasibility Study. <i>Canadian Journal of Neurological Sciences</i> , 2021, 48, 226-232.	0.5	0

#	ARTICLE	IF	CITATIONS
379	KCa channels are major contributors to ATP-induced cutaneous vasodilation in healthy older adults. Microvascular Research, 2021, 133, 104096.	2.5	0
380	Defining Acceptable Coldâ€Water Immersion Times for the Treatment of Exertional Hyperthermia When Rectal Temperature Measurements are not Available. FASEB Journal, 2018, 32, 859.4.	0.5	0
381	Do Graduated Compression Garments Enhance Wholeâ€body Heat Loss During an Extreme Heat Exposure in Older Adults?. FASEB Journal, 2018, 32, 590.22.	0.5	0
382	Administration of Atrial Natriuretic Peptide Does Not Modulate Sweating or Cutaneous Vasodilation in Young Men Exercising in the Heat. FASEB Journal, 2018, 32, 722.4.	0.5	0
383	Do Carotid Chemoreceptors Contribute to Hyperthermia Induced Hyperventilation in Exercising Humans?. FASEB Journal, 2018, 32, 590.7.	0.5	0
384	The Influence of Heat Shock Protein 90 on Sweating and Cutaneous Vasodilation in Older Adults Exercising in the Heat. FASEB Journal, 2018, 32, 722.3.	0.5	0
385	A Preliminary Analysis of the Interâ€individual Determinants of Wholeâ€Body Heat Exchange in 100 Young Men and Women during Exercise in the Heat. FASEB Journal, 2019, 33, 842.8.	0.5	0
386	TMEM16A blockers T16Ainhâ€A01 and benzbramarone do not modulate the regulation of sweating and cutaneous vasodilatation in humans in vivo. Experimental Physiology, 0, , .	2.0	0