

Biao Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1767118/publications.pdf>

Version: 2024-02-01

90
papers

9,000
citations

47006

47
h-index

45317

90
g-index

91
all docs

91
docs citations

91
times ranked

10714
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly Aligned Graphene/Polymer Nanocomposites with Excellent Dielectric Properties for High-Performance Electromagnetic Interference Shielding. <i>Advanced Materials</i> , 2014, 26, 5480-5487.	21.0	1,024
2	Recent advances in electrospun carbon nanofibers and their application in electrochemical energy storage. <i>Progress in Materials Science</i> , 2016, 76, 319-380.	32.8	579
3	Carbon nanotube (CNT)-based composites as electrode material for rechargeable Li-ion batteries: A review. <i>Composites Science and Technology</i> , 2012, 72, 121-144.	7.8	432
4	Correlation Between Microstructure and Na Storage Behavior in Hard Carbon. <i>Advanced Energy Materials</i> , 2016, 6, 1501588.	19.5	364
5	Bismuth Microparticles as Advanced Anodes for Potassium-Ion Battery. <i>Advanced Energy Materials</i> , 2018, 8, 1703496.	19.5	306
6	Gassing in Li ₄ Ti ₅ O ₁₂ -based batteries and its remedy. <i>Scientific Reports</i> , 2012, 2, 913.	3.3	284
7	Effect of solid electrolyte interface (SEI) film on cyclic performance of Li ₄ Ti ₅ O ₁₂ anodes for Li ion batteries. <i>Journal of Power Sources</i> , 2013, 239, 269-276.	7.8	223
8	SnO ₂ @graphene-carbon nanotube mixture for anode material with improved rate capacities. <i>Carbon</i> , 2011, 49, 4524-4534.	10.3	206
9	Electrospun Carbon Nanofibers with in Situ Encapsulated Co ₃ O ₄ Nanoparticles as Electrodes for High-Performance Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 13503-13511.	8.0	199
10	Microsized Sn as Advanced Anodes in Glyme-Based Electrolyte for Na-Ion Batteries. <i>Advanced Materials</i> , 2016, 28, 9824-9830.	21.0	199
11	Insertion compounds and composites made by ball milling for advanced sodium-ion batteries. <i>Nature Communications</i> , 2016, 7, 10308.	12.8	198
12	Microscopically porous, interconnected single crystal LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ cathode material for Lithium ion batteries. <i>Journal of Materials Chemistry</i> , 2011, 21, 10777.	6.7	190
13	Novel interlayer made from Fe ₃ C/carbon nanofiber webs for high performance lithium-sulfur batteries. <i>Journal of Power Sources</i> , 2015, 285, 43-50.	7.8	178
14	Self-assembled reduced graphene oxide/carbon nanotube thin films as electrodes for supercapacitors. <i>Journal of Materials Chemistry</i> , 2012, 22, 3591.	6.7	177
15	Nanostructures of solid electrolyte interphases and their consequences for microsized Sn anodes in sodium ion batteries. <i>Energy and Environmental Science</i> , 2019, 12, 1550-1557.	30.8	167
16	Realizing high-power and high-capacity zinc/sodium metal anodes through interfacial chemistry regulation. <i>Nature Communications</i> , 2021, 12, 3083.	12.8	167
17	Exceptional electrochemical performance of freestanding electrospun carbon nanofiber anodes containing ultrafine SnO _x particles. <i>Energy and Environmental Science</i> , 2012, 5, 9895.	30.8	165
18	Highly transparent and conducting ultralarge graphene oxide/single-walled carbon nanotube hybrid films produced by Langmuir-Blodgett assembly. <i>Journal of Materials Chemistry</i> , 2012, 22, 25072.	6.7	151

#	ARTICLE	IF	CITATIONS
19	K ₃ V ₂ (PO ₄) ₂ F ₃ as a robust cathode for potassium-ion batteries. <i>Energy Storage Materials</i> , 2019, 16, 97-101.	18.0	145
20	Tailoring desolvation kinetics enables stable zinc metal anodes. <i>Journal of Materials Chemistry A</i> , 2020, 8, 19367-19374.	10.3	136
21	Cobalt Carbonate/ and Cobalt Oxide/Graphene Aerogel Composite Anodes for High Performance Li-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 18971-18980.	8.0	135
22	Urchin-like Li ₄ Ti ₅ O ₁₂ @carbon nanofiber composites for high rate performance anodes in Li-ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 12133.	6.7	133
23	Correlation Between Atomic Structure and Electrochemical Performance of Anodes Made from Electrospun Carbon Nanofiber Films. <i>Advanced Energy Materials</i> , 2014, 4, 1301448.	19.5	133
24	Electrospun carbon nanofiber anodes containing monodispersed Si nanoparticles and graphene oxide with exceptional high rate capacities. <i>Nano Energy</i> , 2014, 6, 27-35.	16.0	125
25	Advanced lignin-derived hard carbon for Na-ion batteries and a comparison with Li and K ion storage. <i>Carbon</i> , 2020, 157, 316-323.	10.3	121
26	Co ₃ O ₄ /porous electrospun carbon nanofibers as anodes for high performance Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 16939-16944.	10.3	115
27	Percolation threshold of graphene nanosheets as conductive additives in Li ₄ Ti ₅ O ₁₂ anodes of Li-ion batteries. <i>Nanoscale</i> , 2013, 5, 2100.	5.6	113
28	Effects of reduction process and carbon nanotube content on the supercapacitive performance of flexible graphene oxide papers. <i>Carbon</i> , 2012, 50, 4239-4251.	10.3	109
29	Ultrafine Amorphous SnO _x Embedded in Carbon Nanofiber/Carbon Nanotube Composites for Li-ion and Na-ion Batteries. <i>Advanced Functional Materials</i> , 2015, 25, 5222-5228.	14.9	104
30	Improved rate capability of carbon coated Li _{3.9} Sn _{0.1} Ti ₅ O ₁₂ porous electrodes for Li-ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 10692-10697.	7.8	95
31	Exceptional rate performance of functionalized carbon nanofiber anodes containing nanopores created by (Fe) sacrificial catalyst. <i>Nano Energy</i> , 2014, 4, 88-96.	16.0	94
32	Correlation between the microstructure of carbon materials and their potassium ion storage performance. <i>Carbon</i> , 2019, 143, 138-146.	10.3	90
33	Hard carbon derived from coconut shells, walnut shells, and corn silk biomass waste exhibiting high capacity for Na-ion batteries. <i>Journal of Energy Chemistry</i> , 2021, 58, 207-218.	12.9	89
34	Unraveling the mechanical origin of stable solid electrolyte interphase. <i>Joule</i> , 2021, 5, 1860-1872.	24.0	89
35	Mechanisms of capacity degradation in reduced graphene oxide/±MnO ₂ nanorod composite cathodes of Li-air batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1163-1170.	10.3	85
36	Eliminating Dendrites and Side Reactions via a Multifunctional ZnSe Protective Layer toward Advanced Aqueous Zn Metal Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2100186.	14.9	85

#	ARTICLE	IF	CITATIONS
37	Sandwich-structured graphene@NiFe ₂ O ₄ carbon nanocomposite anodes with exceptional electrochemical performance for Li ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 8314.	10.3	79
38	Electrospun graphitic carbon nanofibers with in-situ encapsulated Co@Ni nanoparticles as freestanding electrodes for Li-O ₂ batteries. <i>Carbon</i> , 2016, 100, 329-336.	10.3	79
39	Optimization of Na-Ion Battery Systems Based on Polyanionic or Layered Positive Electrodes and Carbon Anodes. <i>Journal of the Electrochemical Society</i> , 2016, 163, A867-A874.	2.9	77
40	Structure and Electrochemical Properties of Zn-Doped Li ₄ Ti ₅ O ₁₂ as Anode Materials in Li-Ion Battery. <i>Electrochemical and Solid-State Letters</i> , 2010, 13, A36.	2.2	67
41	Valorizing low cost and renewable lignin as hard carbon for Na-ion batteries: Impact of lignin grade. <i>Carbon</i> , 2019, 153, 634-647.	10.3	67
42	Unraveling the Rate-Dependent Stability of Metal Anodes and Its Implication in Designing Cycling Protocol. <i>Advanced Functional Materials</i> , 2022, 32, 2107584.	14.9	63
43	Low temperature synthesis of graphene-wrapped LiFePO ₄ nanorod cathodes by the polyol method. <i>Journal of Materials Chemistry</i> , 2012, 22, 17215.	6.7	60
44	Yolk-shelled Sb@C nanoconfined nitrogen/sulfur co-doped 3D porous carbon microspheres for sodium-ion battery anode with ultralong high-rate cycling. <i>Nano Energy</i> , 2019, 66, 104133.	16.0	56
45	Elastomer@Alginate Interface for High-Power and High-Energy Zn Metal Anodes. <i>Advanced Energy Materials</i> , 2022, 12, .	19.5	51
46	Controlled synthesis of cobalt carbonate/graphene composites with excellent supercapacitive performance and pseudocapacitive characteristics. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17827-17836.	10.3	48
47	Anomalous Enhancement of Li-O ₂ Battery Performance with Li ₂ O ₂ Films Assisted by NiFeO _x Nanofiber Catalysts: Insights into Morphology Control. <i>Advanced Functional Materials</i> , 2016, 26, 8290-8299.	14.9	47
48	Realizing wide-temperature Zn metal anodes through concurrent interface stability regulation and solvation structure modulation. <i>Energy Storage Materials</i> , 2021, 42, 517-525.	18.0	47
49	In-situ TEM examination and exceptional long-term cyclic stability of ultrafine Fe ₃ O ₄ nanocrystal/carbon nanofiber composite electrodes. <i>Energy Storage Materials</i> , 2015, 1, 25-34.	18.0	46
50	Evolution of flexible 3D graphene oxide/carbon nanotube/polyaniline composite papers and their supercapacitive performance. <i>Composites Science and Technology</i> , 2013, 88, 126-133.	7.8	45
51	Nanocavity-engineered Si/multi-functional carbon nanofiber composite anodes with exceptional high-rate capacities. <i>Journal of Materials Chemistry A</i> , 2014, 2, 17944-17951.	10.3	42
52	Structure Engineering of 2D Materials toward Magnetism Modulation. <i>Small Structures</i> , 2021, 2, 2100077.	12.0	41
53	Robust Solid Electrolyte Interphases in Localized High Concentration Electrolytes Boosting Black Phosphorus Anode for Potassium-Ion Batteries. <i>ACS Nano</i> , 2021, 15, 16851-16860.	14.6	41
54	Preserved Layered Structure Enables Stable Cyclic Performance of MoS ₂ upon Potassium Insertion. <i>Chemistry of Materials</i> , 2019, 31, 8801-8809.	6.7	39

#	ARTICLE	IF	CITATIONS
55	Understanding potassium ion storage mechanism in pitch-derived soft carbon and the consequence on cyclic stability. <i>Journal of Power Sources</i> , 2021, 506, 230179.	7.8	39
56	Carbon nanofibers containing Si nanoparticles and graphene-covered Ni for high performance anodes in Li ion batteries. <i>RSC Advances</i> , 2014, 4, 22359-22366.	3.6	37
57	A highly concentrated electrolyte for high-efficiency potassium metal batteries. <i>Chemical Communications</i> , 2021, 57, 1034-1037.	4.1	35
58	2D FeOCl: A Highly In-plane Anisotropic Antiferromagnetic Semiconductor Synthesized via Temperature-Oscillation Chemical Vapor Transport. <i>Advanced Materials</i> , 2022, 34, e2108847.	21.0	34
59	Building Elastic Solid Electrolyte Interphases for Stabilizing Microsized Antimony Anodes in Potassium Ion Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2102562.	14.9	33
60	Exploring room- and low-temperature performance of hard carbon material in half and full Na-ion batteries. <i>Electrochimica Acta</i> , 2019, 316, 60-68.	5.2	32
61	Multifunctional V3S4-nanowire/graphene composites for high performance Li-S batteries. <i>Science China Materials</i> , 2020, 63, 1910-1919.	6.3	31
62	Hybrid Aqueous/Organic Electrolytes Enable the High-Performance Zn-Ion Batteries. <i>Research</i> , 2019, 2019, 2635310.	5.7	31
63	Critical Roles of Mechanical Properties of Solid Electrolyte Interphase for Potassium Metal Anodes. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	31
64	Li-ion Reaction to Improve the Rate Performance of Nanoporous Anatase TiO ₂ Anodes. <i>Energy Technology</i> , 2013, 1, 668-674.	3.8	30
65	Rational design of microstructure and interphase enables high-capacity and long-life carbon anodes for potassium ion batteries. <i>Carbon</i> , 2021, 176, 383-389.	10.3	30
66	LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ with a novel one-dimensional porous structure: A high-power cathode material for rechargeable Li-ion batteries. <i>Scripta Materialia</i> , 2011, 64, 122-125.	5.2	29
67	In situ grown graphitic carbon/Fe ₂ O ₃ /carbon nanofiber composites for high performance freestanding anodes in Li-ion batteries. <i>RSC Advances</i> , 2014, 4, 12298-12301.	3.6	29
68	Realizing high-performance Zn-ion batteries by a reduced graphene oxide block layer at room and low temperatures. <i>Journal of Energy Chemistry</i> , 2020, 43, 1-7.	12.9	29
69	KVPO ₄ F as a novel insertion-type anode for potassium ion batteries. <i>Chemical Communications</i> , 2019, 55, 11311-11314.	4.1	28
70	Two-Dimensional Room-Temperature Magnetic Nonstoichiometric Fe ₇ Se ₈ Nanocrystals: Controllable Synthesis and Magnetic Behavior. <i>Nano Letters</i> , 2022, 22, 1242-1250.	9.1	28
71	Porous C@LiFePO ₄ @C composite microspheres with a hierarchical conductive architecture as a high performance cathode for lithium ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 19643.	6.7	27
72	Synergistic PF ₆ ⁻ and FSL ⁻ intercalation enables stable graphite cathode for potassium-based dual ion battery. <i>Carbon</i> , 2021, 178, 363-370.	10.3	25

#	ARTICLE	IF	CITATIONS
73	Unlocking the Reversible Selenium Electrode for Non-Aqueous and Aqueous Calcium-Ion Batteries. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	22
74	Laser Synthesis of Hard Carbon for Anodes in Na-Ion Battery. <i>Advanced Materials Technologies</i> , 2017, 2, 1600227.	5.8	21
75	Addition of Silane-Functionalized Carbon Nanotubes for Improved Rate Capability of $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ Cathodes for Lithium Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2012, 159, A2024-A2028.	2.9	20
76	2D Magnetic Heterostructures and Their Interface Modulated Magnetism. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 50591-50601.	8.0	19
77	Multifunctional ultrasmall- MoS_2 /graphene composites for high sulfur loading Li-S batteries. <i>Materials Chemistry Frontiers</i> , 2020, 4, 1483-1491.	5.9	17
78	Constructing resilient solid electrolyte interphases on carbon nanofiber film for advanced potassium metal anodes. <i>Carbon</i> , 2022, 186, 141-149.	10.3	17
79	Solvent Molecular Design to Regulate the Intercalation Behavior in Ether Electrolyte for Stable Graphite Anodes in Potassium-Ion Batteries. <i>Small Structures</i> , 2022, 3, .	12.0	16
80	Facile flame catalytic growth of carbon nanomaterials on the surface of carbon nanotubes. <i>Applied Surface Science</i> , 2019, 465, 23-30.	6.1	14
81	Free-standing 2D non-van der Waals antiferromagnetic hexagonal FeSe semiconductor: halide-assisted chemical synthesis and Fe^{2+} related magnetic transitions. <i>Chemical Science</i> , 2021, 13, 203-209.	7.4	14
82	Exploring the structure evolution of MoS_2 upon Li/Na/K ion insertion and the origin of the unusual stability in potassium ion batteries. <i>Nanoscale Horizons</i> , 2020, 5, 1618-1627.	8.0	13
83	Free-standing Ni mesh with in-situ grown MnO_2 nanoparticles as cathode for Li-air batteries. <i>Solid State Ionics</i> , 2014, 262, 197-201.	2.7	12
84	Kinetically controlled redox behaviors of $\text{K}_{0.3}\text{MnO}_2$ electrodes for high performance sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 10803-10812.	10.3	11
85	Revealing the complex lithiation pathways and kinetics of core-shell NiO@CuO electrode. <i>Energy Storage Materials</i> , 2022, 51, 11-18.	18.0	11
86	The underestimated charge storage capability of carbon cathodes for advanced alkali metal-ion capacitors. <i>Nanoscale</i> , 2019, 11, 11445-11450.	5.6	9
87	Critical roles of microstructure and interphase on the stability of micro-sized germanium anode. <i>Journal of Power Sources</i> , 2021, 481, 228916.	7.8	9
88	Stabilizing Microsized Sn Anodes for Na-Ion Batteries with Extended Ether Electrolyte Chemistry. <i>ACS Applied Energy Materials</i> , 2022, 5, 2252-2259.	5.1	7
89	Advances in multi-functional flexible interlayers for Li-S batteries and metal-based batteries. <i>Materials Today Communications</i> , 2021, 28, 102566.	1.9	6
90	A freestanding hydroxylated carbon nanotube film boosting the stability of Zn metal anodes. <i>Materials Today Communications</i> , 2022, 32, 103939.	1.9	4