

# Anette Hylén Ranhoff

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1768331/publications.pdf>

Version: 2024-02-01

93  
papers

2,903  
citations

172457

29  
h-index

189892

50  
g-index

95  
all docs

95  
docs citations

95  
times ranked

4539  
citing authors

#	ARTICLE	IF	CITATIONS
1	Invasive versus conservative strategy in patients aged 80 years or older with non-ST-elevation myocardial infarction or unstable angina pectoris (After Eighty study): an open-label randomised controlled trial. <i>Lancet, The</i> , 2016, 387, 1057-1065.	13.7	342
2	Risk Factors for Preoperative and Postoperative Delirium in Elderly Patients with Hip Fracture. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1354-1361.	2.6	224
3	The Quality of Life of People with Dementia and Their Family Carers. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 34, 7-14.	1.5	100
4	Prevalence of frailty at population level in European ADVANTAGE Joint Action Member States: a systematic review and meta-analysis. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2018, 54, 226-238.	0.4	98
5	Risk of hip fracture among older people using anxiolytic and hypnotic drugs: a nationwide prospective cohort study. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 873-880.	1.9	88
6	New horizons in the implementation and research of comprehensive geriatric assessment: knowing, doing and the "know-do" gap. <i>Age and Ageing</i> , 2016, 45, 194-200.	1.6	83
7	Effect of Years of Endurance Exercise on Risk of Atrial Fibrillation and Atrial Flutter. <i>American Journal of Cardiology</i> , 2014, 114, 1229-1233.	1.6	76
8	The nutritional strategy: Four questions predict morbidity, mortality and health care costs. <i>Clinical Nutrition</i> , 2014, 33, 634-641.	5.0	76
9	Nutritional risk profile in a university hospital population. <i>Clinical Nutrition</i> , 2015, 34, 705-711.	5.0	69
10	Predictors of Mortality in Older Hip Fracture Inpatients Admitted to an Orthogeriatric Unit in Oslo, Norway. <i>Journal of Aging and Health</i> , 2010, 22, 1114-1131.	1.7	68
11	Increased risk of hip fracture among older people using antidepressant drugs: data from the Norwegian Prescription Database and the Norwegian Hip Fracture Registry. <i>Age and Ageing</i> , 2013, 42, 514-520.	1.6	68
12	Comparison of Frequency, Risk Factors, and Time Course of Postoperative Delirium in Octogenarians After Transcatheter Aortic Valve Implantation Versus Surgical Aortic Valve Replacement. <i>American Journal of Cardiology</i> , 2015, 115, 802-809.	1.6	68
13	Sarcopenia in patients with hip fracture: A multicenter cross-sectional study. <i>PLoS ONE</i> , 2017, 12, e0184780.	2.5	66
14	Older hip fracture patients: three groups with different needs. <i>BMC Geriatrics</i> , 2010, 10, 65.	2.7	65
15	Anxiety and depression among nursing home residents without cognitive impairment. <i>Scandinavian Journal of Caring Sciences</i> , 2013, 27, 872-881.	2.1	60
16	European postgraduate curriculum in geriatric medicine developed using an international modified Delphi technique. <i>Age and Ageing</i> , 2019, 48, 291-299.	1.6	57
17	Vision and hearing impairments and their associations with falling and loss of instrumental activities in daily living in acute hospitalized older persons in five Nordic hospitals. <i>Scandinavian Journal of Caring Sciences</i> , 2009, 23, 635-643.	2.1	54
18	Emotional loneliness is associated with mortality among mentally intact nursing home residents with and without cancer: a five-year follow-up study. <i>Journal of Clinical Nursing</i> , 2013, 22, 106-114.	3.0	54

#	ARTICLE	IF	CITATIONS
19	The Barthel ADL Index: Scoring by the Physician from Patient Interview is not Reliable. <i>Age and Ageing</i> , 1993, 22, 171-174.	1.6	53
20	Which Mini-Mental State Exam Items Can Be Used to Screen for Delirium and Cognitive Impairment?. <i>Journal of Pain and Symptom Management</i> , 2005, 30, 41-50.	1.2	53
21	The effect of coping on the burden in family carers of persons with dementia. <i>Aging and Mental Health</i> , 2013, 17, 973-978.	2.8	42
22	Delirium Is Not Associated with Mortality in Elderly Hip Fracture Patients. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 30, 112-120.	1.5	40
23	Inappropriate prescribing for older people admitted to an intermediate-care nursing home unit and hospital wards. <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 169-175.	1.5	40
24	Perioperative hemodynamics and risk for delirium and new onset dementia in hip fracture patients; A prospective follow-up study. <i>PLoS ONE</i> , 2017, 12, e0180641.	2.5	38
25	The walk ratio: Investigation of invariance across walking conditions and gender in community-dwelling older people. <i>Gait and Posture</i> , 2018, 61, 479-482.	1.4	38
26	Prevalence of vision, hearing, and combined vision and hearing impairments in patients with hip fractures. <i>Journal of Clinical Nursing</i> , 2009, 18, 3037-3049.	3.0	34
27	Does endurance exercise cause atrial fibrillation in women?. <i>International Journal of Cardiology</i> , 2015, 184, 431-432.	1.7	34
28	Psychological distress after physical injury: A one-year follow-up study of conscious hospitalised patients. <i>Injury</i> , 2014, 45, 289-298.	1.7	32
29	Use of Warfarin is Associated with Delay in Surgery for Hip Fracture in Older Patients. <i>Hospital Practice (1995)</i> , 2011, 39, 37-40.	1.0	31
30	Disability in Instrumental Activities of Daily Living in Elderly Patients with Mild Cognitive Impairment and Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013, 36, 146-153.	1.5	30
31	Assessing the impact of COVID-19 on the health of geriatric patients: The European GeroCovid Observational Study. <i>European Journal of Internal Medicine</i> , 2021, 87, 29-35.	2.2	30
32	Delirium in a Sub-Intensive Care Unit for the elderly: occurrence and risk factors. <i>Aging Clinical and Experimental Research</i> , 2006, 18, 440-445.	2.9	29
33	Subintensive care unit for the elderly: a new model of care for critically ill frail elderly medical patients. <i>Internal and Emergency Medicine</i> , 2006, 1, 197-203.	2.0	29
34	Physical Fitness in Older People with Mild Cognitive Impairment and Dementia. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 92-100.	1.0	28
35	Electrolyte imbalances in an unselected population in an emergency department: A retrospective cohort study. <i>PLoS ONE</i> , 2019, 14, e0215673.	2.5	26
36	The Effect of Psychosocial Support Intervention on Depression in Patients with Dementia and Their Family Caregivers: An Assessor-Blinded Randomized Controlled Trial. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2013, 3, 386-397.	1.3	25

#	ARTICLE	IF	CITATIONS
37	Delirium as a Predictor of Physical and Cognitive Function in Individuals Aged 80 and Older After Transcatheter Aortic Valve Implantation or Surgical Aortic Valve Replacement. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1178-1186.	2.6	25
38	Interdisciplinary care of hip fractures.. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019, 33, 205-226.	3.3	24
39	Transitions and trajectories in frailty states over time: a systematic review of the European Joint Action ADVANTAGE. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2018, 54, 246-252.	0.4	24
40	Reduced Sympathetic Response to Head-Up Tilt in Subjects with Mild Cognitive Impairment or Mild Alzheimer's Dementia. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015, 5, 107-115.	1.3	23
41	Serum Concentrations and Elimination Rates of Direct-Acting Oral Anticoagulants (DOACs) in Older Hip Fracture Patients Hospitalized for Surgery: A Pilot Study. <i>Drugs and Aging</i> , 2019, 36, 65-71.	2.7	21
42	Do direct oral anticoagulants (DOACs) cause delayed surgery, longer length of hospital stay, and poorer outcome for hip fracture patients?. <i>European Geriatric Medicine</i> , 2020, 11, 563-569.	2.8	21
43	European Collaborative and Interprofessional Capability Framework for Prevention and Management of Frailtyâ€”a consensus process supported by the Joint Action for Frailty Prevention (ADVANTAGE) and the European Geriatric Medicine Society (EuGMS). <i>Aging Clinical and Experimental Research</i> , 2020, 32, 561-570.	2.9	21
44	Readmissions and mortality in delirious versus non-delirious octogenarian patients after aortic valve therapy: a prospective cohort study. <i>BMJ Open</i> , 2016, 6, e012683.	1.9	20
45	Mortality in nursing home residents without cognitive impairment and its relation to self-reported health-related quality of life, sociodemographic factors, illness variables and cancer diagnosis: a 5-year follow-up study. <i>Quality of Life Research</i> , 2013, 22, 317-325.	3.1	19
46	Are vaccines against COVID-19 tailored to the most vulnerable people?. <i>Vaccine</i> , 2021, 39, 2325-2327.	3.8	19
47	Health-related quality of life in older patients with acute coronary syndrome randomised to an invasive or conservative strategy. <i>The After Eighty randomised controlled trial. Age and Ageing</i> , 2018, 47, 42-47.	1.6	18
48	Cancer in Nursing Homes. <i>Cancer Nursing</i> , 2012, 35, 295-301.	1.5	17
49	â€œEight Days of Nightmares â€  â€œâ€œ Octogenarian Patientsâ€™ Experiences of Postoperative Delirium after Transcatheter or Surgical Aortic Valve Replacement. <i>Heart Lung and Circulation</i> , 2018, 27, 260-266.	0.4	17
50	Anxiety and Depression and Mortality Among Cognitively Intact Nursing Home Residents With and Without a Cancer Diagnosis. <i>Cancer Nursing</i> , 2013, 36, E68-E74.	1.5	16
51	Prescription trajectories and effect of total hip arthroplasty on the use of analgesics, hypnotics, antidepressants, and anxiolytics. <i>Pain</i> , 2016, 157, 643-651.	4.2	16
52	European Academy for medicine of ageing session participants' report on malnutrition assessment and diagnostic methods; an international survey. <i>Clinical Nutrition ESPEN</i> , 2020, 35, 75-80.	1.2	15
53	Effects of a multicomponent high intensity exercise program on physical function and health-related quality of life in older adults with or at risk of mobility disability after discharge from hospital: a randomised controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 464.	2.7	14
54	Incidence of frailty: a systematic review of scientific literature from a public health perspective. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2018, 54, 239-245.	0.4	14

#	ARTICLE	IF	CITATIONS
55	Psychotropics and weak opioid analgesics in plasma samples of older hip fracture patients – detection frequencies and consistency with drug records. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 1397-1404.	2.4	12
56	Sleep in octogenarians during the postoperative phase after transcatheter or surgical aortic valve replacement. <i>European Journal of Cardiovascular Nursing</i> , 2016, 15, 168-177.	0.9	11
57	Two-year changes in gait variability in community-living older adults. <i>Gait and Posture</i> , 2019, 72, 142-147.	1.4	11
58	Validity of Questionnaire Information from Old People on Previous Cerebral Stroke. <i>Cerebrovascular Diseases</i> , 1994, 4, 57-58.	1.7	10
59	Last three days of life in the hospital: a comparison of symptoms, signs and treatments in the young old and the oldest old patients using the Resident Assessment Instrument for Palliative Care. <i>International Journal of Older People Nursing</i> , 2013, 8, 199-206.	1.3	10
60	Management of Older Outpatients during the COVID-19 Pandemic: The GeroCovid Ambulatory Study. <i>Gerontology</i> , 2022, 68, 412-417.	2.8	10
61	The last three days of life: a comparison of pain management in the young old and the oldest old hospitalised patients using the Resident Assessment Instrument for Palliative Care. <i>International Journal of Older People Nursing</i> , 2015, 10, 263-272.	1.3	9
62	Bones, blood and steel: How bioelectrical impedance analysis is affected by hip fracture and surgical implants. <i>Journal of Electrical Bioimpedance</i> , 2019, 8, 54-59.	0.9	8
63	Gender differences in orthostatic tolerance in the elderly. <i>Aging Clinical and Experimental Research</i> , 2013, 25, 659-665.	2.9	7
64	Associations between health-related quality of life and physical function in older adults with or at risk of mobility disability after discharge from the hospital. <i>European Geriatric Medicine</i> , 2021, 12, 1247-1256.	2.8	7
65	Frailty Status and Patient-Reported Outcomes in Octogenarians Following Transcatheter or Surgical Aortic Valve Replacement. <i>Heart Lung and Circulation</i> , 2021, 30, 1221-1231.	0.4	7
66	Psychological Well-Being of Older Adults With Cognitive Deterioration During Quarantine: Preliminary Results From the GeroCovid Initiative. <i>Frontiers in Medicine</i> , 2021, 8, 715294.	2.6	7
67	Fit elderly men can also stand: orthostatic tolerance and autonomic cardiovascular control in elderly endurance athletes. <i>Aging Clinical and Experimental Research</i> , 2015, 27, 499-505.	2.9	6
68	Baseline frailty status and outcomes important for shared decision-making in older adults receiving transcatheter aortic valve implantation, a prospective observational study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 345-352.	2.9	6
69	Patient-reported outcome measures after hip fracture in patients with chronic cognitive impairment. <i>Bone &amp; Joint Open</i> , 2021, 2, 454-465.	2.6	6
70	BATHING DISABILITY IN OLDER PATIENTS. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 635-636.	2.6	5
71	Better health-related quality of life (mental component summary), having a higher level of education, and being less than 75 years of age are predictors of hospital admission among cognitively intact nursing home residents: a 5-year follow-up study. <i>Patient Preference and Adherence</i> , 2016, 10, 275.	1.8	5
72	Assessment of recovery in older patients hospitalized with different diagnoses and functional levels, evaluated with and without geriatric assessment. <i>European Review of Aging and Physical Activity</i> , 2016, 13, 5.	2.9	5

#	ARTICLE	IF	CITATIONS
73	Indwelling urinary catheters, aortic valve treatment and delirium: a prospective cohort study. <i>BMJ Open</i> , 2018, 8, e021708.	1.9	5
74	The delirium screening tool 4AT in routine clinical practice: prediction of mortality, sensitivity and specificity. <i>European Geriatric Medicine</i> , 2021, 12, 793-800.	2.8	5
75	A comparison of two different refeeding protocols and its effect on hand grip strength and refeeding syndrome: a randomized controlled clinical trial. <i>European Geriatric Medicine</i> , 2021, 12, 1201-1212.	2.8	5
76	“This path I must walk alone”: Challenges experienced by older patients while recovering from severe COVID-19 – a qualitative study. <i>BMC Geriatrics</i> , 2022, 22, 253.	2.7	5
77	Severity of disease in patients admitted for acute care to a general hospital: age and gender differences. <i>Aging Clinical and Experimental Research</i> , 2010, 22, 340-344.	2.9	4
78	Setting competencies and standards for a European Leadership Program in Geriatric Medicine: “The European Academy for Medicine of Ageing (EAMA) reloaded”. <i>European Geriatric Medicine</i> , 2018, 9, 399-406.	2.8	4
79	Octogenarian patients’ sleep and delirium experiences in hospital and four years after aortic valve replacement: a qualitative interview study. <i>BMJ Open</i> , 2021, 11, e039959.	1.9	4
80	Atrial fibrillation and COVID-19 in older patients: how disability contributes to shape the risk profile. An analysis of the GeroCovid registry. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 249-256.	2.9	4
81	Covid-19 as a paradigmatic model of the heterogeneous disease presentation in older people: data from the GeroCovid Observational study. <i>Rejuvenation Research</i> , 2022, , .	1.8	4
82	“I hope you get normal again”: an explorative study on how delirious octogenarian patients experience their interactions with healthcare professionals and relatives after aortic valve therapy. <i>European Journal of Cardiovascular Nursing</i> , 2019, 18, 224-233.	0.9	3
83	Stroke in endurance athletes with atrial fibrillation. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2123-2125.	1.8	3
84	Refeeding syndrome occurs among older adults regardless of refeeding rates: A systematic review. <i>Nutrition Research</i> , 2021, 91, 1-12.	2.9	3
85	Conditions for autonomous choice: a qualitative study of older adults' experience of decision-making in TAVR. <i>Journal of Geriatric Cardiology</i> , 2017, 14, 42-48.	0.2	3
86	Weight changes and mobility in the early phase after hip fracture in community-dwelling older persons. <i>European Geriatric Medicine</i> , 2020, 11, 545-553.	2.8	2
87	STROKE UNITS AND ACUTE CARE FOR ELDERLY MODEL OF CARE. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 1587-1588.	2.6	1
88	Lower bone mineral density in older female endurance skiers – a cross-sectional, observational study. <i>European Review of Aging and Physical Activity</i> , 2018, 15, 12.	2.9	1
89	Better care for older people with hip fractures: a call for action and papers!. <i>European Geriatric Medicine</i> , 2019, 10, 331-332.	2.8	1
90	No association between subnormal serum vitamin B12 and anemia in older nursing home patients. <i>European Geriatric Medicine</i> , 2020, 11, 247-254.	2.8	1

#	ARTICLE	IF	CITATIONS
91	Older patients's perspectives on illness and healthcare during the early phase of the COVID-19 pandemic. <i>Nursing Ethics</i> , 2022, 29, 872-884.	3.4	1
92	PROVISION OF NONACUTE, AMBULATORY GERIATRIC SERVICES IN A SPARSELY POPULATED REGION OF NORWAY. <i>Journal of the American Geriatrics Society</i> , 1996, 44, 478-479.	2.6	0
93	Orthogeriatrics: much more action is needed. <i>European Geriatric Medicine</i> , 2020, 11, 517-518.	2.8	0