

Anette Hylén Ranhoff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1768331/publications.pdf>

Version: 2024-02-01

93
papers

2,903
citations

172457

29
h-index

189892

50
g-index

95
all docs

95
docs citations

95
times ranked

4539
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Management of Older Outpatients during the COVID-19 Pandemic: The GeroCovid Ambulatory Study. <i>Gerontology</i> , 2022, 68, 412-417. | 2.8 | 10 |
| 2 | Atrial fibrillation and COVID-19 in older patients: how disability contributes to shape the risk profile. An analysis of the GeroCovid registry. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 249-256. | 2.9 | 4 |
| 3 | Older patients's perspectives on illness and healthcare during the early phase of the COVID-19 pandemic. <i>Nursing Ethics</i> , 2022, 29, 872-884. | 3.4 | 1 |
| 4 | "This path I must walk alone": Challenges experienced by older patients while recovering from severe COVID-19 – a qualitative study. <i>BMC Geriatrics</i> , 2022, 22, 253. | 2.7 | 5 |
| 5 | Covid-19 as a paradigmatic model of the heterogeneous disease presentation in older people: data from the GeroCovid Observational study. <i>Rejuvenation Research</i> , 2022, , . | 1.8 | 4 |
| 6 | Baseline frailty status and outcomes important for shared decision-making in older adults receiving transcatheter aortic valve implantation, a prospective observational study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 345-352. | 2.9 | 6 |
| 7 | Octogenarian patients' sleep and delirium experiences in hospital and four years after aortic valve replacement: a qualitative interview study. <i>BMJ Open</i> , 2021, 11, e039959. | 1.9 | 4 |
| 8 | The delirium screening tool 4AT in routine clinical practice: prediction of mortality, sensitivity and specificity. <i>European Geriatric Medicine</i> , 2021, 12, 793-800. | 2.8 | 5 |
| 9 | Are vaccines against COVID-19 tailored to the most vulnerable people?. <i>Vaccine</i> , 2021, 39, 2325-2327. | 3.8 | 19 |
| 10 | Assessing the impact of COVID-19 on the health of geriatric patients: The European GeroCovid Observational Study. <i>European Journal of Internal Medicine</i> , 2021, 87, 29-35. | 2.2 | 30 |
| 11 | Associations between health-related quality of life and physical function in older adults with or at risk of mobility disability after discharge from the hospital. <i>European Geriatric Medicine</i> , 2021, 12, 1247-1256. | 2.8 | 7 |
| 12 | A comparison of two different refeeding protocols and its effect on hand grip strength and refeeding syndrome: a randomized controlled clinical trial. <i>European Geriatric Medicine</i> , 2021, 12, 1201-1212. | 2.8 | 5 |
| 13 | Refeeding syndrome occurs among older adults regardless of refeeding rates: A systematic review. <i>Nutrition Research</i> , 2021, 91, 1-12. | 2.9 | 3 |
| 14 | Patient-reported outcome measures after hip fracture in patients with chronic cognitive impairment. <i>Bone & Joint Open</i> , 2021, 2, 454-465. | 2.6 | 6 |
| 15 | Frailty Status and Patient-Reported Outcomes in Octogenarians Following Transcatheter or Surgical Aortic Valve Replacement. <i>Heart Lung and Circulation</i> , 2021, 30, 1221-1231. | 0.4 | 7 |
| 16 | Psychological Well-Being of Older Adults With Cognitive Deterioration During Quarantine: Preliminary Results From the GeroCovid Initiative. <i>Frontiers in Medicine</i> , 2021, 8, 715294. | 2.6 | 7 |
| 17 | Stroke in endurance athletes with atrial fibrillation. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2123-2125. | 1.8 | 3 |
| 18 | European Academy for medicine of ageing session participants' report on malnutrition assessment and diagnostic methods; an international survey. <i>Clinical Nutrition ESPEN</i> , 2020, 35, 75-80. | 1.2 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | No association between subnormal serum vitamin B12 and anemia in older nursing home patients. <i>European Geriatric Medicine</i> , 2020, 11, 247-254. | 2.8 | 1 |
| 20 | Effects of a multicomponent high intensity exercise program on physical function and health-related quality of life in older adults with or at risk of mobility disability after discharge from hospital: a randomised controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 464. | 2.7 | 14 |
| 21 | Orthogeriatrics: much more action is needed. <i>European Geriatric Medicine</i> , 2020, 11, 517-518. | 2.8 | 0 |
| 22 | Do direct oral anticoagulants (DOACs) cause delayed surgery, longer length of hospital stay, and poorer outcome for hip fracture patients?. <i>European Geriatric Medicine</i> , 2020, 11, 563-569. | 2.8 | 21 |
| 23 | Weight changes and mobility in the early phase after hip fracture in community-dwelling older persons. <i>European Geriatric Medicine</i> , 2020, 11, 545-553. | 2.8 | 2 |
| 24 | European Collaborative and Interprofessional Capability Framework for Prevention and Management of Frailty—a consensus process supported by the Joint Action for Frailty Prevention (ADVANTAGE) and the European Geriatric Medicine Society (EuGMS). <i>Aging Clinical and Experimental Research</i> , 2020, 32, 561-570. | 2.9 | 21 |
| 25 | Two-year changes in gait variability in community-living older adults. <i>Gait and Posture</i> , 2019, 72, 142-147. | 1.4 | 11 |
| 26 | Better care for older people with hip fractures: a call for action and papers!. <i>European Geriatric Medicine</i> , 2019, 10, 331-332. | 2.8 | 1 |
| 27 | Interdisciplinary care of hip fractures.. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019, 33, 205-226. | 3.3 | 24 |
| 28 | Electrolyte imbalances in an unselected population in an emergency department: A retrospective cohort study. <i>PLoS ONE</i> , 2019, 14, e0215673. | 2.5 | 26 |
| 29 | “I hope you get normal again”: an explorative study on how delirious octogenarian patients experience their interactions with healthcare professionals and relatives after aortic valve therapy. <i>European Journal of Cardiovascular Nursing</i> , 2019, 18, 224-233. | 0.9 | 3 |
| 30 | Serum Concentrations and Elimination Rates of Direct-Acting Oral Anticoagulants (DOACs) in Older Hip Fracture Patients Hospitalized for Surgery: A Pilot Study. <i>Drugs and Aging</i> , 2019, 36, 65-71. | 2.7 | 21 |
| 31 | European postgraduate curriculum in geriatric medicine developed using an international modified Delphi technique. <i>Age and Ageing</i> , 2019, 48, 291-299. | 1.6 | 57 |
| 32 | Bones, blood and steel: How bioelectrical impedance analysis is affected by hip fracture and surgical implants. <i>Journal of Electrical Bioimpedance</i> , 2019, 8, 54-59. | 0.9 | 8 |
| 33 | The walk ratio: Investigation of invariance across walking conditions and gender in community-dwelling older people. <i>Gait and Posture</i> , 2018, 61, 479-482. | 1.4 | 38 |
| 34 | “Eight Days of Nightmares” “Octogenarian Patients” Experiences of Postoperative Delirium after Transcatheter or Surgical Aortic Valve Replacement. <i>Heart Lung and Circulation</i> , 2018, 27, 260-266. | 0.4 | 17 |
| 35 | Health-related quality of life in older patients with acute coronary syndrome randomised to an invasive or conservative strategy. <i>The After Eighty randomised controlled trial. Age and Ageing</i> , 2018, 47, 42-47. | 1.6 | 18 |
| 36 | Indwelling urinary catheters, aortic valve treatment and delirium: a prospective cohort study. <i>BMJ Open</i> , 2018, 8, e021708. | 1.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Lower bone mineral density in older female endurance skiers – a cross-sectional, observational study. <i>European Review of Aging and Physical Activity</i> , 2018, 15, 12. | 2.9 | 1 |
| 38 | Setting competencies and standards for a European Leadership Program in Geriatric Medicine: –The European Academy for Medicine of Ageing (EAMA) reloaded–. <i>European Geriatric Medicine</i> , 2018, 9, 399-406. | 2.8 | 4 |
| 39 | Prevalence of frailty at population level in European ADVANTAGE Joint Action Member States: a systematic review and meta-analysis. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2018, 54, 226-238. | 0.4 | 98 |
| 40 | Incidence of frailty: a systematic review of scientific literature from a public health perspective. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2018, 54, 239-245. | 0.4 | 14 |
| 41 | Transitions and trajectories in frailty states over time: a systematic review of the European Joint Action ADVANTAGE. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2018, 54, 246-252. | 0.4 | 24 |
| 42 | Psychotropics and weak opioid analgesics in plasma samples of older hip fracture patients – detection frequencies and consistency with drug records. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 1397-1404. | 2.4 | 12 |
| 43 | Sarcopenia in patients with hip fracture: A multicenter cross-sectional study. <i>PLoS ONE</i> , 2017, 12, e0184780. | 2.5 | 66 |
| 44 | Perioperative hemodynamics and risk for delirium and new onset dementia in hip fracture patients; A prospective follow-up study. <i>PLoS ONE</i> , 2017, 12, e0180641. | 2.5 | 38 |
| 45 | Conditions for autonomous choice: a qualitative study of older adults' experience of decision-making in TAVR. <i>Journal of Geriatric Cardiology</i> , 2017, 14, 42-48. | 0.2 | 3 |
| 46 | Better health-related quality of life (mental component summary), having a higher level of education, and being less than 75 years of age are predictors of hospital admission among cognitively intact nursing home residents: a 5-year follow-up study. <i>Patient Preference and Adherence</i> , 2016, 10, 275. | 1.8 | 5 |
| 47 | Prescription trajectories and effect of total hip arthroplasty on the use of analgesics, hypnotics, antidepressants, and anxiolytics. <i>Pain</i> , 2016, 157, 643-651. | 4.2 | 16 |
| 48 | Assessment of recovery in older patients hospitalized with different diagnoses and functional levels, evaluated with and without geriatric assessment. <i>European Review of Aging and Physical Activity</i> , 2016, 13, 5. | 2.9 | 5 |
| 49 | Delirium as a Predictor of Physical and Cognitive Function in Individuals Aged 80 and Older After Transcatheter Aortic Valve Implantation or Surgical Aortic Valve Replacement. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1178-1186. | 2.6 | 25 |
| 50 | Physical Fitness in Older People with Mild Cognitive Impairment and Dementia. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 92-100. | 1.0 | 28 |
| 51 | Readmissions and mortality in delirious versus non-delirious octogenarian patients after aortic valve therapy: a prospective cohort study. <i>BMJ Open</i> , 2016, 6, e012683. | 1.9 | 20 |
| 52 | Invasive versus conservative strategy in patients aged 80 years or older with non-ST-elevation myocardial infarction or unstable angina pectoris (After Eighty study): an open-label randomised controlled trial. <i>Lancet</i> , 2016, 387, 1057-1065. | 13.7 | 342 |
| 53 | Sleep in octogenarians during the postoperative phase after transcatheter or surgical aortic valve replacement. <i>European Journal of Cardiovascular Nursing</i> , 2016, 15, 168-177. | 0.9 | 11 |
| 54 | New horizons in the implementation and research of comprehensive geriatric assessment: knowing, doing and the –know-do–™ gap. <i>Age and Ageing</i> , 2016, 45, 194-200. | 1.6 | 83 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The last three days of life: a comparison of pain management in the young old and the oldest old hospitalised patients using the Resident Assessment Instrument for Palliative Care. International Journal of Older People Nursing, 2015, 10, 263-272. | 1.3 | 9 |
| 56 | Reduced Sympathetic Response to Head-Up Tilt in Subjects with Mild Cognitive Impairment or Mild Alzheimer's Dementia. Dementia and Geriatric Cognitive Disorders Extra, 2015, 5, 107-115. | 1.3 | 23 |
| 57 | Comparison of Frequency, Risk Factors, and Time Course of Postoperative Delirium in Octogenarians After Transcatheter Aortic Valve Implantation Versus Surgical Aortic Valve Replacement. American Journal of Cardiology, 2015, 115, 802-809. | 1.6 | 68 |
| 58 | Fit elderly men can also stand: orthostatic tolerance and autonomic cardiovascular control in elderly endurance athletes. Aging Clinical and Experimental Research, 2015, 27, 499-505. | 2.9 | 6 |
| 59 | Does endurance exercise cause atrial fibrillation in women?. International Journal of Cardiology, 2015, 184, 431-432. | 1.7 | 34 |
| 60 | Nutritional risk profile in a university hospital population. Clinical Nutrition, 2015, 34, 705-711. | 5.0 | 69 |
| 61 | Effect of Years of Endurance Exercise on Risk of Atrial Fibrillation and Atrial Flutter. American Journal of Cardiology, 2014, 114, 1229-1233. | 1.6 | 76 |
| 62 | Risk of hip fracture among older people using anxiolytic and hypnotic drugs: a nationwide prospective cohort study. European Journal of Clinical Pharmacology, 2014, 70, 873-880. | 1.9 | 88 |
| 63 | Psychological distress after physical injury: A one-year follow-up study of conscious hospitalised patients. Injury, 2014, 45, 289-298. | 1.7 | 32 |
| 64 | The nutritional strategy: Four questions predict morbidity, mortality and health care costs. Clinical Nutrition, 2014, 33, 634-641. | 5.0 | 76 |
| 65 | Last three days of life in the hospital: a comparison of symptoms, signs and treatments in the young old and the oldest old patients using the Resident Assessment Instrument for Palliative Care. International Journal of Older People Nursing, 2013, 8, 199-206. | 1.3 | 10 |
| 66 | Mortality in nursing home residents without cognitive impairment and its relation to self-reported health-related quality of life, sociodemographic factors, illness variables and cancer diagnosis: a 5-year follow-up study. Quality of Life Research, 2013, 22, 317-325. | 3.1 | 19 |
| 67 | Gender differences in orthostatic tolerance in the elderly. Aging Clinical and Experimental Research, 2013, 25, 659-665. | 2.9 | 7 |
| 68 | Emotional loneliness is associated with mortality among mentally intact nursing home residents with and without cancer: a five-year follow-up study. Journal of Clinical Nursing, 2013, 22, 106-114. | 3.0 | 54 |
| 69 | Anxiety and Depression and Mortality Among Cognitively Intact Nursing Home Residents With and Without a Cancer Diagnosis. Cancer Nursing, 2013, 36, E68-E74. | 1.5 | 16 |
| 70 | Disability in Instrumental Activities of Daily Living in Elderly Patients with Mild Cognitive Impairment and Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders, 2013, 36, 146-153. | 1.5 | 30 |
| 71 | Increased risk of hip fracture among older people using antidepressant drugs: data from the Norwegian Prescription Database and the Norwegian Hip Fracture Registry. Age and Ageing, 2013, 42, 514-520. | 1.6 | 68 |
| 72 | Anxiety and depression among nursing home residents without cognitive impairment. Scandinavian Journal of Caring Sciences, 2013, 27, 872-881. | 2.1 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | The effect of coping on the burden in family carers of persons with dementia. <i>Aging and Mental Health</i> , 2013, 17, 973-978. | 2.8 | 42 |
| 74 | The Effect of Psychosocial Support Intervention on Depression in Patients with Dementia and Their Family Caregivers: An Assessor-Blinded Randomized Controlled Trial. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2013, 3, 386-397. | 1.3 | 25 |
| 75 | Inappropriate prescribing for older people admitted to an intermediate-care nursing home unit and hospital wards. <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 169-175. | 1.5 | 40 |
| 76 | Cancer in Nursing Homes. <i>Cancer Nursing</i> , 2012, 35, 295-301. | 1.5 | 17 |
| 77 | The Quality of Life of People with Dementia and Their Family Carers. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 34, 7-14. | 1.5 | 100 |
| 78 | Use of Warfarin is Associated with Delay in Surgery for Hip Fracture in Older Patients. <i>Hospital Practice (1995)</i> , 2011, 39, 37-40. | 1.0 | 31 |
| 79 | Older hip fracture patients: three groups with different needs. <i>BMC Geriatrics</i> , 2010, 10, 65. | 2.7 | 65 |
| 80 | Predictors of Mortality in Older Hip Fracture Inpatients Admitted to an Orthogeriatric Unit in Oslo, Norway. <i>Journal of Aging and Health</i> , 2010, 22, 1114-1131. | 1.7 | 68 |
| 81 | Delirium Is Not Associated with Mortality in Elderly Hip Fracture Patients. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 30, 112-120. | 1.5 | 40 |
| 82 | Severity of disease in patients admitted for acute care to a general hospital: age and gender differences. <i>Aging Clinical and Experimental Research</i> , 2010, 22, 340-344. | 2.9 | 4 |
| 83 | Prevalence of vision, hearing, and combined vision and hearing impairments in patients with hip fractures. <i>Journal of Clinical Nursing</i> , 2009, 18, 3037-3049. | 3.0 | 34 |
| 84 | Risk Factors for Preoperative and Postoperative Delirium in Elderly Patients with Hip Fracture. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1354-1361. | 2.6 | 224 |
| 85 | Vision and hearing impairments and their associations with falling and loss of instrumental activities in daily living in acute hospitalized older persons in five Nordic hospitals. <i>Scandinavian Journal of Caring Sciences</i> , 2009, 23, 635-643. | 2.1 | 54 |
| 86 | BATHING DISABILITY IN OLDER PATIENTS. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 635-636. | 2.6 | 5 |
| 87 | Delirium in a Sub-Intensive Care Unit for the elderly: occurrence and risk factors. <i>Aging Clinical and Experimental Research</i> , 2006, 18, 440-445. | 2.9 | 29 |
| 88 | Subintensive care unit for the elderly: a new model of care for critically ill frail elderly medical patients. <i>Internal and Emergency Medicine</i> , 2006, 1, 197-203. | 2.0 | 29 |
| 89 | Which Mini-Mental State Exam Items Can Be Used to Screen for Delirium and Cognitive Impairment?. <i>Journal of Pain and Symptom Management</i> , 2005, 30, 41-50. | 1.2 | 53 |
| 90 | STROKE UNITS AND ACUTE CARE FOR ELDERLY MODEL OF CARE. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 1587-1588. | 2.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | PROVISION OF NONACUTE, AMBULATORY GERIATRIC SERVICES IN A SPARSELY POPULATED REGION OF NORWAY. <i>Journal of the American Geriatrics Society</i> , 1996, 44, 478-479. | 2.6 | 0 |
| 92 | Validity of Questionnaire Information from Old People on Previous Cerebral Stroke. <i>Cerebrovascular Diseases</i> , 1994, 4, 57-58. | 1.7 | 10 |
| 93 | The Barthel ADL Index: Scoring by the Physician from Patient Interview is not Reliable. <i>Age and Ageing</i> , 1993, 22, 171-174. | 1.6 | 53 |