## Hong-Cheu Lin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1772863/publications.pdf

Version: 2024-02-01

87888 138484 4,827 165 38 58 citations g-index h-index papers 165 165 165 5506 docs citations times ranked citing authors all docs

| #  | Article  | IF           | CITATIONS |
|----|--|--------------|-----------|
| 1  | Controllable FRET processes towards ratiometric Fe3+ ion sensor of pseudo [3]rotaxane containing naphthalimide-based macrocyclic host donor and multi-stimuli responsive rhodamine-modified guest acceptor. Dyes and Pigments, 2022, 197, 109907.  | 3.7          | 5         |
| 2  | Self-healable and anti-freezing ion conducting hydrogel-based artificial bioelectronic tongue sensing toward astringent and bitter tastes. Biosensors and Bioelectronics, 2022, 198, 113811.   | 10.1         | 28        |
| 3  | Optical-switchable energy transfer controlled by multiple-responsive turn-on fluorescence <i>via</i> metal–ligand and host–guest interactions in diarylethene-based [2]pseudo-rotaxane polymers.<br>Materials Chemistry Frontiers, 2021, 5, 438-449.   | 5.9          | 12        |
| 4  | Application of stimuli-responsive FRET behavior toward cyanide detection in a photo-switchable [2]pseudorotaxane polymer containing the BODIPY donor and the merocyanine acceptor. Journal of Materials Chemistry C, 2021, 9, 2321-2333.   | 5.5          | 15        |
| 5  | Acid–base controllable nanostructures and the fluorescence detection of H <sub>2</sub> PO <sub>4</sub> <sup>Ⱂ</sup> by the molecular shuttling of tetraphenylethene-based [2]rotaxanes. Journal of Materials Chemistry C, 2021, 9, 3215-3228.  | 5 <b>.</b> 5 | 10        |
| 6  | Controllable FRET Behaviors of Supramolecular Host–Guest Systems as Ratiometric Aluminum Ion Sensors Manipulated by Tetraphenylethylene-Functionalized Macrocyclic Host Donor and Multistimuli-Responsive Fluorescein-Based Guest Acceptor. ACS Applied Materials & Samp; Interfaces, 2021, 13, 20662-20680. | 8.0          | 17        |
| 7  | FRET processes of bi-fluorophoric sensor material containing tetraphenylethylene donor and optical-switchable merocyanine acceptor for lead ion (Pb2+) detection in semi-aqueous media. Dyes and Pigments, 2021, 189, 109238.  | 3.7          | 10        |
| 8  | Oxygen-Enriched α-MoO3– nanobelts suppress lithium dendrite formation in stable lithium-metal batteries. Journal of Power Sources, 2021, 507, 230306.  | 7.8          | 12        |
| 9  | Multi-stimuli responsive fluorescence of amphiphilic AlEgen copolymers for ultrafast, highly sensitive and selective copper ion detection in water. Sensors and Actuators B: Chemical, 2021, 344, 130241.  | 7.8          | 22        |
| 10 | Fully self-healable, highly stretchable, and anti-freezing supramolecular gels for energy-harvesting triboelectric nanogenerator and self-powered wearable electronics. Nano Energy, 2021, 90, 106525.   | 16.0         | 36        |
| 11 | Liquid crystal dimers containing Cholesteryl and Triazole-containing mesogenic units. Liquid<br>Crystals, 2020, 47, 219-230.   | 2.2          | 18        |
| 12 | Efficient FRET Approaches toward Copper(II) and Cyanide Detections via Host–Guest Interactions of Photo-Switchable [2]Pseudo-Rotaxane Polymers Containing Naphthalimide and Merocyanine Moieties. ACS Applied Materials & Diterfaces, 2020, 12, 53257-53273.   | 8.0          | 19        |
| 13 | Hierarchical self-assembly of supramolecular polymer complexes mediated by various generations of bent-core mesogenic dendrimers hydrogen-bonded with triblock copolymer. Polymer, 2020, 208, 122880.  | 3.8          | 1         |
| 14 | Optimization of FRET Behavior in Photoswitchable [2]Rotaxanes Containing Bifluorophoric Naphthalimide Donor and Merocyanine Acceptor with Sensor Approaches toward Sulfite Detection. Chemistry of Materials, 2020, 32, 9371-9389.   | 6.7          | 23        |
| 15 | Highly Efficient Förster Resonance Energy Transfer Modulations of Dual-AlEgens between a<br>Tetraphenylethylene Donor and a Merocyanine Acceptor in Photo-Switchable [2]Rotaxanes and<br>Reversible Photo-Patterning Applications. ACS Applied Materials & Interfaces, 2020, 12, 47921-47938.                | 8.0          | 43        |
| 16 | Highly stretchable supramolecular conductive self-healable gels for injectable adhesive and flexible sensor applications. Journal of Materials Chemistry A, 2020, 8, 19954-19964.  | 10.3         | 52        |
| 17 | UV-enhanced room-temperature ultrasensitive NO gas sensor with vertical channel nano-porous organic diodes. Sensors and Actuators B: Chemical, 2020, 320, 128392.  | 7.8          | 26        |
| 18 | Multi-Stimuli Responsive FRET Processes of Bifluorophoric AlEgens in an Amphiphilic Copolymer and Its Application to Cyanide Detection in Aqueous Media. ACS Applied Materials & 2010, 12, 10959-10972.  | 8.0          | 81        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Using ultrathin double-layer gas-permeable capping metal to form sensitive low-power gas sensors. Semiconductor Science and Technology, 2020, 35, 124001.  | 2.0  | 2         |
| 20 | Synthesis and mesomorphic properties of new rod-like heterocyclic liquid crystals. Studia Universitatis Babes-Bolyai Chemia, 2020, 65, 135-150.  | 0.2  | 1         |
| 21 | A 0.05 V driven ammonia gas sensor based on an organic diode with a top porous layered electrode and an air-stable sensing film. Journal of Materials Chemistry C, 2019, 7, 6440-6447.   | 5.5  | 7         |
| 22 | Pyrene-SH functionalized OTFT for detection of Hg2+ ions in aquatic environments. Organic Electronics, 2019, 69, 275-280.  | 2.6  | 17        |
| 23 | Facile synthesis of composite tin oxide nanostructures for high-performance planar perovskite solar cells. Nano Energy, 2019, 60, 275-284.   | 16.0 | 57        |
| 24 | Synthesis and enhanced electron transfer of supramolecular nano-composite containing dendritic dye and surface-modified ZnO nano-rods. Dyes and Pigments, 2018, 157, 179-189.  | 3.7  | 4         |
| 25 | A novel ball milling technique for room temperature processing of TiO <sub>2</sub> nanoparticles employed as the electron transport layer in perovskite solar cells and modules. Journal of Materials Chemistry A, 2018, 6, 7114-7122. | 10.3 | 35        |
| 26 | Heterocyclic pyridine-based liquid crystals: synthesis and mesomorphic properties. Liquid Crystals, 2018, 45, 1574-1584.   | 2.2  | 40        |
| 27 | Flexible Organic Thin Film Transistors Incorporating a Biodegradable CO2-Based Polymer as the Substrate and Dielectric Material. Scientific Reports, 2018, 8, 8146.  | 3.3  | 31        |
| 28 | Multi-stimuli-responsive high contrast fluorescence molecular controls with a far-red emitting BODIPY-based [2]rotaxane. Sensors and Actuators B: Chemical, 2018, 270, 382-395.  | 7.8  | 10        |
| 29 | Novel supramolecular conjugated polyrotaxane as an acid-base controllable optical molecular switch. Sensors and Actuators B: Chemical, 2017, 243, 84-95.   | 7.8  | 17        |
| 30 | Synthesis of fluorinated benzotriazole (BTZ)- and benzodithiophene (BDT)-based low-bandgap conjugated polymers for solar cell applications. Dyes and Pigments, 2017, 139, 349-360.   | 3.7  | 16        |
| 31 | Monomeric and aggregation emissions of tetraphenylethene in a photo-switchable polymer controlled by cyclization of diarylethene and solvent conditions. Journal of Materials Chemistry C, 2017, 5, 9952-9962.                         | 5.5  | 37        |
| 32 | Phase transitional behaviour of S-shaped oligomers incorporating biphenylene and cholesterol entities. Liquid Crystals, 2017, 44, 822-832.   | 2.2  | 7         |
| 33 | Synthesis and phase transition behaviours of laterally substituted liquid crystals containing methylhydroquinone: emerging of smectic C phase for higher homologues. Phase Transitions, 2017, 90, 449-464.                             | 1.3  | 0         |
| 34 | Host-guest interaction of rotaxane assembly through selective detection of ferric ion: Insight into hemin sensing and switching with sodium ascorbate. Dyes and Pigments, 2016, 131, 49-59.  | 3.7  | 15        |
| 35 | Novel Water-Soluble Cyclodextrin-Based Conjugated Polymer for Selective Host–Guest Interactions of Cationic Surfactant CTAB and Reverse FRET with Rhodamine B Tagged Adamantyl Guest. Macromolecules, 2016, 49, 5587-5598.             | 4.8  | 20        |
| 36 | Lateral fluoro-substitution and chiral effects on supramolecular liquid crystals containing rod-like and H-bonded bent-core mesogens. RSC Advances, 2016, 6, 110482-110492.  | 3.6  | 3         |

3

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Facile rhodamine-based colorimetric sensors for sequential detections of Cu( <scp>ii</scp> ) ions and pyrophosphate (P <sub>2</sub> O <sub>7</sub> <sup>4â^'</sup> ) anions. RSC Advances, 2016, 6, 106631-106640.                                 | 3.6  | 40        |
| 38 | Hydrogen-bonded bent-core blue phase liquid crystal complexes containing various molar ratios of proton acceptors and donors. RSC Advances, 2016, 6, 32319-32327.  | 3.6  | 17        |
| 39 | A fully-aqueous red-fluorescent probe for selective optical sensing of Hg2+ and its application in living cells. Dyes and Pigments, 2016, 130, 256-265.  | 3.7  | 6         |
| 40 | Novel fluoride-substituted donor/acceptor polymers containing benzodithiophene and quinoxaline units for use in low–band gap solar cells. European Polymer Journal, 2016, 82, 334-346.   | 5.4  | 5         |
| 41 | Novel pyrene containing monomeric and dimeric supramolecular AIEE active nano-probes utilized in selective "off–on―trivalent metal and highly acidic pH sensing with live cell applications. Journal of Materials Chemistry C, 2016, 4, 2056-2071. | 5.5  | 71        |
| 42 | A theranostic nrGO@MSN-ION nanocarrier developed to enhance the combination effect of sonodynamic therapy and ultrasound hyperthermia for treating tumor. Nanoscale, 2016, 8, 12648-12657.   | 5.6  | 81        |
| 43 | Exploration of Energy Modulations in Novel RhB-TPE-Based Bichromophoric Materials via Interactions of Cu <sup>2+</sup> Ion under Various Semiaqueous and Micellar Conditions. ACS Applied Materials & Amp; Interfaces, 2016, 8, 6751-6762.         | 8.0  | 15        |
| 44 | Interfacial electronic structure of Na deposited on rubrene thin film studied by synchrotron radiation photoemission. Applied Surface Science, 2015, 357, 2255-2259.   | 6.1  | 2         |
| 45 | Hydrogen-bonded effects on supramolecular blue phase liquid crystal dimeric complexes. RSC<br>Advances, 2015, 5, 54629-54637.  | 3.6  | 14        |
| 46 | Novel asymmetrical single- and double-chiral liquid crystal diads with wide blue phase ranges. RSC Advances, 2015, 5, 4615-4622.   | 3.6  | 12        |
| 47 | Shape and Confinement Effects of Various Terminal Siloxane Groups on Supramolecular Interactions of Hydrogen-Bonded Bent-Core Liquid Crystals. Chemistry of Materials, 2015, 27, 4525-4537.  | 6.7  | 19        |
| 48 | A cyanide-responsive supramolecular nanovalve based on Pd( <scp>ii</scp> )-templated pseudo-rotaxane. Journal of Materials Chemistry A, 2015, 3, 6414-6422.  | 10.3 | 9         |
| 49 | The first blue phase reactive monomers containing a bi-mesogenic core and their side-chain polymers. Journal of Materials Chemistry C, 2015, 3, 4663-4669.   | 5.5  | 1         |
| 50 | Acid/Base and H <sub>2</sub> PO <sub>4</sub> <sup>â€"</sup> Controllable High-Contrast Optical Molecular Switches with a Novel BODIPY Functionalized [2]Rotaxane. ACS Applied Materials & Interfaces, 2015, 7, 26491-26503.                        | 8.0  | 47        |
| 51 | Synthesis and study of hybrid hydrogen-bonded bent-core liquid crystal complexes containing C <sub>60</sub> - and Si-based proton donors. RSC Advances, 2015, 5, 99732-99738.  | 3.6  | 5         |
| 52 | A new pyrene-based aggregation induced ratiometric emission probe for selective detections of trivalent metal ions and its living cell application. Sensors and Actuators B: Chemical, 2015, 207, 338-345.   | 7.8  | 67        |
| 53 | Solutionâ€Processed Smallâ€Molecule Bulk Heterojunction Ambipolar Transistors. Advanced Functional Materials, 2014, 24, 2057-2063.   | 14.9 | 62        |
| 54 | Alkyl chain self ordering, induction and suppression of mesophase by Cu(II) containing [1,2,3]-triazole-based bidentate salicylaldimine ligands: synthesis, characterisation and X-ray diffraction studies. Liquid Crystals, 2014, 41, 1897-1910.  | 2.2  | 13        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Non-conventional three-armed star-shaped mesogens based on 1,3,5-trisubstituted benzene with azobenzene moieties at the periphery: synthesis, and mesomorphic behaviour. Liquid Crystals, 2014, 41, 1017-1033.                             | 2.2  | 16        |
| 56 | Broad Ranges and Fast Responses of Single-Component Blue-Phase Liquid Crystals Containing Banana-Shaped 1,3,4-Oxadiazole Cores. ACS Applied Materials & Samp; Interfaces, 2014, 6, 228-235.  | 8.0  | 52        |
| 57 | Self-Assembly of Tetraphenylethene-Based [2]Catenane Driven by Acid–Base-Controllable Molecular Switching and Its Enabled Aggregation-Induced Emission. Organic Letters, 2014, 16, 5564-5567.  | 4.6  | 33        |
| 58 | Synthesis of novel platinum complex core as a selective Ag <sup>+</sup> sensor and its H-bonded tetrads self-assembled with triarylamine dendrimers for electron/energy transfers. Journal of Materials Chemistry A, 2014, 2, 17463-17476. | 10.3 | 17        |
| 59 | Novel metallo-dendrimers containing various Ru core ligands and dendritic thiophene arms for photovoltaic applications. Polymer Chemistry, 2014, 5, 5423-5435.   | 3.9  | 12        |
| 60 | A facile ratiometric fluorescent chemodosimeter for hydrazine based on Ing–Manske hydrazinolysis and its applications in living cells. Dyes and Pigments, 2014, 103, 9-20.   | 3.7  | 70        |
| 61 | Naked eye and fluorescent detections of Hg2+ ions and Cysteine via J-aggregation and deaggregation of a perylene bisimide derivative. Sensors and Actuators B: Chemical, 2014, 194, 229-237.   | 7.8  | 40        |
| 62 | Star-shaped self-assembly of an organic thin film transistor sensor in the presence of Cu2+ and CN $\hat{a}$ ° ions. Organic Electronics, 2014, 15, 582-589.   | 2.6  | 10        |
| 63 | Synthesis of metal-free organic dyes containing tris(dodecyloxy)phenyl and dithienothiophenyl units and a study of their mesomorphic and photovoltaic properties. Tetrahedron, 2013, 69, 2124-2130.  | 1.9  | 6         |
| 64 | A Novel Diketopyrrolopyrrole (DPP)-Based [2]Rotaxane for Highly Selective Optical Sensing of Fluoride. Organic Letters, 2013, 15, 1274-1277.   | 4.6  | 50        |
| 65 | Novel pyrene- and anthracene-based Schiff base derivatives as Cu <sup>2+</sup> and Fe <sup>3+</sup> fluorescence turn-on sensors and for aggregation induced emissions. Journal of Materials Chemistry A, 2013, 1, 1310-1318.              | 10.3 | 245       |
| 66 | Simple pyridyl-salicylimine-based fluorescence "turn-on―sensors for distinct detections of Zn2+, Al3+ and OHâ^' ions in mixed aqueous media. Analyst, The, 2013, 138, 2931.  | 3.5  | 118       |
| 67 | Synthesis and study of novel supramolecular nanocomposites containing aryl-imidazo-phenanthroline-based metallo-polymers (H-donors) and surface-modified ZnO nanoparticles (H-acceptors). Tetrahedron, 2013, 69, 293-301.                  | 1.9  | 8         |
| 68 | Self-assembled 1,2-bis[4-(4-(10-decyloxy)phenylazo)]benzoylhydrazine dimer and its hydrogen-bonded complexes. Supramolecular Chemistry, 2013, 25, 424-431.   | 1.2  | 2         |
| 69 | Synthesis and smectogenic properties of novel phloroglucinol-based star-shaped liquid crystals containing three peripheral alkyloxylated Schiff base arms. Liquid Crystals, 2013, 40, 516-527.   | 2.2  | 25        |
| 70 | Synthesis and Characterization of Reversible Chemosensory Polymers: Modulation of Sensitivity through the Attachment of Novel Imidazole Pendants. Chemistry - A European Journal, 2012, 18, 16061-16072.                                   | 3.3  | 15        |
| 71 | Structure optimization of ruthenium photosensitizers for efficient dye-sensitized solar cells – A goal toward a "bright―future. Coordination Chemistry Reviews, 2012, 256, 3008-3035.  | 18.8 | 152       |
| 72 | Recoverable fluorescence chemosensors for Ni2+ ions based on hydrogen-bonded side-chain copolymers presenting pendent benzoic acid and pyridyl receptor units. Journal of Materials Chemistry, 2012, 22, 12358.                            | 6.7  | 8         |

| #  | Article   | IF   | Citations |
|----|---|------|-----------|
| 73 | Stable organic thin film transducers for biochemical and label-free sensing under physiological conditions. Journal of Materials Chemistry, 2012, 22, 16506.  | 6.7  | 8         |
| 74 | Enhanced light-harvesting capability by phenothiazine in ruthenium sensitizers with superior photovoltaic performance. Journal of Materials Chemistry, 2012, 22, 130-139.   | 6.7  | 20        |
| 75 | Synthesis of novel dithienothiophene†and 2,7†carbazole†based conjugated polymers and H†bonded effects on electrochromic and photovoltaic properties. Journal of Polymer Science Part A, 2012, 50, 5011-5022.  | 2.3  | 13        |
| 76 | Synthesis of novel supramolecular triads bearing a H-bonded perylene bisimide core. Tetrahedron, 2012, 68, 7926-7931.   | 1.9  | 9         |
| 77 | Synthesis of novel triarylamine-based dendrimers with N4,N6-dibutyl-1,3,5-triazine-4,6-diamine probe for electron/energy transfers in H-bonded donor–acceptor–donor triads and as efficient Cu2+ sensors. Journal of Materials Chemistry, 2012, 22, 8976. | 6.7  | 49        |
| 78 | Synthesis and applications of a novel supramolecular polymer network with multiple Hâ€bonded melamine pendants and uracil crosslinkers. Journal of Polymer Science Part A, 2012, 50, 967-975.   | 2.3  | 7         |
| 79 | Design, synthesis, photophysical, and electrochemical properties of DCMâ€based conjugated polymers for lightâ€emitting devices. Journal of Polymer Science Part A, 2012, 50, 3806-3818.   | 2.3  | 11        |
| 80 | Novel Thieno-imidazole Based Probe for Colorimetric Detection of Hg <sup>2+</sup> and Fluorescence Turn-on Response of Zn <sup>2+</sup> . Organic Letters, 2012, 14, 2564-2567.   | 4.6  | 93        |
| 81 | Novel dithieno-benzo-imidazole-based Pb2+ sensors: substituent effects on sensitivity and reversibility. Chemical Communications, 2012, 48, 5668.   | 4.1  | 26        |
| 82 | Surface Modification of Gold Nanorods by Grafting Fluoreneâ€Based Conjugated Copolymers Containing Thiolâ€Pendants. Macromolecular Chemistry and Physics, 2012, 213, 1550-1558.   | 2.2  | 10        |
| 83 | Synthesis of Mainâ€Chain Metalloâ€Copolymers Containing Donor and Acceptor Bisâ€Terpyridyl Ligands for Photovoltaic Applications. Macromolecular Rapid Communications, 2012, 33, 528-533.   | 3.9  | 20        |
| 84 | Structural planarity and conjugation effects of novel symmetrical acceptor–donor–acceptor organic sensitizers on dye-sensitized solar cells. Dyes and Pigments, 2012, 93, 1488-1497.  | 3.7  | 57        |
| 85 | Enhancement of photovoltaic properties in supramolecular polymer networks featuring a solar cell main-chain polymer H-bonded with conjugated cross-linkers. Polymer, 2012, 53, 1219-1228.   | 3.8  | 26        |
| 86 | New SmCG Phases in a Hydrogen-Bonded Bent-Core Liquid Crystal Featuring a Branched Siloxane Terminal Group. Journal of the American Chemical Society, 2011, 133, 15674-15685.   | 13.7 | 42        |
| 87 | Novel Reversible Chemosensory Material Based on Conjugated Side-Chain Polymer Containing Fluorescent Pyridyl Receptor Pendants. Journal of Physical Chemistry B, 2011, 115, 8845-8852.  | 2.6  | 17        |
| 88 | Synthesis and applications of main-chain Ru( <scp>ii</scp> ) metallo-polymers containing bis-terpyridyl ligands with various benzodiazole cores for solar cells. Journal of Materials Chemistry, 2011, 21, 1196-1205.                                     | 6.7  | 40        |
| 89 | Photoluminescence quenching effects of surface-modified gold nanoparticles on side-chain polymers containing pyridyl H-acceptors with various lateral polarities. European Polymer Journal, 2011, 47, 2266-2276.  | 5.4  | 4         |
| 90 | Synthesis and applications of cyanoâ€vinyleneâ€based polymers containing cyclopentadithiophene and dithienosilole units for photovoltaic cells. Journal of Polymer Science Part A, 2011, 49, 3417-3425.   | 2.3  | 10        |

| #   | Article  | IF  | CITATIONS  |
|-----|--|-----|------------|
| 91  | Synthesis, Characterization and Photophysical Properties of DCMâ€Based Lightâ€Harvesting Dendrimers. Macromolecular Chemistry and Physics, 2011, 212, 849-859.   | 2.2 | 9          |
| 92  | Fine Tuning of HOMO Energy Levels for Low-Band-Gap Photovoltaic Copolymers Containing Cyclopentadithienopyrrole and Bithiazole Units. Macromolecular Chemistry and Physics, 2011, 212, 1960-1970.  | 2.2 | 12         |
| 93  | Synthesis and applications of novel acceptor–donor–acceptor organic dyes with dithienopyrroleand fluorene-cores for dye-sensitized solar cells. Tetrahedron, 2011, 67, 303-311.  | 1.9 | <b>7</b> 5 |
| 94  | Applications of novel dithienothiophene- and 2,7-carbazole-based conjugated polymers with surface-modified ZnO nanoparticles for organic photovoltaic cells. Thin Solid Films, 2011, 519, 5212-5218.   | 1.8 | 8          |
| 95  | Improvement of fast responsive LC materials by bent-core dopants in optical compensated bend mode liquid crystal displays. Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers,Series A/Chung-kuo Kung Ch'eng Hsuch K'an, 2011, 34, 311-318. | 1.1 | 4          |
| 96  | Synthesis and characterization of side-chain liquid-crystalline block-copolymers containing laterally attached photoluminescent quinquephenyl units via ATRP. Polymer, 2010, 51, 75-83.  | 3.8 | 7          |
| 97  | Synthesis and application of H-Bonded cross-linking polymers containing a conjugated pyridyl H-Acceptor side-chain polymer and various carbazole-based H-Donor dyes bearing symmetrical cyanoacrylic acids for organic solar cells. Polymer, 2010, 51, 6182-6192.                          | 3.8 | 38         |
| 98  | Polymeric dopant effects of bentâ€core covalentâ€bonded and hydrogenâ€bonded structures on bananaâ€shaped liquid crystalline complexes. Journal of Polymer Science Part A, 2010, 48, 764-774.  | 2.3 | 9          |
| 99  | Synthesis and applications of lowâ€bandgap conjugated polymers containing phenothiazine donor and various benzodiazole acceptors for polymer solar cells. Journal of Polymer Science Part A, 2010, 48, 4823-4834.  | 2.3 | 66         |
| 100 | Synthesis and applications of 2,7â€carbazoleâ€based conjugated mainâ€chain copolymers containing electron deficient bithiazole units for organic solar cells. Journal of Polymer Science Part A, 2010, 48, 5479-5489.  | 2.3 | 40         |
| 101 | Synthesis and characterization of novel lowâ€bandgap triphenylamineâ€based conjugated polymers with mainâ€chain donors and pendent acceptors for organic photovoltaics. Journal of Polymer Science Part A, 2010, 48, 5812-5823.  | 2.3 | 53         |
| 102 | Synthesis and Mesomorphic Properties of 6-Methoxy- and 6-Ethoxy-2-(2-Hydroxy-4-Alkanoyloxybenzylidenamino)Benzothiazoles. Molecular Crystals and Liquid Crystals, 2010, 528, 10-22.  | 0.9 | 12         |
| 103 | Synthesis of new schiff base ester liquid crystals with a benzothiazole core. Liquid Crystals, 2010, 37, 547-554.  | 2.2 | 48         |
| 104 | Toward Optimization of Oligothiophene Antennas: New Ruthenium Sensitizers with Excellent Performance for Dye-Sensitized Solar Cells. Chemistry of Materials, 2010, 22, 4392-4399.  | 6.7 | 39         |
| 105 | Electroluminescent main-chain copolymers containing phosphorescent benzimidazole-based iridium complexes as copolymerization backbone units or dopants. Polymer Chemistry, 2010, 1, 494-505.   | 3.9 | 17         |
| 106 | Correlation between Exciton Lifetime Distribution and Morphology of Bulk Heterojunction Films after Solvent Annealing. Journal of Physical Chemistry C, 2010, 114, 9062-9069.  | 3.1 | 29         |
| 107 | Novel Supramolecular Side-Chain Banana-Shaped Liquid Crystalline Polymers Containing Covalentand Hydrogen-Bonded Bent Cores. Macromolecules, 2010, 43, 1277-1288.  | 4.8 | 20         |
| 108 | Efficient bilayer polymer solar cells possessing planar mixed-heterojunction structures. Journal of Materials Chemistry, 2010, 20, 3295.   | 6.7 | 43         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 109 | Mesogenic Schiff base esters with benzothiazole core: synthesis and phase transition studies. Phase Transitions, 2010, 83, 195-204.   | 1.3 | 14        |
| 110 | Soluble narrowâ€bandâ€gap copolymers containing novel cyclopentadithiophene units for organic photovoltaic cell applications. Journal of Polymer Science Part A, 2009, 47, 2073-2092.   | 2.3 | 48        |
| 111 | Study of supramolecular sideâ€chain and crossâ€linking polymers by complexation of various Hâ€donor acids with Hâ€acceptor copolymers containing pendent carbazole and fluorescent pyridyl units. Journal of Polymer Science Part A, 2009, 47, 2734-2753.                           | 2.3 | 17        |
| 112 | Selfâ€assembly of Hâ€bonded sideâ€chain and crossâ€linking copolymers containing diblockâ€copolymeric donors and single/double Hâ€bonded lightâ€emitting acceptors. Journal of Polymer Science Part A, 2009, 47, 4685-4702.   | 2.3 | 12        |
| 113 | Supramolecular assembly of Hâ€bonded sideâ€chain polymers containing conjugated pyridyl Hâ€acceptor pendants and various lowâ€bandâ€gap Hâ€donor dyes bearing cyanoacrylic acid groups for organic solar cell applications. Journal of Polymer Science Part A, 2009, 47, 5998-6013. | 2.3 | 16        |
| 114 | Highly branched green phosphorescent tris-cyclometalated iridium(III) complexes for solution-processed organic light-emitting diodes. Organic Electronics, 2009, 10, 594-606.   | 2.6 | 27        |
| 115 | Efficient bulk heterjunction solar cells based on a low-bandgap polyfluorene copolymers and fullerene derivatives. Organic Electronics, 2009, 10, 1109-1115.  | 2.6 | 15        |
| 116 | Synthesis, characterization, and photophysics of electroluminescent fluorene/dibenzothiophene- and fluorene/dibenzothiophene-S,S-dioxide-based main-chain copolymers bearing benzimidazole-based iridium complexes as backbones or dopants. Polymer, 2009, 50, 5945-5958.           | 3.8 | 23        |
| 117 | Configuration Effects of H-Bonded Sites and Rigid Core Lengths on H-Bonded Banana-Shaped Liquid Crystalline Supramolecules Consisting of Symmetric Trimers and Asymmetric Heterodimers. Journal of Physical Chemistry B, 2009, 113, 14648-14660.                                    | 2.6 | 22        |
| 118 | Tunable Novel Cyclopentadithiophene-Based Copolymers Containing Various Numbers of Bithiazole and Thienyl Units for Organic Photovoltaic Cell Applications. Macromolecules, 2009, 42, 3681-3693.  | 4.8 | 99        |
| 119 | An Unprecedentedly Huge Square-Grid Copper(II)â°'Organic Framework Material Built from a Bulky Pyrene-Derived Elongated Cross-Shaped Scaffold. Inorganic Chemistry, 2009, 48, 8650-8652.  | 4.0 | 22        |
| 120 | Mesogenic Schiff's base ether with dimethylamino end group. Phase Transitions, 2009, 82, 387-397.   | 1.3 | 32        |
| 121 | Heterocyclic benzothiazole-based liquid crystals: synthesis and mesomorphic properties. Liquid Crystals, 2009, 36, 917-925.   | 2.2 | 48        |
| 122 | Enhanced photovoltaic performance by synergism of light-cultivation and electronic localization for highly efficient dye-sensitized solar cells. Journal of Materials Chemistry, 2009, 19, 7036.  | 6.7 | 42        |
| 123 | Synthesis and Mesomorphic Properties of 2-(4-Alkyloxyphenyl)benzothiazoles. Molecular Crystals and Liquid Crystals, 2009, 506, 56-70.   | 0.9 | 24        |
| 124 | Supramolecular assembly of H-bonded copolymers/complexes/nanocomposites and fluorescence quenching effects of surface-modified gold nanoparticles on fluorescent copolymers containing pyridyl H-acceptors and acid H-donors. Journal of Materials Chemistry, 2009, 19, 4753.       | 6.7 | 16        |
| 125 | Novel narrowâ€bandâ€gap conjugated copolymers containing phenothiazineâ€arylcyanovinyl units for organic photovoltaic cell applications. Journal of Polymer Science Part A, 2008, 46, 4285-4304.  | 2.3 | 29        |
| 126 | Green phosphorescent iridium dendrimers containing dendronized benzoimidazole-based ligands for OLEDs. Organic Electronics, 2008, 9, 557-568.   | 2.6 | 32        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 127 | Study of Supramolecular Side-Chain Copolymers Containing Light-Emitting H-Acceptors and Electron-Transporting Dendritic H-Donors. Macromolecules, 2008, 41, 9692-9703.  | 4.8 | 33        |
| 128 | 5.4: Improvement of Fast Response LC Materials by Bent-Core Dopants in Optical Compensated Bend (OCB) Mode Liquid Crystal Displays. Digest of Technical Papers SID International Symposium, 2008, 39, 40.   | 0.3 | 1         |
| 129 | Metallo-homopolymer and metallo-copolymers containing light-emitting poly(fluorene/ethynylene/(terpyridyl)zinc(II)) backbones and 1,3,4-oxadiazole (OXD) pendants. Polymer, 2007, 48, 5268-5278.  | 3.8 | 29        |
| 130 | Synthesis and characterization of light-emitting main-chain metallo-polymers containing bis-terpyridyl ligands with various lateral substituents. Journal of Polymer Science Part A, 2007, 45, 3243-3255.   | 2.3 | 53        |
| 131 | Synthesis and characterization of liquid crystalline sideâ€chain block copolymers containing luminescent 4,4′â€bis(biphenyl)fluorene pendants. Journal of Polymer Science Part A, 2007, 45, 4564-4572.  | 2.3 | 7         |
| 132 | Novel Self-Assembled Metallo-Homopolymers and Metallo-alt-copolymer Containing Terpyridyl Zinc(II) Moieties. Macromolecules, 2006, 39, 8559-8566.   | 4.8 | 85        |
| 133 | Synthesis and Characterization of Kinked and Hyperbranched Carbazole/Fluorene-Based Copolymers.<br>Macromolecules, 2006, 39, 7232-7240.   | 4.8 | 63        |
| 134 | H-Bonded Effects on Novel Supramolecular Dendrimers Containing Electron-Transporting Donor Dendrons and Single/Double H-Bonded Acceptor Emitters. Macromolecules, 2006, 39, 7985-7997.  | 4.8 | 24        |
| 135 | Synthesis and Characterization of Poly(fluorene)-Based Copolymers Containing Various 1,3,4-Oxadiazole Dendritic Pendants. Macromolecules, 2006, 39, 4298-4305.  | 4.8 | 78        |
| 136 | Synthesis and Characterization of Light-Emitting H-Bonded Complexes and Polymers Containing Bis(pyridyl) Emitting Acceptors. Macromolecules, 2006, 39, 557-568.   | 4.8 | 40        |
| 137 | Novel red and white PLED devices consisting of PVK blended with blue-emitting fluorene derivatives and carbazole dopants. Synthetic Metals, 2006, 156, 1155-1160.   | 3.9 | 13        |
| 138 | Synthesis and characterization of light-emitting oligo(p-phenylene-vinylene)s and polymeric derivatives containing three- and five-conjugated phenylene rings. II. Electro-optical properties and optimization of PLED performance. Journal of Polymer Science Part A, 2006, 44, 2922-2936. | 2.3 | 8         |
| 139 | Synthesis and characterization of liquid-crystalline block copolymers with cyanoterphenyl moieties by atom transfer radical polymerization. Journal of Polymer Science Part A, 2006, 44, 4593-4602.   | 2.3 | 13        |
| 140 | Synthesis and characterization of poly(fluorene-co-alt-phenylene) containing 1,3,4-oxadiazole dendritic pendants. Journal of Polymer Science Part A, 2006, 44, 6765-6774.   | 2.3 | 36        |
| 141 | Synthesis and characterization of light-emitting oligo(p-phenylene-vinylene)s and polymeric derivatives containing three- and five-conjugated phenylene rings. Journal of Polymer Science Part A, 2006, 44, 783-800.  | 2.3 | 19        |
| 142 | Star-like fluorene based polyamines: non-conjugated building blocks for light-harvesting materials. Tetrahedron, 2006, 62, 3517-3522.   | 1.9 | 22        |
| 143 | Synthesis and Characterization of Rodâ^'Coil Polymers Based on Poly(ethylene oxide)s and Novel Luminescent Aromatic Cores. Macromolecules, 2006, 39, 3808-3816.   | 4.8 | 25        |
| 144 | Synthesis and characterization of alternating fluorene-based copolymers containing diaryl- and non-substituted bithiophene units. Polymer, 2005, 46, 9810-9820.   | 3.8 | 21        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 145 | Synthesis and characterization of H-bonded side-chain and crosslinking LC polymers containing donor/acceptor homopolymers and copolymers. Polymer, 2005, 46, 12146-12157.       | 3.8 | 23        |
| 146 | Synthesis and characterization of poly(fluorene)-based copolymers containing various 1,3,4-oxadiazole pendants. Journal of Polymer Science Part A, 2005, 43, 2700-2711.         | 2.3 | 33        |
| 147 | Effect of polar substituents on the properties of 1,3,4-oxadiazole-based liquid crystalline materials containing asymmetric cores. Liquid Crystals, 2004, 31, 831-840.          | 2.2 | 58        |
| 148 | Novel Alternating Fluorene-Based Conjugated Polymers Containing Oxadiazole Pendants with Various Terminal Groups. Macromolecules, 2004, 37, 7945-7954.                          | 4.8 | 80        |
| 149 | Synthesis and Secondâ€Order Nonlinearities of Chiral Prolinolâ€Substituted Chromophores. Journal of the Chinese Chemical Society, 2004, 51, 487-492.                            | 1.4 | 2         |
| 150 | H-Bonded effects on supramolecular liquid crystalline trimers containing photoluminescent cores. Journal of Materials Chemistry, 2001, 11, 2958-2965.                           | 6.7 | 23        |
| 151 | Novel synthesis of liquid crystalline compounds of 5-substituted 2-(4-alkylphenyl)pyridines. Tetrahedron Letters, 2001, 42, 2177-2179.  | 1.4 | 15        |
| 152 | Positional and Charged Effects of Heterocyclic N Atoms on Mesogenic Properties of Stilbazoles and Analogous N-Oxides. Molecular Crystals and Liquid Crystals, 2000, 339, 55-71. | 0.3 | 3         |
| 153 | Synthesis and mesogenic properties of azo-dye liquid crystals. Liquid Crystals, 2000, 27, 707-709.  | 2.2 | 17        |
| 154 | Fused-ring and linking group effects of proton donors and acceptors on simple H-bonded liquid crystals. Liquid Crystals, 2000, 27, 1103-1112.                                   | 2.2 | 17        |
| 155 | Supramolecular liquid crystals containing isoquinoline hydrogen-bonded acceptors. Liquid Crystals, 1999, 26, 613-618.   | 2.2 | 28        |
| 156 | Synthesis and second-order nonlinearities of sulfonyl-substituted pyrrole imino dyes. Tetrahedron Letters, 1999, 40, 2157-2160.   | 1.4 | 31        |
| 157 | Hydrothermal synthesis of nonlinear optical potassium niobate ceramic powder. Materials Letters, 1998, 34, 172-176.   | 2.6 | 104       |
| 158 | Preliminary communication Properties of nonlinear supramolecular liquid crystals containing thiophenedicarboxylic acids. Liquid Crystals, 1998, 25, 277-283.                    | 2.2 | 15        |
| 159 | Preliminary communication - The effects of bending sites on unconventionally shaped hydrogen-bonded liquid crystals. Liquid Crystals, 1998, 24, 315-323.                        | 2.2 | 17        |
| 160 | Supramolecular Side-Chain Liquid Crystalline Polymers with Various Kinked Pendant Groups. Macromolecules, 1998, 31, 7298-7311.  | 4.8 | 24        |
| 161 | Preliminary communication A novel class of heterocyclic liquid crystals with broad smectic C phase. Liquid Crystals, 1997, 22, 661-667.   | 2.2 | 21        |
| 162 | Synthesis and Characterization of Liquid Crystalline Molecules Containing the Quinoline Unit. Molecular Crystals and Liquid Crystals, 1996, 287, 177-181.                       | 0.3 | 64        |

## Hong-Cheu Lin

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Synthesis of sulfone-substituted thiophene chromophores for second-order nonlinear optics. Tetrahedron Letters, 1996, 37, 7279-7282.  | 1.4 | 36        |
| 164 | Synthesis and Characterization of ASnOAsO $<$ sub $>4sub>(A = K and Rb). Journal of the Chinese Chemical Society, 1995, 42, 913-918.$ | 1.4 | 3         |
| 165 | A Superficial new Solid-State Synthesis of SnO2 for High-Performance and Stable Perovskite Solar Cells. , 0, , .                      |     | 0         |