Andrea Temperini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1773983/publications.pdf

Version: 2024-02-01

172457 265206 2,503 103 29 42 citations g-index h-index papers 128 128 128 1607 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|------------------|-------------|
| 1 | (Phenylseleno)acetic acid based precursor for the regiospecific synthesis of 1-phenylseleno-2-alkanones*. Synthetic Communications, 2022, 52, 1318-1325. | 2.1 | 0 |
| 2 | Metal-Free Hyperbaric Multicomponent Approach to 4-Aryl [2.2] Paracyclophanes. Polycyclic Aromatic Compounds, 2021, 41, 1067-1076. | 2.6 | 3 |
| 3 | Metalâ€Free Synthesis of Alkyl Phenyl Selenides by Reaction of Activated Alcohols with the Oâ€(tertâ€) Tj ETQq1 | 1 0.78431 1.5 | 4 rgBT /Ove |
| 4 | A straightforward synthesis of functionalized 6 <i>H</i> -benzo[<i>c</i>)chromenes from 3-alkenyl chromenes by intermolecular Diels–Alder/aromatization sequence. Organic and Biomolecular Chemistry, 2021, 19, 10359-10375. | 2.8 | 3 |
| 5 | Chemoselective and metal-free reduction of $\hat{l}\pm,\hat{l}^2$ -unsaturated ketones by <i>in situ</i> produced benzeneselenol from <i>O</i> -(<i>tert</i> -butyl) Se-phenyl selenocarbonate. RSC Advances, 2020, 10, 33706-33717. | 3.6 | 6 |
| 6 | O-(tert-butyl) Se-phenyl selenocarbonate: A convenient, bench-stable and metal-free precursor of benzeneselenol. Tetrahedron, 2020, 76, 131311. | 1.9 | 11 |
| 7 | 2,3-Diaminopropanols Obtained from d-Serine as Intermediates in the Synthesis of Protected 2,3-l-Diaminopropanoic Acid (l-Dap) Methyl Esters. Molecules, 2020, 25, 1313. | 3.8 | 9 |
| 8 | Reductive Etherification of Aldehydes and Ketones with Alcohols and Triethylsilane Catalysed by Yb(OTf) 3: an Efficient Oneâ€Pot Benzylation of Alcohols. Advanced Synthesis and Catalysis, 2019, 361, 4527-4539. | 4.3 | 10 |
| 9 | Tumor Targeting by Peptide-Decorated Gold Nanoparticles. Molecular Pharmaceutics, 2019, 16, 2430-2444. | 4.6 | 37 |
| 10 | Scalable Multicomponent Synthesis of (Hetero)arylâ€Substituted Phenyls: Focus on Metalâ€Free Halogenated Biaryls, 3â€Arylindoles, and Isourolithine A Synthesis. European Journal of Organic Chemistry, 2019, 2019, 7711-7719. | 2.4 | 4 |
| 11 | Transition Metal-free Approaches to Biaryls. Current Organic Chemistry, 2019, 22, 2537-2554. | 1.6 | 11 |
| 12 | Exploration of synthetic strategies for the stereoselective preparation of novel tetrahydrofuran-containing biaryls: A high-pressure promoted Diels-Alder approach. Tetrahedron, 2018, 74, 6534-6543. | 1.9 | 13 |
| 13 | Tripodal tris-disulfides as capping agents for a controlled mixed functionalization of gold nanoparticles. New Journal of Chemistry, 2018, 42, 16436-16440. | 2.8 | 13 |
| 14 | Recent advances in chemoselective acylation of amines. Tetrahedron Letters, 2018, 59, 2615-2621. | 1.4 | 25 |
| 15 | General, Mild, and Metal-Free Synthesis of Phenyl Selenoesters from Anhydrides and Their Use in Peptide Synthesis. Journal of Organic Chemistry, 2017, 82, 4588-4603. | 3.2 | 66 |
| 16 | Sequestering ability to Cu2+ of a new bodipy-based dye and its behavior as in vitro fluorescent sensor. Journal of Inorganic Biochemistry, 2017, 167, 116-123. | 3.5 | 2 |
| 17 | Isopropenyl acetate: A cheap and general acylating agent of alcohols under metal-free conditions. Tetrahedron Letters, 2017, 58, 4051-4053. | 1.4 | 9 |
| 18 | Highâ€Pressureâ€Promoted Multicomponent and Metalâ€Free Synthesis of Polyfunctionalized Biaryls. European Journal of Organic Chemistry, 2017, 2017, 5370-5377. | 2.4 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Toward Customized Tetrahydropyran Derivatives through Regioselective αâ€Lithiation and Functionalization of 2â€Phenyltetrahydropyran. European Journal of Organic Chemistry, 2016, 2016, 3157-3161. | 2.4 | 12 |
| 20 | Front Cover: Toward Customized Tetrahydropyran Derivatives through Regioselective \hat{I} ±-Lithiation and Functionalization of 2-Phenyltetrahydropyran (Eur. J. Org. Chem. 19/2016). European Journal of Organic Chemistry, 2016, 2016, 3130-3130. | 2.4 | 0 |
| 21 | New access to 4-aryl[2,2]paracyclophanes by high-pressure Diels–Alder reaction. Tetrahedron Letters, 2016, 57, 917-919. | 1.4 | 10 |
| 22 | Stereoselective Synthesis of Substituted Tetrahydropyrans and Isochromans by Cyclization of Phenylseleno Alcohols. Journal of Organic Chemistry, 2015, 80, 8102-8112. | 3.2 | 21 |
| 23 | A unified strategy for the synthesis of three conicol marine natural products. Tetrahedron, 2015, 71, 3253-3262. | 1.9 | 29 |
| 24 | Bioassay-guided fractionation of Euphrasia pectinata Ten. and isolation of iridoids with antiproliferative activity. Phytochemistry Letters, 2015, 12, 252-256. | 1.2 | 9 |
| 25 | Magnesium bis (monoperoxyphthalate) hexahydrate as mild and efficient oxidant for the synthesis of selenones. Beilstein Journal of Organic Chemistry, 2014, 10, 1267-1271. | 2.2 | 9 |
| 26 | Stereoselective Synthesis of Dithia[3.3]cyclophane <i>S</i> , <i>S′</i> êDioxides with Planar and Central Chirality. European Journal of Organic Chemistry, 2014, 2014, 2099-2104. | 2.4 | 18 |
| 27 | Synthesis of <scp>d</scp> - <i>erythro</i> -Sphinganine through Serine-Derived α-Amino Epoxides. Journal of Organic Chemistry, 2014, 79, 5320-5326. | 3.2 | 32 |
| 28 | Intramolecular Displacement of Phenylselenone by a Hydroxy Group: Stereoselective Synthesis of 2-Substituted Tetrahydrofurans. Organic Letters, 2013, 15, 3906-3909. | 4.6 | 23 |
| 29 | Synthesis of enantiopure sugar-decorated six-armed triptycene derivatives. Beilstein Journal of Organic Chemistry, 2013, 9, 2410-2416. | 2.2 | 6 |
| 30 | High-Pressure-Promoted Diels–Alder Approach to Biaryls: Application to the Synthesis of the Cannabinols Family. Journal of Organic Chemistry, 2012, 77, 7923-7931. | 3.2 | 24 |
| 31 | N-(Phenylselenomethyl)phthalimide as new reagent for mild protection of alcohols as Pim-ethers. Tetrahedron Letters, 2012, 53, 2709-2711. | 1.4 | 12 |
| 32 | Regio―and Stereocontrolled Synthesis of (<i>Z</i>)â€Î±â€(Phenylseleno)sulfinyl and â€sulfonyl Alkenes via Sulfenic Acids, and a Study of their Reactivity. European Journal of Organic Chemistry, 2011, 2011, 5668-5673. | 2.4 | 17 |
| 33 | MOM-, MEM- and SEM-phenyl selenides as reagents for the protection of alcohols as alkoxymethyl ethers. Tetrahedron Letters, 2011, 52, 3179-3182. | 1.4 | 12 |
| 34 | Stereoselective Synthesis of \hat{l}^2 sup>3-Amino Acids and \hat{l}^2 -Oligopeptides Promoted by Organoselenium Intermediates. Phosphorus, Sulfur and Silicon and the Related Elements, 2011, 186, 1137-1143. | 1.6 | 1 |
| 35 | A reasonably stereospecific multistep conversion of Boc-protected \hat{l} ±-amino acids to Phth-protected \hat{l}^2 3-amino acids. Tetrahedron Letters, 2010, 51, 4121-4124. | 1.4 | 17 |
| 36 | A simple acylation of thiols with anhydrides. Tetrahedron Letters, 2010, 51, 5368-5371. | 1.4 | 22 |

3

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | 2-(Phenylseleno)-1,4-dioxane as a Convenient Reagent for the Selective ÂProtection of Alcohols as 1,4-Dioxan-2-yl Ethers. Synlett, 2009, 2009, 2429-2432. | 1.8 | 10 |
| 38 | Stereospecific Synthesis of β ³ â€Amino Acid Derivatives from Propargylic Alcohols: Efficient Solutionâ€Phase Synthesis of Oligopeptides without Coupling Agents. Chemistry - A European Journal, 2009, 15, 7883-7895. | 3.3 | 17 |
| 39 | Additive-Free Chemoselective Acylation of Amines. Synthetic Communications, 2009, 40, 295-302. | 2.1 | 25 |
| 40 | Novel Stereoselective Synthesis of (R)-3-Aminotetradecanoic Acid (Iturinic Acid). Letters in Organic Chemistry, 2009, 6, 22-24. | 0.5 | 6 |
| 41 | Synthesis of enantiomerically enriched \hat{l}^2 -hydroxy selenides by catalytic asymmetric ring opening of meso-epoxides with (phenylseleno)silanes. Tetrahedron, 2008, 64, 3337-3342. | 1.9 | 41 |
| 42 | Stereocontrolled synthesis of substituted N-arenesulfonyl azetidines from \hat{I}^3 -(phenylseleno)alkyl arylsulfonamides. Organic and Biomolecular Chemistry, 2007, 5, 3510. | 2.8 | 33 |
| 43 | Intramolecular addition of carbon radicals to aldehydes: synthesis of enantiopure tetrahydrofuran-3-ols. Tetrahedron, 2007, 63, 5482-5489. | 1.9 | 25 |
| 44 | Synthesis of enantiomerically pure \hat{l}^2 -azidoselenides starting from natural terpenes. Tetrahedron, 2007, 63, 12373-12378. | 1.9 | 21 |
| 45 | Selenium promoted synthesis of enantiopure pyrrolidines starting from chiral aminoalcohols. Tetrahedron: Asymmetry, 2007, 18, 2758-2767. | 1.8 | 39 |
| 46 | A simple synthesis of (R)-3-aminooctanoic acid (D-BAOA) from (S)-1-octyn-3-ol. Tetrahedron Letters, 2007, 48, 4343-4345. | 1.4 | 9 |
| 47 | Organoselenium mediated asymmetric cyclizations. Synthesis of enantiomerically pure 1,6-dioxaspiro[4.4]nonanes. Tetrahedron: Asymmetry, 2006, 17, 2768-2774. | 1.8 | 24 |
| 48 | Intramolecular Nonbonding Interactions between Selenium and Sulfur – Spectroscopic Evidence and Importance in Asymmetric Synthesis. European Journal of Organic Chemistry, 2006, 2006, 4867-4873. | 2.4 | 39 |
| 49 | Synthesis of \hat{I}^3 - and \hat{I} -Lactones from Alkynols. Synlett, 2006, 2006, 0587-0590. | 1.8 | 11 |
| 50 | Enantioselective synthesis of heterocyclic compounds mediated by organoselenium reagents. Arkivoc, 2006, 2006, 186-206. | 0.5 | 37 |
| 51 | Synthesis of enantiomerically pure perhydrofuro[2,3-b]furans. Tetrahedron: Asymmetry, 2005, 16, 2429-2435. | 1.8 | 19 |
| 52 | Synthesis of selenoxides by oxidation of selenides with superoxide radical anions and 2-nitrobenzenesulfonyl chloride. Tetrahedron Letters, 2005, 46, 5165-5168. | 1.4 | 12 |
| 53 | Conjugated Additions of Selenium Containing Enolates to Enones - Enantioselective Synthesis of ?-Oxo-?-Seleno Esters and Their Facile Transformations. European Journal of Organic Chemistry, 2005, 2005, 543-551. | 2.4 | 15 |
| 54 | A Chiral Electrophilic Selenium Reagent to Promote the Kinetic Resolution of Racemic Allylic Alcohols ChemInform, 2005, 36, no. | 0.0 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Conjugated Additions of Selenium Containing Enolates to Enones — Enantioselective Synthesis of Î-Oxo-α-Seleno Esters and Their Facile Transformations ChemInform, 2005, 36, no. | 0.0 | O |
| 56 | Short Synthesis of (R)- and (S)-4-Amino-3-hydroxybutyric Acid (GABOB) ChemInform, 2005, 36, no. | 0.0 | 0 |
| 57 | Synthesis of Selenoxides by Oxidation of Selenides with Superoxide Radical Anions and 2-Nitrobenzenesulfonyl Chloride ChemInform, 2005, 36, no. | 0.0 | 0 |
| 58 | Synthesis of Enantiomerically Pure Perhydrofuro [2,3-b] furans ChemInform, 2005, 36, no. | 0.0 | 0 |
| 59 | Short Synthesis of (R)- and (S)-4-Amino-3-Hydroxybutyric Acid (GABOB). Synthesis, 2005, 2005, 579-582. | 2.3 | 15 |
| 60 | Kinetic Resolution of Allylic Alcohols Promoted by Electrophilic Selenium Reagents. Phosphorus, Sulfur and Silicon and the Related Elements, 2005, 180, 1071-1075. | 1.6 | 8 |
| 61 | Asymmetric Syntheses Promoted by Organoselenium Reagents. Phosphorus, Sulfur and Silicon and the Related Elements, 2005, 180, 729-740. | 1.6 | 22 |
| 62 | Synthesis of enantiomerically pure substituted tetrahydrofurans from epoxides and phenylselenium reagents. Tetrahedron: Asymmetry, 2004, 15, 405-412. | 1.8 | 34 |
| 63 | Asymmetric aldol reactions from titanium enolates of \hat{l}_{\pm} -seleno ketones and esters. Tetrahedron: Asymmetry, 2004, 15, 783-791. | 1.8 | 19 |
| 64 | Synthesis of SubstitutedSe-Phenyl Selenocarboxylates from Terminal Alkynes. European Journal of Organic Chemistry, 2004, 2004, 3447-3458. | 2.4 | 38 |
| 65 | Synthesis of Enantiomerically Pure Perhydrofuro[3,4-b]pyrans and Perhydrofuro[3,4-b]furans ChemInform, 2004, 35, no. | 0.0 | 0 |
| 66 | Synthesis of Substituted Se-Phenyl Selenocarboxylates from Terminal Alkynes ChemInform, 2004, 35, no. | 0.0 | 0 |
| 67 | Ring-Closure Reactions through Intramolecular Displacement of the Phenylselenonyl Group by Nitrogen Nucleophiles: A New Stereospecific Synthesis of N-Tosyl and N-Benzoyl-1,3-oxazolidin-2-ones from 1 ² -Hydroxyalkyl Phenyl Selenides. Chemistry - A European Journal, 2004, 10, 1752-1764. | 3.3 | 40 |
| 68 | Synthesis of enantiomerically pure perhydrofuro[3,4-b]pyrans and perhydrofuro[3,4-b]furans. Tetrahedron: Asymmetry, 2004, 15, 1949-1955. | 1.8 | 28 |
| 69 | A Chiral Electrophilic Selenium Reagent To Promote the Kinetic Resolution of Racemic Allylic Alcohols. Organic Letters, 2004, 6, 4751-4753. | 4.6 | 40 |
| 70 | Title is missing!. Angewandte Chemie, 2003, 115, 3239-3241. | 2.0 | 27 |
| 71 | Asymmetric Azidoselenenylation of Alkenes: A Key Step for the Synthesis of Enantiomerically Enriched Nitrogen-Containing Compounds ChemInform, 2003, 34, no. | 0.0 | 0 |
| 72 | Selenium-Promoted Synthesis of Enantiomerically Pure Substituted Morpholines Starting from Alkenes and Chiral Aminoalcohols ChemInform, 2003, 34, no. | 0.0 | 0 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Asymmetric Azidoselenenylation of Alkenes: A Key Step for the Synthesis of Enantiomerically Enriched Nitrogen-Containing Compounds. Angewandte Chemie - International Edition, 2003, 42, 3131-3133. | 13.8 | 120 |
| 74 | Synthesis of enantiomerically pure 1,4-dioxanes from alkenes promoted by organoselenium reagents. Tetrahedron: Asymmetry, 2003, 14, 1095-1102. | 1.8 | 32 |
| 75 | Selenium-promoted synthesis of enantiomerically pure substituted morpholines starting from alkenes and chiral aminoalcohols. Tetrahedron: Asymmetry, 2003, 14, 2651-2657. | 1.8 | 29 |
| 76 | Preparation of a New Chiral Non-Racemic Sulfur-Containing Diselenide and Applications in Asymmetric Synthesis. Chemistry - A European Journal, 2002, 8, 1118. | 3.3 | 114 |
| 77 | Asymmetric synthesis of thioamido selenides. A simple synthetic route to enantiopure thiazolines. Tetrahedron: Asymmetry, 2002, 13, 429-435. | 1.8 | 34 |
| 78 | A sulfur-containing diselenide as an efficient chiral reagent in asymmetric selenocyclization reactions. Tetrahedron: Asymmetry, 2001, 12, 1493-1502. | 1.8 | 45 |
| 79 | Optically active isoxazolidines and $1,3$ -amino alcohols by asymmetric selenocyclization reactions of O-allyl oximes. Tetrahedron: Asymmetry, 2001, 12, 3053-3059. | 1.8 | 44 |
| 80 | Efficient asymmetric selenocyclizations of alkenyl oximes into cyclic nitrones and 1,2-oxazines promoted by sulfur containing diselenides. Tetrahedron: Asymmetry, 2001, 12, 3297-3304. | 1.8 | 54 |
| 81 | Velnacrine thiaanalogues as potential agents for treating alzheimer's disease. Bioorganic and Medicinal Chemistry, 2001, 9, 2921-2928. | 3.0 | 16 |
| 82 | Oxidation of Diphenyl Diselenide with 2,3-Dichloro-5,6-dicyanobenzoquinone (DDQ). A New Method for the Electrophilic Phenylselenenylation of Alkenes under Mild Conditions. Synlett, 2001, 2001, 1767-1771. | 1.8 | 35 |
| 83 | Asymmetric Amidoselenenylation of Alkenes Promoted by Camphorselenenyl Sulfate: A Useful Synthetic Route to Enantiopure Oxazolines. European Journal of Organic Chemistry, 2000, 2000, 3451-3457. | 2.4 | 35 |
| 84 | Electrophilic 2-Thienylselenenylation of Thiophene. Preparation of Oligo(seleno-2,5-thienylenes). Tetrahedron, 2000, 56, 3255-3260. | 1.9 | 17 |
| 85 | Efficient asymmetric selenomethoxylation and selenohydroxylation of alkenes with a new sulfur containing chiral diselenide. Tetrahedron Letters, 2000, 41, 3241-3245. | 1.4 | 59 |
| 86 | New nitrogen containing chiral diselenides: synthesis and asymmetric addition reactions to olefins. Tetrahedron: Asymmetry, 2000, 11, 4645-4650. | 1.8 | 81 |
| 87 | Asymmetric oxyselenenylation–deselenenylation reactions of alkenes induced by camphor diselenide and ammonium persulfate. A convenient one-pot synthesis of enantiomerically enriched allylic alcohols and ethers. Tetrahedron: Asymmetry, 1999, 10, 747-757. | 1.8 | 49 |
| 88 | Selenium Promoted Stereospecific One-Pot Conversion Of Cinnamyl Derivatives Into Oxazoleses. A Simple Synthetic Route To Racemic Taxol Side Chain. Synthetic Communications, 1999, 29, 1773-1778. | 2.1 | 14 |
| 89 | Asymmetric Selenohydroxylation of Alkenes with Camphorselenenyl Sulfate. European Journal of Organic Chemistry, 1998, 1998, 2275-2277. | 2.4 | 21 |
| 90 | Asymmetric selenomethoxylation of alkenes with camphorselenenyl sulfate. Tetrahedron Letters, 1998, 39, 2809-2812. | 1.4 | 55 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Iodosobenzene Diacetate and Diphenyl Diselenide: An Electrophilic Selenenylating Agent of Double Bonds. Synthetic Communications, 1998, 28, 1769-1778. | 2.1 | 64 |
| 92 | Electrophilic Azido Selenenylation of Alkenes. A Simple Synthetic Route to Racemic Taxol Side Chain. Synthetic Communications, 1998, 28, 2167-2179. | 2.1 | 38 |
| 93 | One-Pot Conversion of Alkenes into Oxazolines and Oxazolidin-2-Ones Promoted by Diphenyl Diselenide. Synthetic Communications, 1997, 27, 4131-4140. | 2.1 | 20 |
| 94 | Phenylselenenyl sulfate induced cyclization of allylhydrazines. Synthesis of pyrazole derivatives. Tetrahedron, 1997, 53, 4441-4446. | 1.9 | 22 |
| 95 | Pyrrolidinamine, piperidinamine and tetrahydropyridazine derivatives from selenium promoted cyclization of alkenyl phenylhydrazones. Tetrahedron, 1997, 53, 7311-7318. | 1.9 | 23 |
| 96 | Factors controlling the selenium-induced cyclizations of alkenyl hydrazines to pyridazine or pyrrolidinamine derivatives. Tetrahedron, 1997, 53, 10591-10602. | 1.9 | 21 |
| 97 | Intramolecular Nucleophilic Deselenenylation Reactions Promoted by Benzeneselenenyl Triflate. Stereospecific Synthesis of Vicinal Amino Alcohol Precursors. Journal of Organic Chemistry, 1996, 61, 7085-7091. | 3.2 | 37 |
| 98 | Selenium Catalyzed Conversion of d-Phenyl-g-alkenyl Oximes into 2-Phenylpyridines. Heterocycles, 1996, 43, 2679. | 0.7 | 10 |
| 99 | Alkynyl phenyl selenides as convenient precursors for the synthesis of stereodefined trisubstituted alkenes. Tetrahedron, 1995, 51, 4691-4700. | 1.9 | 65 |
| 100 | A Useful Preparation of S-Phenyl Carbothioates, Se-Phenyl Carboselenoates from Aldehydes and Mixed (O, S; O, Se) Acetals from Dialkyl Ethers. Synlett, 1995, 1995, 1129-1130. | 1.8 | 28 |
| 101 | 7-(Disubstituted thiazolyl)-3,5-dihydroxy-6-heptenoic/heptanoic acid derivatives as HMG-COa reductase inhibitors. Bioorganic and Medicinal Chemistry, 1994, 2, 799-806. | 3.0 | 0 |
| 102 | Substituted azides from selenium-promoted deselenenylation of azido selenides. Glycosylation reactions of protected 2-azido-2-deoxy-1-selenoglycopyranoses. Journal of the Chemical Society Chemical Communications, 1994, , 1883. | 2.0 | 37 |
| 103 | Novel azido-phenylselenenylation of double bonds. Evidence for a free-radical process. Journal of Organic Chemistry, 1991, 56, 6809-6813. | 3.2 | 119 |