

# Andre Aleman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/177921/publications.pdf>

Version: 2024-02-01

168  
papers

7,177  
citations

66343

42  
h-index

74163

75  
g-index

174  
all docs

174  
docs citations

174  
times ranked

10080  
citing authors

#	ARTICLE	IF	CITATIONS
1	Evidence-based guidelines on the therapeutic use of repetitive transcranial magnetic stimulation (rTMS): An update (2014–2018). <i>Clinical Neurophysiology</i> , 2020, 131, 474-528.	1.5	1,017
2	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. <i>Translational Psychiatry</i> , 2020, 10, 100.	4.8	365
3	Strange feelings: Do amygdala abnormalities dysregulate the emotional brain in schizophrenia?. <i>Progress in Neurobiology</i> , 2005, 77, 283-98.	5.7	231
4	White matter disturbances in major depressive disorder: a coordinated analysis across 20 international cohorts in the ENIGMA MDD working group. <i>Molecular Psychiatry</i> , 2020, 25, 1511-1525.	7.9	218
5	Efficacy of Slow Repetitive Transcranial Magnetic Stimulation in the Treatment of Resistant Auditory Hallucinations in Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 416-421.	2.2	211
6	Interaction of language, auditory and memory brain networks in auditory verbal hallucinations. <i>Progress in Neurobiology</i> , 2017, 148, 1-20.	5.7	169
7	Brain Networks Subserving Emotion Regulation and Adaptation after Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 1-9.	3.4	161
8	Circulating insulin-like growth factor I and cognitive function: Neuromodulation throughout the lifespan. <i>Progress in Neurobiology</i> , 2009, 89, 256-265.	5.7	151
9	Secondary negative symptoms – A review of mechanisms, assessment and treatment. <i>Schizophrenia Research</i> , 2017, 186, 29-38.	2.0	137
10	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021, 26, 5124-5139.	7.9	136
11	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 47.	11.0	136
12	Efficacy of non-invasive brain stimulation on cognitive functioning in brain disorders: a meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 2465-2486.	4.5	135
13	Treatment of negative symptoms: Where do we stand, and where do we go?. <i>Schizophrenia Research</i> , 2017, 186, 55-62.	2.0	131
14	Relationship between cognition, clinical and cognitive insight in psychotic disorders: A review and meta-analysis. <i>Schizophrenia Research</i> , 2014, 152, 191-200.	2.0	127
15	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. <i>Translational Psychiatry</i> , 2020, 10, 172.	4.8	121
16	Primary and persistent negative symptoms: Concepts, assessments and neurobiological bases. <i>Schizophrenia Research</i> , 2017, 186, 19-28.	2.0	110
17	Use of Repetitive Transcranial Magnetic Stimulation for Treatment in Psychiatry. <i>Clinical Psychopharmacology and Neuroscience</i> , 2013, 11, 53-59.	2.0	107
18	Moderate effects of noninvasive brain stimulation of the frontal cortex for improving negative symptoms in schizophrenia: Meta-analysis of controlled trials. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 89, 111-118.	6.1	106

#	ARTICLE	IF	CITATIONS
19	Brain mechanisms in religion and spirituality: An integrative predictive processing framework. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 73, 359-378.	6.1	102
20	Distinct associations of insula and cingulate volume with the cognitive and affective dimensions of alexithymia. <i>Neuropsychologia</i> , 2014, 53, 284-292.	1.6	92
21	Unique and Overlapping Symptoms in Schizophrenia Spectrum and Dissociative Disorders in Relation to Models of Psychopathology: A Systematic Review. <i>Schizophrenia Bulletin</i> , 2017, 43, 108-121.	4.3	89
22	Neural correlates of apathy in patients with neurodegenerative disorders, acquired brain injury, and psychiatric disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 69, 381-401.	6.1	81
23	Brain structural abnormalities in obesity: relation to age, genetic risk, and common psychiatric disorders. <i>Molecular Psychiatry</i> , 2021, 26, 4839-4852.	7.9	76
24	Prevalence Rate and Risk Factors of Victimization in Adult Patients With a Psychotic Disorder: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2019, 45, 114-126.	4.3	73
25	Neural Correlates of Emotion Regulation in Patients with Schizophrenia and Non-Affected Siblings. <i>PLoS ONE</i> , 2014, 9, e99667.	2.5	69
26	Neurobiological Divergence of the Positive and Negative Schizophrenia Subtypes Identified on a New Factor Structure of Psychopathology Using Non-negative Factorization: An International Machine Learning Study. <i>Biological Psychiatry</i> , 2020, 87, 282-293.	1.3	68
27	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019, 86, 545-556.	1.3	67
28	Connectomics and Neuroticism: An Altered Functional Network Organization. <i>Neuropsychopharmacology</i> , 2015, 40, 296-304.	5.4	65
29	Sex Differences in Neural Activation to Facial Expressions Denoting Contempt and Disgust. <i>PLoS ONE</i> , 2008, 3, e3622.	2.5	65
30	Subcortical shape alterations in major depressive disorder: Findings from the ENIGMA major depressive disorder working group. <i>Human Brain Mapping</i> , 2022, 43, 341-351.	3.6	64
31	Voxel-based gray and white matter morphometry correlates of hallucinations in schizophrenia: The superior temporal gyrus does not stand alone. <i>NeuroImage: Clinical</i> , 2014, 4, 249-257.	2.7	62
32	An integrated network model of psychotic symptoms. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 59, 238-250.	6.1	61
33	Insight and psychosis: Functional and anatomical brain connectivity and self-reflection in schizophrenia. <i>Human Brain Mapping</i> , 2015, 36, 4859-4868.	3.6	55
34	The ice in voices: Understanding negative content in auditory-verbal hallucinations. <i>Clinical Psychology Review</i> , 2019, 67, 1-10.	11.4	54
35	Filling the Gap: Relationship Between the Serotonin-Transporter-Linked Polymorphic Region and Amygdala Activation. <i>Psychological Science</i> , 2014, 25, 2058-2066.	3.3	52
36	Differential Patterns of Dysconnectivity in Mirror Neuron and Mentalizing Networks in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2016, 42, 1135-1148.	4.3	51

#	ARTICLE	IF	CITATIONS
37	A manual-based individual therapy to improve metacognition in schizophrenia: protocol of a multi-center RCT. <i>BMC Psychiatry</i> , 2014, 14, 27.	2.6	49
38	Connectome-Based Predictive Modeling of Individual Anxiety. <i>Cerebral Cortex</i> , 2021, 31, 3006-3020.	2.9	49
39	Repetitive Transcranial Magnetic Stimulation over the Right Dorsolateral Prefrontal Cortex Disrupts Digit Span Task Performance. <i>Neuropsychobiology</i> , 2008, 57, 44-48.	1.9	48
40	Prefrontal NAA and Glx Levels in Different Stages of Psychotic Disorders: a 3T 1H-MRS Study. <i>Scientific Reports</i> , 2016, 6, 21873.	3.3	48
41	Association between Cognition and Serum Insulin-Like Growth Factor-1 in Middle-Aged & Older Men: An 8 Year Follow-Up Study. <i>PLoS ONE</i> , 2016, 11, e0154450.	2.5	47
42	Short and Long Term Effects of Left and Bilateral Repetitive Transcranial Magnetic Stimulation in Schizophrenia Patients with Auditory Verbal Hallucinations: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e108828.	2.5	44
43	Neural correlates of planning performance in patients with schizophrenia " Relationship with apathy. <i>Schizophrenia Research</i> , 2015, 161, 367-375.	2.0	44
44	Brain imaging, genetics and emotion. <i>Biological Psychology</i> , 2008, 79, 58-69.	2.2	43
45	Intrinsic Connectivity Patterns of Task-Defined Brain Networks Allow Individual Prediction of Cognitive Symptom Dimension of Schizophrenia and Are Linked to Molecular Architecture. <i>Biological Psychiatry</i> , 2021, 89, 308-319.	1.3	42
46	Practical Implications of Metacognitively Oriented Psychotherapy in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 713-716.	1.0	41
47	Brain activation during self- and other-reflection in bipolar disorder with a history of psychosis: Comparison to schizophrenia. <i>NeuroImage: Clinical</i> , 2015, 8, 202-209.	2.7	39
48	Alexithymia influences brain activation during emotion perception but not regulation. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 285-293.	3.0	39
49	Structure of the alexithymic brain: A parametric coordinate-based meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 87, 50-55.	6.1	38
50	Different shades of default mode disturbance in schizophrenia: Subnodal covariance estimation in structure and function. <i>Human Brain Mapping</i> , 2018, 39, 644-661.	3.6	38
51	Dissociable morphometric profiles of the affective and cognitive dimensions of alexithymia. <i>Cortex</i> , 2014, 54, 190-199.	2.4	35
52	Blunted feelings: Alexithymia is associated with a diminished neural response to speech prosody. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1108-1117.	3.0	33
53	Lower prefrontal activation during emotion regulation in subjects at ultrahigh risk for psychosis: an fMRI-study. <i>NPJ Schizophrenia</i> , 2015, 1, 15026.	3.6	33
54	Effects of low frequency rTMS treatment on brain networks for inner speech in patients with schizophrenia and auditory verbal hallucinations. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 78, 105-113.	4.8	33

#	ARTICLE	IF	CITATIONS
55	Altered frontalâ€œamygdala effective connectivity during effortful emotion regulation in bipolar disorder. <i>Bipolar Disorders</i> , 2018, 20, 349-358.	1.9	33
56	Trait self-reflectiveness relates to time-varying dynamics of resting state functional connectivity and underlying structural connectomes: Role of the default mode network. <i>NeuroImage</i> , 2020, 219, 116896.	4.2	33
57	The fragmented self: imbalance between intrinsic and extrinsic self-networks in psychotic disorders. <i>Lancet Psychiatry</i> , 2016, 3, 784-790.	7.4	32
58	Confirmatory Factor Analysis and Differential Relationships of the Two Subdomains of Negative Symptoms in Chronically Ill Psychotic Patients. <i>PLoS ONE</i> , 2016, 11, e0149785.	2.5	31
59	Glutamate in dorsolateral prefrontal cortex and auditory verbal hallucinations in patients with schizophrenia: A 1 H MRS study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 78, 132-139.	4.8	31
60	Associations Between Daily Affective Instability and Connectomics in Functional Subnetworks in Remitted Patients with Recurrent Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2017, 42, 2583-2592.	5.4	31
61	Open, randomized trial of the effects of aripiprazole versus risperidone on social cognition in schizophrenia. <i>European Neuropsychopharmacology</i> , 2014, 24, 575-584.	0.7	29
62	Alpha Power and Functional Connectivity in Cognitive Decline: A Systematic Review and Meta-Analysis. <i>Journal of Alzheimer's Disease</i> , 2020, 78, 1047-1088.	2.6	29
63	Functional parcellation of human and macaque striatum reveals human-specific connectivity in the dorsal caudate. <i>NeuroImage</i> , 2021, 235, 118006.	4.2	29
64	Cognitive Alexithymia Is Associated with the Degree of Risk for Psychosis. <i>PLoS ONE</i> , 2015, 10, e0124803.	2.5	27
65	Effect of Bilateral Prefrontal rTMS on Left Prefrontal NAA and Glx Levels in Schizophrenia Patients with Predominant Negative Symptoms: An Exploratory Study. <i>Brain Stimulation</i> , 2017, 10, 59-64.	1.6	27
66	Distinct temporal brain dynamics in bipolar disorder and schizophrenia during emotion regulation. <i>Psychological Medicine</i> , 2020, 50, 413-421.	4.5	27
67	Suicide in Recent Onset Psychosis Revisited: Significant Reduction of Suicide Rate over the Last Two Decades â€” A Replication Study of a Dutch Incidence Cohort. <i>PLoS ONE</i> , 2015, 10, e0129263.	2.5	26
68	A composite measure of cognitive and functional progression in Alzheimer's disease: Design of the Capturing Changes in Cognition study. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2017, 3, 130-138.	3.7	26
69	The silent danger of social distancing. <i>Psychological Medicine</i> , 2022, 52, 789-790.	4.5	26
70	Effect of rTMS on brain activation in schizophrenia with negative symptoms: A proof-of-principle study. <i>Schizophrenia Research</i> , 2015, 168, 475-482.	2.0	25
71	Differential relations of suicidality in depression to brain activation during emotional and executive processing. <i>Journal of Psychiatric Research</i> , 2018, 105, 78-85.	3.1	25
72	Brainâ€œbased ranking of cognitive domains to predict schizophrenia. <i>Human Brain Mapping</i> , 2019, 40, 4487-4507.	3.6	25

#	ARTICLE	IF	CITATIONS
73	I am Me: Brain systems integrate and segregate to establish a multidimensional sense of self. <i>NeuroImage</i> , 2020, 205, 116284.	4.2	25
74	CHANGES IN REGIONAL BRAIN ACTIVATION RELATED TO DEPRESSIVE STATE: A 2-YEAR LONGITUDINAL FUNCTIONAL MRI STUDY. <i>Depression and Anxiety</i> , 2016, 33, 35-44.	4.1	24
75	Longitudinal studies of functional magnetic resonance imaging in first-episode psychosis: A systematic review. <i>European Psychiatry</i> , 2019, 59, 60-69.	0.2	24
76	Self-Stigma and Its Relationship with Victimization, Psychotic Symptoms and Self-Esteem among People with Schizophrenia Spectrum Disorders. <i>PLoS ONE</i> , 2016, 11, e0149763.	2.5	24
77	Neural correlates of reward processing in healthy siblings of patients with schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 504.	2.0	23
78	Cortical and subcortical neuroanatomical signatures of schizotypy in 3004 individuals assessed in a worldwide ENIGMA study. <i>Molecular Psychiatry</i> , 2022, 27, 1167-1176.	7.9	22
79	Insight and emotion regulation in schizophrenia: A brain activation and functional connectivity study. <i>NeuroImage: Clinical</i> , 2018, 20, 762-771.	2.7	21
80	Interindividual variability of electric fields during transcranial temporal interference stimulation (tTIS). <i>Scientific Reports</i> , 2021, 11, 20357.	3.3	21
81	Neuroanatomical changes in people with high schizotypy: relationship to glutamate levels. <i>Psychological Medicine</i> , 2018, 48, 1880-1889.	4.5	20
82	Insights into hallucinations in schizophrenia: novel treatment approaches. <i>Expert Review of Neurotherapeutics</i> , 2011, 11, 1007-1015.	2.8	19
83	Associations between genetic risk, functional brain network organization and neuroticism. <i>Brain Imaging and Behavior</i> , 2017, 11, 1581-1591.	2.1	19
84	Assessing cognition and daily function in early dementia using the cognitive-functional composite: findings from the Catch-Cog study cohort. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 45.	6.2	19
85	ENIGMA's Sleep: Challenges, opportunities, and the road map. <i>Journal of Sleep Research</i> , 2021, 30, e13347.	3.2	19
86	Social-cognitive risk factors for violence in psychosis: A discriminant function analysis. <i>Psychiatry Research</i> , 2018, 265, 93-99.	3.3	18
87	Lower Choline and Myo-Inositol in Temporo-Parietal Cortex Is Associated With Apathy in Amnesic MCI. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 106.	3.4	18
88	Intrinsic mesocorticolimbic connectivity is negatively associated with social amotivation in people with schizophrenia. <i>Schizophrenia Research</i> , 2019, 208, 353-359.	2.0	18
89	A qualitative evaluation of the effects of Metacognitive Reflection and Insight Therapy: "Living more consciously"™. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020, 93, 223-240.	2.5	18
90	On the connection between level of education and the neural circuitry of emotion perception. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 866.	2.0	17

#	ARTICLE	IF	CITATIONS
91	Brain Activation During Emotional Memory Processing Associated with Subsequent Course of Depression. <i>Neuropsychopharmacology</i> , 2015, 40, 2454-2463.	5.4	17
92	Long-term course of negative symptom subdomains and relationship with outcome in patients with a psychotic disorder. <i>Schizophrenia Research</i> , 2018, 193, 173-181.	2.0	16
93	Effectiveness and cost-effectiveness of cognitive adaptation training as a nursing intervention in long-term residential patients with severe mental illness: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 49.	1.6	15
94	Functional network topology associated with apathy in Alzheimer's disease. <i>Journal of Affective Disorders</i> , 2020, 266, 473-481.	4.1	15
95	Religiosity in young adolescents with auditory vocal hallucinations. <i>Psychiatry Research</i> , 2016, 236, 158-164.	3.3	14
96	Patterns of schizophrenia symptoms: hidden structure in the PANSS questionnaire. <i>Translational Psychiatry</i> , 2018, 8, 237.	4.8	14
97	Joint Multi-modal Parcellation of the Human Striatum: Functions and Clinical Relevance. <i>Neuroscience Bulletin</i> , 2020, 36, 1123-1136.	2.9	14
98	Widespread white matter aberration is associated with the severity of apathy in amnesic Mild Cognitive Impairment: Tract-based spatial statistics analysis. <i>NeuroImage: Clinical</i> , 2021, 29, 102567.	2.7	14
99	Deficits in Degraded Facial Affect Labeling in Schizophrenia and Borderline Personality Disorder. <i>PLoS ONE</i> , 2016, 11, e0154145.	2.5	13
100	Predicting response to rTMS for auditory hallucinations: Younger patients and females do better. <i>Schizophrenia Research</i> , 2018, 195, 583-584.	2.0	13
101	Neurobiological substrates of the positive formal thought disorder in schizophrenia revealed by seed connectome-based predictive modeling. <i>NeuroImage: Clinical</i> , 2021, 30, 102666.	2.7	13
102	Differential Resting-State Connectivity Patterns of the Right Anterior and Posterior Dorsolateral Prefrontal Cortices (DLPFC) in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2018, 9, 211.	2.6	12
103	Real-Time Functional Magnetic Resonance Imaging Neurofeedback for the Relief of Distressing Auditory-Verbal Hallucinations: Methodological and Empirical Advances. <i>Schizophrenia Bulletin</i> , 2020, 46, 1409-1417.	4.3	12
104	Amygdala-prefrontal connectivity modulates loss aversion bias in anxious individuals. <i>NeuroImage</i> , 2020, 218, 116957.	4.2	12
105	Neural basis of positive and negative emotion regulation in remitted depression. <i>NeuroImage: Clinical</i> , 2022, 34, 102988.	2.7	12
106	Social-specific impairment of negative emotion perception in alexithymia. <i>Social Cognitive and Affective Neuroscience</i> , 2021, , .	3.0	11
107	Apathy is related to reduced activation in cognitive control regions during set-shifting. <i>Human Brain Mapping</i> , 2017, 38, 2722-2733.	3.6	10
108	DISC1 gene and affective psychopathology: A combined structural and functional MRI study. <i>Journal of Psychiatric Research</i> , 2015, 61, 150-157.	3.1	9

#	ARTICLE	IF	CITATIONS
109	Grey matter, an endophenotype for schizophrenia? A voxel-based morphometry study in siblings of patients with schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 207-213.	2.4	9
110	Altered functional connectivity during self- and close other-reflection in patients with bipolar disorder with past psychosis and patients with schizophrenia. <i>Neuropsychologia</i> , 2016, 93, 97-105.	1.6	9
111	BEATVIC, a body-oriented resilience training with elements of kickboxing for individuals with a psychotic disorder: study protocol of a multi-center RCT. <i>BMC Psychiatry</i> , 2016, 16, 227.	2.6	9
112	Association between prefrontal N-acetylaspartate and insight in psychotic disorders. <i>Schizophrenia Research</i> , 2017, 179, 112-118.	2.0	9
113	Effects of bilateral prefrontal rTMS on brain activation during social-emotional evaluation in schizophrenia: A double-blind, randomized, exploratory study. <i>Schizophrenia Research</i> , 2018, 202, 210-211.	2.0	9
114	Rigidity in Motor Behavior and Brain Functioning in Patients With Schizophrenia and High Levels of Apathy. <i>Schizophrenia Bulletin</i> , 2019, 45, 542-551.	4.3	9
115	Expressive deficits and amotivation as mediators of the associations between cognitive problems and functional outcomes: Results from two independent cohorts. <i>Schizophrenia Research</i> , 2020, 218, 283-291.	2.0	9
116	Dissociative identity state-dependent working memory in dissociative identity disorder: a controlled functional magnetic resonance imaging study. <i>BJPsych Open</i> , 2022, 8, e82.	0.7	9
117	Draining the pond and catching the fish: Uncovering the ecosystem of auditory verbal hallucinations. <i>NeuroImage: Clinical</i> , 2018, 20, 830-843.	2.7	8
118	Relationship between social cognition, general cognition, and risk for suicide in individuals with a psychotic disorder. <i>Schizophrenia Research</i> , 2021, 231, 227-236.	2.0	8
119	Effects of aripiprazole versus risperidone on brain activation during planning and social-emotional evaluation in schizophrenia: A single-blind randomized exploratory study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 79, 112-119.	4.8	7
120	Foreign Language Learning as Cognitive Training to Prevent Old Age Disorders? Protocol of a Randomized Controlled Trial of Language Training vs. Musical Training and Social Interaction in Elderly With Subjective Cognitive Decline. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 550180.	3.4	7
121	Neural basis of self-initiative in relation to apathy in a student sample. <i>Scientific Reports</i> , 2017, 7, 3264.	3.3	6
122	Predicting therapy success from the outset: The moderating effect of insight into the illness on metacognitive psychotherapy outcome among persons with schizophrenia. <i>Clinical Psychology and Psychotherapy</i> , 2019, 26, 650-660.	2.7	6
123	The development, validity, and reliability of the auditory vocal hallucination rating scale questionnaire (AVHRS-Q). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 927-935.	3.1	6
124	Neurocognitive working mechanisms of the prevention of relapse in remitted recurrent depression (NEWPRIDE): protocol of a randomized controlled neuroimaging trial of preventive cognitive therapy. <i>BMC Psychiatry</i> , 2019, 19, 409.	2.6	6
125	Similar EEG Activity Patterns During Experimentally-Induced Auditory Illusions and Veridical Perceptions. <i>Frontiers in Neuroscience</i> , 2021, 15, 602437.	2.8	6
126	BEATVIC, a body-oriented resilience therapy using kickboxing exercises for people with a psychotic disorder: a feasibility study. <i>BMC Psychiatry</i> , 2018, 18, 384.	2.6	5



#	ARTICLE	IF	CITATIONS
127	The Longitudinal Association Between Preadolescent Facial Emotion Identification and Family Factors, and Psychotic Experiences in Adolescence (The TRAILS Study). <i>Child Psychiatry and Human Development</i> , 2020, 51, 187-199.	1.9	5
128	Thinking fast or slow? Functional magnetic resonance imaging reveals stronger connectivity when experienced neurologists diagnose ambiguous cases. <i>Brain Communications</i> , 2020, 2, fcaa023.	3.3	5
129	Psychometric Properties of the Chinese Bermond-Vorst Alexithymia Questionnaire: An Exploratory Structural Equation Modeling Study. <i>Journal of Pacific Rim Psychology</i> , 2021, 15, 183449092199142.	1.7	5
130	Cortisol Levels in Childhood and Psychosis Risk in late Adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 765-766.	0.5	4
131	Prefrontal cortex activation during a cognitive reappraisal task is associated with real-life negative affect reactivity. <i>PLoS ONE</i> , 2018, 13, e0202888.	2.5	4
132	“Please tell me what happened” A descriptive study on prevalence, disclosure and characteristics of victimization in people with a psychotic disorder. <i>PLoS ONE</i> , 2019, 14, e0219056.	2.5	4
133	Childhood theory of mind does not predict psychotic experiences and social functioning in a general population sample of adolescents. <i>PLoS ONE</i> , 2019, 14, e0213165.	2.5	4
134	Machine Learning for Large-Scale Quality Control of 3D Shape Models in Neuroimaging. <i>Lecture Notes in Computer Science</i> , 2017, 10541, 371-378.	1.3	4
135	Causal connectivity from right DLPFC to IPL in schizophrenia patients: a pilot study. <i>NPJ Schizophrenia</i> , 2022, 8, 16.	3.6	4
136	Dissecting the cognitive and neural basis of emotional abnormalities. <i>Cognitive Neuropsychiatry</i> , 2006, 11, 193-197.	1.3	3
137	Insight does not come at random: Individual gray matter networks relate to clinical and cognitive insight in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 109, 110251.	4.8	3
138	Neural correlates of victimization in psychosis: differences in brain response to angry faces. <i>NPJ Schizophrenia</i> , 2019, 5, 14.	3.6	2
139	T162. THICKER PREFRONTAL CORTEX IS ASSOCIATED WITH SUBCLINICAL NEGATIVE SYMPTOMS IN SCHIZOTYPY - AN ENIGMA CONSORTIUM META-ANALYSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S292-S293.	4.3	2
140	Power and functional connectivity of alpha oscillations in mild cognitive impairment: A systematic review and meta-analysis. <i>Alzheimer's and Dementia</i> , 2020, 16, e040792.	0.8	2
141	Neural changes following a body-oriented resilience therapy with elements of kickboxing for individuals with a psychotic disorder: a randomized controlled trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 355-366.	3.2	2
142	No antidepressant effects of low intensity transcranial pulsed electromagnetic fields for treatment resistant depression. <i>Journal of Affective Disorders</i> , 2021, 294, 679-685.	4.1	2
143	Role of the amygdala in disrupted integration and effective connectivity of cortico-subcortical networks in apathy. <i>Cerebral Cortex</i> , 0, , .	2.9	2
144	S47. CAN YOU HEAR THAT SONG NOW? “ RESULTS, PLANS, AND THE WHY BEHIND THE STUDY OF CREATIVITY, SCHIZOTYPY, AND HALLUCINATION PRONENESS IN MUSICAL HALLUCINATIONS. <i>Schizophrenia Bulletin</i> , 2019, 45, S324-S324.	4.3	1

#	ARTICLE	IF	CITATIONS
145	O11.8. RELATIONSHIP BETWEEN SCHIZOTYPY AND SUBCORTICAL BRAIN VOLUMES IN 1084 INDIVIDUALS VIA THE ENIGMA CONSORTIUM. Schizophrenia Bulletin, 2019, 45, S196-S197.	4.3	1
146	Diminished Feedback Evaluation and Knowledge Updating Underlying Age-Related Differences in Choice Behavior During Feedback Learning. Frontiers in Human Neuroscience, 2021, 15, 635996.	2.0	1
147	Training the attentional blink: subclinical depression decreases learning potential. Psychological Research, 2021, , 1.	1.7	1
148	Planning in amnesic mild cognitive impairment: an fMRI study. Experimental Gerontology, 2022, 159, 111673.	2.8	1
149	P2-300: Capturing Changes in Cognition: The Needs and Wishes of Dementia Researchers and Clinicians. , 2016, 12, P748-P748.		0
150	[P3â€“307]: RESTING STATE CONNECTIVITY RELATED TO APATHY IN MILD COGNITIVE IMPAIRMENT. Alzheimer's and Dementia, 2017, 13, P1064.	0.8	0
151	[P4â€“008]: QUALITY ASPECTS OF A NOVEL COGNITIVEâ€“FUNCTIONAL COMPOSITE FOR THE MEASUREMENT OF DISEASE PROGRESSION IN ALZHEIMER'S DISEASE: FEASIBILITY, TESTâ€“RETEST RELIABILITY AND PRACTICE EFFECTS. Alzheimer's and Dementia, 2017, 13, P1256.	0.8	0
152	[P4â€“174]: THE ASSOCIATION BETWEEN APATHY AND COGNITIVE FUNCTION IN AMNESTIC MILD COGNITIVE IMPAIRMENT. Alzheimer's and Dementia, 2017, 13, P1329.	0.8	0
153	P4â€“113: COMPARING THE COGNITIVEâ€“FUNCTIONAL COMPOSITE WITH TRADITIONAL TESTS OF COGNITION AND FUNCTION: FINDINGS FROM THE CATCHâ€“COG STUDY COHORT. Alzheimer's and Dementia, 2018, 14, P1482.	0.8	0
154	O6.2. NEUROBIOLOGY OF PSYCHOMETRIC SCHIZOTYPY: INSIGHTS FROM MULTIMODAL IMAGING RESEARCH. Schizophrenia Bulletin, 2018, 44, S89-S90.	4.3	0
155	P2â€“247: EEG THETA OSCILLATIONS AS A POTENTIAL BIOMARKER FOR EXECUTIVE DYSFUNCTION IN NEURODEGENERATIVE DISORDERS: Aâ€“SYSTEMATIC REVIEW WITH METAâ€“ANALYSIS. Alzheimer's and Dementia, 2018, 14, P768.	0.8	0
156	P3â€“307: THE ASSOCIATION BETWEEN APATHY AND STRUCTURAL BRAIN ALTERATIONS IN AMNESTIC MILD COGNITIVE IMPAIRMENT. Alzheimer's and Dementia, 2018, 14, P1199.	0.8	0
157	S85. INDIVIDUALS WITH POSITIVE AND NEGATIVE SCHIZOTYPY EXHIBIT A REVERSED PATTERN OF THALAMIC-CEREBELLAR BRAIN CONNECTIVITY. Schizophrenia Bulletin, 2019, 45, S339-S340.	4.3	0
158	F82. INDIVIDUAL GRAY MATTER NETWORKS AND INSIGHT IN PSYCHOTIC DISORDERS. Schizophrenia Bulletin, 2019, 45, S285-S285.	4.3	0
159	T36. NEURAL CHANGES FOLLOWING A BODY-ORIENTED RESILIENCE THERAPY WITH ELEMENTS OF KICKBOXING FOR INDIVIDUALS WITH A PSYCHOTIC DISORDER: A RANDOMIZED CONTROLLED TRIAL. Schizophrenia Bulletin, 2020, 46, S245-S245.	4.3	0
160	S149. CHANGES IN FRONTO-PARIETAL CONNECTIVITY IN SCHIZOPHRENIA: TMS AND FNIRS STUDY. Schizophrenia Bulletin, 2020, 46, S92-S93.	4.3	0
161	Apathy and white matter integrity in amnesic mild cognitive impairment: A whole brain analysis with tractâ€“based spatial statistics. Alzheimer's and Dementia, 2020, 16, e040838.	0.8	0
162	Difference between Okinawan and Dutch elderly in working memoryâ€“related brain activation. Alzheimer's and Dementia, 2020, 16, e042608.	0.8	0

#	ARTICLE	IF	CITATIONS
163	Effects of acute exercise on functional connectivity in young and older adults. <i>Alzheimer's and Dementia</i> , 2020, 16, e044104.	0.8	0
164	A newly developed amnesic subjective cognitive decline questionnaire shows high internal consistency and inter-rater reliability. <i>Alzheimer's and Dementia</i> , 2020, 16, e044315.	0.8	0
165	The FNAME yields equivalent results differentiating amnesic mild cognitive impairment from subjective cognitive decline and healthy controls in Mexico and the Netherlands. <i>Alzheimer's and Dementia</i> , 2020, 16, e044333.	0.8	0
166	F105. MEASURING EMPATHY IN SCHIZOPHRENIA: THE EMPATHIC ACCURACY TASK AND ITS CORRELATION WITH OTHER EMPATHY MEASURES. <i>Schizophrenia Bulletin</i> , 2018, 44, S260-S261.	4.3	0
167	Capturing functional change in early Alzheimer's disease: Comparing instruments and scoring techniques to detect subtle decline. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
168	Neural correlates of executive functions in people with amnesic mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0