

# Andre Aleman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/177921/publications.pdf>

Version: 2024-02-01

168  
papers

7,177  
citations

66343

42  
h-index

74163

75  
g-index

174  
all docs

174  
docs citations

174  
times ranked

10080  
citing authors

#	ARTICLE	IF	CITATIONS
1	Subcortical shape alterations in major depressive disorder: Findings from the ENIGMA major depressive disorder working group. <i>Human Brain Mapping</i> , 2022, 43, 341-351.	3.6	64
2	The silent danger of social distancing. <i>Psychological Medicine</i> , 2022, 52, 789-790.	4.5	26
3	Cortical and subcortical neuroanatomical signatures of schizotypy in 3004 individuals assessed in a worldwide ENIGMA study. <i>Molecular Psychiatry</i> , 2022, 27, 1167-1176.	7.9	22
4	Planning in amnesic mild cognitive impairment: an fMRI study. <i>Experimental Gerontology</i> , 2022, 159, 111673.	2.8	1
5	Neural basis of positive and negative emotion regulation in remitted depression. <i>NeuroImage: Clinical</i> , 2022, 34, 102988.	2.7	12
6	Causal connectivity from right DLPFC to IPL in schizophrenia patients: a pilot study. <i>NPJ Schizophrenia</i> , 2022, 8, 16.	3.6	4
7	Dissociative identity state-dependent working memory in dissociative identity disorder: a controlled functional magnetic resonance imaging study. <i>BJPsych Open</i> , 2022, 8, e82.	0.7	9
8	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021, 26, 5124-5139.	7.9	136
9	Brain structural abnormalities in obesity: relation to age, genetic risk, and common psychiatric disorders. <i>Molecular Psychiatry</i> , 2021, 26, 4839-4852.	7.9	76
10	Neural changes following a body-oriented resilience therapy with elements of kickboxing for individuals with a psychotic disorder: a randomized controlled trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 355-366.	3.2	2
11	Intrinsic Connectivity Patterns of Task-Defined Brain Networks Allow Individual Prediction of Cognitive Symptom Dimension of Schizophrenia and Are Linked to Molecular Architecture. <i>Biological Psychiatry</i> , 2021, 89, 308-319.	1.3	42
12	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 47.	11.0	136
13	Widespread white matter aberration is associated with the severity of apathy in amnesic Mild Cognitive Impairment: Tract-based spatial statistics analysis. <i>NeuroImage: Clinical</i> , 2021, 29, 102567.	2.7	14
14	Neurobiological substrates of the positive formal thought disorder in schizophrenia revealed by seed connectome-based predictive modeling. <i>NeuroImage: Clinical</i> , 2021, 30, 102666.	2.7	13
15	Connectome-Based Predictive Modeling of Individual Anxiety. <i>Cerebral Cortex</i> , 2021, 31, 3006-3020.	2.9	49
16	Diminished Feedback Evaluation and Knowledge Updating Underlying Age-Related Differences in Choice Behavior During Feedback Learning. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 635996.	2.0	1
17	ENIGMA Sleep: Challenges, opportunities, and the road map. <i>Journal of Sleep Research</i> , 2021, 30, e13347.	3.2	19
18	Foreign Language Learning as Cognitive Training to Prevent Old Age Disorders? Protocol of a Randomized Controlled Trial of Language Training vs. Musical Training and Social Interaction in Elderly With Subjective Cognitive Decline. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 550180.	3.4	7

#	ARTICLE	IF	CITATIONS
19	Similar EEG Activity Patterns During Experimentally-Induced Auditory Illusions and Veridical Perceptions. <i>Frontiers in Neuroscience</i> , 2021, 15, 602437.	2.8	6
20	Relationship between social cognition, general cognition, and risk for suicide in individuals with a psychotic disorder. <i>Schizophrenia Research</i> , 2021, 231, 227-236.	2.0	8
21	Insight does not come at random: Individual gray matter networks relate to clinical and cognitive insight in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 109, 110251.	4.8	3
22	Functional parcellation of human and macaque striatum reveals human-specific connectivity in the dorsal caudate. <i>NeuroImage</i> , 2021, 235, 118006.	4.2	29
23	Social-specific impairment of negative emotion perception in alexithymia. <i>Social Cognitive and Affective Neuroscience</i> , 2021, , .	3.0	11
24	No antidepressant effects of low intensity transcranial pulsed electromagnetic fields for treatment resistant depression. <i>Journal of Affective Disorders</i> , 2021, 294, 679-685.	4.1	2
25	Psychometric Properties of the Chinese Bermondâ€“Vorst Alexithymia Questionnaire: An Exploratory Structural Equation Modeling Study. <i>Journal of Pacific Rim Psychology</i> , 2021, 15, 183449092199142.	1.7	5
26	Training the attentional blink: subclinical depression decreases learning potential. <i>Psychological Research</i> , 2021, , 1.	1.7	1
27	Interindividual variability of electric fields during transcranial temporal interference stimulation (tTIS). <i>Scientific Reports</i> , 2021, 11, 20357.	3.3	21
28	Capturing functional change in early Alzheimerâ€™s disease: Comparing instruments and scoring techniques to detect subtle decline. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
29	Neural correlates of executive functions in people with amnesic mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
30	A qualitative evaluation of the effects of Metacognitive Reflection and Insight Therapy: â€“Living more consciouslyâ€™. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020, 93, 223-240.	2.5	18
31	Distinct temporal brain dynamics in bipolar disorder and schizophrenia during emotion regulation. <i>Psychological Medicine</i> , 2020, 50, 413-421.	4.5	27
32	The Longitudinal Association Between Preadolescent Facial Emotion Identification and Family Factors, and Psychotic Experiences in Adolescence (The TRAILS Study). <i>Child Psychiatry and Human Development</i> , 2020, 51, 187-199.	1.9	5
33	Neurobiological Divergence of the Positive and Negative Schizophrenia Subtypes Identified on a New Factor Structure of Psychopathology Using Non-negative Factorization: An International Machine Learning Study. <i>Biological Psychiatry</i> , 2020, 87, 282-293.	1.3	68
34	White matter disturbances in major depressive disorder: a coordinated analysis across 20 international cohorts in the ENIGMA MDD working group. <i>Molecular Psychiatry</i> , 2020, 25, 1511-1525.	7.9	218
35	I am Me: Brain systems integrate and segregate to establish a multidimensional sense of self. <i>NeuroImage</i> , 2020, 205, 116284.	4.2	25
36	Evidence-based guidelines on the therapeutic use of repetitive transcranial magnetic stimulation (rTMS): An update (2014â€“2018). <i>Clinical Neurophysiology</i> , 2020, 131, 474-528.	1.5	1,017

#	ARTICLE	IF	CITATIONS
37	T36. NEURAL CHANGES FOLLOWING A BODY-ORIENTED RESILIENCE THERAPY WITH ELEMENTS OF KICKBOXING FOR INDIVIDUALS WITH A PSYCHOTIC DISORDER: A RANDOMIZED CONTROLLED TRIAL. Schizophrenia Bulletin, 2020, 46, S245-S245.	4.3	0
38	T162. THICKER PREFRONTAL CORTEX IS ASSOCIATED WITH SUBCLINICAL NEGATIVE SYMPTOMS IN SCHIZOTYPY - AN ENIGMA CONSORTIUM META-ANALYSIS. Schizophrenia Bulletin, 2020, 46, S292-S293.	4.3	2
39	S149. CHANGES IN FRONTO-PARIETAL CONNECTIVITY IN SCHIZOPHRENIA: TMS AND FNIRS STUDY. Schizophrenia Bulletin, 2020, 46, S92-S93.	4.3	0
40	Efficacy of non-invasive brain stimulation on cognitive functioning in brain disorders: a meta-analysis. Psychological Medicine, 2020, 50, 2465-2486.	4.5	135
41	Alpha Power and Functional Connectivity in Cognitive Decline: A Systematic Review and Meta-Analysis. Journal of Alzheimer's Disease, 2020, 78, 1047-1088.	2.6	29
42	Joint Multi-modal Parcellation of the Human Striatum: Functions and Clinical Relevance. Neuroscience Bulletin, 2020, 36, 1123-1136.	2.9	14
43	Real-Time Functional Magnetic Resonance Imaging Neurofeedback for the Relief of Distressing Auditory-Verbal Hallucinations: Methodological and Empirical Advances. Schizophrenia Bulletin, 2020, 46, 1409-1417.	4.3	12
44	Power and functional connectivity of alpha oscillations in mild cognitive impairment: A systematic review and meta-analysis. Alzheimer's and Dementia, 2020, 16, e040792.	0.8	2
45	Apathy and white matter integrity in amnesic mild cognitive impairment: A whole brain analysis with tract-based spatial statistics. Alzheimer's and Dementia, 2020, 16, e040838.	0.8	0
46	Difference between Okinawan and Dutch elderly in working memory-related brain activation. Alzheimer's and Dementia, 2020, 16, e042608.	0.8	0
47	Effects of acute exercise on functional connectivity in young and older adults. Alzheimer's and Dementia, 2020, 16, e044104.	0.8	0
48	A newly developed amnesic subjective cognitive decline questionnaire shows high internal consistency and inter-rater reliability. Alzheimer's and Dementia, 2020, 16, e044315.	0.8	0
49	The FNAME yields equivalent results differentiating amnesic mild cognitive impairment from subjective cognitive decline and healthy controls in Mexico and the Netherlands. Alzheimer's and Dementia, 2020, 16, e044333.	0.8	0
50	Thinking fast or slow? Functional magnetic resonance imaging reveals stronger connectivity when experienced neurologists diagnose ambiguous cases. Brain Communications, 2020, 2, fcaa023.	3.3	5
51	Trait self-reflectiveness relates to time-varying dynamics of resting state functional connectivity and underlying structural connectomes: Role of the default mode network. NeuroImage, 2020, 219, 116896.	4.2	33
52	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. Translational Psychiatry, 2020, 10, 172.	4.8	121
53	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. Translational Psychiatry, 2020, 10, 100.	4.8	365
54	Expressive deficits and amotivation as mediators of the associations between cognitive problems and functional outcomes: Results from two independent cohorts. Schizophrenia Research, 2020, 218, 283-291.	2.0	9

#	ARTICLE	IF	CITATIONS
55	Functional network topology associated with apathy in Alzheimer's disease. <i>Journal of Affective Disorders</i> , 2020, 266, 473-481.	4.1	15
56	Amygdalaâ€“prefrontal connectivity modulates loss aversion bias in anxious individuals. <i>NeuroImage</i> , 2020, 218, 116957.	4.2	12
57	Rigidity in Motor Behavior and Brain Functioning in Patients With Schizophrenia and High Levels of Apathy. <i>Schizophrenia Bulletin</i> , 2019, 45, 542-551.	4.3	9
58	Brainâ€“based ranking of cognitive domains to predict schizophrenia. <i>Human Brain Mapping</i> , 2019, 40, 4487-4507.	3.6	25
59	Predicting therapy success from the outset: The moderating effect of insight into the illness on metacognitive psychotherapy outcome among persons with schizophrenia. <i>Clinical Psychology and Psychotherapy</i> , 2019, 26, 650-660.	2.7	6
60	â€œPlease tell me what happenedâ€“ A descriptive study on prevalence, disclosure and characteristics of victimization in people with a psychotic disorder. <i>PLoS ONE</i> , 2019, 14, e0219056.	2.5	4
61	S47. CAN YOU HEAR THAT SONG NOW? â€“ RESULTS, PLANS, AND THE WHY BEHIND THE STUDY OF CREATIVITY, SCHIZOTYPY, AND HALLUCINATION PRONENESS IN MUSICAL HALLUCINATIONS. <i>Schizophrenia Bulletin</i> , 2019, 45, S324-S324.	4.3	1
62	S85. INDIVIDUALS WITH POSITIVE AND NEGATIVE SCHIZOTYPY EXHIBIT A REVERSED PATTERN OF THALAMIC-CEREBELLAR BRAIN CONNECTIVITY. <i>Schizophrenia Bulletin</i> , 2019, 45, S339-S340.	4.3	0
63	O11.8. RELATIONSHIP BETWEEN SCHIZOTYPY AND SUBCORTICAL BRAIN VOLUMES IN 1084 INDIVIDUALS VIA THE ENIGMA CONSORTIUM. <i>Schizophrenia Bulletin</i> , 2019, 45, S196-S197.	4.3	1
64	Neural correlates of victimization in psychosis: differences in brain response to angry faces. <i>NPJ Schizophrenia</i> , 2019, 5, 14.	3.6	2
65	F82. INDIVIDUAL GRAY MATTER NETWORKS AND INSIGHT IN PSYCHOTIC DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S285-S285.	4.3	0
66	Intrinsic mesocorticolimbic connectivity is negatively associated with social amotivation in people with schizophrenia. <i>Schizophrenia Research</i> , 2019, 208, 353-359.	2.0	18
67	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019, 86, 545-556.	1.3	67
68	Longitudinal studies of functional magnetic resonance imaging in first-episode psychosis: A systematic review. <i>European Psychiatry</i> , 2019, 59, 60-69.	0.2	24
69	Assessing cognition and daily function in early dementia using the cognitive-functional composite: findings from the Catch-Cog study cohort. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 45.	6.2	19
70	Childhood theory of mind does not predict psychotic experiences and social functioning in a general population sample of adolescents. <i>PLoS ONE</i> , 2019, 14, e0213165.	2.5	4
71	The development, validity, and reliability of the auditory vocal hallucination rating scale questionnaire (AVHRS-Q). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 927-935.	3.1	6
72	Neurocognitive working mechanisms of the prevention of relapse in remitted recurrent depression (NEWPRIDE): protocol of a randomized controlled neuroimaging trial of preventive cognitive therapy. <i>BMC Psychiatry</i> , 2019, 19, 409.	2.6	6

#	ARTICLE	IF	CITATIONS
73	The ice in voices: Understanding negative content in auditory-verbal hallucinations. <i>Clinical Psychology Review</i> , 2019, 67, 1-10.	11.4	54
74	Prevalence Rate and Risk Factors of Victimization in Adult Patients With a Psychotic Disorder: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2019, 45, 114-126.	4.3	73
75	Moderate effects of noninvasive brain stimulation of the frontal cortex for improving negative symptoms in schizophrenia: Meta-analysis of controlled trials. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 89, 111-118.	6.1	106
76	Social-cognitive risk factors for violence in psychosis: A discriminant function analysis. <i>Psychiatry Research</i> , 2018, 265, 93-99.	3.3	18
77	Structure of the alexithymic brain: A parametric coordinate-based meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 87, 50-55.	6.1	38
78	Altered frontalâ€œamygdala effective connectivity during effortful emotion regulation in bipolar disorder. <i>Bipolar Disorders</i> , 2018, 20, 349-358.	1.9	33
79	Long-term course of negative symptom subdomains and relationship with outcome in patients with a psychotic disorder. <i>Schizophrenia Research</i> , 2018, 193, 173-181.	2.0	16
80	Predicting response to rTMS for auditory hallucinations: Younger patients and females do better. <i>Schizophrenia Research</i> , 2018, 195, 583-584.	2.0	13
81	Neuroanatomical changes in people with high schizotypy: relationship to glutamate levels. <i>Psychological Medicine</i> , 2018, 48, 1880-1889.	4.5	20
82	Different shades of default mode disturbance in schizophrenia: Subnodal covariance estimation in structure and function. <i>Human Brain Mapping</i> , 2018, 39, 644-661.	3.6	38
83	P4â€œ13: COMPARING THE COGNITIVEâ€œFUNCTIONAL COMPOSITE WITH TRADITIONAL TESTS OF COGNITION AND FUNCTION: FINDINGS FROM THE CATCHâ€œCOG STUDY COHORT. <i>Alzheimer's and Dementia</i> , 2018, 14, P1482.	0.8	0
84	O6.2. NEUROBIOLOGY OF PSYCHOMETRIC SCHIZOTYPY: INSIGHTS FROM MULTIMODAL IMAGING RESEARCH. <i>Schizophrenia Bulletin</i> , 2018, 44, S89-S90.	4.3	0
85	BEATVIC, a body-oriented resilience therapy using kickboxing exercises for people with a psychotic disorder: a feasibility study. <i>BMC Psychiatry</i> , 2018, 18, 384.	2.6	5
86	P2â€œ247: EEG THETA OSCILLATIONS AS A POTENTIAL BIOMARKER FOR EXECUTIVE DYSFUNCTION IN NEURODEGENERATIVE DISORDERS: A SYSTEMATIC REVIEW WITH METAâ€œANALYSIS. <i>Alzheimer's and Dementia</i> , 2018, 14, P768.	0.8	0
87	P3â€œ307: THE ASSOCIATION BETWEEN APATHY AND STRUCTURAL BRAIN ALTERATIONS IN AMNESTIC MILD COGNITIVE IMPAIRMENT. <i>Alzheimer's and Dementia</i> , 2018, 14, P1199.	0.8	0
88	Insight and emotion regulation in schizophrenia: A brain activation and functional connectivity study. <i>NeuroImage: Clinical</i> , 2018, 20, 762-771.	2.7	21
89	Draining the pond and catching the fish: Uncovering the ecosystem of auditory verbal hallucinations. <i>NeuroImage: Clinical</i> , 2018, 20, 830-843.	2.7	8
90	Patterns of schizophrenia symptoms: hidden structure in the PANSS questionnaire. <i>Translational Psychiatry</i> , 2018, 8, 237.	4.8	14

#	ARTICLE	IF	CITATIONS
91	Prefrontal cortex activation during a cognitive reappraisal task is associated with real-life negative affect reactivity. PLoS ONE, 2018, 13, e0202888.	2.5	4
92	Effects of bilateral prefrontal rTMS on brain activation during social-emotional evaluation in schizophrenia: A double-blind, randomized, exploratory study. Schizophrenia Research, 2018, 202, 210-211.	2.0	9
93	Differential Resting-State Connectivity Patterns of the Right Anterior and Posterior Dorsolateral Prefrontal Cortices (DLPFC) in Schizophrenia. Frontiers in Psychiatry, 2018, 9, 211.	2.6	12
94	Lower Choline and Myo-Inositol in Temporo-Parietal Cortex Is Associated With Apathy in Amnesic MCI. Frontiers in Aging Neuroscience, 2018, 10, 106.	3.4	18
95	Differential relations of suicidality in depression to brain activation during emotional and executive processing. Journal of Psychiatric Research, 2018, 105, 78-85.	3.1	25
96	F105. MEASURING EMPATHY IN SCHIZOPHRENIA: THE EMPATHIC ACCURACY TASK AND ITS CORRELATION WITH OTHER EMPATHY MEASURES. Schizophrenia Bulletin, 2018, 44, S260-S261.	4.3	0
97	Treatment of negative symptoms: Where do we stand, and where do we go?. Schizophrenia Research, 2017, 186, 55-62.	2.0	131
98	Primary and persistent negative symptoms: Concepts, assessments and neurobiological bases. Schizophrenia Research, 2017, 186, 19-28.	2.0	110
99	Secondary negative symptoms "A review of mechanisms, assessment and treatment. Schizophrenia Research, 2017, 186, 29-38.	2.0	137
100	Unique and Overlapping Symptoms in Schizophrenia Spectrum and Dissociative Disorders in Relation to Models of Psychopathology: A Systematic Review. Schizophrenia Bulletin, 2017, 43, 108-121.	4.3	89
101	A composite measure of cognitive and functional progression in Alzheimer's disease: Design of the Capturing Changes in Cognition study. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2017, 3, 130-138.	3.7	26
102	Apathy is related to reduced activation in cognitive control regions during set-shifting. Human Brain Mapping, 2017, 38, 2722-2733.	3.6	10
103	Effects of low frequency rTMS treatment on brain networks for inner speech in patients with schizophrenia and auditory verbal hallucinations. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 78, 105-113.	4.8	33
104	Glutamate in dorsolateral prefrontal cortex and auditory verbal hallucinations in patients with schizophrenia: A 1 H MRS study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 78, 132-139.	4.8	31
105	Effects of aripiprazole versus risperidone on brain activation during planning and social-emotional evaluation in schizophrenia: A single-blind randomized exploratory study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 79, 112-119.	4.8	7
106	Associations Between Daily Affective Instability and Connectomics in Functional Subnetworks in Remitted Patients with Recurrent Major Depressive Disorder. Neuropsychopharmacology, 2017, 42, 2583-2592.	5.4	31
107	Brain mechanisms in religion and spirituality: An integrative predictive processing framework. Neuroscience and Biobehavioral Reviews, 2017, 73, 359-378.	6.1	102
108	Neural basis of self-initiative in relation to apathy in a student sample. Scientific Reports, 2017, 7, 3264.	3.3	6

#	ARTICLE	IF	CITATIONS
109	Effect of Bilateral Prefrontal rTMS on Left Prefrontal NAA and Glx Levels in Schizophrenia Patients with Predominant Negative Symptoms: An Exploratory Study. <i>Brain Stimulation</i> , 2017, 10, 59-64.	1.6	27
110	Association between prefrontal N-acetylaspartate and insight in psychotic disorders. <i>Schizophrenia Research</i> , 2017, 179, 112-118.	2.0	9
111	Associations between genetic risk, functional brain network organization and neuroticism. <i>Brain Imaging and Behavior</i> , 2017, 11, 1581-1591.	2.1	19
112	Interaction of language, auditory and memory brain networks in auditory verbal hallucinations. <i>Progress in Neurobiology</i> , 2017, 148, 1-20.	5.7	169
113	[P3â€“307]: RESTING STATE CONNECTIVITY RELATED TO APATHY IN MILD COGNITIVE IMPAIRMENT. <i>Alzheimer's and Dementia</i> , 2017, 13, P1064.	0.8	0
114	[P4â€“008]: QUALITY ASPECTS OF A NOVEL COGNITIVEâ€“FUNCTIONAL COMPOSITE FOR THE MEASUREMENT OF DISEASE PROGRESSION IN ALZHEIMER'S DISEASE: FEASIBILITY, TESTâ€“RETEST RELIABILITY AND PRACTICE EFFECTS. <i>Alzheimer's and Dementia</i> , 2017, 13, P1256.	0.8	0
115	[P4â€“174]: THE ASSOCIATION BETWEEN APATHY AND COGNITIVE FUNCTION IN AMNESTIC MILD COGNITIVE IMPAIRMENT. <i>Alzheimer's and Dementia</i> , 2017, 13, P1329.	0.8	0
116	Machine Learning for Large-Scale Quality Control of 3D Shape Models in Neuroimaging. <i>Lecture Notes in Computer Science</i> , 2017, 10541, 371-378.	1.3	4
117	Confirmatory Factor Analysis and Differential Relationships of the Two Subdomains of Negative Symptoms in Chronically Ill Psychotic Patients. <i>PLoS ONE</i> , 2016, 11, e0149785.	2.5	31
118	Deficits in Degraded Facial Affect Labeling in Schizophrenia and Borderline Personality Disorder. <i>PLoS ONE</i> , 2016, 11, e0154145.	2.5	13
119	The fragmented self: imbalance between intrinsic and extrinsic self-networks in psychotic disorders. <i>Lancet Psychiatry</i> , 2016, 3, 784-790.	7.4	32
120	Prefrontal NAA and Glx Levels in Different Stages of Psychotic Disorders: a 3T 1H-MRS Study. <i>Scientific Reports</i> , 2016, 6, 21873.	3.3	48
121	P2-300: Capturing Changes in Cognition: The Needs and Wishes of Dementia Researchers and Clinicians. , 2016, 12, P748-P748.		0
122	Neural correlates of apathy in patients with neurodegenerative disorders, acquired brain injury, and psychiatric disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 69, 381-401.	6.1	81
123	Altered functional connectivity during self- and close other-reflection in patients with bipolar disorder with past psychosis and patients with schizophrenia. <i>Neuropsychologia</i> , 2016, 93, 97-105.	1.6	9
124	BEATVIC, a body-oriented resilience training with elements of kickboxing for individuals with a psychotic disorder: study protocol of a multi-center RCT. <i>BMC Psychiatry</i> , 2016, 16, 227.	2.6	9
125	Practical Implications of Metacognitively Oriented Psychotherapy in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 713-716.	1.0	41
126	CHANGES IN REGIONAL BRAIN ACTIVATION RELATED TO DEPRESSIVE STATE: A 2-YEAR LONGITUDINAL FUNCTIONAL MRI STUDY. <i>Depression and Anxiety</i> , 2016, 33, 35-44.	4.1	24



#	ARTICLE	IF	CITATIONS
127	Religiosity in young adolescents with auditory vocal hallucinations. <i>Psychiatry Research</i> , 2016, 236, 158-164.	3.3	14
128	Differential Patterns of Dysconnectivity in Mirror Neuron and Mentalizing Networks in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2016, 42, 1135-1148.	4.3	51
129	Brain Networks Subserving Emotion Regulation and Adaptation after Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 1-9.	3.4	161
130	Self-Stigma and Its Relationship with Victimization, Psychotic Symptoms and Self-Esteem among People with Schizophrenia Spectrum Disorders. <i>PLoS ONE</i> , 2016, 11, e0149763.	2.5	24
131	Association between Cognition and Serum Insulin-Like Growth Factor-1 in Middle-Aged & Older Men: An 8 Year Follow-Up Study. <i>PLoS ONE</i> , 2016, 11, e0154450.	2.5	47
132	Lower prefrontal activation during emotion regulation in subjects at ultrahigh risk for psychosis: an fMRI-study. <i>NPJ Schizophrenia</i> , 2015, 1, 15026.	3.6	33
133	Insight and psychosis: Functional and anatomical brain connectivity and self-reflection in schizophrenia. <i>Human Brain Mapping</i> , 2015, 36, 4859-4868.	3.6	55
134	Neural correlates of reward processing in healthy siblings of patients with schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 504.	2.0	23
135	Cognitive Alexithymia Is Associated with the Degree of Risk for Psychosis. <i>PLoS ONE</i> , 2015, 10, e0124803.	2.5	27
136	Suicide in Recent Onset Psychosis Revisited: Significant Reduction of Suicide Rate over the Last Two Decades – A Replication Study of a Dutch Incidence Cohort. <i>PLoS ONE</i> , 2015, 10, e0129263.	2.5	26
137	Brain activation during self- and other-reflection in bipolar disorder with a history of psychosis: Comparison to schizophrenia. <i>NeuroImage: Clinical</i> , 2015, 8, 202-209.	2.7	39
138	Neural correlates of planning performance in patients with schizophrenia – Relationship with apathy. <i>Schizophrenia Research</i> , 2015, 161, 367-375.	2.0	44
139	DISC1 gene and affective psychopathology: A combined structural and functional MRI study. <i>Journal of Psychiatric Research</i> , 2015, 61, 150-157.	3.1	9
140	Grey matter, an endophenotype for schizophrenia? A voxel-based morphometry study in siblings of patients with schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 207-213.	2.4	9
141	Effect of rTMS on brain activation in schizophrenia with negative symptoms: A proof-of-principle study. <i>Schizophrenia Research</i> , 2015, 168, 475-482.	2.0	25
142	Effectiveness and cost-effectiveness of cognitive adaptation training as a nursing intervention in long-term residential patients with severe mental illness: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 49.	1.6	15
143	Brain Activation During Emotional Memory Processing Associated with Subsequent Course of Depression. <i>Neuropsychopharmacology</i> , 2015, 40, 2454-2463.	5.4	17
144	An integrated network model of psychotic symptoms. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 59, 238-250.	6.1	61

#	ARTICLE	IF	CITATIONS
145	Alexithymia influences brain activation during emotion perception but not regulation. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 285-293.	3.0	39
146	Connectomics and Neuroticism: An Altered Functional Network Organization. <i>Neuropsychopharmacology</i> , 2015, 40, 296-304.	5.4	65
147	Short and Long Term Effects of Left and Bilateral Repetitive Transcranial Magnetic Stimulation in Schizophrenia Patients with Auditory Verbal Hallucinations: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e108828.	2.5	44
148	Blunted feelings: Alexithymia is associated with a diminished neural response to speech prosody. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1108-1117.	3.0	33
149	Neural Correlates of Emotion Regulation in Patients with Schizophrenia and Non-Affected Siblings. <i>PLoS ONE</i> , 2014, 9, e99667.	2.5	69
150	Relationship between cognition, clinical and cognitive insight in psychotic disorders: A review and meta-analysis. <i>Schizophrenia Research</i> , 2014, 152, 191-200.	2.0	127
151	Open, randomized trial of the effects of aripiprazole versus risperidone on social cognition in schizophrenia. <i>European Neuropsychopharmacology</i> , 2014, 24, 575-584.	0.7	29
152	Distinct associations of insula and cingulate volume with the cognitive and affective dimensions of alexithymia. <i>Neuropsychologia</i> , 2014, 53, 284-292.	1.6	92
153	A manual-based individual therapy to improve metacognition in schizophrenia: protocol of a multi-center RCT. <i>BMC Psychiatry</i> , 2014, 14, 27.	2.6	49
154	Dissociable morphometric profiles of the affective and cognitive dimensions of alexithymia. <i>Cortex</i> , 2014, 54, 190-199.	2.4	35
155	Filling the Gap: Relationship Between the Serotonin-Transporter-Linked Polymorphic Region and Amygdala Activation. <i>Psychological Science</i> , 2014, 25, 2058-2066.	3.3	52
156	Voxel-based gray and white matter morphometry correlates of hallucinations in schizophrenia: The superior temporal gyrus does not stand alone. <i>NeuroImage: Clinical</i> , 2014, 4, 249-257.	2.7	62
157	On the connection between level of education and the neural circuitry of emotion perception. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 866.	2.0	17
158	Use of Repetitive Transcranial Magnetic Stimulation for Treatment in Psychiatry. <i>Clinical Psychopharmacology and Neuroscience</i> , 2013, 11, 53-59.	2.0	107
159	Insights into hallucinations in schizophrenia: novel treatment approaches. <i>Expert Review of Neurotherapeutics</i> , 2011, 11, 1007-1015.	2.8	19
160	Circulating insulin-like growth factor I and cognitive function: Neuromodulation throughout the lifespan. <i>Progress in Neurobiology</i> , 2009, 89, 256-265.	5.7	151
161	Cortisol Levels in Childhood and Psychosis Risk in late Adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 765-766.	0.5	4
162	Brain imaging, genetics and emotion. <i>Biological Psychology</i> , 2008, 79, 58-69.	2.2	43

#	ARTICLE	IF	CITATIONS
163	Repetitive Transcranial Magnetic Stimulation over the Right Dorsolateral Prefrontal Cortex Disrupts Digit Span Task Performance. <i>Neuropsychobiology</i> , 2008, 57, 44-48.	1.9	48
164	Sex Differences in Neural Activation to Facial Expressions Denoting Contempt and Disgust. <i>PLoS ONE</i> , 2008, 3, e3622.	2.5	65
165	Efficacy of Slow Repetitive Transcranial Magnetic Stimulation in the Treatment of Resistant Auditory Hallucinations in Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 416-421.	2.2	211
166	Dissecting the cognitive and neural basis of emotional abnormalities. <i>Cognitive Neuropsychiatry</i> , 2006, 11, 193-197.	1.3	3
167	Strange feelings: Do amygdala abnormalities dysregulate the emotional brain in schizophrenia?. <i>Progress in Neurobiology</i> , 2005, 77, 283-98.	5.7	231
168	Role of the amygdala in disrupted integration and effective connectivity of cortico-subcortical networks in apathy. <i>Cerebral Cortex</i> , 0, , .	2.9	2