

Zhi-hua Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1785634/publications.pdf>

Version: 2024-02-01

357
papers

18,794
citations

14614

66
h-index

18075

120
g-index

358
all docs

358
docs citations

358
times ranked

2591
citing authors

#	ARTICLE	IF	CITATIONS
1	Achieving Short-Wavelength Phase-Matching Second Harmonic Generation in Boron-Rich Borosulfate with Planar $[BO_3]$ Units. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	50
2	Polymorphic $Pb_{14}O_{81}I_{12}$ and $Pb_{7}O_{41}I_6$ oxyhalides featuring unprecedented $[O_8Pb_{14}]$ clusters with broad IR transparency. <i>Science China Materials</i> , 2022, 65, 773-779.	3.5	7
3	From $Na_2B_6O_{10}$ to $Na_3AlB_8O_{15}$ and $Na_3Al_2B_7O_{15}$: Structural Tuning of Anionic-Group Architectures by Substitution of $[BO_4]$ by $[AlO_4]$ Covalent Tetrahedra. <i>Chemistry - A European Journal</i> , 2022, 28, .	1.7	7
4	Enhancement of band gap and birefringence induced π -conjugated chromophore with σ effect. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 1224-1232.	3.0	11
5	$Ba_2B_{13}O_{19}(OH)_5 \cdot 5H_2O$: A promising nonlinear optical material with a unique $2[B_{13}O_{19}(OH)_5]$ two-dimensional layer. <i>Journal of Alloys and Compounds</i> , 2022, 897, 163194.	2.8	3
6	Na^+/Ag^+ substitution induced birefringence enhancement from $AgGaS_2$ to $NaGaS_2$. <i>Journal of Alloys and Compounds</i> , 2022, 896, 163093.	2.8	10
7	$AZn_2(BO_3)_2Si_2O_5$ (A = Rb, Cs): first examples of $KBe_2BO_3F_2$ structure type in the borosilicate family exhibiting a deep-ultraviolet cutoff edge. <i>Journal of Materials Chemistry C</i> , 2022, 10, 1727-1734.	2.7	7
8	Variable dimensionality of the anion framework in four new borophosphates and fluoroborophosphates with short cutoff edges. <i>Dalton Transactions</i> , 2022, 51, 2840-2845.	1.6	7
9	$Na_4B_8O_9F_{10}$: A Deep-Ultraviolet Transparent Nonlinear Optical Fluorooxoborate with Unexpected Short Phase-Matching Wavelength Induced by Optimized Chromatic Dispersion. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	9
10	$Na_4B_8O_9F_{10}$: A Deep-Ultraviolet Transparent Nonlinear Optical Fluorooxoborate with Unexpected Short Phase-Matching Wavelength Induced by Optimized Chromatic Dispersion. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	80
11	$Ba_2B_5O_8(OH)_2(NO_3)_3 \cdot 3H_2O$: the design of an alkaline earth metal borate-nitrate optimized from a hydroxylic borate. <i>Dalton Transactions</i> , 2022, 51, 1979-1984.	1.6	3
12	$Sr_3B_{14}O_{24}$: a new borate with a $[B_{14}O_{30}]$ fundamental building block and an unwonted 2D double layer. <i>Dalton Transactions</i> , 2022, 51, 618-623.	1.6	3
13	$Pb_2Al_2B_3O_8F_3$: structure and properties of a new fluoroaluminoborate with non-traditional chain-like B_3O_8 groups. <i>Dalton Transactions</i> , 2022, 51, 3964-3969.	1.6	2
14	Hierarchical Modulation of Optical Anisotropy Driven by Metal Cation Polyhedra in Fluorooxoborates $M_{II}B_4O_6F_2$ (M II = Be, Mg, Pb, Zn, Cd). <i>Chemistry - A European Journal</i> , 2022, 28, .	1.7	3
15	$MM_2B_3O_4F_3$ (M = K; M_2 = Na, K, Cs): Alkali-Metal Fluorooxoborates with $\sim 1 [B_3O_4F_3]$ Chains and Deep-Ultraviolet Cutoff Edges. <i>Inorganic Chemistry</i> , 2022, , .	1.9	7
16	Design of a diamond-like infrared nonlinear optical material $LiBS_2$ with ultra-wide band gap. <i>Journal of Alloys and Compounds</i> , 2022, 902, 163839.	2.8	3
17	Potential optical functional crystals with large birefringence: Recent advances and future prospects. <i>Coordination Chemistry Reviews</i> , 2022, 459, 214380.	9.5	114
18	Guanidinium Fluorooxoborates as Efficient Metal-free Short-Wavelength Nonlinear Optical Crystals. <i>Chemistry of Materials</i> , 2022, 34, 440-450.	3.2	67

#	ARTICLE	IF	CITATIONS
19	Ba ₁₀ LuB ₁₈ O ₃₂ F ₁₃ : the first example of borate in the Lu-Ba-O-F system with the unprecedented FBB [B ₉ O ₂₂]. Inorganic Chemistry Frontiers, 2022, 9, 2298-2304.	3.0	7
20	“Removing Center” An Effective Structure Design Strategy for Nonlinear Optical Crystals. Chemistry of Materials, 2022, 34, 2429-2438.	3.2	16
21	Strong Nonlinearity Induced by Coaxial Alignment of Polar Chain and Dense [BO ₃] Units in CaZn ₂ (BO ₃) ₂ . Angewandte Chemie - International Edition, 2022, 61, .	7.2	116
22	LiB ₅ O ₅ F ₂ (OH) ₄ : A new deep-ultraviolet birefringent crystal with [B ₅ O ₅ F ₂ (OH) ₄] anionic group. Science China Materials, 2022, 65, 2585-2590.	3.5	11
23	Rb ₅ Ba ₂ (B ₁₀ O ₁₇) ₂ (BO ₂): The formation of unusual functional [BO ₂] ⁻ in borates with deep-ultraviolet transmission window. Science China Chemistry, 2022, 65, 719-725.	4.2	25
24	Uncovering the Structural Diversity and Excellent Performance of a Deep Ultraviolet Nonlinear Optical System Li(B ₂ O ₃) ₃ (i = 1, 1.5, 2, and 3) by Multicomponent Prediction. Chemistry of Materials, 2022, 34, 3133-3139.	3.2	10
25	Toward the Rational Design of Mid-Infrared Nonlinear Optical Materials with Targeted Properties via a Multi-Level Data-Driven Approach. Advanced Functional Materials, 2022, 32, .	7.8	58
26	[C ₃ N ₆ H ₇] ₂ [B ₃ O ₃ F ₄ (OH)]: a new hybrid birefringent crystal with strong optical anisotropy induced by mixed functional units. Journal of Materials Chemistry C, 2022, 10, 6590-6595.	2.7	28
27	(N ₂ H ₆)[HPO ₃ F] ₂ : maximizing the optical anisotropy of deep-ultraviolet fluorophosphates. Chemical Communications, 2022, 58, 5594-5597.	2.2	18
28	Noncentrosymmetric Rare-Earth Borate Fluoride La ₂ B ₅ O ₉ F ₃ : A New Ultraviolet Nonlinear Optical Crystal with Enhanced Linear and Nonlinear Performance. ACS Applied Materials & Interfaces, 2022, 14, 18704-18712.	4.0	28
29	The Combination of Structure Prediction and Experiment for the Exploration of Alkali-Earth Metal-Contained Chalcopyrite-Like IR Nonlinear Optical Material. Advanced Science, 2022, 9, e2106120.	5.6	44
30	Lone Pair-Driven Enhancement of Birefringence in Polar Alkali Metal Antimony Phosphates. Chemistry of Materials, 2022, 34, 4224-4231.	3.2	19
31	Double-Modification Oriented Design of a Deep-UV Birefringent Crystal Functionalized by [B ₁₂ O ₁₆ F ₄ (OH) ₄] Clusters. Angewandte Chemie - International Edition, 2022, 61, .	7.2	70
32	Promising Deep-Ultraviolet Birefringent Materials via Rational Design and Assembly of Planar ĩ-Conjugated [B(OH) ₃] and [B ₃ O ₃ (OH) ₃] Functional Species. Angewandte Chemie - International Edition, 2022, 61, .	7.2	34
33	Enhancement of Birefringence in Borophosphate Pushing Phase-Matching into the Short-Wavelength Region. Journal of the American Chemical Society, 2022, 144, 9083-9090.	6.6	69
34	CsAB ₈ O ₁₂ F ₂ ·A·CsI (A = K ⁺ , Tl ⁺) / Overlock 10 Tf 50 147 Td (NH ₄) ₂ structures via a salt-inclusion strategy. Journal of Materials Chemistry C, 2022, 10, 8584-8588.	2.7	12
35	NaBaBS ₃ : A Promising Infrared Functional Material with Large Birefringence Induced by ĩ-Conjugated [BS ₃] Units. Chemistry of Materials, 2022, 34, 5215-5223.	3.2	13
36	(NH ₄) ₃ B ₁₁ PO ₁₉ F ₃ : a deep-UV nonlinear optical crystal with unique [B ₅ PO ₁₀ F] ²⁻ layers. National Science Review, 2022, 9, .	4.6	68

#	ARTICLE	IF	CITATIONS
37	Design of Infrared Nonlinear Optical Compounds with Diamond-like Structures and Balanced Optical Performance. <i>Inorganic Chemistry</i> , 2022, 61, 11454-11462.	1.9	5
38	BaSnF_2 : A UV Birefringent Material with Large Birefringence and Easy Crystal Growth. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 3540-3544.	7.2	108
39	Series of Crystals with Giant Optical Anisotropy: A Targeted Strategic Research. <i>Angewandte Chemie</i> , 2021, 133, 1352-1358.	1.6	9
40	Series of Crystals with Giant Optical Anisotropy: A Targeted Strategic Research. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 1332-1338.	7.2	77
41	$\text{Sn}_2\text{B}_5\text{O}_9\text{Br}$ as an Outstanding Bifunctional Material with Strong Second Harmonic Generation Effect and Large Birefringence. <i>Advanced Optical Materials</i> , 2021, 9, 2001734.	3.6	49
42	$\text{AB}_{10}\text{O}_{16}(\text{OH})_2$ (A = K and Cs): interpenetrating 2D layers with large birefringence. <i>CrystEngComm</i> , 2021, 23, 35-39.	1.3	4
43	$\text{Cs}_2\text{AlB}_5\text{O}_{10}$: a short-wavelength nonlinear optical crystal with moderate second harmonic generation response. <i>Dalton Transactions</i> , 2021, 50, 822-825.	1.6	8
44	$\text{Ba}_2\text{B}_7\text{O}_{12}\text{F}$ with novel FBB [$\text{B}_7\text{O}_{16}\text{F}$] and deep-ultraviolet cut-off edge. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 339-343.	3.0	17
45	$\text{Na}_3\text{AMg}_7(\text{PO}_4)_6$ (A = K, Rb and Cs): Structures, properties and theoretical studies of alkali metal magnesium orthophosphates. <i>Journal of Molecular Structure</i> , 2021, 1226, 129349.	1.8	9
46	$\text{Sn}_{14}\text{O}_{11}\text{Br}_6$: a promising birefringent material with a [$\text{Sn}_{14}\text{O}_{11}\text{Br}_6$] layer. <i>Journal of Materials Chemistry C</i> , 2021, 9, 7103-7109.	2.7	19
47	Synergism of multiple functional chromophores significantly enhancing the birefringence in layered non-centrosymmetric chalcogenides. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 1588-1598.	3.0	12
48	Barium fluoriodate crystals with a large band gap and birefringence. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 3127-3133.	3.0	16
49	The synthesis, characterization, and theoretical analysis of $(\text{NH}_4)_3\text{PbCl}_5$. <i>New Journal of Chemistry</i> , 2021, 45, 2038-2043.	1.4	1
50	Design and synthesis of Ba_3SiSe_5 with suitable birefringence modulated via M ^{IV} atoms in the $\text{Ba}_3\text{M}^{\text{IV}}\text{Q}$ (M ^{IV} = Si, Ge; Q = S, Se) system. <i>Dalton Transactions</i> , 2021, 50, 11999-12005.	1.6	2
51	An antimony borate with large birefringence exhibiting unwonted [B_5O_{11}] fundamental building blocks and dimeric [Sb_2O_6] clusters. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 2584-2590.	3.0	15
52	$\text{BaZn}_3(\text{BO}_3)_2\text{F}_2$: a new beryllium-free zincoborate with a KBBF-type structure. <i>Dalton Transactions</i> , 2021, 50, 13216-13219.	1.6	7
53	$\text{SrTi}(\text{IO}_3)_6 \cdot 2\text{H}_2\text{O}$ and $\text{SrSn}(\text{IO}_3)_6$: distinct arrangements of lone pair electrons leading to large birefringences. <i>RSC Advances</i> , 2021, 11, 10309-10315.	1.7	5
54	Computationally assisted multistage design and prediction driving the discovery of deep-ultraviolet nonlinear optical materials. <i>Materials Chemistry Frontiers</i> , 2021, 5, 3507-3523.	3.2	27

#	ARTICLE	IF	CITATIONS
55	From centrosymmetric to noncentrosymmetric: effect of the cation on the crystal structures and birefringence values of $(\text{NH}_4)_2\text{AE}(\text{PO}_2\text{F}_2)_n$ (AE = Mg, Sr and Ba); <i>TJ ETQq1 1 0.784314</i>	1.6	4
56	From BaCl_2 to $\text{Ba}(\text{NO}_3)_2$: significantly enhanced birefringence derived from π -conjugated $[\text{NO}_3]$. <i>New Journal of Chemistry</i> , 2021, 45, 17544-17550.	1.4	5
57	$\text{BaTi}(\text{BO}_3)_2$: an excellent birefringent material with highly coplanar isolated $[\text{BO}_3]$ groups. <i>New Journal of Chemistry</i> , 2021, 45, 7065-7068.	1.4	7
58	$\text{Pb}_{2.28}\text{Ba}_{1.72}\text{B}_{10}\text{O}_{19}$ featuring a three-dimensional $\text{B}=\text{O}$ anionic network with edge-sharing $[\text{BO}_4]$ obtained under ambient pressure. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 3716-3722.	3.0	4
59	Na_6MQ_4 (M=Zn, Cd; Q=S, Se): Promising New Ternary Infrared Nonlinear Optical Materials. <i>Chemistry - A European Journal</i> , 2021, 27, 6538-6544.	1.7	16
60	Toward the Enhancement of Critical Performance for Deep-Ultraviolet Frequency-Doubling Crystals Utilizing Covalent Tetrahedra. <i>Accounts of Materials Research</i> , 2021, 2, 282-291.	5.9	82
61	$\text{Pb}_3\text{Ba}_7\text{B}_7\text{O}_{20}\text{F}$: A new nonlinear optical material exhibiting large second harmonic generation response induced by its unprecedented Pb-B-O framework. <i>Scripta Materialia</i> , 2021, 194, 113700.	2.6	8
62	Prediction of Novel van der Waals Boron Oxides with Superior Deep-Ultraviolet Nonlinear Optical Performance. <i>Angewandte Chemie</i> , 2021, 133, 10886-10892.	1.6	6
63	Prediction of Novel van der Waals Boron Oxides with Superior Deep-Ultraviolet Nonlinear Optical Performance. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 10791-10797.	7.2	28
64	$\text{M}_3\text{B}_6\text{O}_{10}\text{NO}_3$ (M=...K, Rb): Two New Alkali Metal Borate-Nitrates with Noncentrosymmetric Structures. <i>European Journal of Inorganic Chemistry</i> , 2021, 2021, 1297-1304.	1.0	12
65	Expanding the chemistry of borates with functional $[\text{BO}_2]^-$ anions. <i>Nature Communications</i> , 2021, 12, 2597.	5.8	99
66	Discovery of First Magnesium Fluorooxoborate with Stable Fluorine Terminated Framework for Deep-UV Nonlinear Optical Application. <i>Angewandte Chemie</i> , 2021, 133, 14771-14777.	1.6	13
67	Discovery of First Magnesium Fluorooxoborate with Stable Fluorine Terminated Framework for Deep-UV Nonlinear Optical Application. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 14650-14656.	7.2	109
68	$\text{Cs}_4\text{B}_4\text{O}_3\text{F}_{10}$: First Fluorooxoborate with $[\text{BF}_4]$ Involving Heteroanionic Units and Extremely Low Melting Point. <i>Chemistry - A European Journal</i> , 2021, 27, 9753-9757.	1.7	16
69	Fluorine-Driven Enhancement of Birefringence in the Fluorooxosulfate: A Deep Evaluation from a Joint Experimental and Computational Study. <i>Advanced Science</i> , 2021, 8, e2003594.	5.6	83
70	The First Mixed Calcium Zinc Borate with a Flexible $[\text{B}_8\text{O}_{17}]$ Fundamental Building Block and Short UV Cutoff Edge. <i>Chemistry - A European Journal</i> , 2021, 27, 12047-12051.	1.7	2
71	$\text{Li}_3\text{La}_2(\text{BO}_3)_3$ and $\text{Li}_{1.75}\text{Na}_{1.25}\text{La}_2(\text{BO}_3)_3$: A Great Enhancement in Birefringence Induced by Optimal Arrangement of π -Conjugated $[\text{BO}_3]$ Units. <i>Inorganic Chemistry</i> , 2021, 60, 12565-12572.	1.9	11
72	Hydroxyfluorooxoborate $\text{Na}[\text{B}_3\text{O}_3\text{F}_2(\text{OH})_2] \cdot n[\text{B}(\text{OH})_3]$: Optimizing the Optical Anisotropy with Heteroanionic Units for Deep Ultraviolet Birefringent Crystals. <i>Angewandte Chemie</i> , 2021, 133, 20632-20638.	1.6	14

#	ARTICLE	IF	CITATIONS
73	Hg ₃ P ₂ S ₈ : A New Promising Infrared Nonlinear Optical Material with a Large Second-Harmonic Generation and a High Laser-Induced Damage Threshold. <i>Chemistry of Materials</i> , 2021, 33, 6514-6521.	3.2	74
74	Tetrafluoroborate-Monofluorophosphate (NH ₄) ₃ [PO ₃ F][BF ₄]: First Member of Oxyfluoride with Bâ€F and Pâ€F Bonds. <i>ACS Organic & Inorganic Au</i> , 2021, 1, 6-10.	1.9	13
75	Hydroxyfluorooxoborate Na[B ₃ O ₃ F ₂ (OH) ₂] _n ...[B(OH) ₃]: Optimizing the Optical Anisotropy with Heteroanionic Units for Deep Ultraviolet Birefringent Crystals. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 20469-20475.	7.2	90
76	Li ₄ MgGe ₂ S ₇ : The First Alkali and Alkalineâ€Earth Diamondâ€Like Infrared Nonlinear Optical Material with Exceptional Large Band Gap. <i>Angewandte Chemie</i> , 2021, 133, 24333-24338.	1.6	14
77	NaRbB ₃ O ₄ F ₃ : A New Fluorooxoborate with a Short UV Cutoff Edge Enriching the Structural Chemistry of Borate. <i>Chemistry - an Asian Journal</i> , 2021, 16, 3082-3085.	1.7	5
78	Li ₄ MgGe ₂ S ₇ : The First Alkali and Alkalineâ€Earth Diamondâ€Like Infrared Nonlinear Optical Material with Exceptional Large Band Gap. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 24131-24136.	7.2	130
79	Sn ₂ PO ₄ I: An Excellent Birefringent Material with Giant Optical Anisotropy in Non Î€Conjugated Phosphate. <i>Angewandte Chemie</i> , 2021, 133, 25105.	1.6	14
80	Finding a Series of BaBOF ₃ Fluorooxoborate Polymorphs with Tunable Symmetries: A Simple but Flexible Case. <i>Chemistry of Materials</i> , 2021, 33, 7905-7913.	3.2	22
81	Sn ₂ PO ₄ I: An Excellent Birefringent Material with Giant Optical Anisotropy in Non Î€Conjugated Phosphate. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 24901-24904.	7.2	101
82	CsBaB ₉ O ₁₅ : a high performance ultraviolet nonlinear optical material activated by the peculiar double layered configuration. <i>Science Bulletin</i> , 2021, 66, 2165-2169.	4.3	42
83	BaB ₄ O ₅ F ₄ with reversible phase transition featuring unprecedented fundamental building blocks of [B ₁₆ O ₂₁ F ₁₆] in the <i>I</i>-phase and [B ₄ O ₆ F ₄] in the <i>I</i>-phase. <i>Chemical Communications</i> , 2021, 57, 4182-4185.	2.2	15
84	Enhanced birefringence and suppressed second harmonic generation response mechanism in nonlinear optical materials <i>via</i> structural fine-tuning. <i>Materials Chemistry Frontiers</i> , 2021, 5, 7580-7586.	3.2	7
85	Sn ₃ B ₈ O ₁₅ : A Ternary Tin(II) Borate with Flexible [B ₈ O ₁₈] ¹²⁻ Fundamental Building Block Formed by [B ₇ O ₁₆] ¹¹⁻ and [BO ₃] ³⁻ Groups. <i>Inorganic Chemistry</i> , 2021, 60, 883-891.	1.9	8
86	Syntheses, Structures and Properties of Alkali and Alkaline Earth Metal Diamond-Like Compounds Li ₂ MgMSe ₄ (M = Ge, Sn). <i>Materials</i> , 2021, 14, 6166.	1.3	6
87	Coordination-Directed Structural Modulation and Design of Deep-Ultraviolet Nonlinear Optical Materials. <i>Journal of Physical Chemistry C</i> , 2021, 125, 24859-24866.	1.5	3
88	CsAlB ₃ O ₆ F: a beryllium-free deep-ultraviolet nonlinear optical material with enhanced thermal stability. <i>Chemical Science</i> , 2020, 11, 694-698.	3.7	108
89	Effect of anion dimensionality on optical properties: the ₂ [B ₇ O ₁₀ (OH) ₂] layer in CsB ₇ O ₁₀ (OH) ₂ <i>vs.</i> the ₂ [B ₇ O ₁₂] framework in CsBaB ₇ O ₁₂ . <i>Dalton Transactions</i> , 2020, 49, 1292-1299.	1.6	14
90	Al ₈ (BO ₃) ₄ (B ₂ O ₅)F ₈ : A F-Containing Aluminum Borate Featuring Two Types of Isolated Bâ€O Groups. <i>Inorganic Chemistry</i> , 2020, 59, 810-817.	1.9	5

#	ARTICLE	IF	CITATIONS
91	Two new ammonium/alkali-rare earth metal difluorophosphates $\text{Ala}(\text{PO}_2\text{F}_2)_4$ ($\text{A} = \text{NH}_4$ and K) with moderate birefringence and short cutoff edges. Dalton Transactions, 2020, 49, 11591-11596.	1.6	14
92	Structure-property survey and computer-assisted screening of mid-infrared nonlinear optical chalcogenides. Coordination Chemistry Reviews, 2020, 421, 213379.	9.5	78
93	$\text{Rb}_3\text{O}_4\text{F}_2$: a rubidium fluorooxoborate with an unprecedented $[\text{B}_3\text{O}_5\text{F}_2]^{3-}$ functionalized unit and a large birefringence. Chemical Communications, 2020, 56, 15333-15336.	2.2	27
94	$\text{K}_4(\text{PO}_2\text{F}_2)_2(\text{S}_2\text{O}_7)$: first fluorooxophosphorsulfate with mixed-anion $[\text{S}_2\text{O}_7]^{2-}$ and $[\text{PO}_2\text{F}_2]^-$ groups. Dalton Transactions, 2020, 49, 17658-17664.	1.6	11
95	Enhanced optical anisotropy via dimensional control in alkali-metal chalcogenides. Physical Chemistry Chemical Physics, 2020, 22, 19697-19703.	1.3	14
96	Three non-centrosymmetric bismuth phosphates, $\text{Li}_2\text{ABi}(\text{PO}_4)_2$ ($\text{A} = \text{Tl}, \text{ET}, \text{Q}, \text{O}, \text{O}, \text{rg}, \text{BT}$). Frontiers, 2020, 7, 3364-3370.	3.0	17
97	Fluorooxoborate layers: second harmonic generation and Raman spectra anisotropy. New Journal of Chemistry, 2020, 44, 13939-13943.	1.4	1
98	Role of Fluorooxo-Functional Units in Symmetry Breaking and Second Harmonic Generation Response Contribution in Fluorooxoborate Nonlinear Optical Crystals. Crystal Growth and Design, 2020, 20, 7582-7587.	1.4	10
99	Second Harmonic Generation Susceptibilities from Symmetry Adapted Wannier Functions. Physical Review Letters, 2020, 125, 187402.	2.9	94
100	A review of the $\text{Al}_2\text{B}_2\text{C}_4\text{DVI}_4$ family as infrared nonlinear optical materials: the effect of each site on the structure and optical properties. Chemical Communications, 2020, 56, 11565-11576.	2.2	46
101	$\text{Ba}_3(\text{BO}_3)_3(\text{CO}_3)_3\text{F}$: The First Borate Carbonate Fluoride Synthesized by the High-Temperature Solution Method. Chemistry - A European Journal, 2020, 26, 16628-16632.	1.7	12
102	$\text{Cs}_3\text{B}_3\text{O}_3\text{F}_6$ with a Deep-Ultraviolet Cutoff Edge and a Suitable Birefringence as the Potential Zero-Order Waveplate Material. Inorganic Chemistry, 2020, 59, 13014-13018.	1.9	17
103	$\text{Li}_4\text{Ca}_2\text{B}_8\text{O}_{16}$: A Borate with a Unique Fundamental Building Block and a Short Cutoff Edge. Inorganic Chemistry, 2020, 59, 8396-8403.	1.9	11
104	From $\text{BaAl}_2(\text{BO}_3)_2\text{O}$ to $\text{SnAl}_2(\text{BO}_3)_2\text{F}_2$: structure transformation based on ion regulation. New Journal of Chemistry, 2020, 44, 9852-9857.	1.4	2
105	$\text{Rb}_3\text{BaTeB}_7\text{O}_{15}$: a novel $[\text{B}_7\text{O}_{16}]$ fundamental building block in a new telluroborate with $[\text{TeO}_3]$ polyhedra. Dalton Transactions, 2020, 49, 8911-8917.	1.6	7
106	New Alkaline-Earth Metal Fluoroiodates Exhibiting Large Birefringence and Short Ultraviolet Cutoff Edge with Highly Polarizable $(\text{IO}_3\text{F})^{2-}$ Units. Chemistry of Materials, 2020, 32, 5723-5728.	3.2	44
107	ZnIO_3F : Zinc Iodate Fluoride with Large Birefringence and Wide Band Gap. Inorganic Chemistry, 2020, 59, 4172-4175.	1.9	40
108	$\text{Ba}_2\text{Ca}_2\text{B}_2\text{O}_8$. Science China Materials, 2020, 63, 1480-1485.	1.5	5

#	ARTICLE	IF	CITATIONS
109	$K_2Na_3IO_8$ with Strong Second Harmonic Generation Response Activated by Two Types of Isolated Iodate Anions. <i>Chemistry of Materials</i> , 2020, 32, 3608-3614.	3.2	36
110	Alignment of Polar Moieties Leading to Strong Second Harmonic Response in $K_2CsMo_2O_9$. <i>Chemistry of Materials</i> , 2020, 32, 3297-3303.	3.2	31
111	Polar polymorphism: $\hat{1}\pm$ - and $\hat{1}^2$ - $K_2CsWP_2O_9$ nonlinear optical materials with a strong second harmonic generation response. <i>Journal of Materials Chemistry C</i> , 2020, 8, 11441-11448.	2.7	19
112	$Pb_5O_7F_3$: A High-Performing Short-Wavelength Nonlinear Optical Material. <i>Chemistry of Materials</i> , 2020, 32, 2172-2179.	3.2	88
113	Noncentrosymmetric Fluorooxoborates $A_{10}B_{13}O_{15}F_{19}$ (A = K and Rb) with Unexpected $[B_{10}O_{12}F_{13}]^{7-}$ Units and Deep-Ultraviolet Cutoff Edges. <i>Inorganic Chemistry</i> , 2020, 59, 3274-3280.	1.9	21
114	Structural Diversity of Molybdate Iodate and Fluoromolybdate: Syntheses, Structures, and Calculations on $Na_3(MoO_4)(IO_3)$ and $Na_3Cs(MoO_2F_4)_2$. <i>Inorganic Chemistry</i> , 2020, 59, 3034-3041.	1.9	13
115	$Ba(B_2OF_3(OH)_2)_2$ with well-ordered OH/F anions and a unique $B_2OF_3(OH)_2$ dimer. <i>Chemical Communications</i> , 2020, 56, 3301-3304.	2.2	18
116	Band-Gap Modulation of Nonlinear-Optical Fluorooxoborates by Controlling the F/B Ratios. <i>Inorganic Chemistry</i> , 2020, 59, 1588-1591.	1.9	3
117	$La_3B_6O_{13}(OH)$: The First Acentric High-Pressure Borate Displaying Edge-Sharing BO_4 Tetrahedra. <i>Chemistry - A European Journal</i> , 2020, 26, 6851-6861.	1.7	23
118	$\hat{1}\pm$ -, $\hat{1}^2$ - $Pb_4B_2O_7$ and $\hat{1}\pm$ -, $\hat{1}^2$ - $Pb_4B_6O_{13}$: Polymorphism drives changes in structure and performance. <i>Science China Materials</i> , 2020, 63, 806-815.	3.5	13
119	A Promising Fluorooxoborate Framework with Flexible Capability for Diverse Cations to Enhance the Second Harmonic Generation. <i>Chemistry - A European Journal</i> , 2020, 26, 3723-3728.	1.7	10
120	$LiBa_4Ga_5Q_{12}$ (Q = S, Se): Noncentrosymmetric Metal Chalcogenides with a Cesium Chloride Topological Structure Displaying a Remarkable Laser Damage Threshold. <i>Inorganic Chemistry</i> , 2020, 59, 5674-5682.	1.9	25
121	Prediction of ternary fluorooxoborates with coplanar triangular units $[BO_xF_3]^{x-}$ from first-principles. <i>Dalton Transactions</i> , 2020, 49, 5424-5428.	1.6	9
122	Three diphosphates, $\hat{1}\pm$ - $Li_2Na_2P_2O_7$, $Li_8Pb_3Ba(P_2O_7)_4$ and $Li_7Rb(P_2O_7)_2$: influences of co-substitution on the crystal structure. <i>Dalton Transactions</i> , 2020, 49, 6744-6750.	1.6	5
123	Prediction and Characterization of $NaGaS_2$, A High Thermal Conductivity Mid-Infrared Nonlinear Optical Material for High-Power Laser Frequency Conversion. <i>Inorganic Chemistry</i> , 2019, 58, 93-98.	1.9	30
124	Structural insights into three phosphates with distinct polyanionic configurations. <i>Dalton Transactions</i> , 2019, 48, 13406-13412.	1.6	10
125	$Ba_3Ca_4(BO_3)_3(SiO_4)Cl$: a new non-centrosymmetric complex alkaline-earth metal borosilicate chloride with a deep-ultraviolet cut-off edge. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 2200-2208.	3.0	16
126	Experiment and First-Principles Calculations of $A_2Mg_2TeB_{10}$ (A = Pb, Ba): Influences of the Cosubstitution on the Structure Transformation and Optical Properties. <i>Inorganic Chemistry</i> , 2019, 58, 11127-11132.	1.9	17

#	ARTICLE	IF	CITATIONS
127	Prediction of Fluorooxoborates with Colossal Second Harmonic Generation (SHG) Coefficients and Extremely Wide Band Gaps: Towards Modulating Properties by Tuning the $\text{BO}_3/\text{BO}_3\text{F}$ Ratio in Layers. <i>Angewandte Chemie</i> , 2019, 131, 11852-11856.	1.6	16
128	Structural modulation induced by MIIIA metals in $\text{Ba}_3\text{MQ}_4\text{X}$ (M = Al, Ga, In; Q = S, Se; X = Cl, Br): an experimental and computational analysis. <i>Dalton Transactions</i> , 2019, 48, 12713-12719.	1.6	4
129	Prediction of Fluorooxoborates with Colossal Second Harmonic Generation (SHG) Coefficients and Extremely Wide Band Gaps: Towards Modulating Properties by Tuning the $\text{BO}_3/\text{BO}_3\text{F}$ Ratio in Layers. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 11726-11730.	7.2	66
130	$\text{Ba}_3\text{B}_{10}\text{O}_{17}\text{F}_2 \cdot 0.1\text{KF}$: the first mixed alkali/alkaline-earth metal fluorooxoborate with unprecedented double-layered $\text{B}^{\text{O/F}}$ anionic arrangement. <i>Chemical Communications</i> , 2019, 55, 8923-8926.	2.2	14
131	A new barium-containing alkali metal silicate fluoride $\text{NaBa}_3\text{Si}_2\text{O}_7\text{F}$ with deep-UV optical property. <i>Science China Materials</i> , 2019, 62, 1454-1462.	3.5	10
132	$\text{Sn}_2\text{B}_5\text{O}_9\text{Cl}$: A Material with Large Birefringence Enhancement Activated Prepared via Alkaline-Earth-Metal Substitution by Tin. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17675-17678.	7.2	171
133	Designing excellent mid-infrared nonlinear optical materials with fluorooxo-functional group of d0 transition metal oxyfluorides. <i>Science China Materials</i> , 2019, 62, 1798-1806.	3.5	49
134	Nontoxic KBBF Family Member $\text{Zn}_2\text{BO}_3(\text{OH})$: Balance between Beneficial Layered Structure and Layer Tendency. <i>Advanced Science</i> , 2019, 6, 1901679.	5.6	56
135	$\text{Sn}_2\text{B}_5\text{O}_9\text{Cl}$: A Material with Large Birefringence Enhancement Activated Prepared via Alkaline-Earth-Metal Substitution by Tin. <i>Angewandte Chemie</i> , 2019, 131, 17839-17842.	1.6	29
136	$\text{CO}(\text{NH}_2)_2 \cdot \text{NH}_4\text{Cl}$: an ultraviolet birefringent material with conjugated $\text{C}=\text{O}$ groups. <i>CrystEngComm</i> , 2019, 21, 6072-6079.	1.3	10
137	Cation Modulation on the Crystal Structure and Band Gap of Fluorooxoborates $\text{A}_3\text{B}_3\text{O}_3\text{F}_6$ (A = Alkali and Mixed Alkali Metal). <i>Inorganic Chemistry</i> , 2019, 58, 13411-13417.	1.9	16
138	$\text{LiBa}_2\text{M}_{\text{III}}\text{Q}_4$ (M _{III} = Al, Ga, In; Q = S, Se): A Series of Metal Chalcogenides with a Structural Transition. <i>Inorganic Chemistry</i> , 2019, 58, 12859-12866.	1.9	10
139	Experimental characterization and first principles calculations of linear and nonlinear optical properties of two orthophosphates $\text{A}_3\text{Al}_2(\text{PO}_4)_3$ (A = Tj ETQqđ.đ 0.7843đ4 rgBT		
140	Adjustable optical nonlinearity in d_{10} cations containing chalcogenides <i>via</i> dp hybridization interaction. <i>Dalton Transactions</i> , 2019, 48, 2592-2597.	1.6	12
141	Lone pair effects on ternary infrared nonlinear optical materials. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 5142-5147.	1.3	16
142	$\text{Li}_4\text{Na}_2\text{CsB}_7\text{O}_{14}$: a new edge-sharing $[\text{BO}_4]^{5-}$ tetrahedra containing borate with high anisotropic thermal expansion. <i>Chemical Communications</i> , 2019, 55, 1295-1298.	2.2	39
143	$\text{BaB}_8\text{O}_{12}\text{F}_2$: a promising deep-UV birefringent material. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 546-549.	3.0	45
144	The first lithium difluorophosphate LiPO_2F_2 with a neutral polytetrahedral microporous architecture. <i>Chemical Communications</i> , 2019, 55, 1817-1820.	2.2	20

#	ARTICLE	IF	CITATIONS
145	An alkali metal phosphate $\text{RbPbBi}_2(\text{PO}_4)_3$ with three kinds of disorder: the effect of isolated soft cation units on the crystal structure. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 2050-2054.	3.0	3
146	Cs_9O_{14} : A Triple-Layered Borate with Edge-Sharing BO_4 Tetrahedra Exhibiting a Short Cutoff Edge and a Large Birefringence. <i>Chemistry - A European Journal</i> , 2019, 25, 11614-11619.	1.7	29
147	$\text{K}_2[\text{B}_4\text{O}_5(\text{OH})_4] \cdot \text{H}_2\text{O}$ and $\text{K}_2[\text{B}_4\text{O}_5(\text{OH})_4]$: two new hydrated potassium borates with isolated $[\text{B}_4\text{O}_5(\text{OH})_4]^{2-}$ units and different structural frameworks. <i>New Journal of Chemistry</i> , 2019, 43, 11660-11665.	1.4	3
148	Transformation of the BO_4 Units from Corner-Sharing to Edge-Sharing Linkages in BaMBO_4 (M = Ga, Al). <i>Inorganic Chemistry</i> , 2019, 58, 8237-8244.	1.9	23
149	Three new phosphates, $\text{Cs}_8\text{Pb}_4(\text{P}_2\text{O}_7)_4$, $\text{CsLi}_7(\text{P}_2\text{O}_7)_2$ and $\text{LiCa}(\text{PO}_3)_3$: structural comparison, characterization and theoretical calculation. <i>Dalton Transactions</i> , 2019, 48, 8948-8954.	1.6	17
150	Two alkali calcium borates exhibiting second harmonic generation and deep-UV cutoff edges. <i>New Journal of Chemistry</i> , 2019, 43, 9354-9363.	1.4	2
151	$\text{K}_9[\text{B}_4\text{O}_5(\text{OH})_4]_3(\text{CO}_3)_3 \cdot 7\text{H}_2\text{O}$ (X = Cl, Br): Syntheses, Characterizations, and Theoretical Studies of Noncentrosymmetric Halogen Borate-Carbonates with Short UV Cutoff Edges. <i>Inorganic Chemistry</i> , 2019, 58, 6974-6982.	1.9	9
152	From centrosymmetric to noncentrosymmetric: cation-directed structural evolution in $\text{X}_3\text{ZnB}_5\text{O}_{10}$ (X = Na, K, Rb) and $\text{Cs}_{12}\text{Zn}_4(\text{B}_5\text{O}_{10})_4$ crystals. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 1461-1467.	3.0	14
153	A new barium fluorooxoborate $\text{BaB}_5\text{O}_8\text{F}_2 \cdot \text{H}_2\text{O}$ with large birefringence and a wide UV transparency window. <i>Dalton Transactions</i> , 2019, 48, 6714-6717.	1.6	23
154	Module-Analysis-Assisted Design of Deep Ultraviolet Fluorooxoborates with Extremely Large Gap and High Structural Stability. <i>Chemistry of Materials</i> , 2019, 31, 2807-2813.	3.2	87
155	$[\text{Ge}_2\text{S}_5(\text{S}_2)]^{4+}$, A NLO-Active Unit Leading to an Asymmetric Structure Discovered in $\text{Li}_2\text{Cs}_4\text{Ge}_2\text{S}_5(\text{S}_2)\text{Cl}_2$: An Experimental and Theoretical study. <i>Chemistry - A European Journal</i> , 2019, 25, 5440-5444.	1.7	12
156	$\text{NaCa}_5\text{BO}_3(\text{SiO}_4)_2$ with Interesting Isolated $[\text{BO}_3]$ and $[\text{SiO}_4]$ Units in Alkali- and Alkaline-Earth-Metal Borosilicates. <i>Inorganic Chemistry</i> , 2019, 58, 3937-3943.	1.9	12
157	Designing Three Fluorooxoborates with a Wide Transmittance Window by Anionic Group Substitution. <i>Inorganic Chemistry</i> , 2019, 58, 3596-3600.	1.9	14
158	Synthesis, characterization, and theoretical analysis of three new nonlinear optical materials $\text{K}_7\text{MRE}_2\text{B}_{15}\text{O}_{30}$ (M= Ca and Ba, RE= La and Bi). <i>Science China Materials</i> , 2019, 62, 1151-1161.	3.5	24
159	ABaSbQ_3 (A = Li, Na; Q = S, Se): diverse arrangement modes of isolated SbQ_3 ligands regulating the magnitudes of birefringences. <i>Chemical Communications</i> , 2019, 55, 5143-5146.	2.2	33
160	Two Polar Molybdenum(VI) Iodates(V) with Large Second-Harmonic Generation Responses. <i>Chemistry of Materials</i> , 2019, 31, 2992-3000.	3.2	60
161	$\text{BaB}_2\text{O}_3\text{F}_2$: A Barium Fluorooxoborate with a Unique $[\text{B}_2\text{O}_3\text{F}]$ Layer and Short Cutoff Edge. <i>Chemistry - A European Journal</i> , 2019, 25, 6693-6697.	1.7	31
162	Targeting the Next Generation of Deep-Ultraviolet Nonlinear Optical Materials: Expanding from Borates to Borate Fluorides to Fluorooxoborates. <i>Accounts of Chemical Research</i> , 2019, 52, 791-801.	7.6	315

#	ARTICLE	IF	CITATIONS
163	Ba ₄ M(CO ₃) ₂ (BO ₃) ₂ (M=Ba, Sr): two borate-carbonates synthesized by open high temperature solution method. <i>Science China Materials</i> , 2019, 62, 1023-1032.	3.5	21
164	A ₂ SrM ^{IV} S ₄ (A = Li, Na; M ^{IV} = Ge, Sn) concurrently exhibiting wide bandgaps and good nonlinear optical responses as new potential infrared nonlinear optical materials. <i>Chemical Science</i> , 2019, 10, 3963-3968.	3.7	64
165	Sn ₂ B ₇ O ₁₂ F with a 2 ⁺ [B ₁₄ O ₂₄] ⁶⁺ layer constructed from the unprecedented [B ₇ O ₁₆] ¹¹⁺ fundamental building block. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 996-1002.	3.0	17
166	Li ₂ ZnGeS ₄ : a promising diamond-like infrared nonlinear optical material with high laser damage threshold and outstanding second-harmonic generation response. <i>Dalton Transactions</i> , 2019, 48, 4484-4488.	1.6	33
167	LiGeBO ₄ : a nonlinear optical material with a balance between deep-ultraviolet cut-off edge and large SHG response induced by hand-in-hand tetrahedra. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 914-919.	3.0	17
168	Ba ₄ (BS ₃ S) ₂ S ₄ : a new thioborate with unprecedented [BS ₃ S] and [S ₄] fundamental building blocks. <i>Chemical Communications</i> , 2019, 55, 14793-14796.	2.2	16
169	Mg(H ₂ O) ₆ B ₄ O ₅ (OH) ₄ (H ₂ O) ₃ : a new hydrated borate with a short DUV cutoff edge. <i>Dalton Transactions</i> , 2019, 48, 17408-17413.	1.6	5
170	Ce(IO ₃) ₂ F ₂ ·xH ₂ O: The First Rare-Earth Metal Iodate Fluoride with Large Second Harmonic Generation Response. <i>Chemistry - A European Journal</i> , 2019, 25, 1221-1226.	1.7	46
171	Rational Design via Synergistic Combination Leads to an Outstanding Deep-Ultraviolet Birefringent Li ₂ B ₂ O ₅ Material with an Unvalued B ₂ O ₅ Functional Gene. <i>Journal of the American Chemical Society</i> , 2019, 141, 3258-3264.	6.6	177
172	NaPN ₂ : Deep-ultraviolet nonlinear optical material with unprecedented strong second-harmonic generation coefficient. <i>Physical Review Materials</i> , 2019, 3, .	0.9	11
173	Effect of Element Substitution on Structural Transformation and Optical Performances in Li ₂ BaM ^{IV} Q ₄ (M = Li, Na, Cu, and Ag; M ^{IV} = Tj ETQq 1 0.784614 rgBT	1.7	38
174	K ₃ B ₆ O ₉ F ₃ : A New Fluorooxoborate with Four Different Anionic Units. <i>Chemistry - A European Journal</i> , 2018, 24, 4497-4502.	1.7	38
175	SrB ₅ O ₇ F ₃ Functionalized with [B ₅ O ₉ F ₃] ⁶⁺ Chromophores: Accelerating the Rational Design of Deep-Ultraviolet Nonlinear Optical Materials. <i>Angewandte Chemie</i> , 2018, 130, 6203-6207.	1.6	108
176	A Series of Rare-Earth Borates K ₇ MRE ₂ B ₁₅ O ₃₀ (M =) Tj ETQq 0 0 rgBT /Overlock 1	3.2	73
177	SrB ₅ O ₇ F ₃ Functionalized with [B ₅ O ₉ F ₃] ⁶⁺ Chromophores: Accelerating the Rational Design of Deep-Ultraviolet Nonlinear Optical Materials. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 6095-6099.	7.2	581
178	BaBOF ₃ : a new aurivillius-like borate containing two types of F atoms. <i>Dalton Transactions</i> , 2018, 47, 5157-5160.	1.6	29
179	Polar Fluorooxoborate, NaB ₄ O ₆ F: A Promising Material for Ionic Conduction and Nonlinear Optics. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 6577-6581.	7.2	368
180	CaB ₅ O ₇ F ₃ : A Beryllium-Free Alkaline-Earth Fluorooxoborate Exhibiting Excellent Nonlinear Optical Performances. <i>Inorganic Chemistry</i> , 2018, 57, 4820-4823.	1.9	136

#	ARTICLE	IF	CITATIONS
181	Ba ₂ ZnSc(BO ₃) ₃ and Ba ₄ Zn ₅ Sc ₂ (BO ₃) ₈ : first examples of borates in the Zn–Sc–O system featuring special structure configurations. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 1787-1794.	3.0	12
182	Polar Fluorooxoborate, NaB ₄ O ₆ F: A Promising Material for Ionic Conduction and Nonlinear Optics. <i>Angewandte Chemie</i> , 2018, 130, 6687-6691.	1.6	66
183	Na ₆ Zn ₃ MIII ₂ Q ₉ (M ^{III} = Ga, In; Q = S, Se): four new supertetrahedron-layered chalcogenides with unprecedented vertex-sharing T ₃ -clusters and desirable photoluminescence performances. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 1415-1422.	3.0	26
184	LiNa ₄ B ₁₅ O ₂₅ : Featuring Unprecedented B ₁₅ O ₃₀ Fundamental Building Block and Deep-UV Cutoff Edge. <i>Inorganic Chemistry</i> , 2018, 57, 2876-2882.	1.9	16
185	LiCs ₂ La(BO ₃) ₂ and Li ₃ K ₉ La ₃ (BO ₃) ₇ : new mixed alkali metal lanthanum borates with three-dimensional open frameworks and short cut-off edges. <i>Dalton Transactions</i> , 2018, 47, 3512-3520.	1.6	6
186	Functional Materials Design via Structural Regulation Originated from Ions Introduction: A Study Case in Cesium Iodate System. <i>Chemistry of Materials</i> , 2018, 30, 1136-1145.	3.2	72
187	Cation-Tuned Synthesis of Fluorooxoborates: Towards Optimal Deep-Ultraviolet Nonlinear Optical Materials. <i>Angewandte Chemie</i> , 2018, 130, 2172-2176.	1.6	131
188	Oxyhalides: prospecting ore for optical functional materials with large laser damage thresholds. <i>Journal of Materials Chemistry C</i> , 2018, 6, 2435-2442.	2.7	56
189	Cation-Tuned Synthesis of Fluorooxoborates: Towards Optimal Deep-Ultraviolet Nonlinear Optical Materials. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2150-2154.	7.2	527
190	A Member of Fluorooxoborates: Li ₂ Na _{0.9} K _{0.1} B ₅ O ₈ F ₂ with the Fundamental Building Block B ₅ O ₁₀ F ₂ and a Short Cutoff Edge. <i>Inorganic Chemistry</i> , 2018, 57, 873-878.	1.9	23
191	Computer-Assisted Design of a Superior Be ₂ BO ₃ F Deep-Ultraviolet Nonlinear-Optical Material. <i>Inorganic Chemistry</i> , 2018, 57, 5716-5719.	1.9	31
192	MBaYB ₆ O ₁₂ (M = Rb, Cs): two new rare-earth borates with large birefringence and short ultraviolet cutoff edges. <i>Dalton Transactions</i> , 2018, 47, 750-757.	1.6	28
193	NaBaMIIIQ ₃ (MIII = Al, Ga; Q = S, Se): first quaternary chalcogenides with isolated edge-sharing (MIII ₂ Q ₆) ₆ ²⁻ dimers. <i>Dalton Transactions</i> , 2018, 47, 16044-16047.	1.6	8
194	Ba ₃ B ₁₀ O ₁₇ Br ₂ : a new barium borate halide with B–O layered structure. <i>Dalton Transactions</i> , 2018, 47, 16418-16421.	1.6	3
195	Designing an Excellent Deep-Ultraviolet Birefringent Material for Light Polarization. <i>Journal of the American Chemical Society</i> , 2018, 140, 16311-16319.	6.6	350
196	Two Lanthanide Borate Chlorides LnB ₄ O ₆ (OH) ₂ Cl (Ln = La, Ce) with Wide Ultraviolet Transmission Windows and Large Second-Harmonic Generation Responses. <i>Inorganic Chemistry</i> , 2018, 57, 14953-14960.	1.9	14
197	BaB ₂ S ₄ : An Efficient and Air-Stable Thioborate as Infrared Nonlinear Optical Material with High Laser Damage Threshold. <i>Chemistry of Materials</i> , 2018, 30, 7428-7432.	3.2	67
198	Li ₂ BaSc(BO ₃) ₂ F and LiBa ₂ Pb(BO ₃) ₂ F with Layered Structures featuring Special Li ⁺ O/F Configurations. <i>Chemistry - A European Journal</i> , 2018, 24, 15477-15481.	1.7	8

#	ARTICLE	IF	CITATIONS
199	The first lead fluorooxoborate PbB_5O_8F : achieving the coexistence of large birefringence and deep-ultraviolet cut-off edge. <i>Chemical Communications</i> , 2018, 54, 6308-6311.	2.2	70
200	Combination of d 10 -cations and fluorine anion as active participants to design novel borate/carbonate nonlinear optical materials. <i>Journal of Alloys and Compounds</i> , 2018, 758, 85-90.	2.8	19
201	$M^{I}M^{II}P_3O_9$ ($M^{I} = Rb, M^{II} = Cd$) Tj ETQq1 1 0.784314 Substitution Application in Cyclophosphate Family and Nonlinear Optical Properties. <i>Inorganic Chemistry</i> , 2018, 57, 7372-7379.	1.9	26
202	Remarkable multimember-ring configurations in a new family of $Na_7MIIISb_5S_{12}$ ($MII = Zn, Cd, Hg$) exhibiting various three-dimensional tunnel structures. <i>Chemical Communications</i> , 2018, 54, 8269-8272.	2.2	21
203	Designing Deep-UV Birefringent Crystals by Cation Regulation. <i>Chemistry - A European Journal</i> , 2018, 24, 11267-11272.	1.7	47
204	$K_{11}Rb_{28}O_{48}$: a new triple-layered borate with an unprecedented $[B_{28}O_{57}]$ fundamental building block. <i>Dalton Transactions</i> , 2018, 47, 10833-10836.	1.6	18
205	$K_2TeP_2O_8$: a new telluro-phosphate with a pentagonal TeO_4 layer structure. <i>Dalton Transactions</i> , 2018, 47, 9453-9458.	1.6	20
206	$Ba_3Mg_3(BO_3)_3F_3$ polymorphs with reversible phase transition and high performances as ultraviolet nonlinear optical materials. <i>Nature Communications</i> , 2018, 9, 3089.	5.8	314
207	The First Examples of Lithium-Containing Mixed-Alkali Strontium Borates with Different Dimensional Anionic Architectures and Short Cutoff Edges. <i>Chemistry - A European Journal</i> , 2018, 24, 15355-15364.	1.7	14
208	Module-Guided Design Scheme for Deep-Ultraviolet Nonlinear Optical Materials. <i>Journal of the American Chemical Society</i> , 2018, 140, 10726-10733.	6.6	127
209	Two noncentrosymmetric polyphosphates featuring infinite one-dimensional $(PO_3)_n$ chain, $LiMP_2O_6$ ($M = Rb, Cs$): Synthesis, structure and optical properties. <i>Journal of Solid State Chemistry</i> , 2018, 266, 150-154.	1.4	6
210	Advantageous Units in Antimony Sulfides: Exploration and Design of Infrared Nonlinear Optical Materials. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 26413-26421.	4.0	77
211	Expanding Frontiers of Ultraviolet Nonlinear Optical Materials with Fluorophosphates. <i>Chemistry of Materials</i> , 2018, 30, 5397-5403.	3.2	193
212	Mo_{6+} Cation Enrichment of the Structure Chemistry of Iodates: Syntheses, Structures, and Calculations of $Ba(MoO_2)_2(IO_3)_4O$, $Ba_3[(MoO_2)_2(IO_3)_4O(OH)_4] \cdot 2H_2O$, and $Sr[(MoO_2)_2(IO_4)_2O_4] \cdot 2H_2O$. <i>Inorganic Chemistry</i> , 2018, 57, 9376-9384.	1.9	21
213	Four alkali metal molybdates with two types of MoO_4 chains, $ABMo_3O_{10}$ ($A =$) Tj ETQq1 1 0.784314 rgB / Overlock 10 Tf 5 <i>Chemistry</i> , 2018, 42, 10879-10884.	1.4	6
214	Flexible coordination of Pb atoms and variable zinc borate frameworks to construct three $Pb_5Zn_4B_6O_{18}$ polymorphs. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 2501-2507.	3.0	8
215	Frontispiece: From LiB_3O_5 to $NaRbB_6O_9F$: Fluorine-Directed Evolution of Structural Chemistry. <i>Chemistry - A European Journal</i> , 2018, 24, .	1.7	0
216	Intriguing Structural Transition Inducing Variable Birefringences in ABa_2MS_4Cl ($A = Rb, Cs; M = Ge$) Tj ETQq0 0 0 rgB / Overlock 10 Tf 5	1.9	26

#	ARTICLE	IF	CITATIONS
217	From LiB_3O_5 to $\text{NaRbB}_6\text{O}_9\text{F}_2$: Fluorine-Directed Evolution of Structural Chemistry. <i>Chemistry - A European Journal</i> , 2018, 24, 10022-10027.	1.7	30
218	A Fluorooxosilicophosphate with an Unprecedented SiO_2F_4 Species. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 9828-9832.	7.2	40
219	$\text{NH}_4\text{B}_{10}\text{O}_{16}(\text{OH})_2$: a new ammonium borate with wavy-shaped polycyclic $2\text{D}[\text{B}_{10}\text{O}_{16}(\text{OH})_2]$ layers. <i>New Journal of Chemistry</i> , 2018, 42, 12091-12097.	1.4	20
220	Insights of BO_3PO_4 replacement for the design and synthesis of a new borate-phosphate with unique $1\text{D}[\text{Zn}_4\text{BO}_{11}]$ chains and two new phosphates. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 327-334.	3.0	11
221	The first quaternary diamond-like semiconductor with 10-membered Li_4 rings exhibiting excellent nonlinear optical performances. <i>Chemical Communications</i> , 2017, 53, 3010-3013.	2.2	96
222	$\text{Bi}_3\text{OF}_3(\text{IO}_3)_4$: Metal Oxyiodate Fluoride Featuring a Carbon-Nanotube-like Topological Structure with Large Second Harmonic Generation Response. <i>Chemistry of Materials</i> , 2017, 29, 945-949.	3.2	112
223	Enhancing optical anisotropy of crystals by optimizing bonding electron distribution in anionic groups. <i>Chemical Communications</i> , 2017, 53, 2818-2821.	2.2	155
224	Theoretical investigation on the balance between large band gap and strong SHG response in BMO_4 ($M = \text{P}$ and As) crystals. <i>RSC Advances</i> , 2017, 7, 2804-2809.	1.7	17
225	$\text{Na}_2\text{CdGe}_2\text{Q}_6$ ($Q = \text{S}, \text{Se}$): two metal-mixed chalcogenides with phase-matching abilities and large second-harmonic generation responses. <i>Dalton Transactions</i> , 2017, 46, 2778-2784.	1.6	69
226	First-principles study lone-pair effects of Sb (III)-S chromophore influence on SHG response in quaternary potassium containing silver antimony sulfides. <i>Journal of Solid State Chemistry</i> , 2017, 249, 215-220.	1.4	10
227	ACaBO_3 ($A = \text{Cs}, \text{Rb}$): two new cubic borates with isolated BO_3 groups. <i>Dalton Transactions</i> , 2017, 46, 4968-4974.	1.6	19
228	Fluorooxoborates: Beryllium-Free Deep-Ultraviolet Nonlinear Optical Materials without Layered Growth. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 3916-3919.	7.2	674
229	Fluorooxoborates: Beryllium-Free Deep-Ultraviolet Nonlinear Optical Materials without Layered Growth. <i>Angewandte Chemie</i> , 2017, 129, 3974-3977.	1.6	94
230	Experimental and ab initio studies of two UV nonlinear optical materials. <i>RSC Advances</i> , 2017, 7, 20259-20265.	1.7	10
231	Syntheses, crystal structures and characterization of three alkaline metal borates. <i>CrystEngComm</i> , 2017, 19, 2561-2569.	1.3	5
232	$\text{Na}_8\text{MB}_{21}\text{O}_{36}$ ($M = \text{Rb}$ and Cs): Noncentrosymmetric Borates with Unprecedented $[\text{B}_{21}\text{O}_{36}]^{9-}$ Fundamental Building Blocks. <i>Inorganic Chemistry</i> , 2017, 56, 5506-5509.	1.9	27
233	LiMCO_3 ($M = \text{K}, \text{Rb}, \text{Cs}$): a series of mixed alkali carbonates with large birefringence. <i>Dalton Transactions</i> , 2017, 46, 6894-6899.	1.6	7
234	$\text{LiRb}_2\text{LaB}_2\text{O}_6$: a new rare-earth borate with a MOF-5-like topological structure and a short UV cut-off edge. <i>Dalton Transactions</i> , 2017, 46, 193-199.	1.6	10

#	ARTICLE	IF	CITATIONS
235	$\text{Ba}_{n+2}\text{Zn}_n(\text{BO}_3)_n(\text{B}_2\text{O}_5)_n\text{F}_n(n)$ Tj ETQq1 1 0 Inorganic Chemistry Frontiers, 2017, 4, 281-288.	3.0	29
236	LiRb_2PO_4 : a new deep-ultraviolet nonlinear optical phosphate with a large SHG response. Journal of Materials Chemistry C, 2017, 5, 269-274.	2.7	84
237	$\text{Na}_2\text{ZnSn}_2\text{S}_6$: A mixed-metal thioostannate with large second-harmonic generation response activated by penta-tetrahedral $[\text{ZnSn}_4\text{S}_{14}]^{10-}$ clusters. Science China Technological Sciences, 2017, 60, 1465-1472.	2.0	9
238	$\text{BaCu}_2\text{MIVQ}_4$ (MIV= Si, Ge, and Sn; Q = S, Se): synthesis, crystal structures, optical performances and theoretical calculations. RSC Advances, 2017, 7, 29378-29385.	1.7	48
239	Design and Synthesis of a Series of Novel Mixed Borate and Carbonate Halides. Chemistry - A European Journal, 2017, 23, 10451-10459.	1.7	14
240	$\text{Li}_6\text{Zn}_3(\text{BO}_3)_4$: a new zincoborate featuring vertex-, edge- and face-sharing LiO_4 tetrahedra and exhibiting reversible phase transitions. Inorganic Chemistry Frontiers, 2017, 4, 1100-1107.	3.0	17
241	Structure comparison and optical properties of $\text{Na}_7\text{Mg}_{4.5}(\text{P}_2\text{O}_7)_4$: a sodium magnesium phosphate with isolated P_2O_7 units. New Journal of Chemistry, 2017, 41, 3399-3404.	1.4	17
242	Application of the dimensional reduction formalism to $\text{Pb}_9\text{Ba}_x[\text{Li}_2(\text{P}_2\text{O}_7)_2(\text{P}_4\text{O}_{13})_2]$ ($x = 0, 2, 6, 7$): a series of phosphates with two types of isolated polyphosphate groups. Dalton Transactions, 2017, 46, 4678-4684.	1.6	13
243	$\text{A}_3\text{Sr}_2\text{P}_7\text{O}_{21}$ (A = Rb, Cs): Two Polyphosphates Based on Different Types of $\text{P}\text{--}\text{O}$ Chains and Ring Structures. Inorganic Chemistry, 2017, 56, 3939-3945.	1.9	33
244	$\text{Na}_2\text{B}_6\text{O}_9\text{F}_2$: A Fluoroborate with Short Cutoff Edge and Deep-Ultraviolet Birefringent Property Prepared by an Open High-Temperature Solution Method. Inorganic Chemistry, 2017, 56, 344-350.	1.9	92
245	Three Mixed-Alkaline Borates: $\text{Na}_2\text{M}_2\text{B}_{20}\text{O}_{32}$ (M = Rb,) Tj ETQq1 1 0.784314 rgBT $\text{Li}_4\text{Cs}_4\text{B}_{40}\text{O}_{64}$ with Fundamental Building Block $\text{B}_{40}\text{O}_{77}$. Inorganic Chemistry, 2017, 56, 13456-13463.	1.9	29
246	New Compressed Chalcopyrite-like $\text{Li}_2\text{BaM}^{\text{IV}}\text{Q}_4$ ($\text{M}^{\text{IV}} = \text{Ca, Sr, Ba}$) Tj ETQq0 0 0 rgBT /Overlo Society, 2017, 139, 14885-14888.	6.6	201
247	$\text{ScMO}(\text{BO}_3)$ (M = Ca and Cd): new Sc-based oxyborates featuring interesting edge-sharing sandwich-like chains and UV cut-off edges. Dalton Transactions, 2017, 46, 14839-14846.	1.6	13
248	$\text{Na}_6\text{Si}_3\text{S}_8\text{O}$: the first example of a sulfide silicate exhibiting unusual tri-polymerized $[\text{Si}_3\text{S}_8\text{O}]^{6-}$ units without $\text{S}\text{--}\text{O}$ bonds. Dalton Transactions, 2017, 46, 13356-13359.	1.6	6
249	$\text{CsB}_4\text{O}_6\text{F}$: A Congruent Melting Deep Ultraviolet Nonlinear Optical Material by Combining Superior Functional Units. Angewandte Chemie - International Edition, 2017, 56, 14119-14123.	7.2	654
250	$\text{CsB}_4\text{O}_6\text{F}$: A Congruent Melting Deep Ultraviolet Nonlinear Optical Material by Combining Superior Functional Units. Angewandte Chemie, 2017, 129, 14307-14311.	1.6	166
251	Finding the Next Deep-Ultraviolet Nonlinear Optical Material: $\text{NH}_4\text{B}_4\text{O}_6\text{F}$. Journal of the American Chemical Society, 2017, 139, 10645-10648.	6.6	889
252	Structural Insights into Borates with an Anion Templated Open Framework Configuration: Asymmetric $\text{K}_2\text{BaB}_{16}\text{O}_{26}$ versus Centrosymmetric $\text{K}_3\text{CsB}_{20}\text{O}_{32}$ and $\text{Na}_2\text{M}_2\text{NB}_{18}\text{O}_{30}$ (M=Rb, Cs; N=Ba, Pb). Chemistry - A European Journal, 2017, 23, 13910-13918.	1.7	24

#	ARTICLE	IF	CITATIONS
253	Second-harmonic generation in noncentrosymmetric phosphates. <i>Physical Review B</i> , 2017, 96, .	1.1	37
254	The activity of lone pair contributing to SHG response in bismuth borates: a combination investigation from experiment and DFT calculation. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 25270-25276.	1.3	20
255	Linear-to- λ -Shape $\text{P}=\text{O}=\text{P}$ Bond Transmutation in Polyphosphates with Infinite $(\text{PO}_3)_z$ Chain. <i>Inorganic Chemistry</i> , 2017, 56, 10139-10142.	1.9	13
256	Chemical Cosubstitution-Oriented Design of Rare-Earth Borates as Potential Ultraviolet Nonlinear Optical Materials. <i>Journal of the American Chemical Society</i> , 2017, 139, 18397-18405.	6.6	187
257	$\text{SrNO}_3(\text{OH})\cdot\text{H}_2\text{O}$: A new member in strontium nitrate hydrate family with an ultraviolet cut-off edge. <i>Journal of Alloys and Compounds</i> , 2017, 695, 1719-1724.	2.8	5
258	Syntheses, characterization and theoretical studies of three apatite-type phosphates $\text{MPb}_4(\text{PO}_4)_3$ ($\text{M}=\text{Tj, ET, Qq}$). <i>Journal of Alloys and Compounds</i> , 2017, 695, 1719-1724.	2.8	13
259	Design and Syntheses of Three Novel Carbonate Halides: $\text{Cs}_3\text{Pb}_2(\text{CO}_3)_3\text{I}$, $\text{KBa}_2(\text{CO}_3)_2\text{F}$, and $\text{RbBa}_2(\text{CO}_3)_2\text{F}$. <i>Chemistry - A European Journal</i> , 2016, 22, 2944-2954.	1.7	22
260	Na_2BaMQ_4 ($\text{M}=\text{Ge, Sn; Q}=\text{S, Se}$): Infrared Nonlinear Optical Materials with Excellent Performances and that Undergo Structural Transformations. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 6713-6715.	7.2	172
261	Synthesis, structure and properties of nonlinear optical crystal $\text{Li}(\text{H}_2\text{O})_4\text{B}(\text{OH})_4\cdot 2\text{H}_2\text{O}$. <i>Materials Research Bulletin</i> , 2016, 83, 423-427.	2.7	5
262	$\text{Na}_2\text{ZnGe}_2\text{S}_6$: A New Infrared Nonlinear Optical Material with Good Balance between Large Second-Harmonic Generation Response and High Laser Damage Threshold. <i>Journal of the American Chemical Society</i> , 2016, 138, 7422-7428.	6.6	259
263	BaCdSnS_4 and $\text{Ba}_3\text{CdSn}_2\text{S}_8$: syntheses, structures, and non-linear optical and photoluminescence properties. <i>Dalton Transactions</i> , 2016, 45, 10681-10688.	1.6	72
264	$\text{Na}_2\text{Hg}_3\text{M}_2\text{S}_8$ ($\text{M}=\text{Si, Ge, and Sn}$): New Infrared Nonlinear Optical Materials with Strong Second Harmonic Generation Effects and High Laser-Damage Thresholds. <i>Chemistry of Materials</i> , 2016, 28, 2795-2801.	3.2	156
265	Effect of the $[\text{Ba}_2\text{BO}_3\text{F}]^z$ Layer on the Band Gap: Synthesis, Characterization, and Theoretical Studies of $\text{BaZn}_2\text{B}_2\text{O}_6\cdot n\text{Ba}_2\text{BO}_3\text{F}$ ($n=0, 1, 2$). <i>Inorganic Chemistry</i> , 2016, 55, 4806-4812.	1.9	21
266	Manipulation of birefringence via substitution of Sr^{2+} by Pb^{2+} based on the structure model of $\text{LiSr}_x\text{Pb}_{1-x}\text{BO}_3$ ($0 \leq x \leq 0.5$). <i>New Journal of Chemistry</i> , 2016, 40, 6120-6126.	1.4	5
267	AX_3A_6 octahedra influencing the arrangement of anionic groups and optical properties in inverse-perovskite $[\text{B}_6\text{O}_{10}]\text{XA}_3$ ($\text{X}=\text{Cl, Br; A}=\text{alkali metal}$). <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 15394-15398.	1.3	16
268	$\text{K}_5\text{Ba}_{10}(\text{BO}_3)_8\text{F}$: A New Potassium Barium Borate Fluoride with a Perovskite-Like Structure. <i>Journal of Physical Chemistry C</i> , 2016, 120, 18763-18770.	1.5	38
269	DFT Based Theoretical Study about the Contributions of Fluorine to Nonlinear Optical Properties in Borate Fluoride Crystals. <i>Crystal Growth and Design</i> , 2016, 16, 5067-5073.	1.4	20
270	$\text{K}_3\text{B}_3\text{O}_4(\text{OH})_4\cdot 2\text{H}_2\text{O}$: A UV Nonlinear Optical Crystal with Isolated $[\text{B}_3\text{O}_4(\text{OH})_4]^{3-}$ Anion Groups. <i>Inorganic Chemistry</i> , 2016, 55, 8744-8749.	1.9	20

#	ARTICLE	IF	CITATIONS
271	A New Deep-Ultraviolet Transparent Orthophosphate LiCs_2PO_4 with Large Second Harmonic Generation Response. <i>Journal of the American Chemical Society</i> , 2016, 138, 9101-9104.	6.6	307
272	Nonlinear electronic polarization and optical response in borophosphate BPO_4 . <i>Physical Review B</i> , 2016, 93, .	1.1	1
273	$\text{KPb}_2(\text{PO}_3)_5$: a novel nonlinear optical lead polyphosphate with a short deep-UV cutoff edge. <i>Journal of Materials Chemistry C</i> , 2016, 4, 10630-10637.	2.7	88
274	The mechanism of large second harmonic generation enhancement activated by Zn^{2+} substitution. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 32931-32936.	1.3	31
275	Nonlinear optical response mechanism of noncentrosymmetric lead borate $\text{Pb}_6\text{B}_4\text{O}_7(\text{OH})_3$ with three crystallographically independent $\text{B}_4\text{O}_7(\text{OH})_2$ chains. <i>RSC Advances</i> , 2016, 6, 100849-100856.	1.7	6
276	Predicting Global Minimum in Complex Beryllium Borate System for Deep-ultraviolet Functional Optical Applications. <i>Scientific Reports</i> , 2016, 6, 34839.	1.6	24
277	Na_2BaMQ_4 (M=Ge, Sn; Q=S, Se): Infrared Nonlinear Optical Materials with Excellent Performances and that Undergo Structural Transformations. <i>Angewandte Chemie</i> , 2016, 128, 6825-6827.	1.6	42
278	The Flexibility of P_2O_7 Dimers in Soft Structures: $\text{M}_2\text{CdP}_2\text{O}_7$ (M = Rb, Cs). <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 2704-2708.	1.0	13
279	Experimental and theoretical studies on the linear and nonlinear optical properties of lead phosphate crystals LiPbPO_4 . <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 19123-19129.	1.3	61
280	Synthesis, Characterization, and Theoretical Studies of $(\text{Pb}_4\text{O})\text{Pb}_2\text{B}_6\text{O}_{14}$: A New Lead(II) Borate with Isolated Oxygen-Centered Pb_4O Tetrahedra and Large Second Harmonic Generation Response. <i>Journal of Physical Chemistry C</i> , 2016, 120, 12757-12764.	1.5	39
281	Hierarchized band gap and enhanced optical responses of trivalent rare-earth metal nitrates due to $(d\pi-p)\pi$ conjugation interactions. <i>Journal of Materials Chemistry C</i> , 2016, 4, 6295-6301.	2.7	16
282	$\text{NaBa}_4(\text{GaB}_4\text{O}_9)_2\text{X}_3$ (X = Cl, Br) with NLO-Active GaO_4 Tetrahedral Unit: Experimental and ab Initio Studies. <i>Journal of Physical Chemistry C</i> , 2016, 120, 6190-6197.	1.5	22
283	$\text{M}_2\text{Ca}_3\text{B}_{16}\text{O}_{28}$ (M = Rb, Cs): structures analogous to SBBO with three-dimensional open-framework layers. <i>RSC Advances</i> , 2016, 6, 14205-14210.	1.7	9
284	$\text{Li}_3\text{AlSiO}_5$: the first aluminosilicate as a potential deep-ultraviolet nonlinear optical crystal with the quaternary diamond-like structure. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 4362-4369.	1.3	40
285	Versatile Coordination Mode of $\text{LiNaB}_8\text{O}_{13}$ and I^\pm and I^2 - $\text{LiKB}_8\text{O}_{13}$ via the Flexible Assembly of Four-Connected B_5O_{10} and B_3O_7 Groups. <i>Inorganic Chemistry</i> , 2016, 55, 552-554.	1.9	17
286	Three new phosphates with isolated P_2O_7 units: noncentrosymmetric $\text{Cs}_2\text{Ba}_3(\text{P}_2\text{O}_7)_2$ and centrosymmetric $\text{Cs}_2\text{BaP}_2\text{O}_7$ and $\text{LiCsBaP}_2\text{O}_7$. <i>Dalton Transactions</i> , 2016, 45, 3936-3942.	1.6	62
287	Effect of the tetrahedral groups on the optical properties of LaBRO_5 (R=Si and Ge): A first-principles study. <i>Journal of Applied Physics</i> , 2015, 118, .	1.1	9
288	Synthesis, characterization and theoretical studies of nonlinear optical crystal $\text{Sr}_2\text{B}_5\text{O}_9(\text{OH})\cdot\text{H}_2\text{O}$. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 10489-10496.	1.3	26

#	ARTICLE	IF	CITATIONS
289	Pb ₆ Ba ₂ (BO ₃) ₅ X (X = Cl, Br): new borate halides with strong predicted optical anisotropies derived from Pb ²⁺ and (BO ₃) ₃ ²⁻ . Dalton Transactions, 2015, 44, 7041-7047.	1.6	22
290	Q ₁₈ Mg ₆ (B ₅ O ₁₀) ₃ (B ₇ O ₁₄) ₂ (Q=Rb and Cs): New Borates Containing Two Large Isolated Polyborate Anions with Similar Topological Structures. Chemistry - A European Journal, 2015, 21, 1414-1419.	1.7	39
291	Simulated pressure-induced blue-shift of phase-matching region and nonlinear optical mechanism for K ₃ B ₆ O ₁₀ X (X=Cl, Br). Applied Physics Letters, 2015, 106, .	1.5	121
292	Three Alkali Metal Lead Orthophosphates – Syntheses, Crystal Structures and Properties of APbPO ₄ (A = K, Rb, Cs). European Journal of Inorganic Chemistry, 2015, 2015, 1490-1495.	1.0	17
293	Linear optical and thermo-physical properties of polar K ₃ B ₆ O ₁₀ Cl crystal. Journal of Materiomics, 2015, 1, 221-228.	2.8	19
294	Two New Crystals in LimC _n B _{m+n} O _{2(m+n)} (m+n= 5, 7; m>n) Series: Noncentrosymmetric Li ₅ Cs ₂ B ₇ O ₁₄ and Centrosymmetric Li ₄ CsB ₅ O ₁₀ . Inorganic Chemistry, 2015, 54, 7381-7387.	1.9	17
295	Pb ₁₇ O ₈ Cl ₁₈ : A Promising IR Nonlinear Optical Material with Large Laser Damage Threshold Synthesized in an Open System. Journal of the American Chemical Society, 2015, 137, 8360-8363.	6.6	181
296	Pb ₂ Ba ₃ (BO ₃) ₃ Cl: A Material with Large SHG Enhancement Activated by Pb-Chelated BO ₃ Groups. Journal of the American Chemical Society, 2015, 137, 9417-9422.	6.6	255
297	Contribution of lone-pairs to birefringence affected by the Pb(ⁱⁱ) coordination environment: a DFT investigation. Physical Chemistry Chemical Physics, 2015, 17, 21968-21973.	1.3	55
298	Polar Polymorphism: $\hat{1}^{\pm}$, $\hat{1}^2$, and $\hat{1}^3$ -Pb ₂ Ba ₄ Zn ₄ B ₁₄ O ₃₁ – Synthesis, Characterization, and Nonlinear Optical Properties. Chemistry of Materials, 2015, 27, 4779-4788.	3.2	75
299	Ba ₇ (BO ₃) ₃ GeO ₄ X (X= Cl, Br): borogermanate halides with rigid GeO ₄ tetrahedra and flexible XBa ₆ octahedra. RSC Advances, 2015, 5, 53448-53454.	1.7	11
300	Synthesis and Characterization of Mid-Infrared Transparency Compounds: Acentric BaHg ₂ S ₂ and Centric Ba ₈ Hg ₄ S ₅ Se ₇ . Inorganic Chemistry, 2015, 54, 2772-2779.	1.9	47
301	Effect of the cation size on the framework structures of magnesium tungstate, A ₄ Mg(WO ₄) ₃ (A = Na, K), R ₂ Mg ₂ (WO ₄) ₃ (R = Rb, Cs). Dalton Transactions, 2015, 44, 5810-5817.	1.6	23
302	The lone-pairs enhanced birefringence and SHG response: A DFT investigation on M ₂ B ₅ O ₉ Cl (M=Sr, Ba). Tj ETQq0 0.0 rgBT / Overlock 10	0.9	36
303	Ba ₂ GeS ₄ and Mg ₂ SnS ₄ : synthesis, structures, optical properties and electronic structures. RSC Advances, 2015, 5, 33646-33652.	1.7	31
304	Cs ₆ RE ₂ (PO ₄) ₄ (RE = Y and Gd): two new members of the alkali rare-earth double phosphates. New Journal of Chemistry, 2015, 39, 4328-4333.	1.4	19
305	Pb ₇ O(OH) ₃ (CO ₃) ₃ (BO ₃): First Mixed Borate and Carbonate Nonlinear Optical Material Exhibiting Large Second-Harmonic Generation Response. Inorganic Chemistry, 2015, 54, 4138-4142.	1.9	69
306	Synthesis, structures, and properties of two magnesium silicate fluorides Mg ₅ (SiO ₄) ₂ F ₂ and Mg ₃ SiO ₄ F ₂ . New Journal of Chemistry, 2015, 39, 8866-8873.	1.4	11

#	ARTICLE	IF	CITATIONS
307	Na ₄ MgM ₂ Se ₆ (M = Si, Ge): The First Noncentrosymmetric Compounds with Special Ethane-like [M ₂ Se ₆] ⁶⁺ Units Exhibiting Large Laser-Damage Thresholds. <i>Inorganic Chemistry</i> , 2015, 54, 10108-10110.	1.9	54
308	An investigation of new infrared nonlinear optical material: BaCdSnSe ₄ , and three new related centrosymmetric compounds: Ba ₂ SnSe ₄ , Mg ₂ GeSe ₄ , and Ba ₂ Ge ₂ S ₆ . <i>Dalton Transactions</i> , 2015, 44, 19856-19864.	1.6	67
309	Theoretical perspective of the lone pair activity influence on band gap and SHG response of lead borates. <i>RSC Advances</i> , 2015, 5, 79882-79887.	1.7	22
310	Effect of cation substitution on structural transition: synthesis, characterization and theoretical studies of NaCa ₄ B ₃ O ₉ , NaCaBO ₃ , NaSrBO ₃ and Li ₄ CaB ₂ O ₆ . <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 26359-26368.	1.3	16
311	Anomalous second-harmonic generation response in SrBPO ₅ and BaBPO ₅ . <i>Journal of Materials Chemistry C</i> , 2015, 3, 1557-1566.	2.7	34
312	Na ₃ Ba ₂ (B ₃ O ₆) ₂ F: Next Generation of Deep-Ultraviolet Birefringent Materials. <i>Crystal Growth and Design</i> , 2015, 15, 523-529.	1.4	159
313	Synthesis, crystal structure, and optical properties of a new lead barium borate, PbBa ₂ (B ₃ O ₆) ₂ . <i>Journal of Alloys and Compounds</i> , 2014, 615, 561-565.	2.8	16
314	Borate Fluoride and Fluoroborate in Alkali-Metal Borate Prepared by an Open High-Temperature Solution Method. <i>Inorganic Chemistry</i> , 2014, 53, 12686-12688.	1.9	50
315	Pb ₃ B ₆ O ₁₁ F ₂ : the first non-centrosymmetric lead borate fluoride with a large second harmonic generation response. <i>Journal of Materials Chemistry C</i> , 2014, 2, 1704.	2.7	55
316	Synthesis, structures, optical properties and electronic structures of two mixed metal borates MBaB ₅ O ₉ (M=Na, K). <i>Journal of Alloys and Compounds</i> , 2014, 585, 602-607.	2.8	22
317	A Nitrate Nonlinear Optical Crystal Pb ₁₆ (OH) ₁₆ (NO ₃) ₁₆ with a Large Second-Harmonic Generation Response. <i>Inorganic Chemistry</i> , 2014, 53, 3320-3325.	1.9	55
318	First Principle Assisted Prediction of the Birefringence Values of Functional Inorganic Borate Materials. <i>Journal of Physical Chemistry C</i> , 2014, 118, 25651-25657.	1.5	67
319	The influence of hydrogen bonding on the nonlinear optical properties of a semiorganic material NH ₄ B[^d -(+)-C ₄ H ₄ O ₅] ₂ ·H ₂ O: a theoretical perspective. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 20089.		17
320	A new polymorph of Cd ₃ B ₂ O ₆ : synthesis, crystal structure and phase transformation. <i>RSC Advances</i> , 2014, 4, 13195-13200.	1.7	16
321	Pb ₄ Zn ₂ B ₁₀ O ₂₁ : a congruently melting lead zinc borate with a novel [B ₁₀ O ₂₄] anionic group and an interesting [Pb ₄ O ₁₂] ²⁻ chain. <i>New Journal of Chemistry</i> , 2014, 38, 285-291.	1.4	27
322	Sr ₄ B ₁₀ O ₁₈ (OH) ₂ ·2H ₂ O: a new UV nonlinear optical material with a [B ₁₀ O ₂₃] ¹⁶⁻ building block. <i>Journal of Materials Chemistry C</i> , 2014, 2, 667-674.	2.7	52
323	Ba ₂ B ₁₀ O ₁₇ : a new centrosymmetric alkaline-earth metal borate with a deep-UV cut-off edge. <i>Dalton Transactions</i> , 2014, 43, 8905-8910.	1.6	44
324	K ₇ B ₂ P ₅ O ₁₉ : a novel alkali metal borophosphate with zero dimensional [B ₂ P ₅ O ₁₉] ⁷⁻ anionic units. <i>CrystEngComm</i> , 2014, 16, 6848-6851.	1.3	22

#	ARTICLE	IF	CITATIONS
325	Effect of Halogen (Cl, Br) on the Symmetry of Flexible Perovskite-Related Framework. <i>Inorganic Chemistry</i> , 2014, 53, 11213-11220.	1.9	30
326	The interaction between cations and anionic groups inducing SHG enhancement in a series of apatite-like crystals: A first-principles study. <i>Journal of Solid State Chemistry</i> , 2014, 219, 138-142.	1.4	23
327	Exploring the influence of cationic skeletons on the arrangement of isolated BO_3 groups based on RbMgBO_3 , $\text{CsZn}_4(\text{BO}_3)_3$ and $\text{Cs}_4\text{Mg}_4(\text{BO}_3)_4$. <i>New Journal of Chemistry</i> , 2014, 38, 3035-3041.	1.4	22
328	Crystal growth and calculation of the electronic band structure and density of states of $\text{Li}_3\text{Cs}_2\text{B}_5\text{O}_{10}$. <i>CrystEngComm</i> , 2014, 16, 1978.	1.3	13
329	$\pi^*-\sigma^*$ interaction mechanism revealing and accordingly designed new member in deep-ultraviolet NLO borates $\text{Li}_n\text{M}_{n-1}\text{B}_{2n-1}\text{O}_{4n-2}$ (M = Cs/Rb, n = 3, 4). <i>CrystEngComm</i> , 2014, 16, 17843-17851.	1.3	13
330	The Effect of the Ratio of [M/(B+P)] on the Configuration of Anionic Groups: Synthesis of the Borate-Phosphate $\text{LiPb}_4(\text{BO}_3)_3(\text{PO}_4)_2$. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 3467-3473.	1.0	13
331	$\text{Cs}_3\text{Zn}_6\text{B}_9\text{O}_{21}$: A Chemically Benign Member of the KBBF Family Exhibiting the Largest Second Harmonic Generation Response. <i>Journal of the American Chemical Society</i> , 2014, 136, 1264-1267.	6.6	310
332	Linear and Nonlinear Optical Properties of $\text{K}_3\text{B}_6\text{O}_{10}\text{Br}$ Single Crystal: Experiment and Calculation. <i>Journal of Physical Chemistry C</i> , 2014, 118, 11849-11856.	1.5	73
333	Effect of Rigid Units on the Symmetry of the Framework: Design and Synthesis of Centrosymmetric $\text{NaBa}_4(\text{B}_5\text{O}_9)_2\text{F}_2\text{Cl}$ and Noncentrosymmetric $\text{NaBa}_4(\text{AlB}_4\text{O}_9)_2\text{Br}_3$. <i>Crystal Growth and Design</i> , 2013, 13, 3514-3521.	1.4	43
334	Noncentrosymmetric Cubic CsCdBO_3 with Bichromophore. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 5528-5533.	1.0	22
335	Synthesis, crystal structures and optical properties of two congruent-melting isotypic diphosphates: $\text{LiM}_3\text{P}_2\text{O}_7$ (M=Na, K). <i>Journal of Solid State Chemistry</i> , 2013, 197, 128-133.	1.4	55
336	New Molybdenum(VI) Phosphates: Synthesis, Characterization, and Calculations of Centrosymmetric $\text{RbMoO}_2\text{PO}_4$ and Noncentrosymmetric $\text{Rb}_4\text{Mo}_5\text{P}_2\text{O}_{22}$. <i>Inorganic Chemistry</i> , 2013, 52, 1488-1495.	1.9	31
337	$\text{Pb}_2\text{B}_5\text{O}_9\text{Cl}$: a chloride borate with second harmonic generation effect. <i>Journal of Materials Science</i> , 2013, 48, 2590-2596.	1.7	33
338	$\text{M}_2\text{Cd}_3\text{B}_{16}\text{O}_{28}$ (M = Rb, Cs): Two Isostructural Alkali Cadmium Borates with a New Type of Borate Layer. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 203-207.	1.0	28
339	Exploration of a new compound in the $\text{M}^+\text{B}_6\text{O}_{10}\text{X}$ (M: alkali metals; X: halogen) system: Preparation, crystal and electronic structures, and optical properties of $\text{Na}_3\text{B}_6\text{O}_{10}\text{Br}$. <i>Inorganica Chimica Acta</i> , 2013, 406, 205-210.	1.2	16
340	$\text{Sr}_3\text{B}_6\text{O}_{11}\text{F}_2$: a promising polar fluoroborate with short UV absorption edge and moderate second harmonic generation response. <i>Scripta Materialia</i> , 2013, 69, 449-452.	2.6	25
341	Designing a Deep-Ultraviolet Nonlinear Optical Material with a Large Second Harmonic Generation Response. <i>Journal of the American Chemical Society</i> , 2013, 135, 4215-4218.	6.6	542
342	$\text{Na}_{11}\text{B}_{21}\text{O}_{36}\text{X}_2$ (X=Cl, Br): Halogen Sodium Borates with a New Graphene-Like Borate Double Layer. <i>Chemistry - A European Journal</i> , 2013, 19, 7338-7341.	1.7	29

#	ARTICLE	IF	CITATIONS
343	Experimental and Theoretical Studies on the Linear and Nonlinear Optical Properties of $\text{Bi}_2\text{ZnOB}_2\text{O}_6$. <i>Journal of Physical Chemistry C</i> , 2013, 117, 14149-14157.	1.5	54
344	BaClBF_4 : a new noncentrosymmetric pseudo-Aurivillius type material with transparency range from deep UV to middle IR and a high laser damage threshold. <i>Journal of Materials Chemistry C</i> , 2013, 1, 4740.	2.7	36
345	Synthesis and Structure of KPbBP_2O_8 – A Congruent Melting Borophosphate with Nonlinear Optical Properties. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 3185-3190.	1.0	33
346	New Salt-Inclusion Borate, $\text{Li}_3\text{Ca}_9(\text{BO}_3)_7\cdot 2[\text{LiF}]$: A Promising UV NLO Material with the Coplanar and High Density BO_3 Triangles. <i>Inorganic Chemistry</i> , 2013, 52, 5359-5365.	1.9	48
347	$\text{Cs}_2\text{B}_4\text{SiO}_9$: A Deep-Ultraviolet Nonlinear Optical Crystal. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 3406-3410.	7.2	249
348	Structure, growth and properties of a novel polar material, $\text{KSr}_4\text{B}_3\text{O}_9$. <i>Journal of Solid State Chemistry</i> , 2012, 195, 73-78.	1.4	18
349	A new congruent-melting oxyborate, $\text{Pb}_4\text{O}(\text{BO}_3)_2$ with optimally aligned BO_3 triangles adopting layered-type arrangement. <i>Journal of Materials Chemistry</i> , 2012, 22, 2105-2110.	6.7	108
350	A novel deep UV nonlinear optical crystal $\text{Ba}_3\text{B}_6\text{O}_{11}\text{F}_2$, with a new fundamental building block, B_6O_{14} group. <i>Journal of Materials Chemistry</i> , 2012, 22, 9665.	6.7	177
351	Synthesis, crystal structure and characterization of a new compound, $\text{Li}_3\text{NaBa}_6\text{B}_6\text{O}_{12}$. <i>Solid State Sciences</i> , 2012, 14, 1186-1190.	1.5	22
352	$\text{Li}_5\text{Rb}_2\text{B}_7\text{O}_{14}$: a new congruently melting compound with two kinds of $\text{B}=\text{O}$ one-dimensional chains and short UV absorption edge. <i>CrystEngComm</i> , 2012, 14, 6720.	1.3	23
353	Synthesis, structure characterization and optical properties of a new lead cadmium borate. <i>Inorganica Chimica Acta</i> , 2012, 384, 158-162.	1.2	26
354	$\text{Li}_2\text{Sr}_4\text{B}_{12}\text{O}_{23}$: A new alkali and alkaline-earth metal mixed borate with $[\text{B}_{10}\text{O}_{18}]^{6-}$ network and isolated $[\text{B}_2\text{O}_5]^{4-}$ unit. <i>Journal of Solid State Chemistry</i> , 2012, 190, 92-97.	1.4	21
355	Two deep-ultraviolet nonlinear optical monolayers obtained by a template-optimized design strategy. <i>Inorganic Chemistry Frontiers</i> , 0, , .	3.0	2
356	Strong Nonlinearity Induced by Coaxial Alignment of Polar Chain and Dense $[\text{BO}_3]$ Units in $\text{CaZn}_2(\text{BO}_3)_2$. <i>Angewandte Chemie</i> , 0, , .	1.6	9
357	Promising Deep-Ultraviolet Birefringent Materials via Rational Design and Assembly of Planar π -Conjugated $[\text{B}(\text{OH})_3]$ and $[\text{B}_3\text{O}_3(\text{OH})_3]$ Functional Species. <i>Angewandte Chemie</i> , 0, , .	1.6	2