

# Kiyoshi Hasegawa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1789480/publications.pdf>

Version: 2024-02-01

373  
papers

14,998  
citations

26567

56  
h-index

24915

109  
g-index

379  
all docs

379  
docs citations

379  
times ranked

12588  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Landmarks to identify segmental borders of the liver: A review prepared for PAM&HBP expert consensus meeting 2021. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 82-98.   | 1.4 | 25        |
| 2  | Glissonean approach for hepatic inflow control in minimally invasive anatomic liver resection: A systematic review. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 51-65.  | 1.4 | 20        |
| 3  | Landmarks and techniques to perform minimally invasive liver surgery: A systematic review with a focus on hepatic outflow. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 66-81.   | 1.4 | 33        |
| 4  | A snapshot of the 2020 conception of anatomic liver resections and their applicability on minimally invasive liver surgery. A preparatory survey for the Expert Consensus Meeting on Precision Anatomy for Minimally Invasive HBP Surgery. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 41-50. | 1.4 | 17        |
| 5  | A safe sequential treatment approach for patients who have acute cholecystitis with severe inflammation: Transmural gallbladder drainage followed by laparoscopic cholecystectomy under the guidance of fluorescence imaging. <i>Asian Journal of Endoscopic Surgery</i> , 2022, 15, 230-234.                      | 0.4 | 1         |
| 6  | National survey of hepatobiliary and pancreatic surgery in hemophilia patients in Japan. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 385-393.   | 1.4 | 3         |
| 7  | Artificial intelligence enhances the accuracy of portal and hepatic vein extraction in computed tomography for virtual hepatectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 359-368.  | 1.4 | 8         |
| 8  | Expert Consensus Guidelines: How to safely perform minimally invasive anatomic liver resection. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 16-32.  | 1.4 | 41        |
| 9  | Association between CT-Based Preoperative Sarcopenia and Outcomes in Patients That Underwent Liver Resections. <i>Cancers</i> , 2022, 14, 261.   | 1.7 | 11        |
| 10 | Response Evaluation Criteria in Cancer of the liver version 6 (Response Evaluation Criteria in Cancer) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5   | 1.8 | 12        |
| 11 | Efficacy and Safety of Lenvatinib for the Treatment of Recurrent Hepatocellular Carcinoma After Living Donor Liver Transplantation: A Report of Two Cases. <i>Anticancer Research</i> , 2022, 42, 1161-1167.   | 0.5 | 3         |
| 12 | A multicenter phase II trial to assess the efficacy and safety of bevacizumab plus mFOLFOX6 as induction chemotherapy toward R0 surgical resection in advanced colorectal liver metastases with mutant-type KRAS: NEXTO-mt trial.. <i>Journal of Clinical Oncology</i> , 2022, 40, 450-450.                        | 0.8 | 0         |
| 13 | Multicenter prospective study to evaluate the efficacy of lenvatinib to achieve conversion surgery for initially unresectable hepatocellular carcinoma: LENS-HCC trial.. <i>Journal of Clinical Oncology</i> , 2022, 40, 458-458.  | 0.8 | 7         |
| 14 | A multicenter phase II trial evaluating the efficacy of bevacizumab plus mFOLFOX6 for R0 surgical resection in advanced colorectal liver metastases harboring mutant-type KRAS: NEXTO-mt trial. <i>Hpb</i> , 2022, 24, 1245-1251.  | 0.1 | 1         |
| 15 | Preoperative portal vein embolization: a comparison of ethanol and coils versus ethanol alone. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2022, , 1-9.  | 0.6 | 0         |
| 16 | Minimally invasive anatomic liver resection: Results of a survey of world experts. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 33-40.   | 1.4 | 10        |
| 17 | MX1-HNF1B Axis Is Indispensable for Intraductal Papillary Mucinous Neoplasm Lineages. <i>Gastroenterology</i> , 2022, 162, 1272-1287.e16.  | 0.6 | 16        |
| 18 | A randomized controlled trial of surgery and postoperative modified FOLFOX6 versus surgery and perioperative modified FOLFOX6 plus cetuximab in patients with KRAS wild-type resectable colorectal liver metastases: EXPERT study. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 1345-1356.                 | 0.8 | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Conversion surgery after preoperative therapy for advanced hepatocellular carcinoma in the era of molecular targeted therapy and immune checkpoint inhibitors. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 732-740.                             | 1.4 | 24        |
| 20 | Effect of the response to preoperative treatment for hepatorenal syndrome on the outcome of recipients of living donor liver transplantation. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 798-809.  | 1.4 | 3         |
| 21 | Histological growth patterns of colorectal cancer liver metastases: a strong prognostic marker associated with invasive patterns of the primary tumor and p53 alteration. <i>Human Pathology</i> , 2022, 123, 74-83.   | 1.1 | 6         |
| 22 | Surgery versus Radiofrequency Ablation for Small Hepatocellular Carcinoma: A Randomized Controlled Trial (SURF Trial). <i>Liver Cancer</i> , 2022, 11, 209-218.  | 4.2 | 65        |
| 23 | The Tokyo 2020 terminology of liver anatomy and resections: Updates of the Brisbane 2000 system. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 6-15.  | 1.4 | 65        |
| 24 | Long-term progression-free survival achieved in the skull base metastasis of gastrointestinal stromal tumor with introduction of tyrosine kinase inhibitor: illustrative case. <i>Journal of Neurosurgery Case Lessons</i> , 2022, 3, .                              | 0.1 | 0         |
| 25 | Diagnostic Criteria for Acute-on-Chronic Liver Failure and Related Disease Conditions in Japan. <i>Acta Hepatologica Japonica</i> , 2022, 63, 219-223.   | 0.0 | 0         |
| 26 | <i>KRAS</i> variant allele frequency, but not mutation positivity, associates with survival of patients with pancreatic cancer. <i>Cancer Science</i> , 2022, 113, 3097-3109.  | 1.7 | 10        |
| 27 | Diagnostic criteria for acute-on-chronic liver failure and related disease conditions in Japan. <i>Hepatology Research</i> , 2022, 52, 417-421.  | 1.8 | 11        |
| 28 | Long-term quality of life of living liver donors: A Japanese nationwide survey. <i>Liver Transplantation</i> , 2022, 28, 1800-1803.  | 1.3 | 1         |
| 29 | Advances in the surgical treatment of liver cancer. <i>BioScience Trends</i> , 2022, 16, 178-188.  | 1.1 | 24        |
| 30 | A multicenter, non-randomized, controlled trial to evaluate the efficacy of surgery versus radiofrequency ablation for small hepatocellular carcinoma (SURF-Cohort Trial): Analysis of overall survival.. <i>Journal of Clinical Oncology</i> , 2022, 40, 4095-4095. | 0.8 | 1         |
| 31 | High-grade transformation of pancreatic neuroendocrine tumor associated with <i>TP53</i> mutations: A diagnostic pitfall mimicking neuroendocrine carcinoma. <i>Pathology International</i> , 2022, 72, 411-418.   | 0.6 | 2         |
| 32 | Closure and anastomosis of the pancreas using a four-needle three-loop suture device. <i>Global Health &amp; Medicine</i> , 2022, , .  | 0.6 | 0         |
| 33 | The impact of the covalently closed circular DNA level on recurrence of hepatocellular carcinoma after initial hepatectomy: an analysis of patients with resolved hepatitis B virus infection. <i>Hpb</i> , 2022, 24, 1780-1788.                                     | 0.1 | 0         |
| 34 | Clinical Significance of Spontaneous Portosystemic Shunts in Living Donor Liver Transplantation. <i>Liver Transplantation</i> , 2021, 27, 77-87.   | 1.3 | 15        |
| 35 | Reply. <i>Liver Transplantation</i> , 2021, 27, 303-304.   | 1.3 | 0         |
| 36 | Identification of liver lesions using fluorescence imaging: comparison of methods for administering indocyanine green. <i>Hpb</i> , 2021, 23, 262-269.   | 0.1 | 13        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Indocyanine green administration a day before surgery may increase bile duct detectability on fluorescence cholangiography during laparoscopic cholecystectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 202-210.  | 1.4 | 28        |
| 38 | Advancement of Biomaterialâ€Based Postoperative Adhesion Barriers. <i>Macromolecular Bioscience</i> , 2021, 21, e2000395.  | 2.1 | 58        |
| 39 | Identification of Glisson's Capsule Invasion During Hepatectomy for Colorectal Liver Metastasis by Contrastâ€Enhanced Ultrasonography Using Perflubutane. <i>World Journal of Surgery</i> , 2021, 45, 1168-1177.   | 0.8 | 0         |
| 40 | Prognostic grade for resecting hepatocellular carcinoma: multicentre retrospective study. <i>British Journal of Surgery</i> , 2021, 108, 412-418.  | 0.1 | 4         |
| 41 | Inhibition of histone methyltransferase G9a attenuates liver cancer initiation by sensitizing DNA-damaged hepatocytes to p53-induced apoptosis. <i>Cell Death and Disease</i> , 2021, 12, 99.  | 2.7 | 19        |
| 42 | Impact of Abdominal Incision Type on Postoperative Pain and Quality of Life Following Hepatectomy. <i>World Journal of Surgery</i> , 2021, 45, 1887-1896.  | 0.8 | 4         |
| 43 | An aberrant right hepatic artery arising from the gastroduodenal artery: a pitfall encountered during pancreaticoduodenectomy. <i>Surgery Today</i> , 2021, 51, 1577-1582.   | 0.7 | 5         |
| 44 | Therapeutic effect of portal vein stenting for portal vein stenosis after upper-abdominal surgery. <i>Hpb</i> , 2021, 23, 238-244.   | 0.1 | 5         |
| 45 | A new rapid diagnostic system with ambient mass spectrometry and machine learning for colorectal liver metastasis. <i>BMC Cancer</i> , 2021, 21, 262.  | 1.1 | 18        |
| 46 | Donor age (â‰¥45Âyears) and reduced immunosuppression are associated with the recurrent primary sclerosing cholangitis after liver transplantation â€ a multicenter retrospective study. <i>Transplant International</i> , 2021, 34, 916-929.  | 0.8 | 4         |
| 47 | ABO Blood Group and Risk of Pancreatic Carcinogenesis in Intraductal Papillary Mucinous Neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1020-1028.   | 1.1 | 6         |
| 48 | Proposal of a novel H categoryâ€based classification of colorectal liver metastases based on a Japanese nationwide survey. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 317-326.   | 1.4 | 10        |
| 49 | Correlation Between Portal Pressure and Indocyanine Green Retention Rate is Unaffected by the Cause of Cirrhosis: A Prospective Study. <i>World Journal of Surgery</i> , 2021, 45, 2546-2555.  | 0.8 | 3         |
| 50 | Contour prognostic model for predicting survival after resection of colorectal liver metastases: development and multicentre validation study using largest diameter and number of metastases with <i>RAS</i> mutation status. <i>British Journal of Surgery</i> , 2021, 108, 968-975. | 0.1 | 30        |
| 51 | Effect of Diameter and Number of Hepatocellular Carcinomas on Survival After Resection, Transarterial Chemoembolization, and Ablation. <i>American Journal of Gastroenterology</i> , 2021, 116, 1698-1708.   | 0.2 | 17        |
| 52 | Prognosis of primary sclerosing cholangitis according to age of onset. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, , .  | 1.4 | 2         |
| 53 | Loss of antibodies to hepatitis E virus in organ transplant patients with hepatitis E. <i>Hepatology Research</i> , 2021, 51, 538-547.   | 1.8 | 2         |
| 54 | The efficacy of rituximab treatment for antibodyâ€mediated rejection in liver transplantation: A retrospective Japanese nationwide study. <i>Hepatology Research</i> , 2021, 51, 990-999.  | 1.8 | 11        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | REPLACEMENT trial in progress: Combination therapy with atezolizumab plus bevacizumab for TACE unsuitable patients with beyond up-to-seven criteria in intermediate stage hepatocellular carcinoma: A phase II study.. <i>Journal of Clinical Oncology</i> , 2021, 39, TPS4162-TPS4162.  | 0.8 | 2         |
| 56 | A Possible Association Between a Nucleotideâ€Binding Domain LRRâ€Containing Protein Family PYDâ€Containing Protein 1 Mutation and an Autoinflammatory Disease Involving Liver Cirrhosis. <i>Hepatology</i> , 2021, 74, 2296-2299.   | 3.6 | 6         |
| 57 | Axin2+ Peribiliary Glands in the Periampullary Region Generate Biliary Epithelial Stem Cells That Give Rise to Ampullary Carcinoma. <i>Gastroenterology</i> , 2021, 160, 2133-2148.e6.   | 0.6 | 16        |
| 58 | A multicenter randomized controlled trial to evaluate the efficacy of surgery versus radiofrequency ablation for small hepatocellular carcinoma (SURF trial): Analysis of overall survival.. <i>Journal of Clinical Oncology</i> , 2021, 39, 4093-4093.  | 0.8 | 21        |
| 59 | Management of Hepatocellular Carcinoma in Japan: JSH Consensus Statements and Recommendations 2021 Update. <i>Liver Cancer</i> , 2021, 10, 181-223.  | 4.2 | 307       |
| 60 | Impact of hepatitis C virus on survival in patients undergoing resection of intrahepatic cholangiocarcinoma: Report of a Japanese nationwide survey. <i>Hepatology Research</i> , 2021, 51, 890-901.   | 1.8 | 5         |
| 61 | Indications and waiting list priority for deceased donor liver transplantation in HIV/HCV coâ€infected hemophilic patients in Japan through contaminated blood product. <i>Hepatology Research</i> , 2021, 51, 909-914.   | 1.8 | 4         |
| 62 | Management of neuroendocrine liver metastasis: Searching for new prognostic factor and appraising repeat hepatectomy. <i>Hepatobiliary Surgery and Nutrition</i> , 2021, 10, 410-412.  | 0.7 | 1         |
| 63 | Understanding conditional cumulative incidence of complications following liver resection to optimize hospital stay. <i>Hpb</i> , 2021, , .  | 0.1 | 3         |
| 64 | Impact of board certification system and adherence to the clinical practice guidelines for liver cancer on postâ€hepatectomy riskâ€adjusted mortality rate in Japan: A questionnaire survey of departments registered with the National Clinical Database. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 801-811. | 1.4 | 6         |
| 65 | COVID-19 and liver surgery in France, Italy, Japan, and the United States: A report of a single topic conference of Eastern and Western Association for Liver Tumors (EWALT) 2021. <i>Global Health &amp; Medicine</i> , 2021, 3, 240-242.   | 0.6 | 1         |
| 66 | Fluorescence Imaging Using Enzyme-Activatable Probes for Real-Time Identification of Pancreatic Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 714527.   | 1.3 | 7         |
| 67 | Association between age and short-term outcomes of gastroenterological surgeries in older patients: an analysis using the National Clinical Database in Japan. <i>Langenbeck's Archives of Surgery</i> , 2021, 406, 2827-2836.   | 0.8 | 5         |
| 68 | Probability of Postoperative Complication after Liver Resection: Stratification of Patient Factors, Operative Complexity, and Use of Enhanced Recovery after Surgery. <i>Journal of the American College of Surgeons</i> , 2021, 233, 357-368.   | 0.2 | 14        |
| 69 | Adjuvant chemotherapy can prolong recurrence-free survival but did not influence the type of recurrence or subsequent treatment in patients with colorectal liver metastases. <i>Surgery</i> , 2021, 170, 1151-1154.   | 1.0 | 7         |
| 70 | Role of Liver Resection for Hepatocellular Carcinoma with Vascular Invasion: Emerging Evidence from Western Countries. <i>Liver Cancer</i> , 2021, 10, 404-406.  | 4.2 | 4         |
| 71 | Evaluating the liver function of patients with hepatocellular carcinoma. <i>Hepatology Research</i> , 2021, 51, 1095-1096.   | 1.8 | 1         |
| 72 | Nationwide survey for patients with acute-on-chronic liver failure occurring between 2017 and 2019 and diagnosed according to proposed Japanese criteria. <i>Journal of Gastroenterology</i> , 2021, 56, 1092-1106.  | 2.3 | 9         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Epithelial-mesenchymal transition and metastatic ability of CD133 colorectal cancer stem-like cells under hypoxia. <i>Oncology Letters</i> , 2021, 21, 19.  | 0.8 | 1         |
| 74 | High-performance Collective Biomarker from Liquid Biopsy for Diagnosis of Pancreatic Cancer Based on Mass Spectrometry and Machine Learning. <i>Journal of Cancer</i> , 2021, 12, 7477-7487.                    | 1.2 | 7         |
| 75 | Assessing the development status of intraoperative fluorescence imaging for perfusion assessments, using the IDEAL framework. <i>BMJ Surgery, Interventions, and Health Technologies</i> , 2021, 3, e000088.    | 0.6 | 4         |
| 76 | A novel simple three-level liver resection classification without compromising the performance to predict surgical and postoperative outcomes. <i>European Journal of Surgical Oncology</i> , 2021, , .         | 0.5 | 0         |
| 77 | Response Evaluation Criteria in Cancer of the Liver (RECICL 2021 revised version). <i>Acta Hepatologica Japonica</i> , 2021, 62, 823-829.   | 0.0 | 2         |
| 78 | Oncological benefit of complete metastasectomy for simultaneous colorectal liver and lung metastases. <i>American Journal of Surgery</i> , 2020, 219, 80-87.  | 0.9 | 3         |
| 79 | Survival Benefit of and Indications for Adjuvant Chemotherapy for Resected Colorectal Liver Metastases—a Japanese Nationwide Survey. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1244-1260.          | 0.9 | 19        |
| 80 | Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2019 for the treatment of colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1-42.                         | 1.0 | 1,123     |
| 81 | Surgical Outcomes of Hepatocellular Carcinoma With Bile Duct Tumor Thrombus. <i>Annals of Surgery</i> , 2020, 271, 913-921.   | 2.1 | 44        |
| 82 | Long-term Risk of Malignancy in Branch-Duct Intraductal Papillary Mucinous Neoplasms. <i>Gastroenterology</i> , 2020, 158, 226-237.e5.  | 0.6 | 160       |
| 83 | Reappraisal of Laennec's capsule. <i>Surgical Oncology</i> , 2020, 33, 222-223.   | 0.8 | 7         |
| 84 | Quantitative Assessment of the Accuracy of Real-Time Virtual Sonography for Liver Surgery. <i>Surgical Innovation</i> , 2020, 27, 60-67.  | 0.4 | 6         |
| 85 | Validation and performance of three-level procedure-based classification for laparoscopic liver resection. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 2056-2066.                 | 1.3 | 40        |
| 86 | Pancreaticogastrostomy after pancreaticoduodenectomy without suturing the pancreas. <i>Surgery Today</i> , 2020, 50, 200-204.   | 0.7 | 3         |
| 87 | Repeat hepatectomy for patients with recurrent neuroendocrine liver metastasis: Comparison with first hepatectomy. <i>Surgery</i> , 2020, 167, 404-409.   | 1.0 | 8         |
| 88 | Performance of a modified three-level classification in stratifying open liver resection procedures in terms of complexity and postoperative morbidity. <i>British Journal of Surgery</i> , 2020, 107, 258-267. | 0.1 | 56        |
| 89 | Liver Resection for Multiple Hepatocellular Carcinomas. <i>Annals of Surgery</i> , 2020, 272, 145-154.  | 2.1 | 61        |
| 90 | Pulse oximetry-based capillary refilling evaluation predicts postoperative outcomes in liver transplantation: a prospective observational cohort study. <i>BMC Anesthesiology</i> , 2020, 20, 251.              | 0.7 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | MRI Findings of Liver Parenchyma Peripheral to Colorectal Liver Metastasis: A Potential Predictor of Long-term Prognosis. <i>Radiology</i> , 2020, 297, 584-594.  | 3.6 | 12        |
| 92  | Stratification of Major Hepatectomies According to Their Outcome. <i>Annals of Surgery</i> , 2020, 272, 827-833.  | 2.1 | 21        |
| 93  | Impact of systematic segmentectomy for small hepatocellular carcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 331-341.  | 1.4 | 16        |
| 94  | Impact of Surgical Resection on Metachronous Metastases of Colorectal Cancer According to Tumor Doubling Time. <i>In Vivo</i> , 2020, 34, 3367-3374.  | 0.6 | 6         |
| 95  | Long-term outcome of liver resection for colorectal metastases in the presence of extrahepatic disease: A multi-institutional Japanese study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 810-818.             | 1.4 | 13        |
| 96  | 5-Aminolevulinic acid-mediated photodynamic activity in patient-derived cholangiocarcinoma organoids. <i>Surgical Oncology</i> , 2020, 35, 484-490.   | 0.8 | 8         |
| 97  | De novo hepatocellular carcinoma in living donor liver grafts: A Japanese multicenter experience. <i>Hepatology Research</i> , 2020, 50, 1365-1374.   | 1.8 | 1         |
| 98  | On-site Monitoring of Postoperative Bile Leakage Using Bilirubin-inducible Fluorescent Protein. <i>World Journal of Surgery</i> , 2020, 44, 4245-4253.  | 0.8 | 1         |
| 99  | Silk fibroin vascular graft: a promising tissue-engineered scaffold material for abdominal venous system replacement. <i>Scientific Reports</i> , 2020, 10, 21041.  | 1.6 | 27        |
| 100 | A retrospective study of histological outcome for IPMN after surgery in Lausanne, Switzerland: A case series. <i>Annals of Medicine and Surgery</i> , 2020, 60, 110-114.  | 0.5 | 4         |
| 101 | Intrahepatic cholangiocarcinoma developing seven years after resection of congenital biliary dilatation. <i>Journal of Pediatric Surgery Case Reports</i> , 2020, 63, 101693.   | 0.1 | 0         |
| 102 | Evaluation of adhesion barrier types in a rat hepatectomy-induced adhesion model. <i>BMC Surgery</i> , 2020, 20, 252.   | 0.6 | 8         |
| 103 | Timing for removing prophylactic drains after liver resection: an evaluation of drain removal on the third and first postoperative days. <i>Annals of Translational Medicine</i> , 2020, 8, 454-454.                                | 0.7 | 4         |
| 104 | The Balance between the Hemostatic Effect and Immune Response of Hyaluronan Conjugated with Different Chain Lengths of Inorganic Polyphosphate. <i>Biomacromolecules</i> , 2020, 21, 2695-2704.                                     | 2.6 | 11        |
| 105 | Germline MICA Polymorphism Is Associated with the Long-Term Outcomes in Patients Undergoing Hepatectomy for Colorectal Liver Metastases. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 2137-2139.                          | 0.9 | 1         |
| 106 | Sex differences in postsurgical skeletal muscle depletion after donation of living-donor liver transplantation, although minimal, should not be ignored. <i>BMC Surgery</i> , 2020, 20, 119.  | 0.6 | 1         |
| 107 | Immunosuppressive tumor microenvironment in occupational cholangiocarcinoma: Supportive evidence for the efficacy of immune checkpoint inhibitor therapy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 860-869. | 1.4 | 12        |
| 108 | A Multicenter Phase 2 Trial to Evaluate the Efficacy of mFOLFOX6 + Cetuximab as Induction Chemotherapy to Achieve R0 Surgical Resection for Advanced Colorectal Liver Metastases (NEXTO) <i>TJ ETQq0 0 0 rg87 /Overlock 10 Tf 5</i> |     |           |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Author response to: Comment on: Performance of a modified three-level classification in stratifying open liver resection procedures in terms of complexity and postoperative morbidity. <i>British Journal of Surgery</i> , 2020, 107, 469-469. | 0.1 | 6         |
| 110 | New metastasectomy criteria for peritoneal metastasis of hepatocellular carcinoma: A study of the Japanese Society of Hepato-Biliary-Pancreatic Surgery. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 673-681.              | 1.4 | 10        |
| 111 | Laparoscopic positive staining of hepatic segments using indocyanine green fluorescence imaging. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 441-443.  | 1.4 | 12        |
| 112 | Possible involvement of PS-PLA1 and lysophosphatidylserine receptor (LPS1) in hepatocellular carcinoma. <i>Scientific Reports</i> , 2020, 10, 2659.   | 1.6 | 19        |
| 113 | Usefulness of preoperative drip infusion cholangiography with computed tomography for predicting surgical difficulty during laparoscopic cholecystectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 315-323.             | 1.4 | 2         |
| 114 | Liver venous deprivation compared to portal vein embolization to induce hypertrophy of the future liver remnant before major hepatectomy: A single center experience. <i>Surgery</i> , 2020, 167, 917-923.                                      | 1.0 | 61        |
| 115 | Endoscopic ultrasound-guided gallbladder drainage with a combined internal and external drainage tubes for acute cholecystitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1821-1827.                            | 1.4 | 9         |
| 116 | Comprehensive data of 3525 patients newly diagnosed with colorectal liver metastasis between 2013 and 2014: 2nd report of a nationwide survey in Japan. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 555-562.               | 1.4 | 8         |
| 117 | Simulation and navigation liver surgery: an update after 2,000 virtual hepatectomies. <i>Global Health &amp; Medicine</i> , 2020, 2, 298-305.   | 0.6 | 4         |
| 118 | Microvascular Hepatic Artery Anastomosis in Living Donor Liver Transplantation for Erythropoietic Protoporphyrin. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, 8, e3066.   | 0.3 | 1         |
| 119 | Anatomical Hepatectomy. , 2020, , 119-125.  |     | 0         |
| 120 | Liver resections between 2014 and 2020 in the Lausanne University Hospital, Switzerland. <i>Global Health &amp; Medicine</i> , 2020, 2, 337-342.  | 0.6 | 0         |
| 121 | Epithelial-mesenchymal transition and metastatic ability of CD133+ colorectal cancer stem-like cells under hypoxia. <i>Oncology Letters</i> , 2020, 21, 1-1.  | 0.8 | 5         |
| 122 | Laennec's capsule does not exist around the peripheral hepatic veins. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019, 26, E13.   | 1.4 | 6         |
| 123 | Clinical practice guidelines for hepatocellular carcinoma: The Japan Society of Hepatology 2017 (4th) Tj ETQq1 1 0.784314 rgBT /Over to   | 1.8 | 399       |
| 124 | A multicenter prospective registration study on laparoscopic pancreatectomy in Japan: report on the assessment of 1,429 patients. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019, 27, 47-55.                                       | 1.4 | 16        |
| 125 | Significance of the surgical hepatic resection margin in patients with a single hepatocellular carcinoma. <i>British Journal of Surgery</i> , 2019, 107, 113-120.   | 0.1 | 57        |
| 126 | Survey of preoperative management protocol for perihilar cholangiocarcinoma at 10 Japanese high-volume centers with a combined experience of 2,778 cases. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019, 26, 490-502.             | 1.4 | 31        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Long-term outcomes of endoscopic treatment for duct-to-duct anastomotic strictures after living donor liver transplantation. <i>Liver International</i> , 2019, 39, 1954-1963.   | 1.9 | 15        |
| 128 | Gastrointestinal: Reappraisal of the usefulness of percutaneous transhepatic cholangioscopy for indeterminate distal biliary strictures. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 961-961.                      | 1.4 | 2         |
| 129 | Response Evaluation Criteria in Cancer of the Liver version 5 (RECICL 2019 revised version). <i>Hepatology Research</i> , 2019, 49, 981-989.   | 1.8 | 27        |
| 130 | Albumin-indocyanine green evaluation model in Western population. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019, 26, E7.   | 1.4 | 0         |
| 131 | Hepatectomy in patients with inherited blood coagulation disorders can be safely performed with adequate coagulation factor replacement. <i>Haemophilia</i> , 2019, 25, 463-467.   | 1.0 | 8         |
| 132 | The Prevention of Hepatectomy-Induced Adhesions by Bilayer Sponge Composed of Ultrapure Alginate. <i>Journal of Surgical Research</i> , 2019, 242, 286-295.  | 0.8 | 13        |
| 133 | Hepatectomy for hepatocellular carcinoma after perioperative management of portal hypertension. <i>British Journal of Surgery</i> , 2019, 106, 1066-1074.  | 0.1 | 17        |
| 134 | Adjuvant chemotherapy improves prognosis of resectable stage IV colorectal cancer: a comparative study using inverse probability of treatment weighting. <i>Therapeutic Advances in Medical Oncology</i> , 2019, 11, 175883591983896.            | 1.4 | 6         |
| 135 | A selective oral vasopressin V2-receptor antagonist for patients with end-stage liver disease awaiting liver transplantation: a preliminary study. <i>BioScience Trends</i> , 2019, 13, 189-196.   | 1.1 | 1         |
| 136 | Albumin-Indocyanine Green Evaluation (ALICE) grade combined with portal hypertension to predict post-hepatectomy liver failure. <i>Hepatology Research</i> , 2019, 49, 942-949.  | 1.8 | 22        |
| 137 | Delivery of pancreatic digestive enzymes into the gastrointestinal tract by pancreatic exocrine tissue transplant. <i>Scientific Reports</i> , 2019, 9, 5922.  | 1.6 | 12        |
| 138 | Significance of Glisson's capsule invasion in patients with colorectal liver metastases undergoing resection. <i>American Journal of Surgery</i> , 2019, 218, 887-893.   | 0.9 | 6         |
| 139 | A novel liver-specific fluorescent anti-cancer drug delivery system using indocyanine green. <i>Scientific Reports</i> , 2019, 9, 3044.  | 1.6 | 9         |
| 140 | Evaluation of preoperative nutritional variables to predict postoperative complications after pancreaticoduodenectomy. <i>Nutrition: X</i> , 2019, 2, 100006.  | 0.2 | 5         |
| 141 | The impact of apurinic-apyrimidinic endonuclease I on hepatocyte immuno-inflammatory factors and cell apoptosis. <i>BioScience Trends</i> , 2019, 13, 539-545.   | 1.1 | 2         |
| 142 | Hepatocellular carcinoma with non-B and non-C hepatitis origin: epidemiology in Japan and surgical outcome. <i>Global Health &amp; Medicine</i> , 2019, 1, 23-29.  | 0.6 | 8         |
| 143 | Late-Evening Carbohydrate and Branched-Chain Amino Acid Snacks Improve the Nutritional Status of Patients Undergoing Hepatectomy Based on Bioelectrical Impedance Analysis of Body Composition. <i>Gastrointestinal Tumors</i> , 2019, 6, 81-91. | 0.3 | 5         |
| 144 | Mutant IDH1 confers resistance to energy stress in normal biliary cells through PFKP-induced aerobic glycolysis and AMPK activation. <i>Scientific Reports</i> , 2019, 9, 18859.   | 1.6 | 18        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Assessment of Preoperative Liver Function for Surgical Decision Making in Patients with Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2019, 8, 447-456.   | 4.2 | 42        |
| 146 | Tumor Budding in Intrahepatic Cholangiocarcinoma. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1180-1190.  | 2.1 | 24        |
| 147 | Expanded living donor liver transplantation criteria for patients with hepatocellular carcinoma based on the Japanese nationwide survey: the 5-5-500 rule - a retrospective study. <i>Transplant International</i> , 2019, 32, 356-368.   | 0.8 | 95        |
| 148 | Validation of index-based IWATE criteria as an improved difficulty scoring system for laparoscopic liver resection. <i>Surgery</i> , 2019, 165, 731-740.  | 1.0 | 88        |
| 149 | Mortality and morbidity after pancreatoduodenectomy in patients undergoing hemodialysis: Analysis using a national inpatient database. <i>Surgery</i> , 2019, 165, 747-750.   | 1.0 | 15        |
| 150 | EV11 expression is associated with aggressive behavior in intrahepatic cholangiocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 474, 39-46.                                | 1.4 | 7         |
| 151 | Effect of home enteral nutrition after pancreaticoduodenectomy. <i>Nutrition</i> , 2019, 60, 206-211.   | 1.1 | 2         |
| 152 | Impact of Advanced Age on Survival in Patients Undergoing Resection of Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2019, 269, 692-699.   | 2.1 | 53        |
| 153 | Treatment Optimization for Hepatocellular Carcinoma in Elderly Patients in a Japanese Nationwide Cohort. <i>Annals of Surgery</i> , 2019, 270, 121-130.   | 2.1 | 48        |
| 154 | Intestinal-type histology is associated with better prognosis in patients undergoing liver resection for gastric/esophagogastric-junction liver metastasis. <i>Global Health &amp; Medicine</i> , 2019, 1, 101-109.                       | 0.6 | 3         |
| 155 | Hepatocellular carcinoma with non-B and non-C hepatitis origin: epidemiology in Japan and surgical outcome. <i>Global Health &amp; Medicine</i> , 2019, 1, 23-29.   | 0.6 | 2         |
| 156 | MRI Detection of Intratumoral Fat in Colorectal Liver Metastases After Preoperative Chemotherapy. <i>American Journal of Roentgenology</i> , 2018, 210, W196-W204.  | 1.0 | 3         |
| 157 | Shufeng Jiedu Capsule and its active ingredients induce apoptosis, inhibit migration and invasion, and enhances doxorubicin therapeutic efficacy in hepatocellular carcinoma. <i>Biomedicine and Pharmacotherapy</i> , 2018, 99, 921-930. | 2.5 | 26        |
| 158 | Contrast-enhanced intraoperative ultrasound in the resection of colorectal liver metastases with intrabiliary growth. <i>Clinical Journal of Gastroenterology</i> , 2018, 11, 348-353.  | 0.4 | 6         |
| 159 | CPT2 downregulation adapts HCC to lipid-rich environment and promotes carcinogenesis via acylcarnitine accumulation in obesity. <i>Gut</i> , 2018, 67, 1493-1504.   | 6.1 | 131       |
| 160 | Current Status of Surgical Incisions Used in Donors During Living Related Liver Transplantation - A Nationwide Survey in Japan. <i>Transplantation</i> , 2018, 102, 1293-1299.  | 0.5 | 10        |
| 161 | Negative phase 3 study of 90 Y microspheres versus sorafenib in HCC. <i>Lancet Oncology</i> , The, 2018, 19, e68.   | 5.1 | 2         |
| 162 | Reply. <i>Hepatology</i> , 2018, 67, 806-807.   | 3.6 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | NK cell and IFN signatures are positive prognostic biomarkers for resectable pancreatic cancer. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 2058-2065.   | 1.0 | 33        |
| 164 | Mortality and morbidity after hepatic resection in patients undergoing hemodialysis: analysis of a national inpatient database in Japan. <i>Surgery</i> , 2018, 163, 1234-1237.  | 1.0 | 4         |
| 165 | How Has Virtual Hepatectomy Changed the Practice of Liver Surgery?. <i>Annals of Surgery</i> , 2018, 268, 127-133.   | 2.1 | 77        |
| 166 | Intraoperative real-time tissue elastography during laparoscopic hepatectomy. <i>Hpb</i> , 2018, 20, 93-99.  | 0.1 | 4         |
| 167 | Partial TIPE ALPPS for Perihilar Cancer. <i>Annals of Surgery</i> , 2018, 267, e18-e20.  | 2.1 | 25        |
| 168 | Management of disappearing lesions after chemotherapy for colorectal liver metastases: Relation between detectability and residual tumors. <i>Journal of Surgical Oncology</i> , 2018, 117, 191-197.                           | 0.8 | 23        |
| 169 | A systematic review of publications on charged particle therapy for hepatocellular carcinoma. <i>International Journal of Clinical Oncology</i> , 2018, 23, 423-433.   | 1.0 | 33        |
| 170 | Feasibility of Intraoperative Navigation for Liver Resection Using Real-time Virtual Sonography With Novel Automatic Registration System. <i>World Journal of Surgery</i> , 2018, 42, 841-848.                                 | 0.8 | 22        |
| 171 | Surgical Approach to the Right Hepatic Core's Deepest Region Surrounded by Major Portal Pedicles and Right Hepatic Vein. <i>Digestive Surgery</i> , 2018, 35, 350-358.   | 0.6 | 4         |
| 172 | Vascular anatomy of the jejunal mesentery and complications associated with division of the first jejunal venous trunk during pancreaticoduodenectomy. <i>Journal of Surgical Oncology</i> , 2018, 117, 1297-1304.             | 0.8 | 13        |
| 173 | Proximal total splenic artery embolization for refractory hepatic encephalopathy. <i>Clinical Journal of Gastroenterology</i> , 2018, 11, 156-160.   | 0.4 | 0         |
| 174 | Comprehensive data of 3,820 patients newly diagnosed with colorectal liver metastasis between 2005 and 2007: report of a nationwide survey in Japan. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018, 25, 115-123. | 1.4 | 17        |
| 175 | Innovative treatment for hepatocellular carcinoma (HCC). <i>Translational Gastroenterology and Hepatology</i> , 2018, 3, 78-78.  | 1.5 | 12        |
| 176 | Stent placement for benign portal vein stenosis following pancreaticoduodenectomy in a hybrid operating room. <i>BioScience Trends</i> , 2018, 12, 641-644.  | 1.1 | 8         |
| 177 | Usefulness of indocyanine green fluorescence imaging for real-time visualization of pancreas neuroendocrine tumor and cystic neoplasm. <i>Journal of Surgical Oncology</i> , 2018, 118, 1012-1020.                             | 0.8 | 20        |
| 178 | Parenchyma-sparing liver resection for hepatocellular carcinoma in left lateral section is associated with better liver volume recovery. <i>Hpb</i> , 2018, 20, 949-955.   | 0.1 | 11        |
| 179 | The Impact of MDCT and Endoscopic Transpapillary Mapping Biopsy to Predict Longitudinal Spread of Extrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 1528-1537.                           | 0.9 | 19        |
| 180 | A phase II trial of gemcitabine, S-1 and LV combination (GSL) neoadjuvant chemotherapy for patients with borderline resectable and locally advanced pancreatic cancer. <i>Medical Oncology</i> , 2018, 35, 100.                | 1.2 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Host MICA Polymorphism as a Potential Predictive Marker in Response to Chemotherapy for Colorectal Liver Metastases. <i>Digestive Diseases</i> , 2018, 36, 437-445.  | 0.8 | 2         |
| 182 | Anatomical Boundary Between the Caudate Lobe of the Liver and Adjacent Segments Based on Three-Dimensional Analysis for Precise Resections. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 1709-1714.  | 0.9 | 14        |
| 183 | Liver Resection for Hepatocellular Carcinoma in Patients with Renal Dysfunction. <i>World Journal of Surgery</i> , 2018, 42, 4054-4062.  | 0.8 | 11        |
| 184 | Liver Regeneration is Preserved After At Least Four Repeated Liver Resections for Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2018, 42, 4070-4080.   | 0.8 | 4         |
| 185 | Predicting prognosis of resected hepatocellular carcinoma by radiomics analysis with random survival forest. <i>Diagnostic and Interventional Imaging</i> , 2018, 99, 643-651.   | 1.8 | 74        |
| 186 | Revision of Clinical Practice Guidelines for Hepatocellular Carcinoma in 2017. <i>Acta Hepatologica Japonica</i> , 2018, 59, 659-667.  | 0.0 | 0         |
| 187 | Hepatocellular Carcinoma With Bile Duct Tumor Thrombus. <i>Annals of Surgery</i> , 2017, 266, e63.   | 2.1 | 3         |
| 188 | Safety and efficacy of cryopreserved homologous veins for venous reconstruction in pancreatoduodenectomy. <i>Surgery</i> , 2017, 161, 385-393.   | 1.0 | 17        |
| 189 | Outflow Reconstruction Using Cryopreserved Homologous Venous Grafts in Living Donor Liver Transplantation. <i>Transplantation Proceedings</i> , 2017, 49, 109-114.   | 0.3 | 14        |
| 190 | Kinetic Changes in Liver Parenchyma After Preoperative Chemotherapy for Patients with Colorectal Liver Metastases. <i>Journal of Gastrointestinal Surgery</i> , 2017, 21, 813-821.   | 0.9 | 11        |
| 191 | Intraductal papillary neoplasm originating from an anomalous bile duct. <i>Clinical Journal of Gastroenterology</i> , 2017, 10, 174-178.   | 0.4 | 0         |
| 192 | Extranodal NK/T cell lymphoma in a living donor liver transplant recipient. <i>Annals of Hematology</i> , 2017, 96, 1051-1052.   | 0.8 | 3         |
| 193 | Adjuvant combination therapy with gemcitabine and autologous $\hat{3}\hat{1}$ T-cell transfer in patients with curatively resected pancreatic cancer. <i>Cytotherapy</i> , 2017, 19, 473-485.  | 0.3 | 49        |
| 194 | Efficacy of Preoperative Portal Vein Embolization Among Patients with Hepatocellular Carcinoma, Biliary Tract Cancer, and Colorectal Liver Metastases: A Comparative Study Based on Single-Center Experience of 319 Cases. <i>Annals of Surgical Oncology</i> , 2017, 24, 1557-1568. | 0.7 | 56        |
| 195 | Diagnostic accuracy of indocyanine green fluorescence imaging and multidetector row computed tomography for identifying hepatocellular carcinoma with liver explant correlation. <i>Hepatology Research</i> , 2017, 47, 1299-1307.   | 1.8 | 14        |
| 196 | Liver resection for hepatocellular carcinoma associated with hepatic vein invasion: A Japanese nationwide survey. <i>Hepatology</i> , 2017, 66, 510-517.   | 3.6 | 135       |
| 197 | Assessment of preoperative liver function based on indocyanine green clearance. <i>Hepatology</i> , 2017, 66, 675-676.   | 3.6 | 9         |
| 198 | Biliary epithelial injury-induced regenerative response by IL-33 promotes cholangiocarcinogenesis from peribiliary glands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E3806-E3815.  | 3.3 | 65        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Intraoperative imaging of hepatic cancers using $^{67}\text{Ga}$ -glutaryltranspeptidase-specific fluorophore enabling real-time identification and estimation of recurrence. <i>Scientific Reports</i> , 2017, 7, 3542.                         | 1.6 | 46        |
| 200 | Clinical Impact of Preoperative Chemotherapy on Microscopic Cancer Spread Surrounding Colorectal Liver Metastases. <i>Annals of Surgical Oncology</i> , 2017, 24, 2326-2333.   | 0.7 | 19        |
| 201 | Nomogram predicting long-term survival after the diagnosis of intrahepatic recurrence of hepatocellular carcinoma following an initial liver resection. <i>International Journal of Clinical Oncology</i> , 2017, 22, 715-725.                   | 1.0 | 12        |
| 202 | Near-infrared photothermal/photodynamic therapy with indocyanine green induces apoptosis of hepatocellular carcinoma cells through oxidative stress. <i>Scientific Reports</i> , 2017, 7, 13958.   | 1.6 | 142       |
| 203 | Combination of Cinobufacini and Doxorubicin Increases Apoptosis of Hepatocellular Carcinoma Cells through the Fas- and Mitochondria-Mediated Pathways. <i>The American Journal of Chinese Medicine</i> , 2017, 45, 1537-1556.                    | 1.5 | 33        |
| 204 | Salvage liver transplantation or repeat hepatectomy for recurrent hepatocellular carcinoma: An intent-to-treat analysis. <i>Liver Transplantation</i> , 2017, 23, 1553-1563.   | 1.3 | 54        |
| 205 | Comparison of anatomic and non-anatomic hepatic resection for hepatocellular carcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2017, 24, 616-626.  | 1.4 | 70        |
| 206 | Safety and efficacy of venous reconstruction in liver resection using cryopreserved homologous veins. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2017, 24, 511-519.  | 1.4 | 8         |
| 207 | Impact of Sustained Virological Response to Interferon Therapy on Recurrence of Hepatitis C Virus-Related Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 3196-3202.  | 0.7 | 16        |
| 208 | Portal vein territory identification using indocyanine green fluorescence imaging: Technical details and short-term outcomes. <i>Journal of Surgical Oncology</i> , 2017, 116, 921-931.  | 0.8 | 54        |
| 209 | Extended Segmentectomy II to Left Hepatic Vein: Importance of Preserving Umbilical Fissure Vein to Avoid Congestion of Segment III. <i>Journal of the American College of Surgeons</i> , 2017, 225, e5-e11.                                      | 0.2 | 5         |
| 210 | Intrahepatic cholangiocarcinoma frequently shows loss of $\beta$ -catenin and pRBM1 expression, and demonstrates specific clinicopathological and genetic characteristics with $\beta$ -catenin loss. <i>Histopathology</i> , 2017, 70, 766-774. | 1.6 | 34        |
| 211 | Real-time confocal laser endomicroscopic evaluation of primary liver cancer based on human liver autofluorescence. <i>Journal of Surgical Oncology</i> , 2017, 115, 151-157.   | 0.8 | 9         |
| 212 | Asunaprevir/daclatasvir and sofosbuvir/ledipasvir for recurrent hepatitis C following living donor liver transplantation. <i>Hepatology Research</i> , 2017, 47, 1093-1101.  | 1.8 | 5         |
| 213 | EV11 modulates oncogenic role of GPC1 in pancreatic carcinogenesis. <i>Oncotarget</i> , 2017, 8, 99552-99566.  | 0.8 | 27        |
| 214 | Statin use is associated with a reduced risk of hepatocellular carcinoma recurrence after initial liver resection. <i>BioScience Trends</i> , 2017, 11, 574-580.   | 1.1 | 27        |
| 215 | Impact of hepatocellular carcinoma heterogeneity on computed tomography as a prognostic indicator. <i>Scientific Reports</i> , 2017, 7, 12689.   | 1.6 | 39        |
| 216 | Transglutaminase 2 is upregulated in primary hepatocellular carcinoma with early recurrence as determined by proteomic profiles. <i>International Journal of Oncology</i> , 2017, 50, 1749-1759.   | 1.4 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Overview of fluorescence imaging focusing on fusion-image for laparoscopic hepatectomy. <i>Translational Gastroenterology and Hepatology</i> , 2017, 2, 65-65.  | 1.5 | 0         |
| 218 | Liver transplantation for the solitary intrahepatic cholangiocarcinoma less than 2 cm in diameter. <i>Hepatobiliary Surgery and Nutrition</i> , 2017, 6, 332-334.   | 0.7 | 0         |
| 219 | Oral adjuvant chemotherapy using uracil-tegafur (UFT) with leucovorin (LV) after resection of colorectal cancer liver metastases: Long-term survival results of the phase III UFT/LV study.. <i>Journal of Clinical Oncology</i> , 2017, 35, 672-672. | 0.8 | 5         |
| 220 | A phase II trial of neoadjuvant chemotherapy with GSL (GEM+TS-1+LV) for marginally resectable pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS516-TPS516.  | 0.8 | 0         |
| 221 | A randomized controlled trial to compare the effectiveness between surgery and radiofrequency ablation for hepatocellular carcinoma: SURF trial.. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS506-TPS506.                                      | 0.8 | 0         |
| 222 | Twenty years of Milan criteria: how far do we go. <i>Hepatobiliary Surgery and Nutrition</i> , 2016, 5, 488-491.  | 0.7 | 1         |
| 223 | Controversies regarding and perspectives on clinical utility of biomarkers in hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2016, 22, 262.   | 1.4 | 96        |
| 224 | Increased mRNA Levels of Sphingosine Kinases and S1P Lyase and Reduced Levels of S1P Were Observed in Hepatocellular Carcinoma in Association with Poorer Differentiation and Earlier Recurrence. <i>PLoS ONE</i> , 2016, 11, e0149462.               | 1.1 | 48        |
| 225 | Assessment of Preoperative Liver Function in Patients with Hepatocellular Carcinoma – The Albumin-Indocyanine Green Evaluation (ALICE) Grade. <i>PLoS ONE</i> , 2016, 11, e0159530.   | 1.1 | 60        |
| 226 | Surgical Indications and Procedures for Resection of Hepatic Malignancies Confined to Segment VII. <i>Annals of Surgery</i> , 2016, 263, 529-537.   | 2.1 | 23        |
| 227 | Detection of a new hepatic lesion suspicious for malignancy in a living donor using intraoperative ultrasonography. <i>Transplant International</i> , 2016, 29, 1139-1141.  | 0.8 | 0         |
| 228 | Survey results on daily practice in open and laparoscopic liver resections from 27 centers participating in the second International Consensus Conference. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016, 23, 283-288.                  | 1.4 | 28        |
| 229 | Living donor liver transplantation for hemophilia with special reference to the management of perioperative clotting factor replacement. <i>Liver Transplantation</i> , 2016, 22, 366-370.  | 1.3 | 11        |
| 230 | Reconstruction of hepatic venous tributary in right liver living donor liver transplantation: The importance of the inferior right hepatic vein. <i>Liver Transplantation</i> , 2016, 22, 410-419.  | 1.3 | 25        |
| 231 | Possible efficacy of recombinant human soluble thrombomodulin for the treatment of thrombotic microangiopathy after liver transplantation. <i>Liver Transplantation</i> , 2016, 22, 689-692.  | 1.3 | 6         |
| 232 | Splenectomy is not indicated in living donor liver transplantation. <i>Liver Transplantation</i> , 2016, 22, 1526-1535.   | 1.3 | 49        |
| 233 | Use of a Right Lateral Sector Graft in Living Donor Liver Transplantation Is Feasible, but Special Caution Is Needed With Respect to Liver Anatomy. <i>American Journal of Transplantation</i> , 2016, 16, 1258-1265.                                 | 2.6 | 18        |
| 234 | Surgery for Intermediate and Advanced Hepatocellular Carcinoma: A Consensus Report from the 5th Asia-Pacific Primary Liver Cancer Expert Meeting (APPLE 2014). <i>Liver Cancer</i> , 2016, 5, 245-256.  | 4.2 | 83        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Sharpin promotes hepatocellular carcinoma progression via transactivation of Versican expression. <i>Oncogenesis</i> , 2016, 5, e277-e277.   | 2.1 | 27        |
| 236 | Sphingosine kinase-1, S1P transporter spinster homolog 2 and S1P2 mRNA expressions are increased in liver with advanced fibrosis in human. <i>Scientific Reports</i> , 2016, 6, 32119.   | 1.6 | 45        |
| 237 | Aggressive Hemihepatectomy Combined with Resection and Reconstruction of Middle Hepatic Vein for Intrahepatic Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2016, 23, 494-500.                                      | 0.7 | 7         |
| 238 | Phase 1 study on S-1 and oxaliplatin therapy as an adjuvant after hepatectomy for colorectal liver metastases. <i>Investigational New Drugs</i> , 2016, 34, 468-473.   | 1.2 | 1         |
| 239 | Venous drainage map of the liver for complex hepatobiliary surgery and liver transplantation. <i>Hpb</i> , 2016, 18, 1031-1038.  | 0.1 | 42        |
| 240 | Behavior and clinical impact of ascites after living donor liver transplantation: risk factors associated with massive ascites. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016, 23, 688-696.                      | 1.4 | 15        |
| 241 | Randomized clinical trial comparing two vessel-sealing devices with crush clamping during liver transection. <i>British Journal of Surgery</i> , 2016, 103, 1795-1803.   | 0.1 | 28        |
| 242 | Reply to: "Local recurrence is not equal to Local dissemination" after resection for hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2016, 65, 1062-1063.   | 1.8 | 0         |
| 243 | Primary hepatic schwannoma: A case report. <i>International Journal of Surgery Case Reports</i> , 2016, 29, 146-150.   | 0.2 | 6         |
| 244 | Risk factors for acute liver allograft rejection and their influences on treatment outcomes of rescue therapy in living donor liver transplantation. <i>Clinical Transplantation</i> , 2016, 30, 880-885.                      | 0.8 | 14        |
| 245 | Advantages and Disadvantages of Prophylactic Abdominal Drainage in Distal Pancreatectomy. <i>World Journal of Surgery</i> , 2016, 40, 1226-1235.   | 0.8 | 19        |
| 246 | Complete removal of the tumor-bearing portal territory decreases local tumor recurrence and improves disease-specific survival of patients with hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2016, 64, 594-600.    | 1.8 | 159       |
| 247 | Survival benefit of liver resection for hepatocellular carcinoma associated with portal vein invasion. <i>Journal of Hepatology</i> , 2016, 65, 938-943.   | 1.8 | 354       |
| 248 | Transhepatic Approach along Right or Left Portal Fissure for Resections of Deeply Located Small Liver Tumors: A Novel Approach to "The Hepatic Core". <i>Journal of the American College of Surgeons</i> , 2016, 223, e19-e23. | 0.2 | 4         |
| 249 | Daclatasvir and asunaprevir for recurrent hepatitis C following living donor liver transplantation with HIV co-infection. <i>Hepatology Research</i> , 2016, 46, 829-832.  | 1.8 | 11        |
| 250 | KRAS Mutation Status Predicts Site-Specific Recurrence and Survival After Resection of Colorectal Liver Metastases Irrespective of Location of the Primary Lesion. <i>Annals of Surgical Oncology</i> , 2016, 23, 1890-1896.   | 0.7 | 43        |
| 251 | Survival benefit of repeat resection of successive recurrences after the initial hepatic resection for colorectal liver metastases. <i>Surgery</i> , 2016, 159, 632-640.   | 1.0 | 58        |
| 252 | CD133 Expression at the Metastatic Site Predicts Patients' Outcome in Colorectal Cancer with Synchronous Liver Metastasis. <i>Annals of Surgical Oncology</i> , 2016, 23, 1916-1923.   | 0.7 | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Interleukin-2 receptor antagonist immunosuppression and consecutive viral management in living-donor liver transplantation for human immunodeficiency virus/hepatitis C-co-infected patients: a report of 2 cases. <i>Clinical Journal of Gastroenterology</i> , 2016, 9, 32-37. | 0.4 | 2         |
| 254 | One-year extended, monthly vaccination prophylaxis combined with hepatitis B immune globulin for hepatitis B after liver transplantation. <i>Hepatology Research</i> , 2016, 46, E51-9.  | 1.8 | 7         |
| 255 | Pharmacokinetics of a Once-Daily Dose of Tacrolimus Early After Liver Transplantation: With Special Reference to CYP3A5 and ABCB1 Single Nucleotide Polymorphisms. <i>Annals of Transplantation</i> , 2016, 21, 491-499.   | 0.5 | 14        |
| 256 | Histologic Assessment of Intratumoral Lymphoplasmacytic Infiltration Is Useful in Predicting Prognosis of Patients with Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2016, 11, e0155744.  | 1.1 | 9         |
| 257 | Higher LPA2 and LPA6 mRNA Levels in Hepatocellular Carcinoma Are Associated with Poorer Differentiation, Microvascular Invasion and Earlier Recurrence with Higher Serum Autotaxin Levels. <i>PLoS ONE</i> , 2016, 11, e0161825.   | 1.1 | 33        |
| 258 | Adjuvant Oral Uracil-Tegafur with Leucovorin for Colorectal Cancer Liver Metastases: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2016, 11, e0162400.  | 1.1 | 92        |
| 259 | Stromal remodeling by the BET bromodomain inhibitor JQ1 suppresses the progression of human pancreatic cancer. <i>Oncotarget</i> , 2016, 7, 61469-61484.   | 0.8 | 64        |
| 260 | Assessment of preoperative liver function in patients with hepatocellular carcinoma: The albumin-indocyanine green evaluation (ALICE) grade. <i>Journal of Clinical Oncology</i> , 2016, 34, 4066-4066.  | 0.8 | 0         |
| 261 | The Feasibility of Third or More Repeat Hepatectomy for Recurrent Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2015, 262, 347-357.   | 2.1 | 79        |
| 262 | Hereditary Hemorrhagic Telangiectasia with Hepatic Vascular Malformations. <i>Case Reports in Medicine</i> , 2015, 2015, 1-5.  | 0.3 | 3         |
| 263 | A new formula for calculating standard liver volume for living donor liver transplantation without using body weight. <i>Journal of Hepatology</i> , 2015, 63, 848-854.  | 1.8 | 40        |
| 264 | Evaluation of hepatic perfusion in the liver graft using fluorescence imaging with indocyanine green. <i>International Journal of Surgery Case Reports</i> , 2015, 14, 149-151.  | 0.2 | 15        |
| 265 | An Unusual Cause of Ascites. <i>Gastroenterology</i> , 2015, 148, e3-e4.   | 0.6 | 0         |
| 266 | Outcome of salvage hepatic resection for recurrent hepatocellular carcinoma after radiofrequency ablation therapy. <i>Surgery</i> , 2015, 157, 463-472.  | 1.0 | 28        |
| 267 | Long-term and perioperative outcomes of laparoscopic versus open liver resection for colorectal liver metastases with propensity score matching: a multi-institutional Japanese study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015, 22, 711-720.                 | 1.4 | 135       |
| 268 | Evidence-based clinical practice guidelines for hepatocellular carcinoma: The Japanese Society of Hepatology 2013 update (3rd JSH-HCC Guidelines). <i>Hepatology Research</i> , 2015, 45,  | 1.8 | 339       |
| 269 | Long-term and perioperative outcomes of laparoscopic versus open liver resection for hepatocellular carcinoma with propensity score matching: a multi-institutional Japanese study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015, 22, 721-727.                    | 1.4 | 204       |
| 270 | Postoperative Outcomes for Patients with Non-B Non-C Hepatocellular Carcinoma: A Subgroup Analysis of Patients with a History of Hepatitis B Infection. <i>Annals of Surgical Oncology</i> , 2015, 22, 1034-1040.  | 0.7 | 26        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Reappraisal of a Dye-Staining Technique for Anatomic Hepatectomy by the Concomitant Use of Indocyanine Green Fluorescence Imaging. <i>Journal of the American College of Surgeons</i> , 2015, 221, e27-e36.   | 0.2 | 82        |
| 272 | Repeat resection leads to long-term survival: analysis of 10-year follow-up of patients with colorectal liver metastases. <i>American Journal of Surgery</i> , 2015, 210, 904-910.  | 0.9 | 23        |
| 273 | Development of carboxymethyl cellulose nonwoven sheet as a novel hemostatic agent. <i>Journal of Bioscience and Bioengineering</i> , 2015, 119, 718-723.  | 1.1 | 47        |
| 274 | Reply to: "ALPPS procedure for hepatocellular carcinoma with macrovascular thrombosis: A new opportunity?" <i>Journal of Hepatology</i> , 2015, 62, 243.  | 1.8 | 6         |
| 275 | Prognostic impact of complete removal of the tumor-bearing portal territory of the liver for hepatocellular carcinoma. <i>Journal of Clinical Oncology</i> , 2015, 33, e15162-e15162.   | 0.8 | 0         |
| 276 | Altered expression of AT-rich interactive domain 1A in hepatocellular carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 2763-70.  | 0.5 | 8         |
| 277 | Impact of Early Reoperation following Living-Donor Liver Transplantation on Graft Survival. <i>PLoS ONE</i> , 2014, 9, e109731.   | 1.1 | 14        |
| 278 | A combination of oral uracil-tegafur plus leucovorin (UFT + LV) is a safe regimen for adjuvant chemotherapy after hepatectomy in patients with colorectal cancer: Safety report of the UFT/LV study. <i>Drug Discoveries and Therapeutics</i> , 2014, 8, 48-56. | 0.6 | 16        |
| 279 | Adult Right Living-Donor Liver Transplantation With Special Reference to Reconstruction of the Middle Hepatic Vein. <i>American Journal of Transplantation</i> , 2014, 14, 2777-2787.   | 2.6 | 39        |
| 280 | Surgical treatment of hepatocellular carcinoma associated with hepatic vein tumor thrombosis. <i>Journal of Hepatology</i> , 2014, 61, 583-588.   | 1.8 | 140       |
| 281 | Comparison of the Therapeutic Outcomes Between Surgical Resection and Percutaneous Ablation for Small Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2014, 21, 348-355.   | 0.7 | 31        |
| 282 | Discrepancy Between Recurrence-Free Survival and Overall Survival in Patients with Resectable Colorectal Liver Metastases: A Potential Surrogate Endpoint for Time to Surgical Failure. <i>Annals of Surgical Oncology</i> , 2014, 21, 1817-1824.               | 0.7 | 71        |
| 283 | Hepatitis C viral load predicts tumor recurrence after curative resection of hepatocellular carcinoma regardless of the genotype of hepatitis C virus. <i>Hepatology International</i> , 2014, 8, 112-120.  | 1.9 | 7         |
| 284 | Evaluation of the safety and efficacy of simultaneous resection of primary colorectal cancer and synchronous colorectal liver metastases. <i>Surgery</i> , 2014, 155, 478-485.  | 1.0 | 35        |
| 285 | Mechanistic Background and Clinical Applications of Indocyanine Green Fluorescence Imaging of Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2014, 21, 440-448.   | 0.7 | 197       |
| 286 | Surgical resection of peritoneal or thoracoabdominal wall implants from hepatocellular carcinoma. <i>British Journal of Surgery</i> , 2014, 101, 1017-1022.   | 0.1 | 24        |
| 287 | Acoustic Radiation Force Impulse Imaging of the Pancreas for Estimation of Pathologic Fibrosis and Risk of Postoperative Pancreatic Fistula. <i>Journal of the American College of Surgeons</i> , 2014, 219, 887-894e5.   | 0.2 | 60        |
| 288 | Cetuximab for resectable colorectal liver metastasis: New EPOC trial. <i>Lancet Oncology</i> , The, 2014, 15, e305-e306.  | 5.1 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | First Case Report of De Novo Ulcerative Colitis Developing After Orthotopic Liver Transplantation Successfully Treated by Granulocyte and Monocyte Apheresis. <i>Transplantation Proceedings</i> , 2014, 46, 2414-2417.                         | 0.3 | 2         |
| 290 | Impact of Surgery on Quality of Life in Patients with Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2014, 38, 958-967.  | 0.8 | 23        |
| 291 | Optimal cutoff value for the number of colorectal liver metastases: a project study for hepatic surgery of the Japanese Society of Hepato-Biliary-Pancreatic Surgery. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2014, 21, 169-175. | 1.4 | 10        |
| 292 | Indocyanine green fluorescence imaging in the surgical management of liver cancers: Current facts and future implications. <i>Journal of Visceral Surgery</i> , 2014, 151, 117-124.   | 0.4 | 85        |
| 293 | Initial experience of intraoperative three-dimensional navigation for liver resection using real-time virtual sonography. <i>Surgery</i> , 2014, 155, 255-262.  | 1.0 | 35        |
| 294 | Pancreas-sparing duodenectomy for gastrointestinal stromal tumor. <i>American Journal of Surgery</i> , 2014, 207, 578-583.  | 0.9 | 20        |
| 295 | Perceptions of post-transplant recidivism in liver transplantation for alcoholic liver disease. <i>World Journal of Hepatology</i> , 2014, 6, 812.  | 0.8 | 5         |
| 296 | Indocyanine green fluorescent imaging for detecting extrahepatic metastasis of hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2013, 48, 1136-1143.  | 2.3 | 99        |
| 297 | Safety of Simultaneous Bowel and Liver Resections for Colon and Rectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2013, 9, 185-190.   | 1.0 | 0         |
| 298 | Portal uptake function in veno-occlusive regions evaluated by real-time fluorescent imaging using indocyanine green. <i>Journal of Hepatology</i> , 2013, 58, 247-253.  | 1.8 | 109       |
| 299 | Comparison of resection and ablation for hepatocellular carcinoma: A cohort study based on a Japanese nationwide survey. <i>Journal of Hepatology</i> , 2013, 58, 724-729.  | 1.8 | 322       |
| 300 | Virtual liver resection: computer-assisted operation planning using a three-dimensional liver representation. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2013, 20, 157-164.   | 1.4 | 78        |
| 301 | Multiple splenic nodules with fever: a case of splenic abscess due to <i>Propionibacterium acnes</i> . <i>Clinical Journal of Gastroenterology</i> , 2013, 6, 434-437.  | 0.4 | 3         |
| 302 | Visualization of the leakage of pancreatic juice using a chymotrypsin-activated fluorescent probe. <i>British Journal of Surgery</i> , 2013, 100, 1220-1228.  | 0.1 | 50        |
| 303 | Identification of veno-occlusive regions in a right liver graft after reconstruction of vein segments 5 and 8: Application of indocyanine green fluorescence imaging. <i>Liver Transplantation</i> , 2013, 19, 778-779.                         | 1.3 | 23        |
| 304 | De Novo Malignancies After Adult-to-Adult Living-Donor Liver Transplantation With a Malignancy Surveillance Program. <i>Transplantation</i> , 2013, 95, 1142-1147.  | 0.5 | 28        |
| 305 | Resection of the second portion of the duodenum sacrificing the minor papilla but preserving the pancreas for a recurrent duodenal adenocarcinoma: Report of a case. <i>BioScience Trends</i> , 2012, 6, 44-47.                                 | 1.1 | 5         |
| 306 | Perioperative chemotherapy and liver resection for hepatic metastases of colorectal cancer. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2012, 19, 503-508.   | 1.4 | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Liver Resection for Multiple Colorectal Liver Metastases with Surgery Upâ€front Approach: Biâ€institutional Analysis of 736 Consecutive Cases. <i>World Journal of Surgery</i> , 2012, 36, 2171-2178.  | 0.8 | 70        |
| 308 | Contrast-enhanced intraoperative ultrasonography using perfluorobutane microbubbles for the enumeration of colorectal liver metastases. <i>British Journal of Surgery</i> , 2012, 99, 1271-1277.   | 0.1 | 54        |
| 309 | A nomogram predicting diseaseâ€free survival in patients with colorectal liver metastases treated with hepatic resection: multicenter data collection as a Project Study for Hepatic Surgery of the Japanese Society of Hepatoâ€Biliaryâ€Pancreatic Surgery. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2012, 19, 72-84. | 1.4 | 162       |
| 310 | Donor hepatectomy using hanging maneuvers: Tokyo University experiences in 300 donors. <i>Hepato-Gastroenterology</i> , 2012, 59, 1939-43.   | 0.5 | 5         |
| 311 | Intrahepatic cholangiocarcinoma with intrahepatic biliary lithiasis arising 47 years after the excision of a congenital biliary dilatation: report of a case. <i>BioScience Trends</i> , 2012, 6, 98-102.  | 1.1 | 7         |
| 312 | Demonstration of quality of care measurement using the Japanese liver cancer registry. <i>Hepatology Research</i> , 2011, 41, 1208-1215.   | 1.8 | 17        |
| 313 | Once-daily tacrolimus in living donor liver transplant recipients. <i>BioScience Trends</i> , 2011, 5, 156-158.  | 1.1 | 3         |
| 314 | Usefulness of Contrast-Enhanced Intraoperative Ultrasound Using Sonazoid in Patients With Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2011, 254, 992-999.   | 2.1 | 62        |
| 315 | Hepatobiliary Surgery Guided by a Novel Fluorescent Imaging Technique for Visualizing Hepatic Arteries, Bile Ducts, and Liver Cancers on Color Images. <i>Journal of the American College of Surgeons</i> , 2011, 212, e33-e39.  | 0.2 | 68        |
| 316 | Application of fluorescent cholangiography to single-incision laparoscopic cholecystectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011, 25, 2631-2636.   | 1.3 | 68        |
| 317 | Donor quality of life after living donor liver transplantation: a prospective study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2011, 18, 263-267.   | 1.4 | 24        |
| 318 | Rho and Rho-Kinase Activity in Adipocytes Contributes to a Vicious Cycle in Obesity That May Involve Mechanical Stretch. <i>Science Signaling</i> , 2011, 4, ra3.  | 1.6 | 85        |
| 319 | Cohort Study of the Survival Benefit of Resection for Recurrent Hepatic and/or Pulmonary Metastases After Primary Hepatectomy for Colorectal Metastases. <i>Annals of Surgery</i> , 2010, 251, 902-909.  | 2.1 | 59        |
| 320 | Single HCC between 2 and 5 cm: the grey zone. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2010, 17, 430-433.  | 1.4 | 1         |
| 321 | Fluorescence Navigation Hepatectomy by Visualization of Localized Cholestasis from Bile Duct Tumor Infiltration. <i>Journal of the American College of Surgeons</i> , 2010, 210, e2-e6.  | 0.2 | 60        |
| 322 | Fluorescent cholangiography illuminating the biliary tree during laparoscopic cholecystectomy. <i>British Journal of Surgery</i> , 2010, 97, 1369-1377.  | 0.1 | 310       |
| 323 | Surgery versus radiofrequency ablation for small hepatocellular carcinoma: Start of a randomized controlled trial (SURF trial). <i>Hepatology Research</i> , 2010, 40, 851-852.  | 1.8 | 30        |
| 324 | Realâ€time identification of liver cancers by using indocyanine green fluorescent imaging. <i>Cancer</i> , 2009, 115, 2491-2504.   | 2.0 | 706       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Surgical treatment of hepatocellular carcinoma. <i>Surgery Today</i> , 2009, 39, 833-843.  | 0.7 | 38        |
| 326 | Risk Factors and Management of Ascites After Liver Resection to Treat Hepatocellular Carcinoma. <i>Archives of Surgery</i> , 2009, 144, 46.  | 2.3 | 169       |
| 327 | Inclusion of Tumor Markers Improves the Correlation of the Milan Criteria with Vascular Invasion and Tumor Cell Differentiation in Patients with Hepatocellular Carcinoma Undergoing Liver Resection (#JGSU-D-07â€“00462). <i>Journal of Gastrointestinal Surgery</i> , 2008, 12, 858-866. | 0.9 | 14        |
| 328 | Neither Multiple Tumors Nor Portal Hypertension Are Surgical Contraindications for Hepatocellular Carcinoma. <i>Gastroenterology</i> , 2008, 134, 1908-1916.   | 0.6 | 645       |
| 329 | Two-stage pancreatojejunostomy in pancreaticoduodenectomy: a retrospective analysis of short-term results. <i>American Journal of Surgery</i> , 2008, 196, 3-10.   | 0.9 | 32        |
| 330 | Control Arm for Surgery Alone Is Needed but Difficult to Obtain in Randomized Trials for Adjuvant Chemotherapy After Liver Resection for Colorectal Metastases. <i>Journal of Clinical Oncology</i> , 2007, 25, 1299-1300.   | 0.8 | 14        |
| 331 | Surgical management of hepatocellular carcinoma. Liver resection and liver transplantation. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2007, 28, 1171-9.   | 0.5 | 9         |
| 332 | Extent of hepatectomy on splenic hypertrophy and platelet count in live liver donors. <i>Clinical Transplantation</i> , 2006, 20, 234-238.   | 0.8 | 14        |
| 333 | Living Donor Liver Transplantation for Epithelioid Hemangioendothelioma: Report of a Case. <i>Surgery Today</i> , 2006, 36, 1024-1027.   | 0.7 | 9         |
| 334 | Uracil-tegafur as an adjuvant for hepatocellular carcinoma: A randomized trial. <i>Hepatology</i> , 2006, 44, 891-895.   | 3.6 | 78        |
| 335 | Prognostic Impact of Anatomic Resection for Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2005, 242, 252-259.   | 2.1 | 575       |
| 336 | Living donor liver transplantation for primary biliary cirrhosis: retrospective analysis of 50 patients in a single center. <i>Transplant International</i> , 2005, 18, 794-799.   | 0.8 | 15        |
| 337 | Proposal of a new prognostic model for hepatocellular carcinoma: an analysis of 403 patients. <i>Gut</i> , 2005, 54, 419-425.  | 6.1 | 237       |
| 338 | Administration of Iodized Oil Resulted in Impaired Liver Function Due to Enhanced Portosystemic Shunting. <i>CardioVascular and Interventional Radiology</i> , 2004, 27, 282-4.  | 0.9 | 3         |
| 339 | Bilioenteric Reconstruction for Small Bile Ducts Without Mucosa-to-Mucosa Alignment. <i>Archives of Surgery</i> , 2004, 139, 1050.   | 2.3 | 9         |
| 340 | Endovascular stenting for celiac axis stenosis before pancreaticoduodenectomy. <i>Surgery</i> , 2003, 133, 440-442.  | 1.0 | 32        |
| 341 | Effect of Apolipoprotein E Polymorphism on Bile Lipid Composition and The Formation of Cholesterol Gallstone. <i>American Journal of Gastroenterology</i> , 2003, 98, 1605-1609.   | 0.2 | 20        |
| 342 | Extended right hepatectomy and total gastrectomy with double Roux-en-Y reconstruction for hilar bile duct and gastric carcinomas. <i>Hepato-Gastroenterology</i> , 2003, 50, 374-6.  | 0.5 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 343 | Effect of Hypoventilation on Bleeding During Hepatic Resection. Archives of Surgery, 2002, 137, 311-5.  | 2.3 | 59        |
| 344 | Hepatocellular carcinoma originating from intramural cells in the bile duct. Hepato-Gastroenterology, 2002, 49, 1688-91.  | 0.5 | 0         |
| 345 | Ischemic Cholangitis Caused by Transcatheter Hepatic Arterial Chemoembolization 10 Months After Resection of the Extrahepatic Bile Duct. CardioVascular and Interventional Radiology, 2000, 23, 304-306.  | 0.9 | 13        |
| 346 | Hepatocellular carcinoma followed by Waldenström's macroglobulinemia: a case report. Hepato-Gastroenterology, 2000, 47, 842-5.  | 0.5 | 0         |
| 347 | Mass-forming inflammatory periductal fibrosis mimicking hilar bile duct carcinoma. Hepato-Gastroenterology, 2000, 47, 1230-3.   | 0.5 | 3         |
| 348 | Polymyositis as a paraneoplastic manifestation of hepatocellular carcinoma. Hepato-Gastroenterology, 2000, 47, 1425-7.  | 0.5 | 10        |
| 349 | Detection of endometrial cancer by flow cytometry using two monoclonal antibodies. , 1999, 36, 150-156.   |     | 0         |
| 350 | Possible involvement of nitroglycerin converting step in nitroglycerin tolerance. Life Sciences, 1999, 64, 2199-2206.   | 2.0 | 15        |
| 351 | Dihydro-1,4-benzothiazine-6,7-dione, the ultimate toxic metabolite of 4-S-Cysteaminyphenol and 4-S-Cysteaminy catechol. Biochemical Pharmacology, 1997, 53, 1435-1444.  | 2.0 | 45        |
| 352 | The Paramecium circadian clock: synchrony of changes in motility, membrane potential, cyclic AMP and cyclic GMP. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 1997, 181, 41-46.  | 0.7 | 6         |
| 353 | Measurement of liver volume and hepatic functional reserve as a guide to decision-making in resectional surgery for hepatic tumors. Hepatology, 1997, 26, 1176-1181.  | 3.6 | 695       |
| 354 | THE RELATIONSHIP BETWEEN HISTOPATHOLOGICAL FINDINGS OF HEPATIC METASTATIC FOCI OF THE COLORECTAL CANCER AND PROGNOSIS AFTER HEPATECTOMY-A CLINICAL STUDY-. The Journal of the Japanese Practical Surgeon Society, 1997, 58, 309-315.  | 0.0 | 0         |
| 355 | A LONG SURVIVOR WITH RESECTED HETEROCHRONOUS METASTASES TO THE LIVER AND LUNG AFTER AN OPERATION FOR AN OVARIAN CANCER. The Journal of the Japanese Practical Surgeon Society, 1995, 56, 1964-1968.   | 0.0 | 0         |
| 356 | INHIBITION WITH LACTOFERRIN OF IN VITRO INFECTION WITH HUMAN HERPES VIRUS. Japanese Journal of Medical Science and Biology, 1994, 47, 73-85.  | 0.4 | 137       |
| 357 | Endothelin-1-selective receptor in the arterial intima of patients with hypertension.. Hypertension, 1994, 23, 288-293.   | 1.3 | 42        |
| 358 | A CASE OF CARCINOMA OF THE AMPULLA OF VATER WITH RECURRENT PARAAORTIC LYMPH NODE METASTASIS AFTER PANCREATODUODENECTOMY TREATED SUCCESSFULLY WITH DISSECTION. The Journal of the Japanese Practical Surgeon Society, 1994, 55, 2053-2058.   | 0.0 | 0         |
| 359 | Ventricular expression of brain natriuretic peptide in hypertrophic cardiomyopathy.. Circulation, 1993, 88, 372-380.  | 1.6 | 240       |
| 360 | INTRAHEPATIC ARTERIAL INFUSION THERAPY WITH CARBOPLATIN (CBDCA) FOR ADVANCED HEPATOCELLULAR CARCINOMA CAUSING TUMOR THROMBUS IN THE PORTAL TRUNK WHICH LED TO SUCCESSFUL OPERATION-REPORT OF A CASE-. The Journal of the Japanese Practical Surgeon Society, 1993, 54, 1601-1606. | 0.0 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 361 | Ventricular expression of atrial and brain natriuretic peptides in dilated cardiomyopathy. An immunohistochemical study of the endomyocardial biopsy specimens using specific monoclonal antibodies. <i>American Journal of Pathology</i> , 1993, 142, 107-116. | 1.9 | 50        |
| 362 | Extrapyramidal system involvement in motor neuron disease. <i>Journal of the Neurological Sciences</i> , 1992, 108, 137-148.  | 0.3 | 23        |
| 363 | Light and electron microscopic localization of brain natriuretic peptide in relation to atrial natriuretic peptide in porcine atrium. Immunohistochemical study using specific monoclonal antibodies. <i>Circulation</i> , 1991, 84, 1203-1209.                 | 1.6 | 77        |
| 364 | The Clinical Issues of Age-Related Dementia. <i>Tohoku Journal of Experimental Medicine</i> , 1990, 161, 29-38.   | 0.5 | 25        |
| 365 | Circadian locomotor activity in an isolated cell of <i>Paramecium</i> . <i>Progress in Clinical and Biological Research</i> , 1990, 341B, 707-15.   | 0.2 | 0         |
| 366 | The <i>Paramecium</i> circadian clock: a phase-plane analysis of entrainments by discrete changes in light intensity and continuous light involved in a light/dark cycle. <i>Experientia</i> , 1988, 44, 526-528.   | 1.2 | 2         |
| 367 | A method for tracking the locomotion of an isolated microorganism in real time. <i>Physiology and Behavior</i> , 1988, 42, 397-400.   | 1.0 | 15        |
| 368 | X-linked dominant control of F-cells in normal adult life: characterization of the Swiss type as hereditary persistence of fetal hemoglobin regulated dominantly by gene(s) on X chromosome. <i>Blood</i> , 1988, 72, 1854-1860.                                | 0.6 | 106       |
| 369 | X-linked dominant control of F-cells in normal adult life: characterization of the Swiss type as hereditary persistence of fetal hemoglobin regulated dominantly by gene(s) on X chromosome. <i>Blood</i> , 1988, 72, 1854-1860.                                | 0.6 | 6         |
| 370 | The <i>Paramecium</i> Circadian Behavioral Rhythm: Light Phase Response Curves and Entrainment. <i>Journal of Biological Rhythms</i> , 1987, 2, 269-278.  | 1.4 | 11        |
| 371 | Update on perioperative management of patients undergoing surgery for liver cancer. <i>Annals of Gastroenterological Surgery</i> , 0, , .   | 1.2 | 2         |
| 372 | Letter RE: Postresection Period-Specific Hazard of Recurrence as a Framework for Surveillance Strategy in Patients with Hepatocellular Carcinoma: A Multicenter Outcome Study. <i>Liver Cancer</i> , 0, , .   | 4.2 | 0         |
| 373 | Preoperative Predictive Features of Invasive Carcinoma Among Intraductal Papillary Mucinous Neoplasm of the Pancreas. <i>Pancreas</i> , 0, Publish Ahead of Print, .  | 0.5 | 2         |