

# Chen Zhu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/179123/publications.pdf>

Version: 2024-02-01

94  
papers

4,630  
citations

109321

35  
h-index

106344

65  
g-index

99  
all docs

99  
docs citations

99  
times ranked

4640  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of gas saturation and reservoir heterogeneity on thermochemical sulfate reduction reaction in a dolomite reservoir, Puguang gas field, China. <i>Marine and Petroleum Geology</i> , 2022, 135, 105402.	3.3	3
2	Ba attachment and detachment fluxes to and from barite surfaces in <sup>137</sup> Ba-enriched solutions with variable [Ba <sup>2+</sup> ]/[SO <sub>4</sub> <sup>2-</sup> ] ratios near solubility equilibrium. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 317, 180-200.	3.9	7
3	Comparison of thermodynamic data files for PHREEQC. <i>Earth-Science Reviews</i> , 2022, 225, 103888.	9.1	19
4	Effects of Hydrogeological Heterogeneity on CO <sub>2</sub> Migration and Mineral Trapping: 3D Reactive Transport Modeling of Geological CO <sub>2</sub> Storage in the Mt. Simon Sandstone, Indiana, USA. <i>Energies</i> , 2022, 15, 2171.	3.1	7
5	Inductive predictions of hydrologic events using a Long Short-Term Memory network and the Soil and Water Assessment Tool. <i>Environmental Modelling and Software</i> , 2022, 152, 105400.	4.5	7
6	Testing hypotheses of albite dissolution mechanisms at near-equilibrium using Si isotope tracers. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 303, 15-37.	3.9	9
7	Investigation of mineral trapping processes based on coherent front propagation theory: A dawsonite-rich natural CO <sub>2</sub> reservoir as an example. <i>International Journal of Greenhouse Gas Control</i> , 2021, 110, 103400.	4.6	8
8	A method for Si isotope tracer kinetics experiments: Using Q-ICP-MS to obtain <sup>29</sup> Si/ <sup>28</sup> Si ratios in aqueous solutions. <i>Chemical Geology</i> , 2020, 531, 119337.	3.3	2
9	Decoupling feldspar dissolution and precipitation rates at near-equilibrium with Si isotope tracers: Implications for modeling silicate weathering. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 271, 132-153.	3.9	13
10	SupPhreeqc: A program for generating customized Phreeqc thermodynamic datasets from Supcrtbl and extending calculations to elevated pressures and temperatures. <i>Computers and Geosciences</i> , 2020, 143, 104560.	4.2	14
11	A mineral-water-gas interaction model of pCO <sub>2</sub> as a function of temperature in sedimentary basins. <i>Chemical Geology</i> , 2020, 558, 119868.	3.3	4
12	Drought in the Twenty-First Century in a Water-Rich Region: Modeling Study of the Wabash River Watershed, USA. <i>Water (Switzerland)</i> , 2020, 12, 181.	2.7	6
13	Evaluating precipitation products for hydrologic modeling over a large river basin in the Midwestern USA. <i>Hydrological Sciences Journal</i> , 2020, 65, 1221-1238.	2.6	10
14	FutureWater Indiana: A science gateway for spatio-temporal modeling of water in Wabash basin with a focus on climate change. , 2020, , .		1
15	Review: The projected hydrologic cycle under the scenario of 936 Appm CO <sub>2</sub> in 2100. <i>Hydrogeology Journal</i> , 2019, 27, 31-53.	2.1	11
16	Kyanite far from equilibrium dissolution rate at 0–22 °C and pH of 3.5–7.5. <i>Acta Geochimica</i> , 2019, 38, 472-480.	1.7	9
17	A library of BASIC scripts of reaction rates for geochemical modeling using phreeqc. <i>Computers and Geosciences</i> , 2019, 133, 104316.	4.2	23
18	Unidirectional kaolinite dissolution rates at near-equilibrium and near-neutral pH conditions. <i>Applied Clay Science</i> , 2019, 182, 105284.	5.2	7

#	ARTICLE	IF	CITATIONS
19	Measuring reaction rates at equilibrium with the isotope doping method. E3S Web of Conferences, 2019, 98, 13003.	0.5	0
20	Review and outlook for agromineral research in agriculture and climate mitigation. Soil Research, 2018, 56, 113.	1.1	15
21	CO <sub>2</sub> Plume Migration and Fate at Sleipner, Norway: Calibration of Numerical Models, Uncertainty Analysis, and Reactive Transport Modelling of CO <sub>2</sub> Trapping to 10,000 Years. Energy Procedia, 2017, 114, 2880-2895.	1.8	6
22	Impacts of Mineral Reaction Kinetics and Regional Groundwater Flow on Long-Term CO <sub>2</sub> Fate at Sleipner. Energy & Fuels, 2016, 30, 4159-4180.	5.1	15
23	Rate equations for sodium catalyzed amorphous silica dissolution. Geochimica Et Cosmochimica Acta, 2016, 195, 120-125.	3.9	22
24	Equilibrium and kinetic Si isotope fractionation factors and their implications for Si isotope distributions in the Earth's surface environments. Acta Geochimica, 2016, 35, 15-24.	1.7	24
25	Measuring silicate mineral dissolution rates using Si isotope doping. Chemical Geology, 2016, 445, 146-163.	3.3	21
26	SUPCRTBL: A revised and extended thermodynamic dataset and software package of SUPCRT92. Computers and Geosciences, 2016, 90, 97-111.	4.2	108
27	Effects of rate law formulation on predicting CO <sub>2</sub> sequestration in sandstone formations. International Journal of Energy Research, 2015, 39, 1890-1908.	4.5	13
28	CO <sub>2</sub> Storage in Deep Saline Aquifers. , 2015, , 299-332.		9
29	Coupled alkali feldspar dissolution and secondary mineral precipitation in batch systems: 5. Results of K-feldspar hydrolysis experiments. Diqiu Huaxue, 2015, 34, 1-12.	0.5	21
30	Benchmark modeling of the Sleipner CO <sub>2</sub> plume: Calibration to seismic data for the uppermost layer and model sensitivity analysis. International Journal of Greenhouse Gas Control, 2015, 43, 233-246.	4.6	55
31	Geochemical Mixing in Peatland Waters: The Role of Organic Acids. Wetlands, 2015, 35, 567-575.	1.5	5
32	Silicon Isotopes as a New Method of Measuring Silicate Mineral Reaction Rates at Ambient Temperature. Procedia Earth and Planetary Science, 2014, 10, 189-193.	0.6	6
33	Resolving the gap between laboratory and field rates of feldspar weathering. Geochimica Et Cosmochimica Acta, 2014, 147, 90-106.	3.9	32
34	Model Predictions via History Matching of CO <sub>2</sub> Plume Migration at the Sleipner Project, Norwegian North Sea. Energy Procedia, 2014, 63, 3000-3011.	1.8	12
35	A new approach for measuring dissolution rates of silicate minerals by using silicon isotopes. Geochimica Et Cosmochimica Acta, 2013, 104, 261-280.	3.9	22
36	A SAFT Equation of State for the H <sub>2</sub> S-CO <sub>2</sub> -H <sub>2</sub> O-NaCl System and Applications for CO <sub>2</sub> - H <sub>2</sub> S Transportation and Geological Storage. Energy Procedia, 2013, 37, 3780-3791.	1.8	15

#	ARTICLE	IF	CITATIONS
37	Coupled alkali feldspar dissolution and secondary mineral precipitation in batch systems â€” 2: New experiments with supercritical CO <sub>2</sub> and implications for carbon sequestration. <i>Applied Geochemistry</i> , 2013, 30, 75-90.	3.0	51
38	The Coupling of Dissolution and Precipitation Reactions as the Main Contributor to the Apparent Field-Lab Rate Discrepancy. <i>Procedia Earth and Planetary Science</i> , 2013, 7, 948-952.	0.6	13
39	Predicting Possible Effects of H <sub>2</sub> S Impurity on CO <sub>2</sub> Transportation and Geological Storage. <i>Environmental Science &amp; Technology</i> , 2013, 47, 55-62.	10.0	52
40	A SAFT equation of state for the quaternary H <sub>2</sub> Sâ€”CO <sub>2</sub> â€”H <sub>2</sub> Oâ€”NaCl system. <i>Geochimica Et Cosmochimica Acta</i> , 2012, 91, 40-59.	3.9	20
41	CO <sub>2</sub> â€”brineâ€”caprock interaction: Reactivity experiments on Eau Claire shale and a review of relevant literature. <i>International Journal of Greenhouse Gas Control</i> , 2012, 7, 153-167.	4.6	181
42	Geochemical Modeling in Environmental and Geological Studies. , 2012, , 209-218.		0
43	On the potential of CO <sub>2</sub> â€”waterâ€”rock interactions for CO <sub>2</sub> storage using a modified kinetic model. <i>International Journal of Greenhouse Gas Control</i> , 2011, 5, 1002-1015.	4.6	123
44	Water: Is There a Global Crisis?. <i>Elements</i> , 2011, 7, 157-162.	0.5	67
45	Hydrogeochemical Processes and Controls on Water Quality and Water Management. <i>Elements</i> , 2011, 7, 169-174.	0.5	44
46	Lead coprecipitation with iron oxyhydroxide nano-particles. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 4547-4561.	3.9	50
47	Coupled reactive flow and transport modeling of CO <sub>2</sub> sequestration in the Mt. Simon sandstone formation, Midwest U.S.A.. <i>International Journal of Greenhouse Gas Control</i> , 2011, 5, 294-307.	4.6	98
48	Navajo Sandstoneâ€”brineâ€”CO <sub>2</sub> interaction: implications for geological carbon sequestration. <i>Environmental Earth Sciences</i> , 2011, 62, 101-118.	2.7	48
49	Arsenic Ehâ€”pH diagrams at 25Â°C and 1Âbar. <i>Environmental Earth Sciences</i> , 2011, 62, 1673-1683.	2.7	100
50	Noble gas signatures of high recharge pulses and migrating jet stream in the late Pleistocene over Black Mesa, Arizona, United States. <i>Geology</i> , 2010, 38, 83-86.	4.4	11
51	Antimony speciation and contamination of waters in the Xikuangshan antimony mining and smelting area, China. <i>Environmental Geochemistry and Health</i> , 2010, 32, 401-413.	3.4	127
52	Modeling of Phase Equilibria in the H <sub>2</sub> Sâ€”H <sub>2</sub> O System with the Statistical Associating Fluid Theory. <i>Energy &amp; Fuels</i> , 2010, 24, 6208-6213.	5.1	13
53	New Method and Detection of High Concentrations of Monomethylarsonous Acid Detected in Contaminated Groundwater. <i>Environmental Science &amp; Technology</i> , 2010, 44, 5875-5880.	10.0	23
54	Coupled alkali feldspar dissolution and secondary mineral precipitation in batch systems: 4. Numerical modeling of kinetic reaction paths. <i>Geochimica Et Cosmochimica Acta</i> , 2010, 74, 3963-3983.	3.9	80

#	ARTICLE	IF	CITATIONS
55	12. Geochemical Modeling of Reaction Paths and Geochemical Reaction Networks. , 2009, , 533-570.		12
56	Numerical modeling of the development of a preferentially leached layer on feldspar surfaces. Environmental Geology, 2009, 57, 1639.	1.2	9
57	Coupled alkali-feldspar dissolution and secondary mineral precipitation in batch systems: 1. New experiments at 200°C and 300Åbars. Chemical Geology, 2009, 258, 125-135.	3.3	96
58	Stable silicon isotopes of groundwater, feldspars, and clay coatings in the Navajo Sandstone aquifer, Black Mesa, Arizona, USA. Geochimica Et Cosmochimica Acta, 2009, 73, 2229-2241.	3.9	98
59	Alkali feldspar dissolution and secondary mineral precipitation in batch systems: 3. Saturation states of product minerals and reaction paths. Geochimica Et Cosmochimica Acta, 2009, 73, 3171-3200.	3.9	110
60	Geochemical Modeling of Reaction Paths and Geochemical Reaction Networks. Reviews in Mineralogy and Geochemistry, 2009, 70, 533-569.	4.8	36
61	Sequestration of CO <sub>2</sub> in Mixtures of Bauxite Residue and Saline Wastewater. Energy & Fuels, 2008, 22, 343-353.	5.1	67
62	A Method for Estimating In Situ Reaction Rates from Push-Pull Experiments for Arbitrary Solute Background Concentrations. Environmental and Engineering Geoscience, 2007, 13, 345-354.	0.9	12
63	PVTx properties of the CO <sub>2</sub> -H <sub>2</sub> O and CO <sub>2</sub> -H <sub>2</sub> O-NaCl systems below 647ÅK: Assessment of experimental data and thermodynamic models. Chemical Geology, 2007, 238, 249-267.	3.3	104
64	Accurate Thermodynamic Model for the Calculation of H <sub>2</sub> S Solubility in Pure Water and Brines. Energy & Fuels, 2007, 21, 2056-2065.	5.1	120
65	Reactions and reaction rates in the regional aquifer beneath the Pajarito Plateau, north-central New Mexico, USA. Environmental Geology, 2007, 52, 965-977.	1.2	20
66	Bridging the gap between laboratory measurements and field estimations of silicate weathering using simple calculations. Environmental Geology, 2007, 53, 599-610.	1.2	60
67	Electron Microbeam Investigation of Uranium-Contaminated Soils from Oak Ridge, TN, USA. Environmental Science & Technology, 2006, 40, 2108-2113.	10.0	43
68	Naturally weathered feldspar surfaces in the Navajo Sandstone aquifer, Black Mesa, Arizona: Electron microscopic characterization. Geochimica Et Cosmochimica Acta, 2006, 70, 4600-4616.	3.9	109
69	Preliminary modeling of the long-term fate of CO <sub>2</sub> following injection into deep geological formations. Environmental Geosciences, 2006, 13, 1-15.	0.6	13
70	An improved model for the calculation of CO <sub>2</sub> solubility in aqueous solutions containing Na <sup>+</sup> , K <sup>+</sup> , Ca <sup>2+</sup> , Mg <sup>2+</sup> , Cl <sup>-</sup> , and SO <sub>4</sub> <sup>2-</sup> . Marine Chemistry, 2006, 98, 131-139.	2.3	480
71	A high-resolution TEM-AEM, pH titration, and modeling study of Zn <sup>2+</sup> coprecipitation with ferrihydrite. Geochimica Et Cosmochimica Acta, 2005, 69, 1543-1553.	3.9	12
72	In situ feldspar dissolution rates in an aquifer. Geochimica Et Cosmochimica Acta, 2005, 69, 1435-1453.	3.9	141

#	ARTICLE	IF	CITATIONS
73	Trace element cycling in a subterranean estuary: Part 1. Geochemistry of the permeable sediments. <i>Geochimica Et Cosmochimica Acta</i> , 2005, 69, 2095-2109.	3.9	206
74	Coprecipitation in the barite isostructural family: 1. binary mixing properties. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 3327-3337.	3.9	76
75	Coprecipitation in the barite isostructural family: 2. Numerical simulations of reactions and mass transport. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 3339-3349.	3.9	18
76	A case against Kd-based transport models: natural attenuation at a mill tailings site. <i>Computers and Geosciences</i> , 2003, 29, 351-359.	4.2	28
77	Late Pleistocene and Holocene groundwater recharge from the chloride mass balance method and chlorine-36 data. <i>Water Resources Research</i> , 2003, 39, .	4.2	34
78	Model Concepts. , 2002, , 18-31.		0
79	Inverse Mass Balance Modeling. , 2002, , 180-198.		0
80	Computer Programs for Geochemical Modeling. , 2002, , 74-91.		1
81	Modeling Surface Adsorption. , 2002, , 133-156.		2
82	Coupled Reactive Transport Models. , 2002, , 199-229.		1
83	Kinetics Modeling. , 2002, , 230-252.		0
84	Estimation of surface precipitation constants for sorption of divalent metals onto hydrous ferric oxide and calcite. <i>Chemical Geology</i> , 2002, 188, 23-32.	3.3	43
85	Natural Attenuation Reactions at a Uranium Mill Tailings Site, Western U.S.A.. <i>Ground Water</i> , 2002, 40, 5-13.	1.3	16
86	Mineralogical compositions of aquifer matrix as necessary initial conditions in reactive contaminant transport models. <i>Journal of Contaminant Hydrology</i> , 2001, 51, 145-161.	3.3	44
87	Multi-component reactive transport modeling of natural attenuation of an acid groundwater plume at a uranium mill tailings site. <i>Journal of Contaminant Hydrology</i> , 2001, 52, 85-108.	3.3	59
88	Iron oxide coatings on sand grains from the Atlantic coastal plain: High-resolution transmission electron microscopy characterization. <i>Geology</i> , 2001, 29, 843.	4.4	111
89	On Radiocarbon Dating of Ground Water. <i>Ground Water</i> , 2000, 38, 802-804.	1.3	20
90	Estimate of recharge from radiocarbon dating of groundwater and numerical flow and transport modeling. <i>Water Resources Research</i> , 2000, 36, 2607-2620.	4.2	75

#	ARTICLE	IF	CITATIONS
91	Responses of ground water in the Black Mesa basin, northeastern Arizona, to paleoclimatic changes during the late Pleistocene and Holocene. <i>Geology</i> , 1998, 26, 127.	4.4	37
92	New pH sensor for hydrothermal fluids. <i>Geology</i> , 1993, 21, 983.	4.4	2
93	F-Cl-OH partitioning between biotite and apatite. <i>Geochimica Et Cosmochimica Acta</i> , 1992, 56, 3435-3467.	3.9	228
94	Partitioning of F-Cl-OH between minerals and hydrothermal fluids. <i>Geochimica Et Cosmochimica Acta</i> , 1991, 55, 1837-1858.	3.9	285